Damiano G Mita

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4844888/damiano-g-mita-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,846 26 64 40 h-index g-index citations papers 65 2,048 5.2 4.13 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
64	Bisphenol A, octylphenols and nonylphenols in fish muscle determined by LC/ESI-MS/MS after affinity chromatography clean up. <i>Food Additives and Contaminants: Part B Surveillance</i> , 2020 , 13, 139-1-	4 3 -3	6
63	Occurrence of Bisphenol A and its analogues in some foodstuff marketed in Europe. <i>Food and Chemical Toxicology</i> , 2019 , 131, 110575	4.7	54
62	Bisphenol A removal by a Pseudomonas aeruginosa immobilized on granular activated carbon and operating in a fluidized bed reactor. <i>Journal of Hazardous Materials</i> , 2015 , 291, 129-35	12.8	36
61	Degradation and toxicity assessment of the nonionic surfactant TritonIX-45 by the peroxymonosulfate/UV-C process. <i>Photochemical and Photobiological Sciences</i> , 2015 , 14, 569-75	4.2	13
60	Curcumin loaded PLGA-poloxamer blend nanoparticles induce cell cycle arrest in mesothelioma cells. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2015 , 93, 37-45	5.7	56
59	Xenobiotic-contaminated diets affect hepatic lipid metabolism: Implications for liver steatosis in Sparus aurata juveniles. <i>Aquatic Toxicology</i> , 2015 , 167, 257-64	5.1	53
58	Monitoring production process of cisplatin-loaded PLGA nanoparticles by FT-IR microspectroscopy and univariate data analysis. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	19
57	Efficacy of piroxicam plus cisplatin-loaded PLGA nanoparticles in inducing apoptosis in mesothelioma cells. <i>Pharmaceutical Research</i> , 2015 , 32, 362-74	4.5	7
56	Migration of bisphenol A into canned tomatoes produced in Italy: dependence on temperature and storage conditions. <i>Food Chemistry</i> , 2014 , 160, 157-64	8.5	49
55	FT-IR microspectroscopy of cisplatin loaded PLGA nanoparticles 2014 ,		1
54	A developmental hepatotoxicity study of dietary bisphenol A in Sparus aurata juveniles. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology,</i> 2014 , 166, 1-13	3.2	26
53	Alkylphenolic contaminants in the diet: Sparus aurata juveniles hepatic response. <i>General and Comparative Endocrinology</i> , 2014 , 205, 185-96	3	17
52	A high selective and sensitive liquid chromatography-tandem mass spectrometry method for quantization of BPA urinary levels in children. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 9139-48	3 4.4	31
51	Enzymatic removal of estrogenic activity of nonylphenol and octylphenol aqueous solutions by immobilized laccase from Trametes versicolor. <i>Journal of Hazardous Materials</i> , 2013 , 248-249, 337-46	12.8	65
50	Enzyme distribution and secondary structure of sol-gel immobilized glucose oxidase by micro-attenuated total reflection FT-IR spectroscopy. <i>Materials Science and Engineering C</i> , 2013 , 33, 304	- ⁸ d	47
49	Effects of some endocrine disruptors on cell cycle progression and murine dendritic cell differentiation. <i>General and Comparative Endocrinology</i> , 2012 , 178, 54-63	3	46
48	Differential accumulation of BPA in some tissues of offspring of Balb-C mice exposed to different BPA doses. <i>Environmental Toxicology and Pharmacology</i> , 2012 , 33, 9-15	5.8	13

47	Optical properties of sol-gel immobilized Laccase: a first step for its use in optical biosensing 2012,		1
46	Flow-Injection System with Site-Specific Immobilization of Acetylcholinesterase Biosensor for Amperometric Detection of Organophosphate Pesticides. <i>Biotechnology and Biotechnological Equipment</i> , 2012 , 26, 3044-3053	1.6	7
45	Differential accumulation levels in the brain of rats exposed to the endocrine disruptor 4-tert-octylphenol (OP). <i>Environmental Toxicology and Pharmacology</i> , 2011 , 31, 198-204	5.8	10
44	An acetylcholinesterase biosensor for determination of low concentrations of Paraoxon and Dichlorvos. <i>New Biotechnology</i> , 2011 , 29, 132-8	6.4	46
43	Bisphenol A content in fish caught in two different sites of the Tyrrhenian Sea (Italy). <i>Chemosphere</i> , 2011 , 82, 405-10	8.4	60
42	Biodegradation of bisphenols with immobilized laccase or tyrosinase on polyacrylonitrile beads. <i>Biodegradation</i> , 2011 , 22, 673-83	4.1	107
41	FT-IR microscopy characterization of solgel layers prior and after glucose oxidase immobilization for biosensing applications. <i>Journal of Sol-Gel Science and Technology</i> , 2011 , 57, 204-211	2.3	35
40	Visible micro-Raman spectroscopy for determining glucose content in beverage industry. <i>Food Chemistry</i> , 2011 , 127, 735-42	8.5	40
39	Glucose sensing by time-resolved fluorescence of sol-gel immobilized glucose oxidase. <i>Sensors</i> , 2011 , 11, 3483-97	3.8	25
38	Electrospun Polyacrylonitrile Nanofibrous Membranes Tailored for Acetylcholinesterase Immobilization. <i>Journal of Bioactive and Compatible Polymers</i> , 2010 , 25, 40-57	2	19
38		11.8	19
	Immobilization. <i>Journal of Bioactive and Compatible Polymers</i> , 2010 , 25, 40-57 A thionine-modified carbon paste amperometric biosensor for catechol and bisphenol A		
37	Immobilization. Journal of Bioactive and Compatible Polymers, 2010, 25, 40-57 A thionine-modified carbon paste amperometric biosensor for catechol and bisphenol A determination. Biosensors and Bioelectronics, 2010, 25, 2003-8 Employment of immobilised lipase from Candida rugosa for the bioremediation of waters polluted by dimethylphthalate, as a model of endocrine disruptors. Journal of Molecular Catalysis B:		117
37 36	Immobilization. Journal of Bioactive and Compatible Polymers, 2010, 25, 40-57 A thionine-modified carbon paste amperometric biosensor for catechol and bisphenol A determination. Biosensors and Bioelectronics, 2010, 25, 2003-8 Employment of immobilised lipase from Candida rugosa for the bioremediation of waters polluted by dimethylphthalate, as a model of endocrine disruptors. Journal of Molecular Catalysis B: Enzymatic, 2010, 62, 133-141 Pre-natal exposure of mice to bisphenol A elicits an endometriosis-like phenotype in female	11.8	117
37 36 35	Immobilization. Journal of Bioactive and Compatible Polymers, 2010, 25, 40-57 A thionine-modified carbon paste amperometric biosensor for catechol and bisphenol A determination. Biosensors and Bioelectronics, 2010, 25, 2003-8 Employment of immobilised lipase from Candida rugosa for the bioremediation of waters polluted by dimethylphthalate, as a model of endocrine disruptors. Journal of Molecular Catalysis B: Enzymatic, 2010, 62, 133-141 Pre-natal exposure of mice to bisphenol A elicits an endometriosis-like phenotype in female offspring. General and Comparative Endocrinology, 2010, 168, 318-25 The process of thermodialysis in bioremediation of waters polluted by endocrine disruptors.	11.8	117 20 88
37 36 35 34	Immobilization. Journal of Bioactive and Compatible Polymers, 2010, 25, 40-57 A thionine-modified carbon paste amperometric biosensor for catechol and bisphenol A determination. Biosensors and Bioelectronics, 2010, 25, 2003-8 Employment of immobilised lipase from Candida rugosa for the bioremediation of waters polluted by dimethylphthalate, as a model of endocrine disruptors. Journal of Molecular Catalysis B: Enzymatic, 2010, 62, 133-141 Pre-natal exposure of mice to bisphenol A elicits an endometriosis-like phenotype in female offspring. General and Comparative Endocrinology, 2010, 168, 318-25 The process of thermodialysis in bioremediation of waters polluted by endocrine disruptors. Journal of Molecular Catalysis B: Enzymatic, 2009, 58, 199-207 Fiber-optic glucose biosensor based on glucose oxidase immobilised in a silica gel matrix. Journal of	3	117 20 88 8
37 36 35 34 33	Immobilization. Journal of Bioactive and Compatible Polymers, 2010, 25, 40-57 A thionine-modified carbon paste amperometric biosensor for catechol and bisphenol A determination. Biosensors and Bioelectronics, 2010, 25, 2003-8 Employment of immobilised lipase from Candida rugosa for the bioremediation of waters polluted by dimethylphthalate, as a model of endocrine disruptors. Journal of Molecular Catalysis B: Enzymatic, 2010, 62, 133-141 Pre-natal exposure of mice to bisphenol A elicits an endometriosis-like phenotype in female offspring. General and Comparative Endocrinology, 2010, 168, 318-25 The process of thermodialysis in bioremediation of waters polluted by endocrine disruptors. Journal of Molecular Catalysis B: Enzymatic, 2009, 58, 199-207 Fiber-optic glucose biosensor based on glucose oxidase immobilised in a silica gel matrix. Journal of Sol-Gel Science and Technology, 2009, 50, 437-448 Tamoxifen as an emerging endocrine disruptor. effects on fish reproduction and detoxification	3	117 20 88 8

29	The influence of the support nature on the kinetics parameters, inhibition constants and reactivation of immobilized acetylcholinesterase. <i>International Journal of Biological Macromolecules</i> , 2008 , 43, 339-45	7.9	31
28	Laccase treatment impairs bisphenol A-induced cancer cell proliferation affecting estrogen receptor alpha-dependent rapid signals. <i>IUBMB Life</i> , 2008 , 60, 843-52	4.7	59
27	Enzymatic determination of BPA by means of tyrosinase immobilized on different carbon carriers. <i>Biosensors and Bioelectronics</i> , 2007 , 23, 60-5	11.8	114
26	A computational approach for detecting peptidases and their specific inhibitors at the genome level. <i>BMC Bioinformatics</i> , 2007 , 8 Suppl 1, S3	3.6	4
25	Effect of extremely low frequency magnetic fields on calpain activation. <i>Bioelectromagnetics</i> , 2006 , 27, 43-50	1.6	10
24	Biotechnological traps for the reduction of inflammation due to cardiopulmonary bypass operations. <i>Biomaterials</i> , 2006 , 27, 3855-62	15.6	
23	Nonisothermal bioreactors in the treatment of vegetation waters from olive oil: laccase versus syringic acid as bioremediation model. <i>Biotechnology Progress</i> , 2005 , 21, 806-15	2.8	16
22	Modulation of the catalytic activity of free and immobilized peroxidase by extremely low frequency electromagnetic fields: dependence on frequency. <i>Bioelectromagnetics</i> , 2005 , 26, 145-52	1.6	20
21	Hollow-fiber enzyme reactor operating under nonisothermal conditions. <i>Biotechnology Progress</i> , 2004 , 20, 457-66	2.8	10
20	Reduction of active elastase concentration by means of immobilized inhibitors: a novel therapeutic approach. <i>Biotechnology Progress</i> , 2004 , 20, 968-74	2.8	3
19	A novel packed-bed bioreactor operating under isothermal and non-isothermal conditions. <i>Biotechnology and Bioengineering</i> , 2004 , 86, 308-16	4.9	4
18	In vitro studies of the influence of ELF electromagnetic fields on the activity of soluble and insoluble peroxidase. <i>Bioelectromagnetics</i> , 2003 , 24, 449-56	1.6	21
17	Advantages of using non-isothermal bioreactors for the enzymatic synthesis of antibiotics: the penicillin G acylase as enzyme model. <i>Biotechnology and Bioengineering</i> , 2002 , 79, 334-46	4.9	23
16	Effect of molecular confinement on internal enzyme dynamics: frequency domain fluorometry and molecular dynamics simulation studies. <i>Biopolymers</i> , 2002 , 67, 85-95	2.2	42
15	Enzyme reaction engineering: effect of methanol on the synthesis of antibiotics catalyzed by immobilized penicillin G acylase under isothermal and non-isothermal conditions. <i>Biotechnology Progress</i> , 2002 , 18, 975-85	2.8	15
14	Advantages of using non-isothermal bioreactors in agricultural waste water treatment by means of immobilized urease. Study on the influence of spacer length and immobilization method. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 2802-11	5.7	22
13	Isothermal and non-isothermal characterization of catalytic nylon membranes chemically grafted: dependence on the grafting percentage. <i>Enzyme and Microbial Technology</i> , 2001 , 28, 773-784	3.8	26
12	Glucose determination by means of a new reactor/sensor system operating under non-isothermal conditions. <i>Enzyme and Microbial Technology</i> , 2000 , 26, 593-601	3.8	12

LIST OF PUBLICATIONS

11	and Bioelectronics, 1999 , 14, 737-47	11.8	10
10	Immobilization of Egalactosidase on nylon membranes grafted with diethylenglycol dimethacrylate (DGDA) by Fradiation: Effect of membrane pore size. <i>Advances in Polymer Technology</i> , 1999 , 18, 109-123	1.9	14
9	Advantages in using immobilized thermophilic Eglycosidase in nonisothermal bioreactors. <i>Biotechnology and Bioengineering</i> , 1998 , 59, 108-115	4.9	32
8	Increase in beta-galactosidase activity in a non-isothermal bioreactor utilizing immobilized cells of Kluyveromyces fragilis: fundamentals and applications. <i>Research in Microbiology</i> , 1997 , 148, 271-81	4	16
7	Phonons in liquids, Onsager's reciprocal relations, and the heats of transport. <i>Physical Review E</i> , 1994 , 49, 433-444	2.4	12
6	Phonon-particle interactions and transport processes in liquids. <i>Physical Review E</i> , 1993 , 47, 1066-1077	2.4	9
5	Modulation of membrane potential in algal cells by temperature gradients. A thermodynamic approach. <i>Cell Biophysics</i> , 1990 , 16, 35-53		7
4	Temperature gradients and prebiological evolution. <i>Cell Biophysics</i> , 1987 , 10, 103-25		7
3	Isothermal and non-isothermal water transport in porous membranes. I. The power balance. <i>Journal of Membrane Science</i> , 1983 , 14, 31-57	9.6	26
2	Thermodialysis of non-ideal aqueous solutions. An experimental study. <i>Journal of the Chemical Society, Faraday Transactions 2</i> , 1979 , 75, 247		37
1	Thermodiffusive behaviour ofNaCl andKCl aqueous solutions: A model for theNa-K pump. <i>Societa Italiana Di Fisica Nuovo Cimento B-General Physics, Relativity Astronomy and Mathematical Physics and Methods</i> , 1975 , 30, 153-162		8