

# Abdulraheem Alshareef

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4845703/publications.pdf>

Version: 2024-02-01

25  
papers

564  
citations

567247

15  
h-index

677123

22  
g-index

29  
all docs

29  
docs citations

29  
times ranked

1502  
citing authors

#	ARTICLE	IF	CITATIONS
1	The PI3K/AKT/c-MYC Axis Promotes the Acquisition of Cancer Stem-Like Features in Esophageal Squamous Cell Carcinoma. <i>Stem Cells</i> , 2016, 34, 2040-2051.	3.2	63
2	Rare loss-of-function variants in type I IFN immunity genes are not associated with severe COVID-19. <i>Journal of Clinical Investigation</i> , 2021, 131, .	8.2	56
3	The Opposing Function of STAT3 as an Oncoprotein and Tumor Suppressor Is Dictated by the Expression Status of STAT3 <sup>l2</sup> in Esophageal Squamous Cell Carcinoma. <i>Clinical Cancer Research</i> , 2016, 22, 691-703.	7.0	46
4	Loss of miR-200b promotes invasion via activating the Kindlin-2/integrin $\beta$ 1/AKT pathway in esophageal squamous cell carcinoma: An E-cadherin-independent mechanism. <i>Oncotarget</i> , 2015, 6, 28949-28960.	1.8	41
5	The use of cellular thermal shift assay (CETSA) to study Crizotinib resistance in ALK-expressing human cancers. <i>Scientific Reports</i> , 2016, 6, 33710.	3.3	35
6	A positive feedback loop involving the Wnt/ $\beta$ -catenin/MYC/Sox2 axis defines a highly tumorigenic cell subpopulation in ALK-positive anaplastic large cell lymphoma. <i>Journal of Hematology and Oncology</i> , 2016, 9, 120.	17.0	34
7	miR-200b induces cell cycle arrest and represses cell growth in esophageal squamous cell carcinoma. <i>Carcinogenesis</i> , 2016, 37, 858-869.	2.8	29
8	Oxidative stress induces the acquisition of cancer stem-like phenotype in breast cancer detectable by using a Sox2 regulatory region-2 (SRR2) reporter. <i>Oncotarget</i> , 2016, 7, 3111-3127.	1.8	27
9	DDX17 (P72), a Sox2 binding partner, promotes stem-like features conferred by Sox2 in a small cell population in estrogen receptor-positive breast cancer. <i>Cellular Signalling</i> , 2016, 28, 42-50.	3.6	26
10	Hypoxia Induces the Acquisition of Cancer Stem-like Phenotype Via Upregulation and Activation of Signal Transducer and Activator of Transcription-3 (STAT3) in MDA-MB-231, a Triple Negative Breast Cancer Cell Line. <i>Cancer Microenvironment</i> , 2018, 11, 141-152.	3.1	26
11	High Myc expression and transcription activity underlies intra-tumoral heterogeneity in triple-negative breast cancer. <i>Oncotarget</i> , 2017, 8, 28101-28115.	1.8	23
12	STAT1 is phosphorylated and downregulated by the oncogenic tyrosine kinase NPM-ALK in ALK-positive anaplastic large-cell lymphoma. <i>Blood</i> , 2015, 126, 336-345.	1.4	22
13	Triple negative breast cancers comprise a highly tumorigenic cell subpopulation detectable by its high responsiveness to a Sox2 regulatory region 2 (SRR2) reporter. <i>Oncotarget</i> , 2015, 6, 10366-10373.	1.8	20
14	Oxidative stress enhances tumorigenicity and stem-like features via the activation of the Wnt/ $\beta$ -catenin/MYC/Sox2 axis in ALK-positive anaplastic large-cell lymphoma. <i>BMC Cancer</i> , 2018, 18, 361.	2.6	20
15	Constitutive Activation of STAT3 in Myeloma Cells Cultured in a Three-Dimensional, Reconstructed Bone Marrow Model. <i>Cancers</i> , 2018, 10, 206.	3.7	16
16	Micellar nano-carriers for the delivery of STAT3 dimerization inhibitors to melanoma. <i>Drug Delivery and Translational Research</i> , 2017, 7, 571-581.	5.8	14
17	Disheveled proteins promote cell growth and tumorigenicity in ALK-positive anaplastic large cell lymphoma. <i>Cellular Signalling</i> , 2013, 25, 295-307.	3.6	13
18	Profiling gene promoter occupancy of Sox2 in two phenotypically distinct breast cancer cell subsets using chromatin immunoprecipitation and genome-wide promoter microarrays. <i>Breast Cancer Research</i> , 2014, 16, 470.	5.0	13

#	ARTICLE	IF	CITATIONS
19	High expression of $\beta$ -catenin contributes to the crizotinib resistant phenotype in the stem-like cell population in neuroblastoma. <i>Scientific Reports</i> , 2017, 7, 16863.	3.3	10
20	Phosphorylation of Sox2 at Threonine 116 is a Potential Marker to Identify a Subset of Breast Cancer Cells with High Tumorigenicity and Stem-Like Features. <i>Cancers</i> , 2018, 10, 41.	3.7	10
21	Clinico-Pathological Study of K-ras Mutations in Colorectal Tumors: A Single-Center Retrospective Study of 51 Patients in Madinah, Saudi Arabia. <i>Cureus</i> , 2020, 12, e9978.	0.5	5
22	Novel Molecular Challenges in Targeting Anaplastic Lymphoma Kinase in ALK-Expressing Human Cancers. <i>Cancers</i> , 2017, 9, 148.	3.7	4
23	Gene Methylation and Silencing of WIF1 Is a Frequent Genetic Abnormality in Mantle Cell Lymphoma. <i>International Journal of Molecular Sciences</i> , 2021, 22, 893.	4.1	1
24	Effect of SARS-CoV-2 Entry Factors on Myeloid Cancers. <i>Journal of Nippon Medical School</i> , 2022, 89, 95-101.	0.9	1
25	The absence of a novel intron 19-retaining ALK transcript (ALK-I19) and MYCN amplification correlates with an excellent clinical outcome in neuroblastoma patients. <i>Oncotarget</i> , 2018, 9, 10698-10713.	1.8	0