

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4846149/jialong-duan-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106 papers	3,726 citations	34 h-index	57 g-index
112 ext. papers	4,765 ext. citations	10.5 avg, IF	6.3 L-index

#	Paper	IF	Citations
106	High-Purity Inorganic Perovskite Films for Solar Cells with 9.72 % Efficiency. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 3787-3791	16.4	318
105	Lanthanide Ions Doped CsPbBr ₃ Halides for HTM-Free 10.14%-Efficiency Inorganic Perovskite Solar Cell with an Ultrahigh Open-Circuit Voltage of 1.594 V. <i>Advanced Energy Materials</i> , 2018 , 8, 1802346	21.8	281
104	Recent advances in critical materials for quantum dot-sensitized solar cells: a review. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 17497-17510	13	143
103	All-inorganic CsPbBr ₃ perovskite solar cell with 10.26% efficiency by spectra engineering. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 24324-24329	13	133
102	Lattice Modulation of Alkali Metal Cations Doped Cs _{1-x} R _x PbBr ₃ Halides for Inorganic Perovskite Solar Cells. <i>Solar Rrl</i> , 2018 , 2, 1800164	7.1	119
101	Recent advances in alloy counter electrodes for dye-sensitized solar cells. A critical review. <i>Electrochimica Acta</i> , 2015 , 178, 886-899	6.7	99
100	Carbon-Electrode-Tailored All-Inorganic Perovskite Solar Cells To Harvest Solar and Water-Vapor Energy. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 5746-5749	16.4	95
99	Inorganic perovskite solar cells: an emerging member of the photovoltaic community. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 21036-21068	13	93
98	Simplified Perovskite Solar Cell with 4.1% Efficiency Employing Inorganic CsPbBr as Light Absorber. <i>Small</i> , 2018 , 14, e1704443	11	91
97	9.13%-Efficiency and stable inorganic CsPbBr ₃ solar cells. Lead-free CsSnBr ₃ -xI _x quantum dots promote charge extraction. <i>Journal of Power Sources</i> , 2018 , 399, 76-82	8.9	79
96	Hole-Boosted Cu(Cr,M)O Nanocrystals for All-Inorganic CsPbBr Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 16147-16151	16.4	77
95	High-Purity Inorganic Perovskite Films for Solar Cells with 9.72 % Efficiency. <i>Angewandte Chemie</i> , 2018 , 130, 3849-3853	3.6	76
94	Alkyl-Chain-Regulated Charge Transfer in Fluorescent Inorganic CsPbBr Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 4391-4395	16.4	73
93	Precise stress control of inorganic perovskite films for carbon-based solar cells with an ultrahigh voltage of 1.622 V. <i>Nano Energy</i> , 2020 , 67, 104286	17.1	70
92	Divalent hard Lewis acid doped CsPbBr ₃ films for 9.63%-efficiency and ultra-stable all-inorganic perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 6877-6882	13	68
91	Interfacial Strain Release from the WS ₂ /CsPbBr van der Waals Heterostructure for 1.7 V Voltage All-Inorganic Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 21997-22001	16.4	65
90	Using SnO ₂ QDs and CsMBr ₃ (M = Sn, Bi, Cu) QDs as Charge-Transporting Materials for 10.6%-Efficiency All-Inorganic CsPbBr ₃ Perovskite Solar Cells with an Ultrahigh Open-Circuit Voltage of 1.610 V. <i>Solar Rrl</i> , 2019 , 3, 1800284	7.1	65

89	Poly(3-hexylthiophene)/zinc phthalocyanine composites for advanced interface engineering of 10.03%-efficiency CsPbBr ₃ perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 12635-12644 ¹³	63
88	Efficient quasi-solid-state dye-sensitized solar cells from graphene incorporated conducting gel electrolytes. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 2814	13 58
87	Toward charge extraction in all-inorganic perovskite solar cells by interfacial engineering. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 21999-22004	13 54
86	Toward fast charge extraction in all-inorganic CsPbBr ₃ perovskite solar cells by setting intermediate energy levels. <i>Solar Energy</i> , 2018 , 171, 279-285	6.8 54
85	Toward efficient and air-stable carbon-based all-inorganic perovskite solar cells through substituting CsPbBr ₃ films with transition metal ions. <i>Chemical Engineering Journal</i> , 2019 , 375, 121930	14.7 53
84	Review on recent progress of lead-free halide perovskites in optoelectronic applications. <i>Nano Energy</i> , 2021 , 80, 105526	17.1 51
83	Tailored Lattice "Tape" to Confine Tensile Interface for 11.08%-Efficiency All-Inorganic CsPbBr Perovskite Solar Cell with an Ultrahigh Voltage of 1.702V. <i>Advanced Science</i> , 2021 , 8, e2101418	13.6 46
82	Alloy-Controlled Work Function for Enhanced Charge Extraction in All-Inorganic CsPbBr Perovskite Solar Cells. <i>ChemSusChem</i> , 2018 , 11, 1432-1437	8.3 45
81	Spray-assisted deposition of CsPbBr ₃ films in ambient air for large-area inorganic perovskite solar cells. <i>Materials Today Energy</i> , 2018 , 10, 146-152	7 45
80	p-Type Charge Transfer Doping of Graphene Oxide with (NiCo) Fe O for Air-Stable, All-Inorganic CsPbI ₂ Br Perovskite Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2021 , 60, 10608-10613	16.4 43
79	Ternary platinum alloy counter electrodes for high-efficiency dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2016 , 190, 85-91	6.7 40
78	The unique dielectricity of inorganic perovskites toward high-performance triboelectric nanogenerators. <i>Nano Energy</i> , 2020 , 69, 104418	17.1 39
77	CdZnSe@ZnSe colloidal alloy quantum dots for high-efficiency all-inorganic perovskite solar cells. <i>Chemical Communications</i> , 2018 , 54, 9575-9578	5.8 38
76	Enhanced charge extraction by setting intermediate energy levels in all-inorganic CsPbBr ₃ perovskite solar cells. <i>Electrochimica Acta</i> , 2018 , 279, 84-90	6.7 38
75	Multifunctional graphene incorporated polyacrylamide conducting gel electrolytes for efficient quasi-solid-state quantum dot-sensitized solar cells. <i>Journal of Power Sources</i> , 2015 , 284, 369-376	8.9 34
74	Generators to harvest ocean wave energy through electrokinetic principle. <i>Nano Energy</i> , 2018 , 48, 128-133	13.1 34
73	Efficient In ₂ S ₃ Quantum dot Sensitized Solar Cells: A Promising Power Conversion Efficiency of 1.30%. <i>Electrochimica Acta</i> , 2014 , 139, 381-385	6.7 34
72	Counter electrode electrocatalysts from one-dimensional coaxial alloy nanowires for efficient dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2016 , 302, 361-368	8.9 33

71	Boosting power conversion efficiency by hybrid triboelectric nanogenerator/silicon tandem solar cell toward rain energy harvesting. <i>Nano Energy</i> , 2021 , 82, 105773	17.1	31
70	Carbon quantum dot tailored counter electrode for 7.01%-rear efficiency in a bifacial dye-sensitized solar cell. <i>Chemical Communications</i> , 2017 , 53, 9894-9897	5.8	30
69	Effect of Side-Group-Regulated Dipolar Passivating Molecules on CsPbBr ₃ Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2021 , 6, 2336-2342	20.1	30
68	Organic hole-transporting materials for 9.32%-efficiency and stable CsPbBr ₃ perovskite solar cells. <i>Materials Chemistry Frontiers</i> , 2018 , 2, 2239-2244	7.8	30
67	Advanced Modification of Perovskite Surfaces for Defect Passivation and Efficient Charge Extraction in Air-Stable CsPbBr ₃ Perovskite Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 19286-19294	8.3	29
66	Interfacial Strain Release from the WS ₂ /CsPbBr ₃ van der Waals Heterostructure for 1.7 V Voltage All-Inorganic Perovskite Solar Cells. <i>Angewandte Chemie</i> , 2020 , 132, 22181-22185	3.6	29
65	Enhanced energy level alignment and hole extraction of carbon electrode for air-stable hole-transporting material-free CsPbBr ₃ perovskite solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2020 , 205, 110267	6.4	26
64	Enhanced charge extraction with all-carbon electrodes for inorganic CsPbBr perovskite solar cells. <i>Dalton Transactions</i> , 2018 , 47, 15283-15287	4.3	26
63	10.34%-efficient integrated CsPbBr ₃ /bulk-heterojunction solar cells. <i>Journal of Power Sources</i> , 2019 , 440, 227151	8.9	25
62	Tailoring all-inorganic cesium lead halide perovskites for robust triboelectric nanogenerators. <i>Nano Energy</i> , 2020 , 70, 104514	17.1	24
61	Co/Se and Ni/Se nanocomposite films prepared by magnetron sputtering as counter electrodes for dye-sensitized solar cells. <i>Solar Energy</i> , 2019 , 180, 85-91	6.8	23
60	Self-powered PEDOT and derivate monoelectrodes to harvest rain energy. <i>Nano Energy</i> , 2017 , 41, 293-300	30.1	22
59	S-doped CQDs tailored transparent counter electrodes for high-efficiency bifacial dye-sensitized solar cells. <i>Electrochimica Acta</i> , 2018 , 261, 588-595	6.7	22
58	Enhanced charge extraction in carbon-based all-inorganic CsPbBr ₃ perovskite solar cells by dual-function interface engineering. <i>Electrochimica Acta</i> , 2019 , 328, 135102	6.7	22
57	Nodding Duck Structure Multi-track Directional Freestanding Triboelectric Nanogenerator toward Low-Frequency Ocean Wave Energy Harvesting. <i>ACS Nano</i> , 2021 , 15, 9412-9421	16.7	22
56	Alkali Metal Ion-Regulated Lead-free, All-Inorganic Double Perovskites for HTM-free, Carbon-Based Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 47408-47415	9.5	21
55	Sonochemistry-assisted black/red phosphorus hybrid quantum dots for dye-sensitized solar cells. <i>Journal of Power Sources</i> , 2019 , 410-411, 53-58	8.9	21
54	All-inorganic bifacial CsPbBr perovskite solar cells with a 98.5%-bifacial factor. <i>Chemical Communications</i> , 2018 , 54, 8237-8240	5.8	21

53	Interfacial electric field enhanced charge density for robust triboelectric nanogenerators by tailoring metal/perovskite Schottky junction. <i>Nano Energy</i> , 2020 , 73, 104747	17.1	20
52	Hole-Boosted Cu(Cr,M)O ₂ Nanocrystals for All-Inorganic CsPbBr ₃ Perovskite Solar Cells. <i>Angewandte Chemie</i> , 2019 , 131, 16293-16297	3.6	19
51	A ceramic NiO/ZrO ₂ separator for high-temperature supercapacitor up to 140 °C. <i>Journal of Power Sources</i> , 2018 , 400, 126-134	8.9	18
50	All-solid-state quantum dot-sensitized solar cell from plastic crystal electrolyte. <i>RSC Advances</i> , 2015 , 5, 33463-33467	3.7	17
49	Photoactivated transition metal dichalcogenides to boost electron extraction for all-inorganic tri-brominated planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 7784-7791	13	17
48	Carbon-Electrode-Tailored All-Inorganic Perovskite Solar Cells To Harvest Solar and Water-Vapor Energy. <i>Angewandte Chemie</i> , 2018 , 130, 5848-5851	3.6	17
47	Charge boosting and storage by tailoring rhombus all-inorganic perovskite nanoarrays for robust triboelectric nanogenerators. <i>Nano Energy</i> , 2020 , 74, 104845	17.1	17
46	Long persistence phosphor assisted all-weather solar cells. Electricity generation beyond sunny days. <i>Chemical Communications</i> , 2017 , 53, 3209-3212	5.8	16
45	Boosted hole extraction in all-inorganic CsPbBr ₃ perovskite solar cells by interface engineering using MoO ₂ /N-doped carbon nanospheres composite. <i>Solar Energy Materials and Solar Cells</i> , 2020 , 209, 110460	6.4	16
44	Well-aligned NiPt alloy counter electrodes for high-efficiency dye-sensitized solar cell applications. <i>Journal of Energy Chemistry</i> , 2019 , 30, 49-56	12	16
43	Transparent ternary alloy counter electrodes for high-efficiency bifacial dye-sensitized solar cells. <i>Solar Energy</i> , 2018 , 170, 762-768	6.8	16
42	Lattice-tailored low-temperature processed electron transporting materials boost the open-circuit voltage of planar CsPbBr ₃ perovskite solar cells up to 1.654 V. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 11859-11866	13	15
41	Solid-state electrolytes from polysulfide integrated polyvinylpyrrolidone for quantum dot-sensitized solar cells. <i>RSC Advances</i> , 2014 , 4, 60478-60483	3.7	15
40	Bulk Pt/CsPbBr ₃ Schottky junctions for charge boosting in robust triboelectric nanogenerators. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 11966-11975	13	14
39	Triboelectric charging behaviors and photoinduced enhancement of alkaline earth ions doped inorganic perovskite triboelectric nanogenerators. <i>Nano Energy</i> , 2020 , 77, 105280	17.1	14
38	Controllable synthesis of organic-inorganic hybrid halide perovskite quantum dots for quasi-solid-state solar cells. <i>Electrochimica Acta</i> , 2018 , 282, 263-269	6.7	14
37	Alkyl-Chain-Regulated Charge Transfer in Fluorescent Inorganic CsPbBr ₃ Perovskite Solar Cells. <i>Angewandte Chemie</i> , 2020 , 132, 4421-4425	3.6	13
36	Tri-functionalized TiO ₂ Cl ₄ -2 accessory layer to boost efficiency of hole-free, all-inorganic perovskite solar cells. <i>Journal of Energy Chemistry</i> , 2020 , 50, 1-8	12	13

35	Unveiling the interfacial charge extraction kinetics in inorganic perovskite solar cells with formamidinium lead halide (FAPbX ₃) nanocrystals. <i>Solar Energy</i> , 2020 , 195, 644-650	6.8	12
34	Universal Dynamic Liquid Interface for Healing Perovskite Solar Cells.. <i>Advanced Materials</i> , 2022 , e2202304	10.1	12
33	Efficiency enhancement of hybridized solar cells through co-sensitization and fast charge extraction by up-converted polyethylene glycol modified carbon quantum dots. <i>Journal of Power Sources</i> , 2017 , 367, 158-166	8.9	11
32	Halogen regulation of inorganic perovskites toward robust triboelectric nanogenerators and charging polarity series. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 14299-14307	13	11
31	Self-powered monoelectrodes made from graphene composite films to harvest rain energy. <i>Energy</i> , 2018 , 158, 555-563	7.9	11
30	A revolution of photovoltaics: persistent electricity generation beyond solar irradiation. <i>Dalton Transactions</i> , 2019 , 48, 799-805	4.3	10
29	A series of conducting gel electrolytes for quasi-solid-state quantum dot-sensitized solar cells with boosted electron transfer processes. <i>Journal of Energy Chemistry</i> , 2018 , 27, 335-341	12	10
28	Bifunctional polyaniline electrode tailored hybridized solar cells for energy harvesting from sun and rain. <i>Journal of Energy Chemistry</i> , 2018 , 27, 742-747	12	10
27	Self-powered seesaw structured spherical buoys based on a hybrid triboelectric-electromagnetic nanogenerator for sea surface wireless positioning. <i>Energy and Environmental Science</i> , 2018 , 11, 324-334	35.4	10
26	Photo-induced charge boosting of liquid-solid electrokinetic generators for efficient wave energy harvesting. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 5373-5380	13	9
25	Interfacial engineering of hybridized solar cells for simultaneously harvesting solar and rain energies. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 18551-18560	13	8
24	Alkali chloride doped SnO ₂ electron-transporting layers for boosting charge transfer and passivating defects in all-inorganic CsPbBr ₃ perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 15003-15011	13	8
23	Film-type rain energy converters from conductive polymer/PtCo hybrids. <i>Applied Energy</i> , 2018 , 218, 317-324	12.7	7
22	Extra-high short-circuit current for bifacial solar cells in sunny and dark-light conditions. <i>Chemical Communications</i> , 2017 , 53, 10046-10049	5.8	7
21	High-Efficiency All-Inorganic Perovskite Solar Cells Tailored by Scalable Rutile TiO Nanorod Arrays with Excellent Stability. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 12091-12098	9.5	7
20	Dielectric Hole Collector toward Boosting Charge Transfer of CsPbBr ₃ Hybrid Nanogenerator by Coupling Triboelectric and Photovoltaic Effects. <i>Advanced Functional Materials</i> , 2021 , 31, 2101348	15.6	7
19	Self-powered flexible monoelectrodes from graphene/reduced graphene oxide composite films to harvest rain energy. <i>Journal of Alloys and Compounds</i> , 2019 , 776, 31-35	5.7	7
18	Healing soft interface for stable and high-efficiency all-inorganic CsPbI ₂ Br ₂ perovskite solar cells enabled by S-benzylisothiurea hydrochloride. <i>Chemical Engineering Journal</i> , 2022 , 430, 132781	14.7	6

17	Tailoring organic bulk-heterojunction for charge extraction and spectral absorption in CsPbBr ₃ perovskite solar cells. <i>Science China Materials</i> , 2021 , 64, 798-807	7.1	6
16	Hybridized dye-sensitized solar cells for persistent power generation free of sun illumination. <i>Electrochimica Acta</i> , 2018 , 280, 181-190	6.7	6
15	Hollow optical fiber induced solar cells with optical energy storage and conversion. <i>Chemical Communications</i> , 2017 , 53, 12233-12235	5.8	5
14	Triboelectric behaviors of inorganic Cs _{1-x} AxPbBr ₃ halide perovskites toward enriching the triboelectric series. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 25696-25705	13	5
13	Crystal-Plane Controlled Spontaneous Polarization of Inorganic Perovskite toward Boosting Triboelectric Surface Charge Density. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 26196-26203	9.5	5
12	Flexible, All-Inorganic CsPbBr Perovskite Solar Cells Tailored by Heat-resistant Muscovite Substrates. <i>ChemSusChem</i> , 2021 , 14, 1512-1516	8.3	5
11	Phase Control of Cs-Pb-Br Derivatives to Suppress OD Cs PbBr for High-Efficiency and Stable All-Inorganic CsPbBr Perovskite Solar Cells.. <i>Small</i> , 2021 , e2106323	11	5
10	Rain-responsive polypyrrole-graphene/PtCo electrodes for energy harvest. <i>Electrochimica Acta</i> , 2018 , 285, 139-148	6.7	4
9	Cluster effect of additives in precursors for inorganic perovskites solar cells. <i>Electrochimica Acta</i> , 2020 , 331, 135379	6.7	4
8	Reducing defect of inorganic perovskite film by sulphur-containing Lewis base for robust photodetectors. <i>Journal of Energy Chemistry</i> , 2021 , 61, 163-169	12	4
7	Suppressing Interfacial Shunt Loss via Functional Polymer for Performance Improvement of Lead-Free Cs ₂ AgBiBr ₆ Double Perovskite Solar Cells. <i>Solar Rrl</i> , 2100791	7.1	3
6	p-Type Charge Transfer Doping of Graphene Oxide with (NiCo) _{1-x} FeyOx for Air-Stable, All-Inorganic CsPbI ₂ Br Perovskite Solar Cells. <i>Angewandte Chemie</i> , 2021 , 133, 10702-10707	3.6	3
5	Tailoring type-II all-in-one buried interface for 1.635V-voltage, all-inorganic CsPbBr ₃ perovskite solar cells. <i>Nano Energy</i> , 2022 , 96, 107138	17.1	3
4	Understanding steric-charge-dependence of conjugated passivators on Pb ²⁺ bond strength for efficient all-inorganic perovskite solar cells. <i>Chemical Engineering Journal</i> , 2022 , 431, 134230	14.7	2
3	Metal and Alloy for CE Catalysts in Dye-Sensitized Solar Cells 2018 , 47-69		2
2	Using SnO ₂ QDs and CsMBr ₃ (M = Sn, Bi, Cu) QDs as Charge-Transporting Materials for 10.6%-Efficiency All-Inorganic CsPbBr ₃ Perovskite Solar Cells with an Ultrahigh Open-Circuit Voltage of 1.610 V (Solar RRL 32019). <i>Solar Rrl</i> , 2019 , 3, 1970035	7.1	1
1	Self-Powered Low-Platinum Nanorod Alloy Monoelectrodes for Rain Energy Harvest. <i>Energy Technology</i> , 2018 , 6, 1606-1609	3.5	1