

Carsten Culmsee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4847598/publications.pdf>

Version: 2024-02-01

137
papers

12,252
citations

29994

54
h-index

26548

107
g-index

148
all docs

148
docs citations

148
times ranked

15676
citing authors

#	ARTICLE	IF	CITATIONS
1	Glutathione Peroxidase 4 Senses and Translates Oxidative Stress into 12/15-Lipoxygenase Dependent- and AIF-Mediated Cell Death. <i>Cell Metabolism</i> , 2008, 8, 237-248.	7.2	1,009
2	Homocysteine Elicits a DNA Damage Response in Neurons That Promotes Apoptosis and Hypersensitivity to Excitotoxicity. <i>Journal of Neuroscience</i> , 2000, 20, 6920-6926.	1.7	711
3	Roles of Nuclear Factor κ B in Neuronal Survival and Plasticity. <i>Journal of Neurochemistry</i> , 2001, 74, 443-456.	2.1	423
4	Purification of polyethylenimine polyplexes highlights the role of free polycations in gene transfer. <i>Journal of Gene Medicine</i> , 2004, 6, 1102-1111.	1.4	417
5	A Dual Role for the SDF-1/CXCR4 Chemokine Receptor System in Adult Brain: Isoform-Selective Regulation of SDF-1 Expression Modulates CXCR4-Dependent Neuronal Plasticity and Cerebral Leukocyte Recruitment after Focal Ischemia. <i>Journal of Neuroscience</i> , 2002, 22, 5865-5878.	1.7	366
6	p53 in neuronal apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2005, 331, 761-777.	1.0	359
7	Cellular and Molecular Mechanisms Underlying Perturbed Energy Metabolism and Neuronal Degeneration in Alzheimer's and Parkinson's Diseases. <i>Annals of the New York Academy of Sciences</i> , 1999, 893, 154-175.	1.8	326
8	A synthetic inhibitor of p53 protects neurons against death induced by ischemic and excitotoxic insults, and amyloid beta-peptide. <i>Journal of Neurochemistry</i> , 2001, 77, 220-228.	2.1	316
9	Apoptosis-Inducing Factor Triggered by Poly(ADP-Ribose) Polymerase and Bid Mediates Neuronal Cell Death after Oxygen-Glucose Deprivation and Focal Cerebral Ischemia. <i>Journal of Neuroscience</i> , 2005, 25, 10262-10272.	1.7	309
10	AMP-Activated Protein Kinase is Highly Expressed in Neurons in the Developing Rat Brain and Promotes Neuronal Survival Following Glucose Deprivation. <i>Journal of Molecular Neuroscience</i> , 2001, 17, 45-58.	1.1	307
11	Effectiveness of intermittent pneumatic compression in reduction of risk of deep vein thrombosis in patients who have had a stroke (CLOTS 3): a multicentre randomised controlled trial. <i>Lancet</i> , The, 2013, 382, 516-524.	6.3	295
12	Neurodegenerative disorders and ischemic brain diseases. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2001, 6, 69-81.	2.2	289
13	Apoptotic and antiapoptotic mechanisms in stroke. <i>Cell and Tissue Research</i> , 2000, 301, 173-187.	1.5	285
14	Inhibition of Drp1 provides neuroprotection in vitro and in vivo. <i>Cell Death and Differentiation</i> , 2012, 19, 1446-1458.	5.0	280
15	Transforming Growth Factor- β 1 Increases Bad Phosphorylation and Protects Neurons Against Damage. <i>Journal of Neuroscience</i> , 2002, 22, 3898-3909.	1.7	258
16	BID links ferroptosis to mitochondrial cell death pathways. <i>Redox Biology</i> , 2017, 12, 558-570.	3.9	245
17	Mitochondrial rescue prevents glutathione peroxidase-dependent ferroptosis. <i>Free Radical Biology and Medicine</i> , 2018, 117, 45-57.	1.3	223
18	Apoptosis-inducing factor is a major contributor to neuronal loss induced by neonatal cerebral hypoxia-ischemia. <i>Cell Death and Differentiation</i> , 2007, 14, 775-784.	5.0	189

#	ARTICLE	IF	CITATIONS
19	Upregulation of the Enzyme Chain Hydrolyzing Extracellular ATP after Transient Forebrain Ischemia in the Rat. <i>Journal of Neuroscience</i> , 1998, 18, 4891-4900.	1.7	181
20	Neuroprotection by Estrogens in a Mouse Model of Focal Cerebral Ischemia and in Cultured Neurons: Evidence for a Receptor-Independent Antioxidative Mechanism. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999, 19, 1263-1269.	2.4	171
21	Parkin Mediates Neuroprotection through Activation of I β B Kinase/Nuclear Factor- β Signaling. <i>Journal of Neuroscience</i> , 2007, 27, 1868-1878.	1.7	171
22	The Catalytic Subunit of Telomerase Is Expressed in Developing Brain Neurons and Serves a Cell Survival-Promoting Function. <i>Journal of Molecular Neuroscience</i> , 2000, 14, 003-016.	1.1	163
23	Nuclear Translocation of Apoptosis-Inducing Factor after Focal Cerebral Ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004, 24, 458-466.	2.4	160
24	Neuroprotection by transforming growth factor- β 1 involves activation of nuclear factor- β through phosphatidylinositol-3-OH kinase/Akt and mitogen-activated protein kinase-extracellular-signal regulated kinase1,2 signaling pathways. <i>Neuroscience</i> , 2004, 123, 897-906.	1.1	146
25	Molecular Insights into Mechanisms of the Cell Death Program: Role in the Progression of Neurodegenerative Disorders. <i>Current Alzheimer Research</i> , 2006, 3, 269-283.	0.7	145
26	Reciprocal Inhibition of p53 and Nuclear Factor- β Transcriptional Activities Determines Cell Survival or Death in Neurons. <i>Journal of Neuroscience</i> , 2003, 23, 8586-8595.	1.7	136
27	Guidelines on experimental methods to assess mitochondrial dysfunction in cellular models of neurodegenerative diseases. <i>Cell Death and Differentiation</i> , 2018, 25, 542-572.	5.0	120
28	Mitochondrial damage by α -synuclein causes cell death in human dopaminergic neurons. <i>Cell Death and Disease</i> , 2019, 10, 865.	2.7	112
29	Central Inhibition of IKK β /NF- β Signaling Attenuates High-Fat Diet-Induced Obesity and Glucose Intolerance. <i>Diabetes</i> , 2015, 64, 2015-2027.	0.3	106
30	Therapeutic targeting of oxygen-sensing prolyl hydroxylases abrogates ATF4-dependent neuronal death and improves outcomes after brain hemorrhage in several rodent models. <i>Science Translational Medicine</i> , 2016, 8, 328ra29.	5.8	106
31	Presenilin-1 Mutations Sensitize Neurons to DNA Damage-Induced Death by a Mechanism Involving Perturbed Calcium Homeostasis and Activation of Calpains and Caspase-12. <i>Neurobiology of Disease</i> , 2002, 11, 2-19.	2.1	103
32	Neurobiology of the major psychoses: a translational perspective on brain structure and function—the FOR2107 consortium. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 949-962.	1.8	103
33	Corticotropin-Releasing Hormone Protects Neurons against Insults Relevant to the Pathogenesis of Alzheimer's Disease. <i>Neurobiology of Disease</i> , 2001, 8, 492-503.	2.1	102
34	Glucose-regulated protein 75 determines ER-mitochondrial coupling and sensitivity to oxidative stress in neuronal cells. <i>Cell Death Discovery</i> , 2017, 3, 17076.	2.0	100
35	Stimulation of β -adrenoceptors activates astrocytes and provides neuroprotection. <i>European Journal of Pharmacology</i> , 2002, 446, 25-36.	1.7	94
36	Combination Therapy in Ischemic Stroke: Synergistic Neuroprotective Effects of Memantine and Clenbuterol. <i>Stroke</i> , 2004, 35, 1197-1202.	1.0	90

#	ARTICLE	IF	CITATIONS
37	Targeting the p53 pathway to protect the neonatal ischemic brain. <i>Annals of Neurology</i> , 2011, 70, 255-264.	2.8	88
38	Impedance measurement for real time detection of neuronal cell death. <i>Journal of Neuroscience Methods</i> , 2012, 203, 69-77.	1.3	88
39	Adaptive Plasticity in Tachykinin and Tachykinin Receptor Expression after Focal Cerebral Ischemia Is Differentially Linked to GABAergic and Glutamatergic Cerebrocortical Circuits and Cerebrovenular Endothelium. <i>Journal of Neuroscience</i> , 2001, 21, 798-811.	1.7	87
40	Structure-activity relationships by interligand NOE-based design and synthesis of antiapoptotic compounds targeting Bid. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 12602-12606.	3.3	87
41	Clenbuterol induces growth factor mRNA, activates astrocytes, and protects rat brain tissue against ischemic damage. <i>European Journal of Pharmacology</i> , 1999, 379, 33-45.	1.7	85
42	The Potential Role of Ferroptosis in Neonatal Brain Injury. <i>Frontiers in Neuroscience</i> , 2019, 13, 115.	1.4	83
43	Mitochondrial Small Conductance SK2 Channels Prevent Glutamate-induced Oxytosis and Mitochondrial Dysfunction. <i>Journal of Biological Chemistry</i> , 2013, 288, 10792-10804.	1.6	80
44	Bone marrow stromal cells mediate protection through stimulation of PI3-K/Akt and MAPK signaling in neurons. <i>Neurochemistry International</i> , 2007, 50, 243-250.	1.9	78
45	Proteomic Analysis Reveals Differences in Protein Expression in Spheroid versus Monolayer Cultures of Low-Passage Colon Carcinoma Cells. <i>Journal of Proteome Research</i> , 2007, 6, 4111-4118.	1.8	78
46	Bid mediates fission, membrane permeabilization and peri-nuclear accumulation of mitochondria as a prerequisite for oxidative neuronal cell death. <i>Brain, Behavior, and Immunity</i> , 2010, 24, 831-838.	2.0	78
47	A Small-Molecule Inhibitor of Bax and Bak Oligomerization Prevents Genotoxic Cell Death and Promotes Neuroprotection. <i>Cell Chemical Biology</i> , 2017, 24, 493-506.e5.	2.5	76
48	Tf-lipoplexes for neuronal siRNA delivery: A promising system to mediate gene silencing in the CNS. <i>Journal of Controlled Release</i> , 2008, 132, 113-123.	4.8	75
49	Causal Role of Apoptosis-Inducing Factor for Neuronal Cell Death Following Traumatic Brain Injury. <i>American Journal of Pathology</i> , 2008, 173, 1795-1805.	1.9	75
50	Cofilin1-dependent actin dynamics control DRP1-mediated mitochondrial fission. <i>Cell Death and Disease</i> , 2017, 8, e3063-e3063.	2.7	74
51	Hippocampal neurons of mice deficient in DNA-dependent protein kinase exhibit increased vulnerability to DNA damage, oxidative stress and excitotoxicity. <i>Molecular Brain Research</i> , 2001, 87, 257-262.	2.5	72
52	p75 neurotrophin receptor is required for constitutive and NGF-induced survival signalling in PC12 cells and rat hippocampal neurones. <i>Journal of Neurochemistry</i> , 2002, 81, 594-605.	2.1	65
53	Aberrant Stress Response Associated with Severe Hypoglycemia in a Transgenic Mouse Model of Alzheimer's Disease. <i>Journal of Molecular Neuroscience</i> , 1999, 13, 159-166.	1.1	64
54	Mitochondria, Microglia, and the Immune System—How Are They Linked in Affective Disorders?. <i>Frontiers in Psychiatry</i> , 2018, 9, 739.	1.3	64

#	ARTICLE	IF	CITATIONS
55	Egr-1 Regulates Expression of the Glial Scar Component Phosphacan in Astrocytes after Experimental Stroke. <i>American Journal of Pathology</i> , 2008, 173, 77-92.	1.9	57
56	Subcellular expression and neuroprotective effects of SK channels in human dopaminergic neurons. <i>Cell Death and Disease</i> , 2014, 5, e999-e999.	2.7	56
57	Inhibition of the AIF/CypA complex protects against intrinsic death pathways induced by oxidative stress. <i>Cell Death and Disease</i> , 2014, 5, e993-e993.	2.7	54
58	Stimulation of β -Adrenoceptors Inhibits Apoptosis in Rat Brain after Transient Forebrain Ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1998, 18, 1032-1039.	2.4	52
59	Mitochondrial Ca^{2+} -activated K^+ channels and their role in cell life and death pathways. <i>Cell Calcium</i> , 2018, 69, 101-111.	1.1	52
60	<i>Cacna1c</i> haploinsufficiency leads to pro-social 50-kHz ultrasonic communication deficits in rats. <i>DMM Disease Models and Mechanisms</i> , 2018, 11, .	1.2	51
61	KCa_2 channels activation prevents $[Ca^{2+}]_i$ deregulation and reduces neuronal death following glutamate toxicity and cerebral ischemia. <i>Cell Death and Disease</i> , 2011, 2, e147-e147.	2.7	49
62	Tf-lipoplex-mediated c-Jun silencing improves neuronal survival following excitotoxic damage in vivo. <i>Journal of Controlled Release</i> , 2010, 142, 392-403.	4.8	48
63	Trifluoperazine rescues human dopaminergic cells from wild-type α -synuclein-induced toxicity. <i>Neurobiology of Aging</i> , 2014, 35, 1700-1711.	1.5	48
64	The metalloprotease-disintegrin ADAM8 contributes to temozolomide chemoresistance and enhanced invasiveness of human glioblastoma cells. <i>Neuro-Oncology</i> , 2015, 17, 1474-1485.	0.6	48
65	SK2 channels regulate mitochondrial respiration and mitochondrial Ca^{2+} uptake. <i>Cell Death and Differentiation</i> , 2017, 24, 761-773.	5.0	48
66	Targeting of Polyplexes: Toward Synthetic Virus Vector Systems. <i>Advances in Genetics</i> , 2005, 53PA, 333-354.	0.8	44
67	Evidence for the Involvement of Par-4 in Ischemic Neuron Cell Death. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2001, 21, 334-343.	2.4	43
68	Synthesis and characterization of chemically condensed oligoethylenimine containing beta-aminopropionamide linkages for siRNA delivery. <i>Biomaterials</i> , 2007, 28, 3731-3740.	5.7	43
69	Nitric Oxide Donors Induce Neurotrophin-Like Survival Signaling and Protect Neurons against Apoptosis. <i>Molecular Pharmacology</i> , 2005, 68, 1006-1017.	1.0	42
70	Enalapril and moexipril protect from free radical-induced neuronal damage in vitro and reduce ischemic brain injury in mice and rats. <i>European Journal of Pharmacology</i> , 1999, 373, 21-33.	1.7	40
71	Stimulation of 5-HT _{1A} receptors reduces apoptosis after transient forebrain ischemia in the rat. <i>Brain Research</i> , 2000, 883, 41-50.	1.1	38
72	Inhibition of HIF-prolyl-4-hydroxylases prevents mitochondrial impairment and cell death in a model of neuronal oxytosis. <i>Cell Death and Disease</i> , 2016, 7, e2214-e2214.	2.7	38

#	ARTICLE	IF	CITATIONS
73	Î± 1-antitrypsin modulates microglial-mediated neuroinflammation and protects microglial cells from amyloid-Î²-induced toxicity. <i>Journal of Neuroinflammation</i> , 2014, 11, 165.	3.1	37
74	Activation of SK2 channels preserves ER Ca ²⁺ homeostasis and protects against ER stress-induced cell death. <i>Cell Death and Differentiation</i> , 2016, 23, 814-827.	5.0	37
75	Extracellular Alpha-Synuclein Oligomers Induce Parkin S-Nitrosylation: Relevance to Sporadic Parkinson's Disease Etiopathology. <i>Molecular Neurobiology</i> , 2019, 56, 125-140.	1.9	37
76	Activation of KCNN3/SK3/KCa _{2.3} channels attenuates enhanced calcium influx and inflammatory cytokine production in activated microglia. <i>Glia</i> , 2012, 60, 2050-2064.	2.5	36
77	Protective Roles for Potassium SK/KCa ₂ Channels in Microglia and Neurons. <i>Frontiers in Pharmacology</i> , 2012, 3, 196.	1.6	35
78	Current concepts in chronic inflammatory diseases: Interactions between microbes, cellular metabolism, and inflammation. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 47-56.	1.5	35
79	Actin(g) on mitochondria â€“ a role for cofilin1 in neuronal cell death pathways. <i>Biological Chemistry</i> , 2019, 400, 1089-1097.	1.2	34
80	SK channel-mediated metabolic escape to glycolysis inhibits ferroptosis and supports stress resistance in <i>C. elegans</i> . <i>Cell Death and Disease</i> , 2020, 11, 263.	2.7	34
81	Lubeluzole protects hippocampal neurons from excitotoxicity in vitro and reduces brain damage caused by ischemia. <i>European Journal of Pharmacology</i> , 1998, 342, 193-201.	1.7	33
82	Ischaemic brain damage after stroke: new insights into efficient therapeutic strategies. <i>EMBO Reports</i> , 2007, 8, 129-133.	2.0	32
83	Small conductance Ca ²⁺ -activated K ⁺ channels in the plasma membrane, mitochondria and the ER: Pharmacology and implications in neuronal diseases. <i>Neurochemistry International</i> , 2017, 109, 13-23.	1.9	31
84	SK channel activation modulates mitochondrial respiration and attenuates neuronal HT-22 cell damage induced by H ₂ O ₂ . <i>Neurochemistry International</i> , 2015, 81, 63-75.	1.9	30
85	Downregulation of the psychiatric susceptibility gene <i>Cacna1c</i> promotes mitochondrial resilience to oxidative stress in neuronal cells. <i>Cell Death Discovery</i> , 2018, 4, 54.	2.0	29
86	Sex-dependent effects of <i>Cacna1c</i> haploinsufficiency on juvenile social play behavior and social 50kHz ultrasonic communication in rats. <i>Genes, Brain and Behavior</i> , 2020, 19, e12552.	1.1	29
87	Cylindromatosis mediates neuronal cell death in vitro and in vivo. <i>Cell Death and Differentiation</i> , 2018, 25, 1394-1407.	5.0	28
88	AIF depletion provides neuroprotection through a preconditioning effect. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2012, 17, 1027-1038.	2.2	27
89	Lithium protects hippocampal progenitors, cognitive performance and hypothalamus-pituitary function after irradiation to the juvenile rat brain. <i>Oncotarget</i> , 2017, 8, 34111-34127.	0.8	27
90	Dynasore Blocks Ferroptosis through Combined Modulation of Iron Uptake and Inhibition of Mitochondrial Respiration. <i>Cells</i> , 2020, 9, 2259.	1.8	27

#	ARTICLE	IF	CITATIONS
91	RIPK1 or RIPK3 deletion prevents progressive neuronal cell death and improves memory function after traumatic brain injury. <i>Acta Neuropathologica Communications</i> , 2021, 9, 138.	2.4	27
92	Free Fatty Acids in Bone Pathophysiology of Rheumatic Diseases. <i>Frontiers in Immunology</i> , 2019, 10, 2757.	2.2	26
93	Exogenous Alpha-Synuclein Evoked Parkin Downregulation Promotes Mitochondrial Dysfunction in Neuronal Cells. Implications for Parkinson's Disease Pathology. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 591475.	1.7	26
94	The neuroprotective role of microglial cells against amyloid beta-mediated toxicity in organotypic hippocampal slice cultures. <i>Brain Pathology</i> , 2020, 30, 589-602.	2.1	25
95	The tyrosine phosphatase inhibitor orthovanadate mimics NGF-induced neuroprotective signaling in rat hippocampal neurons. <i>Neurochemistry International</i> , 2004, 44, 505-520.	1.9	24
96	Enantio-selective effects of clenbuterol in cultured neurons and astrocytes, and in a mouse model of cerebral ischemia. <i>European Journal of Pharmacology</i> , 2007, 575, 57-65.	1.7	20
97	Sex differences in neonatal mouse brain injury after hypoxia-ischemia and adaptaquin treatment. <i>Journal of Neurochemistry</i> , 2019, 150, 759-775.	2.1	20
98	The VAMP-associated protein VAPB is required for cardiac and neuronal pacemaker channel function. <i>FASEB Journal</i> , 2018, 32, 6159-6173.	0.2	19
99	A new approach on assessing clinical pharmacists' impact on prescribing errors in a surgical intensive care unit. <i>International Journal of Clinical Pharmacy</i> , 2019, 41, 1184-1192.	1.0	18
100	Metabolic switch induced by <i>Cimicifuga racemosa</i> extract prevents mitochondrial damage and oxidative cell death. <i>Phytomedicine</i> , 2019, 52, 107-116.	2.3	16
101	SK channel activation potentiates auranofin-induced cell death in glio- and neuroblastoma cells. <i>Biochemical Pharmacology</i> , 2020, 171, 113714.	2.0	16
102	Drug Safety Analysis in a Real-Life Cohort of Parkinson's Disease Patients with Polypharmacy. <i>CNS Drugs</i> , 2017, 31, 1093-1102.	2.7	15
103	Protamine Sulfate Induces Mitochondrial Hyperpolarization and a Subsequent Increase in Reactive Oxygen Species Production. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019, 370, 308-317.	1.3	15
104	Pifithrin- α provides neuroprotective effects at the level of mitochondria independently of p53 inhibition. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2014, 19, 1665-1677.	2.2	14
105	Novel <i>N</i> -Phenyl-Substituted Thiazolidinediones Protect Neural Cells against Glutamate- and tBid-Induced Toxicity. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 350, 273-289.	1.3	14
106	Cofilin1 oxidation links oxidative distress to mitochondrial demise and neuronal cell death. <i>Cell Death and Disease</i> , 2021, 12, 953.	2.7	14
107	One protein, different cell fate: the differential outcome of depleting GRP75 during oxidative stress in neurons. <i>Cell Death and Disease</i> , 2018, 9, 32.	2.7	13
108	Psychiatric risk gene <i>Cacna1c</i> determines mitochondrial resilience against oxidative stress in neurons. <i>Cell Death and Disease</i> , 2018, 9, 645.	2.7	13

#	ARTICLE	IF	CITATIONS
109	A synthetic inhibitor of p53 protects neurons against death induced by ischemic and excitotoxic insults, and amyloid β -peptide. <i>Journal of Neurochemistry</i> , 2008, 77, 220-228.	2.1	11
110	Statins – increasing or reducing the risk of Parkinson's disease?. <i>Experimental Neurology</i> , 2011, 228, 1-4.	2.0	11
111	The serine protease inhibitor TLCK attenuates intrinsic death pathways in neurons upstream of mitochondrial demise. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2014, 19, 1545-1558.	2.2	11
112	Inhibition of Carbonic Anhydrase 2 Overcomes Temozolomide Resistance in Glioblastoma Cells. <i>International Journal of Molecular Sciences</i> , 2022, 23, 157.	1.8	11
113	Mechanisms of neuronal degeneration after ischemic stroke – Emerging targets for novel therapeutic strategies. <i>Drug Discovery Today Disease Mechanisms</i> , 2005, 2, 463-470.	0.8	10
114	Effects of Raf-1 siRNA on human cerebral microvascular endothelial cells: A potential therapeutic strategy for inhibition of tumor angiogenesis. <i>Brain Research</i> , 2006, 1125, 147-154.	1.1	10
115	<i>N</i> -Acyl Derivatives of 4-Phenoxyaniline as Neuroprotective Agents. <i>ChemMedChem</i> , 2014, 9, 2260-2273.	1.6	10
116	Central Application of Aliskiren, a Renin Inhibitor, Improves Outcome After Experimental Stroke Independent of Its Blood Pressure Lowering Effect. <i>Frontiers in Neurology</i> , 2019, 10, 942.	1.1	10
117	Medication Review by Community Pharmacists for Type 2 Diabetes Patients in Routine Care: Results of the DIATHEM-Study. <i>Frontiers in Pharmacology</i> , 2020, 11, 1176.	1.6	10
118	SK channel activation is neuroprotective in conditions of enhanced ER-mitochondrial coupling. <i>Cell Death and Disease</i> , 2018, 9, 593.	2.7	8
119	Cytochrome c Oxidase Inhibition by ATP Decreases Mitochondrial ROS Production. <i>Cells</i> , 2022, 11, 992.	1.8	8
120	<i>Cimicifuga racemosa</i> Extract Ze 450 Re-Balances Energy Metabolism and Promotes Longevity. <i>Antioxidants</i> , 2021, 10, 1432.	2.2	7
121	Targeting β 2-Adrenoceptors for Neuroprotection After Cerebral Ischemia: Is Inhibition or Stimulation Best?. <i>Anesthesia and Analgesia</i> , 2009, 108, 3-5.	1.1	6
122	Emerging pharmacotherapeutic strategies for the treatment of ischemic stroke. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2006, 3, 621-628.	0.5	5
123	Oxidative stress and neurodegeneration. <i>Neurochemistry International</i> , 2013, 62, 521.	1.9	5
124	Characterization of Novel Diphenylamine Compounds as Ferroptosis Inhibitors. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2021, 378, 184-196.	1.3	5
125	Design, Optimization, and Structural Characterization of an Apoptosis-Inducing Factor Peptide Targeting Human Cyclophilin A to Inhibit Apoptosis Inducing Factor-Mediated Cell Death. <i>Journal of Medicinal Chemistry</i> , 2021, 64, 11445-11459.	2.9	5
126	Interaction of the Psychiatric Risk Gene <i>Cacna1c</i> With Post-weaning Social Isolation or Environmental Enrichment Does Not Affect Brain Mitochondrial Bioenergetics in Rats. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 483.	1.8	4

#	ARTICLE	IF	CITATIONS
127	Treat more than heat – New therapeutic implications of <i>Cimicifuga racemosa</i> through AMPK-dependent metabolic effects. <i>Phytomedicine</i> , 2022, 100, 154060.	2.3	4
128	Overexpression of suppressor of cytokine signaling 3 in the arcuate nucleus of juvenile <i>Phodopus sungorus</i> alters seasonal body weight changes. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2013, 183, 1101-1111.	0.7	3
129	Effects of <i>Cimicifuga racemosa</i> extract Ze450 on mitochondria in models of oxidative stress in neuronal cells. <i>Data in Brief</i> , 2018, 21, 1872-1879.	0.5	3
130	Cyclase-associated protein 2 (CAP2) controls MRTF-A localization and SRF activity in mouse embryonic fibroblasts. <i>Scientific Reports</i> , 2021, 11, 4789.	1.6	2
131	Involvement of Apoptosis-Inducing Factor (AIF) in Neuronal Cell Death Following Cerebral Ischemia. , 2018, , 103-114.		1
132	Significant Role of Apoptosis-Inducing Factor (AIF) for Brain Damage Following Focal Cerebral Ischemia. , 2010, , 91-101.		1
133	SK-Channel Activation Alters Peripheral Metabolic Pathways in Mice, but Not Lipopolysaccharide-Induced Fever or Inflammation. <i>Journal of Inflammation Research</i> , 2022, Volume 15, 509-531.	1.6	1
134	Metabolic effects of <i>Cimicifuga racemosa</i> extract Ze450 on neuronal cells. <i>Maturitas</i> , 2019, 124, 139.	1.0	0
135	Antiproliferative effects of <i>cimicifuga racemosa</i> root extract Ze 450 mediated by inhibition of oxidative phosphorylation and indirect AMPK activation. <i>Maturitas</i> , 2019, 124, 138.	1.0	0
136	Apoptosis inducing factor (AIF) is essential for neuronal cell death following transient focal cerebral ischemia. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005, 25, S466-S466.	2.4	0
137	Metabolic escape to glycolysis through SK channel activation inhibits ferroptosis and increases the life span of <i>C. elegans</i> in conditions of heat stress. <i>FASEB Journal</i> , 2019, 33, 665.7.	0.2	0