Xin Wang

List of Publications by Citations

Source: https://exaly.com/author-pdf/4847963/xin-wang-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66
papers

citations

25
h-index

70
g-index

73
ext. papers

6,590
ext. citations

12.2
avg, IF

L-index

#	Paper	IF	Citations
66	The consensus molecular subtypes of colorectal cancer. <i>Nature Medicine</i> , 2015 , 21, 1350-6	50.5	2332
65	Poor-prognosis colon cancer is defined by a molecularly distinct subtype and develops from serrated precursor lesions. <i>Nature Medicine</i> , 2013 , 19, 614-8	50.5	550
64	Transcription factors LRF and BCL11A independently repress expression of fetal hemoglobin. <i>Science</i> , 2016 , 351, 285-9	33.3	187
63	Master regulators of FGFR2 signalling and breast cancer risk. <i>Nature Communications</i> , 2013 , 4, 2464	17.4	128
62	Epigenetic Memory Underlies Cell-Autonomous Heterogeneous Behavior of Hematopoietic Stem Cells. <i>Cell</i> , 2016 , 167, 1310-1322.e17	56.2	124
61	Colorectal cancer heterogeneity and targeted therapy: a case for molecular disease subtypes. <i>Cancer Research</i> , 2015 , 75, 245-9	10.1	120
60	The oncogenic BRD4-NUT chromatin regulator drives aberrant transcription within large topological domains. <i>Genes and Development</i> , 2015 , 29, 1507-23	12.6	116
59	Diverse epigenetic strategies interact to control epidermal differentiation. <i>Nature Cell Biology</i> , 2012 , 14, 753-63	23.4	112
58	HTSanalyzeR: an R/Bioconductor package for integrated network analysis of high-throughput screens. <i>Bioinformatics</i> , 2011 , 27, 879-80	7.2	100
57	Practical and Robust Identification of Molecular Subtypes in Colorectal Cancer by Immunohistochemistry. <i>Clinical Cancer Research</i> , 2017 , 23, 387-398	12.9	98
56	TGFIsignaling directs serrated adenomas to the mesenchymal colorectal cancer subtype. <i>EMBO Molecular Medicine</i> , 2016 , 8, 745-60	12	90
55	Consensus molecular subtypes of colorectal cancer are recapitulated in in vitro and in vivo models. <i>Cell Death and Differentiation</i> , 2018 , 25, 616-633	12.7	89
54	Molecular subtyping of colorectal cancer: Recent progress, new challenges and emerging opportunities. <i>Seminars in Cancer Biology</i> , 2019 , 55, 37-52	12.7	73
53	Reconciliation of classification systems defining molecular subtypes of colorectal cancer: interrelationships and clinical implications. <i>Cell Cycle</i> , 2014 , 13, 353-7	4.7	60
52	RedeR: R/Bioconductor package for representing modular structures, nested networks and multiple levels of hierarchical associations. <i>Genome Biology</i> , 2012 , 13, R29	18.3	60
51	DeepCC: a novel deep learning-based framework for cancer molecular subtype classification. <i>Oncogenesis</i> , 2019 , 8, 44	6.6	58
50	An integrated genomic regulatory network of virulence-related transcriptional factors in Pseudomonas aeruginosa. <i>Nature Communications</i> , 2019 , 10, 2931	17.4	54

(2020-2017)

49	Tetherless near-infrared control of brain activity in behaving animals using fully implantable upconversion microdevices. <i>Biomaterials</i> , 2017 , 142, 136-148	15.6	51
48	A MicroRNA Signature Associated With Metastasis of T1 Colorectal Cancers to Lymph Nodes. <i>Gastroenterology</i> , 2018 , 154, 844-848.e7	13.3	46
47	The RNA binding protein SORBS2 suppresses metastatic colonization of ovarian cancer by stabilizing tumor-suppressive immunomodulatory transcripts. <i>Genome Biology</i> , 2018 , 19, 35	18.3	42
46	Pharmacological activation of estrogen receptor beta augments innate immunity to suppress cancer metastasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E3673-E3681	11.5	39
45	A multidimensional network approach reveals microRNAs as determinants of the mesenchymal colorectal cancer subtype. <i>Oncogene</i> , 2016 , 35, 6026-6037	9.2	36
44	Integrative network biology analysis identifies miR-508-3p as the determinant for the mesenchymal identity and a strong prognostic biomarker of ovarian cancer. <i>Oncogene</i> , 2019 , 38, 2305-2319	9.2	31
43	Genome-wide Discovery and Identification of a Novel miRNA Signature for Recurrence Prediction in Stage II and III Colorectal Cancer. <i>Clinical Cancer Research</i> , 2018 , 24, 3867-3877	12.9	28
42	Unsupervised class discovery in pancreatic ductal adenocarcinoma reveals cell-intrinsic mesenchymal features and high concordance between existing classification systems. <i>Scientific Reports</i> , 2020 , 10, 337	4.9	21
41	Regeneration of cortical tissue from brain injury by implantation of defined molecular gradient of semaphorin 3A. <i>Biomaterials</i> , 2018 , 157, 125-135	15.6	20
40	High-throughput three-dimensional chemotactic assays reveal steepness-dependent complexity in neuronal sensation to molecular gradients. <i>Nature Communications</i> , 2018 , 9, 4745	17.4	20
39	High-throughput brain activity mapping and machine learning as a foundation for systems neuropharmacology. <i>Nature Communications</i> , 2018 , 9, 5142	17.4	20
38	Dissecting cancer heterogeneityan unsupervised classification approach. <i>International Journal of Biochemistry and Cell Biology</i> , 2013 , 45, 2574-9	5.6	18
37	Gene Expression Signature in Surgical Tissues and Endoscopic Biopsies Identifies High-Risk T1 Colorectal Cancers. <i>Gastroenterology</i> , 2019 , 156, 2338-2341.e3	13.3	15
36	RNAMethyPro: a biologically conserved signature of N6-methyladenosine regulators for predicting survival at pan-cancer level. <i>Npj Precision Oncology</i> , 2019 , 3, 13	9.8	15
35	c-myc regulates the sensitivity of breast cancer cells to palbociclib via c-myc/miR-29b-3p/CDK6 axis. <i>Cell Death and Disease</i> , 2020 , 11, 760	9.8	15
34	A genomewide transcriptomic approach identifies a novel gene expression signature for the detection of lymph node metastasis in patients with early stage gastric cancer. <i>EBioMedicine</i> , 2019 , 41, 268-275	8.8	13
33	Posterior association networks and functional modules inferred from rich phenotypes of gene perturbations. <i>PLoS Computational Biology</i> , 2012 , 8, e1002566	5	13
32	Single-cell EMT-related transcriptional analysis revealed intra-cluster heterogeneity of tumor cell clusters in epithelial ovarian cancer ascites. <i>Oncogene</i> , 2020 , 39, 4227-4240	9.2	13

Novel therapeutic strategies for treating infection. Expert Opinion on Drug Discovery, 2020, 15, 1403-1428.2 31 12 Reconstructing evolving signalling networks by hidden Markov nested effects models. Annals of 30 2.1 11 Applied Statistics, 2014, 8, Defining super-enhancer landscape in triple-negative breast cancer by multiomic profiling. Nature 29 17.4 9 Communications, **2021**, 12, 2242 Diagnosis and prognosis of breast cancer by high-performance serum metabolic fingerprints.. 28 9 Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2122245119 $^{11.5}$ Cancer-associated histone mutation H2BG53D disrupts DNA-histone octamer interaction and 8 27 21 promotes oncogenic phenotypes. Signal Transduction and Targeted Therapy, 2020, 5, 27 Demyelination Regulates the Circadian Transcription Factor BMAL1 to Signal Adult Neural Stem 26 8 10.6 Cells to Initiate Oligodendrogenesis. Cell Reports, 2020, 33, 108394 Pseudomonas syringae dual-function protein Lon switches between virulence and metabolism by acting as both DNA-binding transcriptional regulator and protease in different environments. 25 5.2 7 Environmental Microbiology, 2020, 22, 2968-2988 High-throughput intracellular biopsy of microRNAs for dissecting the temporal dynamics of cellular 24 14.3 7 heterogeneity. Science Advances, 2020, 6, eaba4971 Integrated regulatory network in Pseudomonas syringae reveals dynamics of virulence. Cell Reports 10.6 6 23 , **2021**, 34, 108920 Targeting m6A modification inhibits herpes virus 1 infection. Genes and Diseases, 2021, 6.6 6 22 A Network-Based Approach for Identification of Subtype-Specific Master Regulators in Pancreatic 21 4.2 5 Ductal Adenocarcinoma. Genes, 2020, 11, Plasma cells shape the mesenchymal identity of ovarian cancers through transfer of 20 14.3 exosome-derived microRNAs. Science Advances, 2021, 7, Structural mechanism of bivalent histone H3K4me3K9me3 recognition by the Spindlin1/C11orf84 19 17.4 5 complex in rRNA transcription activation. Nature Communications, 2021, 12, 949 Dissecting cancer heterogeneity based on dimension reduction of transcriptomic profiles using 18 5 3.7 extreme learning machines. PLoS ONE, 2018, 13, e0203824 An integrated workflow for biomarker development using microRNAs in extracellular vesicles for 17 12.7 cancer precision medicine. Seminars in Cancer Biology, 2021, 74, 134-155 16 A modified particle swarm optimization algorithm for reliability problems 2010, 3 OCaMIR-A Noninvasive, Diagnostic Signature for Early-Stage Ovarian Cancer: A Multi-cohort 15 12.9 3 Retrospective and Prospective Study. Clinical Cancer Research, 2021, 27, 4277-4286 The H2BG53D oncohistone directly upregulates ANXA3 transcription and enhances cell migration 21 2 in pancreatic ductal adenocarcinoma. Signal Transduction and Targeted Therapy, 2020, 5, 106

LIST OF PUBLICATIONS

13	Single-cell RNA-seq recognized the initiator of epithelial ovarian cancer recurrence <i>Oncogene</i> , 2022 ,	9.2	2
12	Profiling MicroRNAs with Associated Spatial Dynamics in Acute Tissue Slices. ACS Nano, 2021, 15, 4881-	4 8 9. 7	2
11	Genomic and Epigenomic Features of Primary and Recurrent Hepatocellular Carcinomas. <i>Gastroenterology</i> , 2020 ,	13.3	1
10	Attention to time-of-day variability improves the reproducibility of gene expression patterns in multiple sclerosis. <i>IScience</i> , 2021 , 24, 103247	6.1	1
9	TCOF1 upregulation in triple-negative breast cancer promotes stemness and tumour growth and correlates with poor prognosis. <i>British Journal of Cancer</i> , 2021 ,	8.7	1
8	Weighted Gene Co-expression Network Analysis Identifies CALD1 as a Biomarker Related to M2 Macrophages Infiltration in Stage III and IV Mismatch Repair-Proficient Colorectal Carcinoma. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 649363	5.6	1
7	The elevated transcription of ADAM19 by the oncohistone H2BE76K contributes to oncogenic properties in breast cancer. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100374	5.4	1
6	Identification of prognostic spatial organization features in colorectal cancer microenvironment using deep learning on histopathology images 2021 , 2, 100008		1
5	Inhibition of Vascular Growth by Modulation of the Anandamide/Fatty Acid Amide Hydrolase Axis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2021 , 41, 2974-2989	9.4	O
4	Multi-Omics Data Fusion for Cancer Molecular Subtyping Using Sparse Canonical Correlation Analysis. <i>Frontiers in Genetics</i> , 2021 , 12, 607817	4.5	О
3	Colorectal cancer subtype identification from differential gene expression levels using minimalist deep learning <i>BioData Mining</i> , 2022 , 15, 12	4.3	О
2	Joining the dots: network analysis of gene perturbation data83-107		
1	NEM-Tar: A Probabilistic Graphical Model for Cancer Regulatory Network Inference and Prioritization of Potential Therapeutic Targets From Multi-Omics Data. <i>Frontiers in Genetics</i> , 2021 , 12, 608042	4.5	