

Lisa A Jones

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4848254/lisa-a-jones-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

180
papers

17,686
citations

56
h-index

132
g-index

198
ext. papers

21,034
ext. citations

8.9
avg, IF

5.3
L-index

#	Paper	IF	Citations
180	Replication of genome-wide association signals in UK samples reveals risk loci for type 2 diabetes. <i>Science</i> , 2007 , 316, 1336-41	33.3	1823
179	Genetic relationship between five psychiatric disorders estimated from genome-wide SNPs. <i>Nature Genetics</i> , 2013 , 45, 984-94	36.3	1628
178	Association scan of 14,500 nonsynonymous SNPs in four diseases identifies autoimmunity variants. <i>Nature Genetics</i> , 2007 , 39, 1329-37	36.3	1130
177	Collaborative genome-wide association analysis supports a role for ANK3 and CACNA1C in bipolar disorder. <i>Nature Genetics</i> , 2008 , 40, 1056-8	36.3	949
176	A mega-analysis of genome-wide association studies for major depressive disorder. <i>Molecular Psychiatry</i> , 2013 , 18, 497-511	15.1	853
175	High rates of schizophrenia in adults with velo-cardio-facial syndrome. <i>Archives of General Psychiatry</i> , 1999 , 56, 940-5		813
174	Genome-wide association study identifies 30 loci associated with bipolar disorder. <i>Nature Genetics</i> , 2019 , 51, 793-803	36.3	662
173	Genome-wide association study of CNVs in 16,000 cases of eight common diseases and 3,000 shared controls. <i>Nature</i> , 2010 , 464, 713-20	50.4	639
172	Heritability estimates for psychotic disorders: the Maudsley twin psychosis series. <i>Archives of General Psychiatry</i> , 1999 , 56, 162-8		577
171	Genomic Relationships, Novel Loci, and Pleiotropic Mechanisms across Eight Psychiatric Disorders. <i>Cell</i> , 2019 , 179, 1469-1482.e11	56.2	402
170	The bipolar disorder risk allele at CACNA1C also confers risk of recurrent major depression and of schizophrenia. <i>Molecular Psychiatry</i> , 2010 , 15, 1016-22	15.1	389
169	Neuropsychological testing of cognitive impairment in euthymic bipolar disorder: an individual patient data meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2013 , 128, 149-62	6.5	373
168	Genomic Dissection of Bipolar Disorder and Schizophrenia, Including 28 Subphenotypes. <i>Cell</i> , 2018 , 173, 1705-1715.e16	56.2	360
167	Operation of the schizophrenia susceptibility gene, neuregulin 1, across traditional diagnostic boundaries to increase risk for bipolar disorder. <i>Archives of General Psychiatry</i> , 2005 , 62, 642-8		209
166	Genome-wide association study of major recurrent depression in the U.K. population. <i>American Journal of Psychiatry</i> , 2010 , 167, 949-57	11.9	194
165	Combined analysis from eleven linkage studies of bipolar disorder provides strong evidence of susceptibility loci on chromosomes 6q and 8q. <i>American Journal of Human Genetics</i> , 2005 , 77, 582-95	11	192
164	Genome-wide significant associations in schizophrenia to ITIH3/4, CACNA1C and SDCCAG8, and extensive replication of associations reported by the Schizophrenia PGC. <i>Molecular Psychiatry</i> , 2013 , 18, 708-12	15.1	184

163	A novel Alzheimer disease locus located near the gene encoding tau protein. <i>Molecular Psychiatry</i> , 2016 , 21, 108-17	15.1	175
162	Determinants of burden in those who care for someone with dementia. <i>International Journal of Geriatric Psychiatry</i> , 2008 , 23, 1078-85	3.9	171
161	Genomewide linkage scan in schizoaffective disorder: significant evidence for linkage at 1q42 close to DISC1, and suggestive evidence at 22q11 and 19p13. <i>Archives of General Psychiatry</i> , 2005 , 62, 1081-8		164
160	Joint analysis of psychiatric disorders increases accuracy of risk prediction for schizophrenia, bipolar disorder, and major depressive disorder. <i>American Journal of Human Genetics</i> , 2015 , 96, 283-94	11	161
159	Perinatal episodes across the mood disorder spectrum. <i>JAMA Psychiatry</i> , 2013 , 70, 168-75	14.5	161
158	Rare copy number variants: a point of rarity in genetic risk for bipolar disorder and schizophrenia. <i>Archives of General Psychiatry</i> , 2010 , 67, 318-27		154
157	Whole genome linkage scan of recurrent depressive disorder from the depression network study. <i>Human Molecular Genetics</i> , 2005 , 14, 3337-45	5.6	133
156	Meta-analysis of genome-wide association data of bipolar disorder and major depressive disorder. <i>Molecular Psychiatry</i> , 2011 , 16, 2-4	15.1	130
155	Polygenic interactions with environmental adversity in the aetiology of major depressive disorder. <i>Psychological Medicine</i> , 2016 , 46, 759-70	6.9	125
154	The evolution of depression and suicidality in first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2010 , 122, 211-8	6.5	124
153	Variation at the DAOA/G30 locus influences susceptibility to major mood episodes but not psychosis in schizophrenia and bipolar disorder. <i>Archives of General Psychiatry</i> , 2006 , 63, 366-73		124
152	Familiality of postpartum depression in unipolar disorder: results of a family study. <i>American Journal of Psychiatry</i> , 2006 , 163, 1549-53	11.9	119
151	Genetic variation of brain-derived neurotrophic factor (BDNF) in bipolar disorder: case-control study of over 3000 individuals from the UK. <i>British Journal of Psychiatry</i> , 2006 , 188, 21-5	5.4	119
150	Copy number variation in bipolar disorder. <i>Molecular Psychiatry</i> , 2016 , 21, 89-93	15.1	113
149	Replication of bipolar disorder susceptibility alleles and identification of two novel genome-wide significant associations in a new bipolar disorder case-control sample. <i>Molecular Psychiatry</i> , 2013 , 18, 1302-7	15.1	110
148	Bipolar disorder and polymorphisms in the dysbindin gene (DTNBP1). <i>Biological Psychiatry</i> , 2005 , 57, 696-701	7.9	110
147	GWAS of Suicide Attempt in Psychiatric Disorders and Association With Major Depression Polygenic Risk Scores. <i>American Journal of Psychiatry</i> , 2019 , 176, 651-660	11.9	103
146	Strong genetic evidence for a selective influence of GABAA receptors on a component of the bipolar disorder phenotype. <i>Molecular Psychiatry</i> , 2010 , 15, 146-53	15.1	94

145	Medical disorders in people with recurrent depression. <i>British Journal of Psychiatry</i> , 2008 , 192, 351-5	5.4	92
144	Genome-wide association study of Alzheimer's disease with psychotic symptoms. <i>Molecular Psychiatry</i> , 2012 , 17, 1316-27	15.1	90
143	Clinical differences between bipolar and unipolar depression. <i>British Journal of Psychiatry</i> , 2008 , 192, 388-9	5.4	89
142	Genomewide association scan of suicidal thoughts and behaviour in major depression. <i>PLoS ONE</i> , 2011 , 6, e20690	3.7	83
141	Genome-wide association study of more than 40,000 bipolar disorder cases provides new insights into the underlying biology. <i>Nature Genetics</i> , 2021 , 53, 817-829	36.3	83
140	Comorbid medical illness in bipolar disorder. <i>British Journal of Psychiatry</i> , 2014 , 205, 465-72	5.4	80
139	Validation of electronic health record phenotyping of bipolar disorder cases and controls. <i>American Journal of Psychiatry</i> , 2015 , 172, 363-72	11.9	79
138	Genetic Differences in the Immediate Transcriptome Response to Stress Predict Risk-Related Brain Function and Psychiatric Disorders. <i>Neuron</i> , 2015 , 86, 1189-202	13.9	79
137	Genetic utility of broadly defined bipolar schizoaffective disorder as a diagnostic concept. <i>British Journal of Psychiatry</i> , 2009 , 195, 23-9	5.4	76
136	Bipolar affective puerperal psychosis: genome-wide significant evidence for linkage to chromosome 16. <i>American Journal of Psychiatry</i> , 2007 , 164, 1099-104	11.9	73
135	Association at SYNE1 in both bipolar disorder and recurrent major depression. <i>Molecular Psychiatry</i> , 2013 , 18, 614-7	15.1	71
134	Genetic relationships between suicide attempts, suicidal ideation and major psychiatric disorders: a genome-wide association and polygenic scoring study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2014 , 165B, 428-37	3.5	70
133	Association Between Schizophrenia-Related Polygenic Liability and the Occurrence and Level of Mood-Incongruent Psychotic Symptoms in Bipolar Disorder. <i>JAMA Psychiatry</i> , 2018 , 75, 28-35	14.5	66
132	Age-at-onset in bipolar-I disorder: mixture analysis of 1369 cases identifies three distinct clinical sub-groups. <i>Journal of Affective Disorders</i> , 2009 , 116, 23-9	6.6	65
131	Cognitive style in bipolar disorder. <i>British Journal of Psychiatry</i> , 2005 , 187, 431-7	5.4	65
130	Factor analysis of schizophrenic symptoms using the OPCRIT checklist. <i>Schizophrenia Research</i> , 1996 , 22, 233-9	3.6	61
129	A literature review: factors that impact on nurses' effective use of the Medical Emergency Team (MET). <i>Journal of Clinical Nursing</i> , 2009 , 18, 3379-90	3.2	60
128	The Bipolar Affective Disorder Dimension Scale (BADDS)--a dimensional scale for rating lifetime psychopathology in bipolar spectrum disorders. <i>BMC Psychiatry</i> , 2004 , 4, 19	4.2	59

127	Differences in depressive symptom profile between males and females. <i>Journal of Affective Disorders</i> , 2008 , 108, 279-84	6.6	58
126	Polymorphisms in the MAOA, MAOB, and COMT genes and aggressive behavior in schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2004 , 128B, 19-20		58
125	Polygenic dissection of the bipolar phenotype. <i>British Journal of Psychiatry</i> , 2011 , 198, 284-8	5.4	57
124	Sleep loss as a trigger of mood episodes in bipolar disorder: individual differences based on diagnostic subtype and gender. <i>British Journal of Psychiatry</i> , 2017 , 211, 169-174	5.4	56
123	Association of DISC1 and TSNAX genes and affective disorders in the depression case-control (DeCC) and bipolar affective case-control (BACCS) studies. <i>Molecular Psychiatry</i> , 2010 , 15, 844-9	15.1	55
122	A genomewide linkage study of age at onset in schizophrenia. <i>American Journal of Medical Genetics Part A</i> , 2001 , 105, 439-45		55
121	Lack of support for a genetic association of the XBP1 promoter polymorphism with bipolar disorder in probands of European origin. <i>Nature Genetics</i> , 2004 , 36, 783-4; author reply 784-5	36.3	54
120	Depression in first episode psychosis: the role of subordination and shame. <i>Psychiatry Research</i> , 2014 , 217, 177-84	9.9	53
119	Depression Case Control (DeCC) Study fails to support involvement of the muscarinic acetylcholine receptor M2 (CHRM2) gene in recurrent major depressive disorder. <i>Human Molecular Genetics</i> , 2009 , 18, 1504-9	5.6	52
118	Stage 2 of the Wellcome Trust UK-Irish bipolar affective disorder sibling-pair genome screen: evidence for linkage on chromosomes 6q16-q21, 4q12-q21, 9p21, 10p14-p12 and 18q22. <i>Molecular Psychiatry</i> , 2005 , 10, 831-41	15.1	52
117	Mood disorders and parity - a clue to the aetiology of the postpartum trigger. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 334-9	6.6	48
116	Relationship between obesity and the risk of clinically significant depression: Mendelian randomisation study. <i>British Journal of Psychiatry</i> , 2014 , 205, 24-8	5.4	48
115	Genome-wide gene-environment analyses of major depressive disorder and reported lifetime traumatic experiences in UK Biobank. <i>Molecular Psychiatry</i> , 2020 , 25, 1430-1446	15.1	47
114	P2RX7: A bipolar and unipolar disorder candidate susceptibility gene?. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2009 , 150B, 1063-9	3.5	47
113	Identifying hypomanic features in major depressive disorder using the hypomania checklist (HCL-32). <i>Journal of Affective Disorders</i> , 2009 , 114, 68-73	6.6	46
112	Validation of self-report depression rating scales in Huntington's disease. <i>Movement Disorders</i> , 2010 , 25, 91-6	7	46
111	Genome-wide association study identifies SESTD1 as a novel risk gene for lithium-responsive bipolar disorder. <i>Molecular Psychiatry</i> , 2016 , 21, 1290-7	15.1	45
110	A genetic risk score combining 32 SNPs is associated with body mass index and improves obesity prediction in people with major depressive disorder. <i>BMC Medicine</i> , 2015 , 13, 86	11.4	45

109	Adverse childhood events and psychosis in bipolar affective disorder. <i>British Journal of Psychiatry</i> , 2015 , 206, 191-7	5.4	45
108	Polarity at illness onset in bipolar I disorder and clinical course of illness. <i>Bipolar Disorders</i> , 2009 , 11, 82-88	4.2	42
107	CAG repeat length in the hKCa3 gene and symptom dimensions in schizophrenia. <i>Biological Psychiatry</i> , 1999 , 45, 1592-6	7.9	42
106	Genome-wide association analysis of copy number variation in recurrent depressive disorder. <i>Molecular Psychiatry</i> , 2013 , 18, 183-9	15.1	40
105	A genome-wide significant linkage for severe depression on chromosome 3: the depression network study. <i>American Journal of Psychiatry</i> , 2011 , 168, 840-7	11.9	40
104	Sub-threshold manic symptoms in recurrent major depressive disorder are a marker for poor outcome. <i>Acta Psychiatrica Scandinavica</i> , 2009 , 119, 325-9	6.5	39
103	Migraine in recurrent depression: case-control study. <i>British Journal of Psychiatry</i> , 2009 , 194, 350-4	5.4	38
102	The Depression Network (DeNT) Study: methodology and sociodemographic characteristics of the first 470 affected sibling pairs from a large multi-site linkage genetic study. <i>BMC Psychiatry</i> , 2004 , 4, 42	4.2	38
101	Estimating the heritability of reporting stressful life events captured by common genetic variants. <i>Psychological Medicine</i> , 2013 , 43, 1965-71	6.9	36
100	Affective instability, childhood trauma and major affective disorders. <i>Journal of Affective Disorders</i> , 2016 , 190, 764-771	6.6	34
99	Methylenetetrahydrofolate reductase gene variant (MTHFR C677T) and migraine: a case control study and meta-analysis. <i>BMC Neurology</i> , 2011 , 11, 66	3.1	34
98	The management of bipolar disorder in the perinatal period and risk factors for postpartum relapse. <i>European Psychiatry</i> , 2012 , 27, 563-9	6	33
97	Affective temperaments across the bipolar-unipolar spectrum: examination of the TEMPS-A in 927 patients and controls. <i>Journal of Affective Disorders</i> , 2010 , 123, 42-51	6.6	33
96	Reducing the Hypomania Checklist (HCL-32) to a 16-item version. <i>Journal of Affective Disorders</i> , 2010 , 124, 351-6	6.6	32
95	Adverse life event reporting and worst illness episodes in unipolar and bipolar affective disorders: measuring environmental risk for genetic research. <i>Psychological Medicine</i> , 2010 , 40, 1829-37	6.9	31
94	Life-event specificity: bipolar disorder compared with unipolar depression. <i>British Journal of Psychiatry</i> , 2012 , 201, 458-65	5.4	29
93	FoxP1 marks medium spiny neurons from precursors to maturity and is required for their differentiation. <i>Experimental Neurology</i> , 2016 , 282, 9-18	5.7	29
92	Medical students' attitudes to psychiatric illness in primary care. <i>Medical Education</i> , 2008 , 42, 1080-7	3.7	28

91	Genome-wide association study identifies 30 Loci Associated with Bipolar Disorder		28
90	Stratification of the risk of bipolar disorder recurrences in pregnancy and postpartum. <i>British Journal of Psychiatry</i> , 2018 , 213, 542-547	5.4	28
89	Mania triggered by sleep loss and risk of postpartum psychosis in women with bipolar disorder. <i>Journal of Affective Disorders</i> , 2018 , 225, 624-629	6.6	27
88	Cognitive style, personality and vulnerability to postnatal depression. <i>British Journal of Psychiatry</i> , 2010 , 196, 200-5	5.4	27
87	Dissecting the genetic heterogeneity of depression through age at onset. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012 , 159B, 859-68	3.5	26
86	Is the degree of cognitive impairment in patients with Alzheimer's disease related to their capacity to appoint an enduring power of attorney?. <i>Age and Ageing</i> , 2007 , 36, 527-31	3	26
85	A comparison of course-related stressors in undergraduate problem-based learning (PBL) versus non-PBL medical programmes. <i>BMC Medical Education</i> , 2009 , 9, 60	3.3	25
84	Genome-wide linkage analysis of 972 bipolar pedigrees using single-nucleotide polymorphisms. <i>Molecular Psychiatry</i> , 2012 , 17, 818-26	15.1	24
83	Comparative sequencing of the proneurotensin gene and association studies in schizophrenia. <i>Molecular Psychiatry</i> , 2000 , 5, 208-12	15.1	24
82	The high affinity neurotensin receptor gene (NTSR1): comparative sequencing and association studies in schizophrenia. <i>Molecular Psychiatry</i> , 2000 , 5, 552-7	15.1	24
81	Gambling problems in bipolar disorder in the UK: prevalence and distribution. <i>British Journal of Psychiatry</i> , 2015 , 207, 328-33	5.4	23
80	Partial Meal Replacement Plan and Quality of the Diet at 1 Year: Action for Health in Diabetes (Look AHEAD) Trial. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2015 , 115, 731-742	3.9	23
79	The Bipolar Association Case-Control Study (BACCS) and meta-analysis: No association with the 5,10-Methylenetetrahydrofolate reductase gene and bipolar disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1298-304	3.5	23
78	A genomewide linkage study on suicidality in major depressive disorder confirms evidence for linkage to 2p12. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1465-73	3.5	23
77	Is depression severity the sole cause of psychotic symptoms during an episode of unipolar major depression? A study both between and within subjects. <i>Journal of Affective Disorders</i> , 2009 , 114, 103-9	6.6	21
76	Clinical presentation of postnatal and non-postnatal depressive episodes. <i>Psychological Medicine</i> , 2007 , 37, 1273-80	6.9	21
75	Stressful life events and the serotonin transporter gene (5-HTT) in recurrent clinical depression. <i>Journal of Affective Disorders</i> , 2012 , 136, 189-193	6.6	20
74	Mood-incongruent psychosis in bipolar disorder: conditional linkage analysis shows genome-wide suggestive linkage at 1q32.3, 7p13 and 20q13.31. <i>Bipolar Disorders</i> , 2009 , 11, 610-20	3.8	20

73	Contribution of Rare Copy Number Variants to Bipolar Disorder Risk Is Limited to Schizoaffective Cases. <i>Biological Psychiatry</i> , 2019 , 86, 110-119	7.9	20
72	Differentiation of executive and attention impairments in affective illness. <i>Psychological Medicine</i> , 2007 , 37, 1613-23	6.9	19
71	Comparison of Genetic Liability for Sleep Traits Among Individuals With Bipolar Disorder I or II and Control Participants. <i>JAMA Psychiatry</i> , 2020 , 77, 303-310	14.5	19
70	Familiality and SNP heritability of age at onset and episodicity in major depressive disorder. <i>Psychological Medicine</i> , 2015 , 45, 2215-25	6.9	18
69	Novel ATP2A2 mutations in a large sample of individuals with Darier disease. <i>Journal of Dermatology</i> , 2013 , 40, 259-66	1.6	18
68	DISC1 exon 11 rare variants found more commonly in schizoaffective spectrum cases than controls. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 490-2	3.5	18
67	Medical students' recognition of elder abuse. <i>International Journal of Geriatric Psychiatry</i> , 2009 , 24, 770-7	3.9	17
66	Comparative sequencing and association studies of aromatic L-amino acid decarboxylase in schizophrenia and bipolar disorder. <i>Molecular Psychiatry</i> , 2000 , 5, 327-31	15.1	17
65	Quantifying between-cohort and between-sex genetic heterogeneity in major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2019 , 180, 439-447	3.5	16
64	Affective temperaments and concomitant alcohol use disorders in bipolar disorder. <i>Journal of Affective Disorders</i> , 2015 , 186, 226-31	6.6	16
63	The interaction between child maltreatment, adult stressful life events and the 5-HTTLPR in major depression. <i>Journal of Psychiatric Research</i> , 2013 , 47, 1032-5	5.2	16
62	Phenotypic Association Analyses With Copy Number Variation in Recurrent Depressive Disorder. <i>Biological Psychiatry</i> , 2016 , 79, 329-36	7.9	15
61	Genome-wide association analysis accounting for environmental factors through propensity-score matching: application to stressful life events in major depressive disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2013 , 162B, 521-9	3.5	15
60	A follow-up case-control association study of tractable (druggable) genes in recurrent major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 640-50	3.5	15
59	Genome-wide Burden of Rare Short Deletions Is Enriched in Major Depressive Disorder in Four Cohorts. <i>Biological Psychiatry</i> , 2019 , 85, 1065-1073	7.9	14
58	Improving the psychometric utility of the hypomania checklist (HCL-32): a Rasch analysis approach. <i>Journal of Affective Disorders</i> , 2014 , 152-154, 448-53	6.6	14
57	Investigation of rare non-synonymous variants at ABCA13 in schizophrenia and bipolar disorder. <i>Molecular Psychiatry</i> , 2011 , 16, 790-1	15.1	14
56	Variation at the GABAA receptor gene, Rho 1 (GABRR1) associated with susceptibility to bipolar schizoaffective disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 1347-9	3.5	14

55	Expanded CAG/CTG repeats in schizophrenia. A study of clinical correlates. <i>British Journal of Psychiatry</i> , 1996 , 169, 766-71	5.4	14
54	SMAD transcription factors are altered in cell models of HD and regulate HTT expression. <i>Cellular Signalling</i> , 2017 , 31, 1-14	4.9	13
53	Polygenic risk for circulating reproductive hormone levels and their influence on hippocampal volume and depression susceptibility. <i>Psychoneuroendocrinology</i> , 2019 , 106, 284-292	5	13
52	Adverse childhood life events and postpartum psychosis in bipolar disorder. <i>Journal of Affective Disorders</i> , 2016 , 205, 69-72	6.6	13
51	Investigating the genetic variation underlying episodicity in major depressive disorder: suggestive evidence for a bipolar contribution. <i>Journal of Affective Disorders</i> , 2014 , 155, 81-9	6.6	13
50	Autistic and schizotypal traits and global functioning in bipolar I disorder. <i>Journal of Affective Disorders</i> , 2017 , 207, 268-275	6.6	13
49	Phenotype evaluation and genomewide linkage study of clinical variables in schizophrenia. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011 , 156B, 929-40	3.5	13
48	Genotype-phenotype correlations in Darier disease: A focus on the neuropsychiatric phenotype. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018 , 177, 717-726	3.5	12
47	Genome-wide association study of over 40,000 bipolar disorder cases provides new insights into the underlying biology		11
46	Dissecting the Shared Genetic Architecture of Suicide Attempt, Psychiatric Disorders, and Known Risk Factors. <i>Biological Psychiatry</i> , 2021 ,	7.9	11
45	Agitated depression in bipolar disorder. <i>Bipolar Disorders</i> , 2019 , 21, 547-555	3.8	9
44	Bipolar disorder, miscarriage, and termination. <i>Bipolar Disorders</i> , 2015 , 17, 102-5	3.8	9
43	Classical Human Leukocyte Antigen Alleles and C4 Haplotypes Are Not Significantly Associated With Depression. <i>Biological Psychiatry</i> , 2020 , 87, 419-430	7.9	9
42	A data-driven investigation of relationships between bipolar psychotic symptoms and schizophrenia genome-wide significant genetic loci. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2018 , 177, 468-475	3.5	8
41	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 921-932	5.1	8
40	Genetic comorbidity between major depression and cardio-metabolic traits, stratified by age at onset of major depression. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2020 , 183, 309-330	3.5	8
39	Postpartum psychosis in bipolar disorder: no evidence of association with personality traits, cognitive style or affective temperaments. <i>BMC Psychiatry</i> , 2019 , 19, 395	4.2	8
38	Large-scale roll out of electronic longitudinal mood-monitoring for research in affective disorders: Report from the UK bipolar disorder research network. <i>Journal of Affective Disorders</i> , 2019 , 246, 789-793	6.6	7

37	Patterns and clinical correlates of lifetime alcohol consumption in women and men with bipolar disorder: Findings from the UK Bipolar Disorder Research Network. <i>Bipolar Disorders</i> , 2020 , 22, 731-738	3.8	6
36	Changes to the Diagnostic Criteria for Bipolar Disorder in DSM-5 Make Little Difference to Lifetime Diagnosis: Findings From the U.K. Bipolar Disorder Research Network (BDRN) Study. <i>American Journal of Psychiatry</i> , 2017 , 174, 803	11.9	6
35	Phenomenology, Epidemiology and Aetiology of Postpartum Psychosis: A Review. <i>Brain Sciences</i> , 2021 , 11,	3.4	6
34	Depression, migraine with aura and migraine without aura: their familiarity and interrelatedness. <i>Cephalalgia</i> , 2009 , 29, 848-54	6.1	5
33	Adverse childhood experiences and postpartum depression in bipolar disorder. <i>Journal of Affective Disorders</i> , 2020 , 263, 661-666	6.6	5
32	The influence of borderline personality traits on clinical outcomes in bipolar disorder. <i>Bipolar Disorders</i> , 2021 , 23, 368-375	3.8	5
31	Smoking and postpartum psychosis. <i>Bipolar Disorders</i> , 2015 , 17, 572-3	3.8	4
30	Clinical characteristics of unipolar disorder and bipolar disorder according to the lifetime presence of recurrent panic attacks. <i>Bipolar Disorders</i> , 2009 , 11, 307-15	3.8	4
29	Explaining why childhood abuse is a risk factor for poorer clinical course in bipolar disorder: a path analysis of 923 people with bipolar I disorder. <i>Psychological Medicine</i> , 2020 , 50, 2346-2354	6.9	4
28	Identifying the Common Genetic Basis of Antidepressant Response. <i>Biological Psychiatry Global Open Science</i> , 2021 ,		4
27	Utility of the pooling approach as applied to whole genome association scans with high-density Affymetrix microarrays. <i>BMC Research Notes</i> , 2010 , 3, 274	2.3	3
26	Polydactyly and psychosis. Five cases of co-occurrence. <i>British Journal of Psychiatry</i> , 1998 , 172, 184-5	5.4	3
25	Automated adipose tissue detection method 2016 ,		3
24	NRG1 gene in recurrent major depression: no association in a large-scale case-control association study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 141-7	3.5	2
23	Dissecting the shared genetic architecture of suicide attempt, psychiatric disorders and known risk factors		2
22	Symptom profile of postpartum and non-postpartum manic episodes in bipolar I disorder: a within-subjects study. <i>Psychiatry Research</i> , 2020 , 284, 112748	9.9	2
21	Qualitative exploration of the effect of a television soap opera storyline on women with experience of postpartum psychosis. <i>BJPsych Open</i> , 2018 , 4, 75-82	5	2
20	Characterisation of age and polarity at onset in bipolar disorder.. <i>British Journal of Psychiatry</i> , 2021 , 219, 659-669	5.4	2

19	A03 Genetic Modifiers Affecting The Age At Motor Onset In Huntington's Disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, A1-A2	5.5	1
18	Genome-wide association study of suicidal behaviour severity in mood disorders. <i>World Journal of Biological Psychiatry</i> , 2021 , 22, 722-731	3.8	1
17	Characterization of Age and Polarity at Onset in Bipolar Disorder		1
16	Migraine associated with early onset postpartum depression in women with major depressive disorder. <i>Archives of Womens Mental Health</i> , 2021 , 24, 949-955	5	1
15	Have I argued with my family this week?": What questions do those with lived experience choose to monitor their bipolar disorder?. <i>Journal of Affective Disorders</i> , 2021 , 281, 918-925	6.6	1
14	Transcriptome-based polygenic score links depression-related corticolimbic gene expression changes to sex-specific brain morphology and depression risk. <i>Neuropsychopharmacology</i> , 2021 , 46, 2304-2311 ¹	8.7	1
13	The dynamic interplay between sleep and mood: an intensive longitudinal study of individuals with bipolar disorder.. <i>Psychological Medicine</i> , 2022 , 1-10	6.9	0
12	Potential Genetic Overlap Between Insomnia and Sleep Symptoms in Major Depressive Disorder: A Polygenic Risk Score Analysis.. <i>Frontiers in Psychiatry</i> , 2021 , 12, 734077	5	0
11	Post-partum psychosis and its association with bipolar disorder in the UK: a case-control study using polygenic risk scores. <i>Lancet Psychiatry</i> , 2021 , 8, 1045-1052	23.3	0
10	Mood episodes in pregnancy and risk of postpartum recurrence in bipolar disorder: The Bipolar Disorder Research Network Pregnancy Study. <i>Journal of Affective Disorders</i> , 2021 , 294, 714-722	6.6	0
9	72 Prevalence of Reported and Unreported Vertebral Fractures in Ctpas in Older Adults Above 75 Years. <i>Age and Ageing</i> , 2020 , 49, i22-i23	3	
8	Schizotypy: New Dimensions. Edited by Oliver J. Mason & Gordon Claridge. Routledge. 2015. £95 (hb). 254 pp. ISBN 9780415722032. <i>British Journal of Psychiatry</i> , 2016 , 209, 440-441	5.4	
7	B09 Differential Sensitivity of Aggregate Markers in HDHQ140 Mouse Model. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, A11-A12	5.5	
6	H07 The Familiality Of Psychiatric Symptoms In Huntington's Disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, A54-A54	5.5	
5	Genome-wide significant locus for Research Diagnostic Criteria Schizoaffective Disorder Bipolar type. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017 , 174, 767-771	3.5	
4	A visual timeline tool for tracking mood and medication perinatally in affective disorders. <i>Archives of Womens Mental Health</i> , 2017 , 20, 709-710	5	
3	H09 The Depression Phenotype In Huntington's Disease. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2014 , 85, A54-A55	5.5	
2	A29 Frontostriatal pathology in the (C57BL/6J) YAC128 mouse uncovered by the operant delayed alternation task. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2010 , 81, A9.3-A10	5.5	

- 1 B08 Differential sensitivity of aggregate markers in HdhQ150 and YAC128 HD mouse models.
Journal of Neurology, Neurosurgery and Psychiatry, **2012**, 83, A8.1-A8 5.5