

Beatrice Scazzocchio

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4848538/beatrice-scazzocchio-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

3,108

citations

30

h-index

55

g-index

64

ext. papers

3,558

ext. citations

4.7

avg, IF

4.9

L-index

#	Paper	IF	Citations
63	Improving Nutrition Knowledge and Skills by the Innovative Education Program MaestraNatura in Middle School Students of Italy. <i>Nutrients</i> , 2022 , 14, 2037	6.7	1
62	Obesity-Associated Inflammation: Does Curcumin Exert a Beneficial Role?. <i>Nutrients</i> , 2021 , 13,	6.7	6
61	Lampaya Medicinalis Phil. decreases lipid-induced triglyceride accumulation and proinflammatory markers in human hepatocytes and fat body of Drosophila melanogaster. <i>International Journal of Obesity</i> , 2021 , 45, 1464-1475	5.5	1
60	Promoting Health and Food Literacy through Nutrition Education at Schools: The Italian Experience with MaestraNatura Program. <i>Nutrients</i> , 2021 , 13,	6.7	4
59	Dietary Fatty Acids at the Crossroad between Obesity and Colorectal Cancer: Fine Regulators of Adipose Tissue Homeostasis and Immune Response. <i>Cells</i> , 2021 , 10,	7.9	2
58	Molecular aspects of dietary polyphenols in pregnancy 2021 , 233-264		
57	Protocatechuic acid influences immune-metabolic changes in the adipose tissue of pregnant women with gestational diabetes mellitus. <i>Food and Function</i> , 2021 , 12, 7490-7500	6.1	2
56	Extra virgin olive oil polyphenols: biological properties and antioxidant activity 2020 , 225-233		2
55	MON-600 Hydroethanolic Extract of Lampaya Medicinalis Phil. (Verbenaceae) Decreases Intracellular Triglycerides and Proinflammatory Marker Expression in Fatty Acid-Exposed HepG2 Hepatocytes. <i>Journal of the Endocrine Society</i> , 2020 , 4,	0.4	78
54	Non-Coding RNA: Role in Gestational Diabetes Pathophysiology and Complications. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	34
53	Hydroethanolic Extract of Phil. () Decreases Proinflammatory Marker Expression in Palmitic Acid-exposed Macrophages. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2020 , 20, 1309-1320	2.2	2
52	Curcumin: Could This Compound Be Useful in Pregnancy and Pregnancy-Related Complications?. <i>Nutrients</i> , 2020 , 12,	6.7	11
51	MicroRNA Modulation by Dietary Supplements in Obesity. <i>Biomedicines</i> , 2020 , 8,	4.8	2
50	Integrated Transcriptome Analysis of Human Visceral Adipocytes Unravels Dysregulated microRNA-Long Non-coding RNA-mRNA Networks in Obesity and Colorectal Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 1089	5.3	4
49	Interaction between Gut Microbiota and Curcumin: A New Key of Understanding for the Health Effects of Curcumin. <i>Nutrients</i> , 2020 , 12,	6.7	42
48	Dietary habits affect fatty acid composition of visceral adipose tissue in subjects with colorectal cancer or obesity. <i>European Journal of Nutrition</i> , 2020 , 59, 1463-1472	5.2	4
47	Transcriptome Profiles of Human Visceral Adipocytes in Obesity and Colorectal Cancer Unravel the Effects of Body Mass Index and Polyunsaturated Fatty Acids on Genes and Biological Processes Related to Tumorigenesis. <i>Frontiers in Immunology</i> , 2019 , 10, 265	8.4	15

46	Cross-talk between fetal membranes and visceral adipose tissue involves HMGB1-RAGE and VIP-VPAC2 pathways in human gestational diabetes mellitus. <i>Acta Diabetologica</i> , 2019 , 56, 681-689	3.9	16
45	Anti-inflammatory Activity of Extra Virgin Olive Oil Polyphenols: Which Role in the Prevention and Treatment of Immune-Mediated Inflammatory Diseases?. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2018 , 18, 36-50	2.2	63
44	Recent Evidence on the Role of Dietary PUFAs in Cancer Development and Prevention. <i>Current Medicinal Chemistry</i> , 2018 , 25, 1818-1836	4.3	12
43	Role of Protocatechuic Acid in Obesity-Related Pathologies: An Update 2018 , 181-192		1
42	Effect of protocatechuic acid on insulin responsiveness and inflammation in visceral adipose tissue from obese individuals: possible role for PTP1B. <i>International Journal of Obesity</i> , 2018 , 42, 2012-2021	5.5	40
41	Distinct Blood and Visceral Adipose Tissue Regulatory T Cell and Innate Lymphocyte Profiles Characterize Obesity and Colorectal Cancer. <i>Frontiers in Immunology</i> , 2017 , 8, 643	8.4	38
40	Consumption of extra-virgin olive oil rich in phenolic compounds improves metabolic control in patients with type 2 diabetes mellitus: a possible involvement of reduced levels of circulating visfatin. <i>Journal of Endocrinological Investigation</i> , 2016 , 39, 1295-1301	5.2	52
39	Regulation of Dendritic Cell Function by Dietary Polyphenols. <i>Critical Reviews in Food Science and Nutrition</i> , 2016 , 56, 737-47	11.5	30
38	Visceral fat adipocytes from obese and colorectal cancer subjects exhibit distinct secretory and ω polyunsaturated fatty acid profiles and deliver immunosuppressive signals to innate immunity cells. <i>Oncotarget</i> , 2016 , 7, 63093-63105	3.3	29
37	Gender-related differences in lifestyle may affect health status. <i>Annali Dell'Istituto Superiore Di Sanita</i> , 2016 , 52, 158-66	1.6	34
36	Could gestational diabetes mellitus be managed through dietary bioactive compounds? Current knowledge and future perspectives. <i>British Journal of Nutrition</i> , 2016 , 115, 1129-44	3.6	37
35	Protocatechuic acid activates key components of insulin signaling pathway mimicking insulin activity. <i>Molecular Nutrition and Food Research</i> , 2015 , 59, 1472-81	5.9	58
34	Protocatechuic Acid Prevents oxLDL-Induced Apoptosis by Activating JNK/Nrf2 Survival Signals in Macrophages. <i>Oxidative Medicine and Cellular Longevity</i> , 2015 , 2015, 351827	6.7	25
33	Protocatechuic acid inhibits human dendritic cell functional activation: role of PPAR α up-modulation. <i>Immunobiology</i> , 2014 , 219, 416-24	3.4	21
32	Role of Protocatechuic Acid in Obesity-Related Pathologies 2014 , 177-189		2
31	Management of reproduction and pregnancy complications in maternal obesity: which role for dietary polyphenols?. <i>BioFactors</i> , 2014 , 40, 79-102	6.1	17
30	HIV-1 Nef impairs key functional activities in human macrophages through CD36 downregulation. <i>PLoS ONE</i> , 2014 , 9, e93699	3.7	12
29	ω -PUFAs exert anti-inflammatory activity in visceral adipocytes from colorectal cancer patients. <i>PLoS ONE</i> , 2013 , 8, e77432	3.7	19

28	Predominant role of obesity/insulin resistance in oxidative stress development. <i>European Journal of Clinical Investigation</i> , 2012 , 42, 70-8	4.6	44
27	CCAAT/enhancer-binding protein- β participates in oxidized LDL-enhanced proliferation in 3T3-L1 cells. <i>Biochimie</i> , 2011 , 93, 1510-9	4.6	6
26	Anti-ATP synthase autoantibodies from patients with Alzheimer's disease reduce extracellular HDL level. <i>Journal of Alzheimers Disease</i> , 2011 , 26, 441-5	4.3	12
25	Protocatechuic acid induces antioxidant/detoxifying enzyme expression through JNK-mediated Nrf2 activation in murine macrophages. <i>Journal of Nutritional Biochemistry</i> , 2011 , 22, 409-17	6.3	122
24	OxLDL induced p53-dependent apoptosis by activating p38MAPK and PKC β signaling pathways in J774A.1 macrophage cells. <i>Journal of Molecular Cell Biology</i> , 2011 , 3, 316-8	6.3	16
23	Cyanidin-3-O- β -glucoside and protocatechuic acid exert insulin-like effects by upregulating PPAR α activity in human omental adipocytes. <i>Diabetes</i> , 2011 , 60, 2234-44	0.9	197
22	Extra Virgin Olive Oil Biophenols and mRNA Transcription of Glutathione-related Enzymes 2010 , 1095-1102		
21	Bioavailability of the polyphenols: status and controversies. <i>International Journal of Molecular Sciences</i> , 2010 , 11, 1321-42	6.3	543
20	Type 2 diabetes mellitus is characterized by reduced postprandial adiponectin response: a possible link with diabetic postprandial dyslipidemia. <i>Metabolism: Clinical and Experimental</i> , 2010 , 59, 567-74	12.7	18
19	Oxidized LDL impair adipocyte response to insulin by activating serine/threonine kinases. <i>Journal of Lipid Research</i> , 2009 , 50, 832-45	6.3	31
18	Oxidised LDL up-regulate CD36 expression by the Nrf2 pathway in 3T3-L1 preadipocytes. <i>FEBS Letters</i> , 2008 , 582, 2291-8	3.8	38
17	Effects of monounsaturated vs. saturated fat on postprandial lipemia and adipose tissue lipases in type 2 diabetes. <i>Clinical Nutrition</i> , 2008 , 27, 133-41	5.9	41
16	Modulatory effects of polyphenols on apoptosis induction: relevance for cancer prevention. <i>International Journal of Molecular Sciences</i> , 2008 , 9, 213-28	6.3	86
15	Apoptosis induced by oxidized lipids is associated with up-regulation of p66Shc in intestinal Caco-2 cells: protective effects of phenolic compounds. <i>Journal of Nutritional Biochemistry</i> , 2008 , 19, 118-28	6.3	38
14	Subcellular Alterations Induced by UV-Oxidized Low-Density Lipoproteins in Epithelial Cells Can Be Counteracted by β Tocopherol. <i>Photochemistry and Photobiology</i> , 2007 , 71, 97-102	3.6	
13	Hepatocyte growth factor protects rat RINm5F cell line against free fatty acid-induced apoptosis by counteracting oxidative stress. <i>Journal of Molecular Endocrinology</i> , 2007 , 38, 147-58	4.5	27
12	Tyrosol, the major extra virgin olive oil compound, restored intracellular antioxidant defences in spite of its weak antioxidative effectiveness. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2007 , 17, 535-45	4.5	108
11	Oxidised LDL modulate adipogenesis in 3T3-L1 preadipocytes by affecting the balance between cell proliferation and differentiation. <i>FEBS Letters</i> , 2006 , 580, 2421-9	3.8	50

10	Extra virgin olive oil biophenols inhibit cell-mediated oxidation of LDL by increasing the mRNA transcription of glutathione-related enzymes. <i>Journal of Nutrition</i> , 2004 , 134, 785-91	4.1	130
9	Clinical evolution of celiac disease in Italy 1982-2002. <i>Journal of Clinical Gastroenterology</i> , 2004 , 38, 877-9		4
8	Wheat gliadin induces apoptosis of intestinal cells via an autocrine mechanism involving Fas-Fas ligand pathway. <i>FEBS Letters</i> , 2003 , 540, 117-24	3.8	53
7	Constituents of aromatic plants: eucalyptol. <i>Phytotherapy</i> , 2002 , 73, 269-75	3.2	64
6	Prolonged exposure to free fatty acids has cytostatic and pro-apoptotic effects on human pancreatic islets: evidence that beta-cell death is caspase mediated, partially dependent on ceramide pathway, and Bcl-2 regulated. <i>Diabetes</i> , 2002 , 51, 1437-42	0.9	501
5	Mitochondria hyperpolarization is an early event in oxidized low-density lipoprotein-induced apoptosis in Caco-2 intestinal cells. <i>FEBS Letters</i> , 2002 , 523, 200-6	3.8	88
4	Induction of apoptosis in caco-2 cells by wheat gliadin peptides. <i>Toxicology</i> , 2000 , 145, 63-71	4.4	55
3	Constituents of aromatic plants: II. Estragole. <i>Phytotherapy</i> , 2000 , 71, 725-9	3.2	77
2	Constituents of aromatic plants: I. Methyleugenol. <i>Phytotherapy</i> , 2000 , 71, 216-21	3.2	35
1	Subcellular alterations induced by UV-oxidized low-density lipoproteins in epithelial cells can be counteracted by alpha-tocopherol. <i>Photochemistry and Photobiology</i> , 2000 , 71, 97-102	3.6	8