

Wei Jiang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4850003/publications.pdf>

Version: 2024-02-01

106
papers

2,915
citations

168829

31
h-index

223390

49
g-index

107
all docs

107
docs citations

107
times ranked

2794
citing authors

#	ARTICLE	IF	CITATIONS
1	Construction of melamine foam-supported WO ₃ /CsPbBr ₃ S-scheme heterojunction with rich oxygen vacancies for efficient and long-period CO ₂ photoreduction in liquid-phase H ₂ O environment. <i>Chemical Engineering Journal</i> , 2022, 430, 132820.	6.6	14
2	High efficiency branched thermal activated delayed fluorescent probe based on cyanogroup for detecting Fe ³⁺ with low limit of detection. <i>Dyes and Pigments</i> , 2022, 198, 109970.	2.0	4
3	Highly efficient blue all-solution-processed organic light-emitting diodes based on the strategy of constructing a thermally cross-linkable TADF dendrimer. <i>Dyes and Pigments</i> , 2022, 198, 109967.	2.0	6
4	A novel thermally-activated delayed fluorescent probe based on hydroxyl as identify group for detection of iron ions. <i>Journal of Molecular Structure</i> , 2022, 1251, 132074.	1.8	7
5	Creation of efficient solution-processed OLEDs via a strategy of the host-guest system constructing with two small cross-linkable TADF molecules. <i>Organic Electronics</i> , 2022, 101, 106417.	1.4	3
6	Molecular core-shell structure design: Facilitating delayed fluorescence in aggregates toward highly efficient solution-processed OLEDs. <i>Aggregate</i> , 2022, 3, .	5.2	33
7	Benzonitrile-based AIE polymer host with a simple synthesis process for high-efficiency solution-processable green and blue TADF organic light emitting diodes. <i>Journal of Materials Chemistry C</i> , 2022, 10, 2109-2120.	2.7	10
8	Gut microbiota in patients with obesity and metabolic disorders – a systematic review. <i>Genes and Nutrition</i> , 2022, 17, 2.	1.2	67
9	Creation of a thermally cross-linkable encapsulated TADF molecule for highly efficient solution-processed hybrid white OLEDs. <i>Organic Electronics</i> , 2022, 102, 106442.	1.4	3
10	A periphery hindered strategy with a dopant and sensitizer for solution-processed red TSF-OLEDs with high color purity. <i>Journal of Materials Chemistry C</i> , 2022, 10, 5230-5239.	2.7	7
11	Para-halogenated triphenyltriazine induced surface passivation toward efficient and stable perovskite solar cells. <i>Applied Surface Science</i> , 2022, 590, 153051.	3.1	6
12	Novel ternary exciplex system based on TCTA dendrimer with a new linking type amongst various functional donors. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 11403-11413.	1.1	6
13	Endowing deep-red BODIPY luminophors with enhanced aggregation-induced emission by installing miniature rotor of trifluoromethyl for solution-processed OLEDs. <i>Organic Electronics</i> , 2022, 106, 106530.	1.4	5
14	Rational design of multi-functional thermally activated delayed fluorescence emitters for both sensor and OLED applications. <i>New Journal of Chemistry</i> , 2022, 46, 10940-10950.	1.4	2
15	Verification of Classification Model and Dendritic Neuron Model Based on Machine Learning. <i>Discrete Dynamics in Nature and Society</i> , 2022, 2022, 1-14.	0.5	1
16	A novel dibenzimidazole-based fluorescent probe with high sensitivity and selectivity for copper ions. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021, 406, 113018.	2.0	17
17	Constructing host-guest structures to optimize the efficiency of non-doped solution-processed OLEDs. <i>Journal of Materials Chemistry C</i> , 2021, 9, 1221-1227.	2.7	7
18	Strategy to improve the efficiency of solution-processed phosphorescent organic light-emitting devices by modified TADF host with tert-butyl carbazole. <i>Tetrahedron</i> , 2021, 81, 131869.	1.0	3

#	ARTICLE	IF	CITATIONS
19	Application and Evolution for Neural Network and Signal Processing in Large-Scale Systems. Complexity, 2021, 2021, 1-7.	0.9	5
20	Visualization and Manipulation of Solid-State Molecular Motions in Cocrystallization Processes. Journal of the American Chemical Society, 2021, 143, 9468-9477.	6.6	52
21	Modulation of charge transfer and π - π interaction toward tunable fluorescence emission in binary cocrystals composed of carbazole derivatives and 1,2,4,5-tetracyanobenzene. Dyes and Pigments, 2021, 193, 109519.	2.0	12
22	Highly Efficient Quasi-2D Perovskite Light-Emitting Diodes Incorporating a TADF Dendrimer as an Exciton-Retrieving Additive. ACS Applied Materials & Interfaces, 2021, 13, 44585-44595.	4.0	6
23	MAAc Ionic Liquid-Assisted Defect Passivation for Efficient and Stable CsPbIBr ₂ Perovskite Solar Cells. ACS Applied Energy Materials, 2021, 4, 10584-10592.	2.5	13
24	Thermally activated delayed fluorescence fluorescent probe based on triazine as emission core for metal ions detection. Optical Materials, 2021, 119, 111303.	1.7	2
25	Aggregation induced intermolecular charge transfer in simple nonconjugated donor-acceptor system. Organic Electronics, 2021, 99, 106309.	1.4	3
26	Exciton harvesting in quasi-2D perovskite light-emitting diodes with an encapsulated thermally activated delayed fluorescence. Applied Physics Letters, 2021, 119, .	1.5	3
27	Multi-substituted dibenzo[a,c]phenazine derivatives as solution-processable thermally activated delayed fluorescence materials for orange-red organic light-emitting diodes. Dyes and Pigments, 2020, 173, 107957.	2.0	17
28	An effective thermally activated delayed fluorescence host material for highly efficient blue phosphorescent organic light-emitting diodes with low doping concentration. Journal of Photochemistry and Photobiology A: Chemistry, 2020, 388, 112178.	2.0	1
29	A novel dibenzimidazole-based fluorescent organic molecule as a turn-off fluorescent probe for Cr ³⁺ ion with high sensitivity and quick response. Journal of Molecular Structure, 2020, 1206, 127696.	1.8	8
30	Blocking exciton-quenching pathways in host and guest interfaces for high performance solution-processed TADF OLEDs with external quantum efficiency approaching 25%. Organic Electronics, 2020, 80, 105601.	1.4	9
31	Rational molecular design of novel host material combining intra- and intermolecular charge transfers for efficient solution-processed organic light-emitting diodes. Dyes and Pigments, 2020, 175, 108188.	2.0	9
32	Exciplex Formation and Electromer Blocking for Highly Efficient Blue Thermally Activated Delayed Fluorescence OLEDs with All-Solution-Processed Organic Layers. Chemistry - A European Journal, 2020, 26, 3090-3102.	1.7	16
33	Design of Blue Thermally Activated Delayed Fluorescent Emitter with Efficient Exciton Gathering Property for High-Performance Fully Solution-Processed Hybrid White OLEDs. ACS Applied Materials & Interfaces, 2020, 12, 1190-1200.	4.0	38
34	Impact of Physicians' and Patients' Compliance on Outcomes of Colonoscopic Polypectomy With Anti-Thrombotic Therapy. Clinical Gastroenterology and Hepatology, 2020, 19, 2559-2566.e1.	2.4	4
35	Bioremediation of typical chlorinated hydrocarbons by microbial reductive dechlorination and its key players: A review. Ecotoxicology and Environmental Safety, 2020, 202, 110925.	2.9	52
36	Manipulation of the sterically hindering effect to realize AIE and TADF for high-performing nondoped solution-processed OLEDs with extremely low efficiency roll-off. Journal of Materials Chemistry C, 2020, 8, 11850-11859.	2.7	16

#	ARTICLE	IF	CITATIONS
37	Elevating the triplet level of carbazolyl benzonitrile-based dendritic hosts by suppressing intramolecular charge transfer for solution-processed blue thermally activated delayed fluorescence OLEDs. <i>Optical Materials</i> , 2020, 104, 109941.	1.7	2
38	Endowing TADF luminophors with AIE properties through adjusting flexible dendrons for highly efficient solution-processed nondoped OLEDs. <i>Chemical Science</i> , 2020, 11, 7194-7203.	3.7	74
39	Carbazole-modified polyphenylene ether as host materials for high efficiency phosphorescent organic light-emitting diodes. <i>Optical Materials</i> , 2020, 101, 109781.	1.7	8
40	Enhanced performances of fully solution-processed OLEDs via introducing flexible chains into thermally cross-linked thermally activated delayed fluorescent materials. <i>Dyes and Pigments</i> , 2020, 182, 108624.	2.0	8
41	Spatial separation of a TADF sensitizer and fluorescent emitter with a core-dendron system to block the energy loss in deep blue organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2019, 7, 11005-11013.	2.7	30
42	A Meroterpenoid Isolated From the Fungus <i>Aspergillus</i> sp.. <i>Natural Product Communications</i> , 2019, 14, 1934578X1987893.	0.2	2
43	Design of efficient thermally activated delayed fluorescence blue host for high performance solution-processed hybrid white organic light emitting diodes. <i>Chemical Science</i> , 2019, 10, 3054-3064.	3.7	45
44	Achieving 20% External Quantum Efficiency for Fully Solution-Processed Organic Light-Emitting Diodes Based on Thermally Activated Delayed Fluorescence Dendrimers with Flexible Chains. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 16737-16748.	4.0	45
45	High-performance blue phosphorescent and thermally activated delayed fluorescent solution-processed OLEDs based on exciplex host by modifying TCTA. <i>Organic Electronics</i> , 2019, 67, 136-140.	1.4	15
46	Recent progress in solution processable TADF materials for organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2018, 6, 5577-5596.	2.7	370
47	High efficiency solution-processed blue electrophosphorescent device with a bipolar host material based on diphenylphosphine oxide unit. <i>New Journal of Chemistry</i> , 2018, 42, 4081-4088.	1.4	5
48	Reduced efficiency roll-off and enhanced excitation confinement in exciplex-type host: Electron transport materials based on benzimidazole units. <i>Dyes and Pigments</i> , 2018, 151, 35-44.	2.0	7
49	Thermally activated delayed fluorescence dendrimers with exciplex-forming dendrons for low-voltage-driving and power-efficient solution-processed OLEDs. <i>Journal of Materials Chemistry C</i> , 2018, 6, 43-49.	2.7	45
50	Strategy for the Realization of Highly Efficient Solution-Processed All-Fluorescence White OLEDs—Encapsulated Thermally Activated Delayed Fluorescent Yellow Emitters. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 37335-37344.	4.0	33
51	Discovery of antitumor ursolic acid long-chain diamine derivatives as potent inhibitors of NF- κ B. <i>Bioorganic Chemistry</i> , 2018, 79, 265-276.	2.0	18
52	Self-Host Blue Dendrimer Comprised of Thermally Activated Delayed Fluorescence Core and Bipolar Dendrons for Efficient Solution-Processable Nondoped Electroluminescence. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 7339-7346.	4.0	86
53	Constructing a Novel Dendron for a Self-Host Blue Emitter with Thermally Activated Delayed Fluorescence: Solution-Processed Nondoped Organic Light-Emitting Diodes with Bipolar Charge Transfer and Stable Color Purity. <i>Chemistry - an Asian Journal</i> , 2017, 12, 216-223.	1.7	15
54	Near-infrared thermally activated delayed fluorescent dendrimers for the efficient non-doped solution-processed organic light-emitting diodes. <i>Organic Electronics</i> , 2017, 48, 389-396.	1.4	46

#	ARTICLE	IF	CITATIONS
55	Highly Efficient All-Solution-Processed Fluorescent Organic Light-Emitting Diodes Based on a Novel Self-Host Thermally Activated Delayed Fluorescence Emitter. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 21900-21908.	4.0	61
56	Simple aggregation-induced delayed fluorescence materials based on anthraquinone derivatives for highly efficient solution-processed red OLEDs. <i>Journal of Luminescence</i> , 2017, 187, 414-420.	1.5	55
57	Highly efficient and color tunable thermally activated delayed fluorescent emitters and their applications for the solution-processed OLEDs. <i>Dyes and Pigments</i> , 2017, 139, 326-333.	2.0	15
58	Design strategy of yellow thermally activated delayed fluorescent dendrimers and their highly efficient non-doped solution-processed OLEDs with low driving voltage. <i>Organic Electronics</i> , 2017, 42, 123-130.	1.4	36
59	Design of encapsulated hosts and guests for highly efficient blue and green thermally activated delayed fluorescence OLEDs based on a solution-process. <i>Chemical Communications</i> , 2017, 53, 11834-11837.	2.2	31
60	CBP derivatives dendronized self-host TADF dendrimer: Achieving efficient non-doped near-infrared organic light-emitting diodes. <i>Dyes and Pigments</i> , 2017, 147, 436-443.	2.0	25
61	Bicolour electroluminescence of 2-(carbazol-9-yl)anthraquinone based on a solution process. <i>Journal of Materials Chemistry C</i> , 2017, 5, 12031-12034.	2.7	34
62	Design of matrix-diagonal allocator for efficient network-on-chip routers. , 2017, , .		2
63	Thermally cross-linkable thermally activated delayed fluorescent materials for efficient blue solution-processed organic light-emitting diodes. <i>Journal of Materials Chemistry C</i> , 2016, 4, 8973-8979.	2.7	17
64	Self-host thermally activated delayed fluorescent dendrimers with flexible chains: an effective strategy for non-doped electroluminescent devices based on solution processing. <i>Journal of Materials Chemistry C</i> , 2016, 4, 8810-8816.	2.7	66
65	Thermally activated delayed fluorescence materials based on benzophenone derivative as emitter for efficient solution-processed non-doped green OLED. <i>Dyes and Pigments</i> , 2016, 133, 380-386.	2.0	44
66	Nondoped deep blue OLEDs based on Bis-(4-benzenesulfonyl-phenyl)-9-phenyl-9 H -carbazoles. <i>Journal of Luminescence</i> , 2016, 172, 7-13.	1.5	17
67	Novel aggregation-induced emission and thermally activated delayed fluorescence materials based on thianthrene-9,9a€²,10,10a€²-tetraoxide derivatives. <i>RSC Advances</i> , 2016, 6, 22137-22143.	1.7	28
68	Design of high triplet energy electron transporting material for exciplex-type host: Efficient blue and white phosphorescent OLEDs based on solution processing. <i>Organic Electronics</i> , 2016, 33, 9-14.	1.4	27
69	Enhanced Electron Affinity and Exciton Confinement in Exciplex-Type Host: Power Efficient Solution-Processed Blue Phosphorescent OLEDs with Low Turn-on Voltage. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 2010-2016.	4.0	38
70	ThermallycFluorescence Materials Based on Triphenylamine/Diphenyl Sulfone. <i>Wuli Huaxue Xuebao/Acta Physico - Chimica Sinica</i> , 2015, 31, 1621-1628.	2.2	8
71	Thermally activated delayed fluorescence of N-phenylcarbazole and triphenylamine functionalised tris(aryl)triazines. <i>Dyes and Pigments</i> , 2015, 117, 141-148.	2.0	33
72	Bis(phosphine oxide)/triphenylamine based material for solution-processed blue electrofluorescent and green electrophosphorescent devices. <i>RSC Advances</i> , 2015, 5, 48654-48658.	1.7	1

#	ARTICLE	IF	CITATIONS
73	Tuning the energy gap and charge balance property of bipolar host by molecular modification: Efficient blue electrophosphorescence devices based on solution-process. <i>Organic Electronics</i> , 2015, 24, 65-72.	1.4	8
74	Enhanced electron affinity and charge balance property of a bipolar material: highly efficient solution-processed deep blue electrofluorescent and green electrophosphorescent devices. <i>RSC Advances</i> , 2015, 5, 66994-67000.	1.7	5
75	Phenylcarbazole/diphenylphosphine oxide-based alcohol soluble host materials for efficient solution-processed multilayer blue electrophosphorescent OLEDs. <i>Dyes and Pigments</i> , 2015, 122, 192-198.	2.0	7
76	Solution-processed efficient deep-blue fluorescent organic light-emitting diodes based on novel 9,10-diphenyl-anthracene derivatives. <i>RSC Advances</i> , 2015, 5, 29708-29717.	1.7	35
77	Bipolar Host with Multielectron Transport Benzimidazole Units for Low Operating Voltage and High Power Efficiency Solution-Processed Phosphorescent OLEDs. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 7303-7314.	4.0	60
78	Systematically tuning the \hat{E}_{ST} and charge balance property of bipolar hosts for low operating voltage and high power efficiency solution-processed electrophosphorescent devices. <i>Journal of Materials Chemistry C</i> , 2015, 3, 5004-5016.	2.7	15
79	High Power Efficiency Solution-Processed Blue Phosphorescent Organic Light-Emitting Diodes Using Exciplex-Type Host with a Turn-on Voltage Approaching the Theoretical Limit. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 25129-25138.	4.0	46
80	A bipolar homoleptic iridium dendrimer composed of diphenylphosphoryl and diphenylamine dendrons for highly efficient non-doped single-layer green PhOLEDs. <i>Journal of Materials Chemistry C</i> , 2015, 3, 981-984.	2.7	18
81	A high triplet energy small molecule based thermally cross-linkable hole-transporting material for solution-processed multilayer blue electrophosphorescent devices. <i>Journal of Materials Chemistry C</i> , 2015, 3, 243-246.	2.7	31
82	Versatile Graphene Quantum Dots with Tunable Nitrogen Doping. <i>Particle and Particle Systems Characterization</i> , 2014, 31, 597-604.	1.2	124
83	Spirobifluorene/sulfone hybrid: Highly efficient solution-processable material for UV-violet electrofluorescence, blue and green phosphorescent OLEDs. <i>Organic Electronics</i> , 2014, 15, 1678-1686.	1.4	25
84	Self-host homoleptic green iridium dendrimers based on diphenylamine dendrons for highly efficient single-layer PhOLEDs. <i>Journal of Materials Chemistry C</i> , 2014, 2, 1104-1115.	2.7	40
85	Ideal Bipolar Host Materials with Bis-benzimidazole Unit for Highly Efficient Solution-Processed Green Electrophosphorescent Devices. <i>Organic Letters</i> , 2014, 16, 5346-5349.	2.4	28
86	Thermally Activated Delayed Fluorescence Materials Based on Carbazole/Sulfone. <i>Advanced Materials Research</i> , 2014, 1044-1045, 158-163.	0.3	1
87	Alcohol-Soluble Electron-Transport Small Molecule for Fully Solution-Processed Multilayer White Electrophosphorescent Devices. <i>Organic Letters</i> , 2014, 16, 1140-1143.	2.4	42
88	A novel, bipolar host based on triazine for efficient solution-processed single-layer green phosphorescent organic light-emitting diodes. <i>Dyes and Pigments</i> , 2014, 101, 9-14.	2.0	21
89	Thermally activated delayed fluorescence materials based on 3,6-di-tert-butyl-9-((phenylsulfonyl)phenyl)-9H-carbazoles. <i>Dyes and Pigments</i> , 2014, 111, 135-144.	2.0	46
90	Fluorescent sensor of fluorene derivatives having phosphonic acid as a fluorogenic ionophore: synthesis and static quenched properties for Fe(III). <i>Tetrahedron Letters</i> , 2014, 55, 5119-5123.	0.7	22

#	ARTICLE	IF	CITATIONS
91	A carbazole-based dendritic host material for efficient solution-processed blue phosphorescent OLEDs. <i>Dyes and Pigments</i> , 2013, 97, 286-290.	2.0	10
92	Efficient energy transfer in a new hybrid diphenylfluorene derivative–CdS quantum dot nanocomposite. <i>Nanotechnology</i> , 2013, 24, 435704.	1.3	10
93	New host materials based on fluorene and benzimidazole units for efficient solution-processed green phosphorescent OLEDs. <i>Optical Materials</i> , 2013, 35, 2201-2207.	1.7	4
94	Organic Small Molecules Host Materials for Blue Phosphorescent Organic Light-Emitting Diodes. <i>Chinese Journal of Organic Chemistry</i> , 2013, 33, 1395.	0.6	4
95	Star-shaped dendritic hosts based on carbazole moieties for highly efficient blue phosphorescent OLEDs. <i>Journal of Materials Chemistry</i> , 2012, 22, 12016.	6.7	56
96	Synthesis of carbazole-based dendrimer: host material for highly efficient solution-processed blue organic electrophosphorescent diodes. <i>Tetrahedron</i> , 2012, 68, 5800-5805.	1.0	13
97	Synthesis of new bipolar materials based on diphenylphosphine oxide and triphenylamine units: efficient host for deep-blue phosphorescent organic light-emitting diodes. <i>Tetrahedron</i> , 2012, 68, 9672-9678.	1.0	11
98	Electrochemical degradation of phenol on the La and Ru doped Ti/SnO ₂ -Sb electrodes. <i>Korean Journal of Chemical Engineering</i> , 2012, 29, 1178-1186.	1.2	33
99	Novel carbazole/pyridine-based host material for solution-processed blue phosphorescent organic light-emitting devices. <i>Dyes and Pigments</i> , 2012, 92, 891-896.	2.0	24
100	High-triplet-energy tri-carbazole derivatives as host materials for efficient solution-processed blue phosphorescent devices. <i>Journal of Materials Chemistry</i> , 2011, 21, 4918.	6.7	122
101	Tuning of Charge Balance in Bipolar Host Materials for Highly Efficient Solution-Processed Phosphorescent Devices. <i>Organic Letters</i> , 2011, 13, 3146-3149.	2.4	102
102	Beam deflection and splitting using transformation optics. <i>Open Physics</i> , 2011, 9, .	0.8	3
103	Preparation, thermostability, and spectroscopic properties of Rhodamine 6G intercalated titanoniobate nanocomposite. <i>Journal of Materials Science</i> , 2011, 46, 2431-2436.	1.7	5
104	Effect of drying and calcination on the toluene combustion activity of a monolithic CuMnAg/Al ₂ O ₃ /cordierite catalyst. <i>Journal of Chemical Technology and Biotechnology</i> , 2010, 85, 569-576.	1.6	1
105	Novel star-shaped host materials for highly efficient solution-processed phosphorescent organic light-emitting diodes. <i>Journal of Materials Chemistry</i> , 2010, 20, 6131.	6.7	71
106	Spatial regulation of electrophoretic emission via dendritic molecular engineering. <i>Journal of Materials Chemistry C</i> , 0, , .	2.7	2