

# Ben Goldacre

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4850461/ben-goldacre-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138  
papers

5,311  
citations

31  
h-index

71  
g-index

193  
ext. papers

8,267  
ext. citations

9.2  
avg, IF

6.17  
L-index

#	Paper	IF	Citations
138	Factors associated with COVID-19-related death using OpenSAFELY. <i>Nature</i> , <b>2020</b> , 584, 430-436	50.4	2504
137	OpenSAFELY: factors associated with COVID-19-related hospital death in the linked electronic health records of 17 million adult NHS patients		171
136	Why clinical trial outcomes fail to translate into benefits for patients. <i>Trials</i> , <b>2017</b> , 18, 122	2.8	144
135	HIV infection and COVID-19 death: a population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. <i>Lancet HIV,the</i> , <b>2021</b> , 8, e24-e32	7.8	132
134	Impact of statin related media coverage on use of statins: interrupted time series analysis with UK primary care data. <i>BMJ, The</i> , <b>2016</b> , 353, i3283	5.9	130
133	Risk of COVID-19-related death among patients with chronic obstructive pulmonary disease or asthma prescribed inhaled corticosteroids: an observational cohort study using the OpenSAFELY platform. <i>Lancet Respiratory Medicine,the</i> , <b>2020</b> , 8, 1106-1120	35.1	128
132	Ethnic differences in SARS-CoV-2 infection and COVID-19-related hospitalisation, intensive care unit admission, and death in 17 million adults in England: an observational cohort study using the OpenSAFELY platform. <i>Lancet, The</i> , <b>2021</b> , 397, 1711-1724	40	103
131	The opportunities and challenges of pragmatic point-of-care randomised trials using routinely collected electronic records: evaluations of two exemplar trials. <i>Health Technology Assessment</i> , <b>2014</b> , 18, 1-146	4.4	98
130	Atypical antipsychotic augmentation in SSRI treatment refractory obsessive-compulsive disorder: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , <b>2014</b> , 14, 317	4.2	96
129	Opioid prescribing trends and geographical variation in England, 1998-2018: a retrospective database study. <i>Lancet Psychiatry,the</i> , <b>2019</b> , 6, 140-150	23.3	80
128	COMPare: a prospective cohort study correcting and monitoring 58 misreported trials in real time. <i>Trials</i> , <b>2019</b> , 20, 118	2.8	78
127	Compliance with legal requirement to report clinical trial results on ClinicalTrials.gov: a cohort study. <i>Lancet, The</i> , <b>2020</b> , 395, 361-369	40	72
126	Compliance with requirement to report results on the EU Clinical Trials Register: cohort study and web resource. <i>BMJ, The</i> , <b>2018</b> , 362, k3218	5.9	70
125	Temporal trends in use of tests in UK primary care, 2000-15: retrospective analysis of 250 million tests. <i>BMJ, The</i> , <b>2018</b> , 363, k4666	5.9	55
124	Big health data: the need to earn public trust. <i>BMJ, The</i> , <b>2016</b> , 354, i3636	5.9	45
123	Trials of transvaginal mesh devices for pelvic organ prolapse: a systematic database review of the US FDA approval process. <i>BMJ Open</i> , <b>2017</b> , 7, e017125	3	43
122	How to get all trials reported: audit, better data, and individual accountability. <i>PLoS Medicine</i> , <b>2015</b> , 12, e1001821	11.6	41

121	Prediction of cardiovascular risk using Framingham, ASSIGN and QRISK2: how well do they predict individual rather than population risk?. <i>PLoS ONE</i> , <b>2014</b> , 9, e106455	3.7	41
120	Catalogue of bias: publication bias. <i>BMJ Evidence-Based Medicine</i> , <b>2019</b> , 24, 53-54	2.7	41
119	Time trends and geographical variation in prescribing of drugs for diabetes in England from 1998 to 2017. <i>Diabetes, Obesity and Metabolism</i> , <b>2018</b> , 20, 2159-2168	6.7	38
118	Are clinical trial data shared sufficiently today? No. <i>BMJ, The</i> , <b>2013</b> , 347, f1880	5.9	38
117	Make journals report clinical trials properly. <i>Nature</i> , <b>2016</b> , 530, 7	50.4	38
116	Factors associated with deaths due to COVID-19 versus other causes: population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. <i>Lancet Regional Health - Europe, The</i> , <b>2021</b> , 6, 100109		36
115	Pharmaceutical companies' policies on access to trial data, results, and methods: audit study. <i>BMJ, The</i> , <b>2017</b> , 358, j3334	5.9	34
114	Statin treatment and muscle symptoms: series of randomised, placebo controlled n-of-1 trials. <i>BMJ, The</i> , <b>2021</b> , 372, n135	5.9	32
113	Benefits and harms of pregabalin in the management of neuropathic pain: a rapid review and meta-analysis of randomised clinical trials. <i>BMJ Open</i> , <b>2019</b> , 9, e023600	3	31
112	Transvaginal mesh failure: lessons for regulation of implantable devices. <i>BMJ, The</i> , <b>2017</b> , 359, j5515	5.9	31
111	The TrialsTracker: Automated ongoing monitoring of failure to share clinical trial results by all major companies and research institutions. <i>F1000Research</i> , <b>2016</b> , 5, 2629	3.6	31
110	Use of non-steroidal anti-inflammatory drugs and risk of death from COVID-19: an OpenSAFELY cohort analysis based on two cohorts. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> , 80, 943-951	2.4	31
109	OpenPrescribing: normalised data and software tool to research trends in English NHS primary care prescribing 1998-2016. <i>BMJ Open</i> , <b>2018</b> , 8, e019921	3	29
108	Prevalence of clinical trial status discrepancies: A cross-sectional study of 10,492 trials registered on both ClinicalTrials.gov and the European Union Clinical Trials Register. <i>PLoS ONE</i> , <b>2018</b> , 13, e0193088	3.7	28
107	Prevalence of primary outcome changes in clinical trials registered on ClinicalTrials.gov: a cross-sectional study. <i>F1000Research</i> , <b>2014</b> , 3, 77	3.6	28
106	Effect of pre-exposure use of hydroxychloroquine on COVID-19 mortality: a population-based cohort study in patients with rheumatoid arthritis or systemic lupus erythematosus using the OpenSAFELY platform. <i>Lancet Rheumatology, The</i> , <b>2021</b> , 3, e19-e27	14.2	28
105	Text messaging reminders for influenza vaccine in primary care: a cluster randomised controlled trial (TXT4FLUJAB). <i>BMJ Open</i> , <b>2016</b> , 6, e010069	3	26
104	Time trends and geographical variation in prescribing of antibiotics in England 1998-2017. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2019</b> , 74, 242-250	5.1	26

103	Association between living with children and outcomes from covid-19: OpenSAFELY cohort study of 12 million adults in England. <i>BMJ, The</i> , <b>2021</b> , 372, n628	5.9	22
102	Trends and clinical characteristics of COVID-19 vaccine recipients: a federated analysis of 57.9 million patients in primary care records in situ using OpenSAFELY		20
101	Noncommercial Funders' Policies on Trial Registration, Access to Summary Results, and Individual Patient Data Availability. <i>JAMA - Journal of the American Medical Association</i> , <b>2018</b> , 319, 1721-1723	27.4	19
100	Risks of covid-19 hospital admission and death for people with learning disability: population based cohort study using the OpenSAFELY platform. <i>BMJ, The</i> , <b>2021</b> , 374, n1592	5.9	16
99	Funding source and primary outcome changes in clinical trials registered on ClinicalTrials.gov are associated with the reporting of a statistically significant primary outcome: a cross-sectional study. <i>F1000Research</i> , <b>2015</b> , 4, 80	3.6	15
98	Impact of NICE guidance on tamoxifen prescribing in England 2011-2017: an interrupted time series analysis. <i>British Journal of Cancer</i> , <b>2018</b> , 118, 1268-1275	8.7	14
97	Ethnic differences in COVID-19 infection, hospitalisation, and mortality: an OpenSAFELY analysis of 17 million adults in England		14
96	Trends and variation in prescribing of low-priority treatments identified by NHS England: a cross-sectional study and interactive data tool in English primary care. <i>Journal of the Royal Society of Medicine</i> , <b>2018</b> , 111, 203-213	2.3	13
95	Risk factors for long COVID: analyses of 10 longitudinal studies and electronic health records in the UK		13
94	Variation in responsiveness to warranted behaviour change among NHS clinicians: novel implementation of change detection methods in longitudinal prescribing data. <i>BMJ, The</i> , <b>2019</b> , 367, l52059	5.9	13
93	Severity of SARS-CoV-2 alpha variant (B.1.1.7) in England. <i>Clinical Infectious Diseases</i> , <b>2021</b> ,	11.6	13
92	Rethinking the appraisal and approval of drugs for type 2 diabetes. <i>BMJ, The</i> , <b>2015</b> , 351, h5260	5.9	12
91	Study protocol for statin web-based investigation of side effects (StatinWISE): a series of randomised controlled N-of-1 trials comparing atorvastatin and placebo in UK primary care. <i>BMJ Open</i> , <b>2017</b> , 7, e016604	3	12
90	Why Cochrane should prioritise sharing data. <i>BMJ, The</i> , <b>2018</b> , 362, k3229	5.9	12
89	Why did some practices not implement new antibiotic prescribing guidelines on urinary tract infection? A cohort study and survey in NHS England primary care. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2019</b> , 74, 1125-1132	5.1	12
88	Trends, geographical variation and factors associated with prescribing of gluten-free foods in English primary care: a cross-sectional study. <i>BMJ Open</i> , <b>2018</b> , 8, e021312	3	11
87	Variation in diagnostic test requests and outcomes: a preliminary metric for OpenPathology.net. <i>Scientific Reports</i> , <b>2018</b> , 8, 4752	4.9	11
86	Clinical coding of long COVID in English primary care: a federated analysis of 58 million patient records using OpenSAFELY. <i>British Journal of General Practice</i> , <b>2021</b> , 71, e806-e814	1.6	11

85	Practice variation in the use of tests in UK primary care: a retrospective analysis of 16 million tests performed over 3.3 million patient years in 2015/16. <i>BMC Medicine</i> , <b>2018</b> , 16, 229	11.4	11
84	Trends and clinical characteristics of 57.9 million COVID-19 vaccine recipients: a federated analysis of patients' primary care records using OpenSAFELY. <i>British Journal of General Practice</i> , <b>2021</b> ,	1.6	10
83	Focus on sharing individual patient data distracts from other ways of improving trial transparency. <i>BMJ, The</i> , <b>2017</b> , 357, j2782	5.9	9
82	Impact of Chief Medical Officer activity on prescribing of antibiotics in England: an interrupted time series analysis. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2019</b> , 74, 1133-1136	5.1	9
81	COMPare: Qualitative analysis of researchers' responses to critical correspondence on a cohort of 58 misreported trials. <i>Trials</i> , <b>2019</b> , 20, 124	2.8	9
80	Association between living with children and outcomes from COVID-19: an OpenSAFELY cohort study of 12 million adults in England		8
79	The NHS deserves better use of hospital medicines data. <i>BMJ, The</i> , <b>2020</b> , 370, m2607	5.9	8
78	Six months on: NHS England needs to focus on dissemination, implementation and audit of its low-priority initiative. <i>Journal of the Royal Society of Medicine</i> , <b>2019</b> , 112, 4-5	2.3	8
77	Factors associated with the prescribing of high-dose opioids in primary care: a systematic review and meta-analysis. <i>BMC Medicine</i> , <b>2020</b> , 18, 68	11.4	8
76	Do doctors in dispensing practices with a financial conflict of interest prescribe more expensive drugs? A cross-sectional analysis of English primary care prescribing data. <i>BMJ Open</i> , <b>2019</b> , 9, e026886	3	7
75	New mechanism to identify cost savings in English NHS prescribing: minimising 'price per unit', a cross-sectional study. <i>BMJ Open</i> , <b>2018</b> , 8, e019643	3	7
74	Meta-analysis of side effects of statins shows need for trial transparency. <i>BMJ, The</i> , <b>2014</b> , 348, g2940	5.9	7
73	FDAAA TrialsTracker: A live informatics tool to monitor compliance with FDA requirements to report clinical trial results		7
72	Evaluation of Compliance With Legal Requirements Under the FDA Amendments Act of 2007 for Timely Registration of Clinical Trials, Data Verification, Delayed Reporting, and Trial Document Submission. <i>JAMA Internal Medicine</i> , <b>2021</b> , 181, 1128-1130	11.5	7
71	Is use of homeopathy associated with poor prescribing in English primary care? A cross-sectional study. <i>Journal of the Royal Society of Medicine</i> , <b>2018</b> , 111, 167-174	2.3	6
70	Overall and cause-specific hospitalisation and death after COVID-19 hospitalisation in England: A cohort study using linked primary care, secondary care, and death registration data in the OpenSAFELY platform.. <i>PLoS Medicine</i> , <b>2022</b> , 19, e1003871	11.6	6
69	Identifying Care Home Residents in Electronic Health Records - An OpenSAFELY Short Data Report. <i>Wellcome Open Research</i> , <b>2021</b> , 6, 90	4.8	6
68	Trends and variation in antidepressant prescribing in English primary care: a retrospective longitudinal study. <i>BJGP Open</i> , <b>2021</b> , 5,	3.1	6

67	OpenSAFELY: impact of national guidance on switching anticoagulant therapy during COVID-19 pandemic. <i>Open Heart</i> , <b>2021</b> , 8,	3	5
66	Measuring the Impact of an Open Web-Based Prescribing Data Analysis Service on Clinical Practice: Cohort Study on NHS England Data. <i>Journal of Medical Internet Research</i> , <b>2019</b> , 21, e10929	7.6	5
65	Barriers to Working With National Health Service England's Open Data. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e15603	7.6	5
64	Impact of Electronic Health Record Interface Design on Unsafe Prescribing of Ciclosporin, Tacrolimus, and Diltiazem: Cohort Study in English National Health Service Primary Care. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e17003	7.6	5
63	Inhaled corticosteroid use and risk COVID-19 related death among 966,461 patients with COPD or asthma: an OpenSAFELY analysis		5
62	Trends in antidepressant prescribing in England. <i>Lancet Psychiatry</i> , <b>2021</b> , 8, 278-279	23.3	5
61	Fixing flaws in science must be professionalized. <i>Journal of Clinical Epidemiology</i> , <b>2016</b> , 70, 267-9	5.7	4
60	A cross-sectional study of all clinicians' conflict of interest disclosures to NHS hospital employers in England 2015-2016. <i>BMJ Open</i> , <b>2018</b> , 8, e019952	3	4
59	Commentary on Berlin et al. <i>Clinical Trials</i> , <b>2014</b> , 11, 15-8	2.2	4
58	Mortality among Care Home Residents in England during the first and second waves of the COVID-19 pandemic: an observational study of 4.3 million adults over the age of 65.. <i>Lancet Regional Health - Europe</i> , <b>2022</b> , 14, 100295		4
57	Trends and variation in unsafe prescribing of methotrexate: a cohort study in English NHS primary care. <i>British Journal of General Practice</i> , <b>2020</b> , 70, e481-e488	1.6	4
56	Prescription of suboptimal statin treatment regimens: a retrospective cohort study of trends and variation in English primary care. <i>British Journal of General Practice</i> , <b>2020</b> , 70, e525-e533	1.6	4
55	The clinician impact and financial cost to the NHS of litigation over pregabalin: a cohort study in English primary care. <i>BMJ Open</i> , <b>2018</b> , 8, e022416	3	4
54	All BMJ research papers should share their analytic code. <i>BMJ</i> , <b>2016</b> , 352, i886	5.9	3
53	Detecting change in comparison to peers in NHS prescribing data: a novel application of cumulative sum methodology. <i>BMC Medical Informatics and Decision Making</i> , <b>2018</b> , 18, 62	3.6	3
52	Study protocol: Comparison of different risk prediction modelling approaches for COVID-19 related death using the OpenSAFELY platform. <i>Wellcome Open Research</i> , <b>2020</b> , 5, 243	4.8	3
51	OpenSAFELY: Do adults prescribed non-steroidal anti-inflammatory drugs have an increased risk of death from COVID-19?		3
50	OpenSAFELY: impact of national guidance on switching from warfarin to direct oral anticoagulants (DOACs) in early phase of COVID-19 pandemic in England		3

49	Suboptimal prescribing behaviour associated with clinical software design features: a retrospective cohort study in English NHS primary care. <i>British Journal of General Practice</i> , <b>2020</b> , 70, e636-e643	1.6	3
48	Outcomes in the trial registry should match those in the protocol. <i>Lancet, The</i> , <b>2016</b> , 388, 340-341	4.0	3
47	Problems with ethical approval and how to fix them: lessons from three trials in rheumatoid arthritis. <i>BMJ, The</i> , <b>2016</b> , 354, i4626	5.9	3
46	Rates of serious clinical outcomes in survivors of hospitalisation with COVID-19: a descriptive cohort study within the OpenSAFELY platform		3
45	Trends and clinical characteristics of 57.9 million COVID-19 vaccine recipients: a federated analysis of patients' primary care records using OpenSAFELY.. <i>British Journal of General Practice</i> , <b>2022</b> , 72, 10	1.6	3
44	You can now search FDA approval documents easily at <a href="http://fda.opentrials.net">fda.opentrials.net</a> . <i>BMJ, The</i> , <b>2017</b> , 356, j677	5.9	2
43	The CONFIDENT trial. <i>Lancet, The</i> , <b>2016</b> , 387, 643	4.0	2
42	Evidence on industry influence should be in the core medical curriculum. <i>BMJ, The</i> , <b>2014</b> , 348, g1390	5.9	2
41	Commentary: Randomized trials of controversial social interventions: slow progress in 50 years. <i>International Journal of Epidemiology</i> , <b>2015</b> , 44, 19-22	7.8	2
40	Problems with ABPI proposals to release data on payments to doctors. <i>BMJ, The</i> , <b>2014</b> , 348, g1301	5.9	2
39	OpenSAFELY NHS Service Restoration Observatory 1: primary care clinical activity in England during the first wave of COVID-19. <i>British Journal of General Practice</i> , <b>2021</b> ,	1.6	2
38	European non-commercial sponsors showed substantial variation in results reporting to the EU trial registry. <i>Journal of Clinical Epidemiology</i> , <b>2021</b> , 142, 161-170	5.7	2
37	Association between warfarin and COVID-19-related outcomes compared with direct oral anticoagulants: population-based cohort study. <i>Journal of Hematology and Oncology</i> , <b>2021</b> , 14, 172	22.4	2
36	Comparative effectiveness of ChAdOx1 versus BNT162b2 COVID-19 vaccines in Health and Social Care workers in England: a cohort study using OpenSAFELY		2
35	Short report: Ethnicity and COVID-19 death in the early part of the COVID-19 second wave in England: an analysis of OpenSAFELY data from 1st September to 9th November 2020		2
34	Changes in the rate of cardiometabolic and pulmonary events during the COVID-19 pandemic		2
33	Risk of severe COVID-19 outcomes associated with immune-mediated inflammatory diseases and immune modifying therapies: a nationwide cohort study in the OpenSAFELY platform		2
32	Pregabalin: what the patent litigation means for doctors and drug companies. <i>BMJ, The</i> , <b>2018</b> , 361, k2318.9	1.9	1

31	The Authors Respond. <i>Epidemiology</i> , <b>2021</b> , 32, e2-e3	3.1	1
30	Does The Reformed Cancer Drug Fund Generate Evidence On Effectiveness? A Cross-sectional Analysis On Publicly Accessible Documentation		1
29	Trends and variation in unsafe prescribing of methotrexate: a cohort study in English NHS primary care		1
28	Projected spending for brand-name drugs in English primary care given US prices: a cross-sectional study. <i>Journal of the Royal Society of Medicine</i> , <b>2020</b> , 113, 350-359	2.3	1
27	OpenSAFELY: Risks of COVID-19 hospital admission and death for people with learning disabilities - a cohort study		1
26	Hydroxychloroquine treatment does not reduce COVID-19 mortality; underdosing to the wrong patients? - Authors' reply. <i>Lancet Rheumatology, The</i> , <b>2021</b> , 3, e172-e173	14.2	1
25	Outcomes in the EXAMINATION trial. <i>Lancet, The</i> , <b>2016</b> , 387, 1997-8	40	1
24	Predicting COVID-19 related death using the OpenSAFELY platform		1
23	Impact of first UK COVID-19 lockdown on hospital admissions: Interrupted time series study of 32 million people. <i>EClinicalMedicine</i> , <b>2022</b> , 49, 101462	11.3	1
22	Sales of Over-the-Counter Products Containing Codeine in 31 Countries, 2013-2019: A Retrospective Observational Study.. <i>Drug Safety</i> , <b>2022</b> , 45, 237	5.1	0
21	Potentially inappropriate prescribing of DOACs to people with mechanical heart valves: A federated analysis of 57.9 million patients' primary care records in situ using OpenSAFELY.. <i>Thrombosis Research</i> , <b>2022</b> , 211, 150-153	8.2	0
20	Trends and variation in data quality and availability on the European Union Clinical Trials Register: A cross-sectional study.. <i>Clinical Trials</i> , <b>2022</b> , 17407745211073483	2.2	0
19	The effect of statins on muscle symptoms in primary care: the StatinWISE series of 200 N-of-1 RCTs. <i>Health Technology Assessment</i> , <b>2021</b> , 25, 1-62	4.4	0
18	Evaluating the impact of a very low-cost intervention to increase practices' engagement with data and change prescribing behaviour: a randomized trial in English primary care. <i>Family Practice</i> , <b>2021</b> , 38, 373-380	1.9	0
17	Ethnic disparities in COVID-19: increased risk of infection or severe disease? - Authors' reply. <i>Lancet, The</i> , <b>2021</b> , 398, 390	40	0
16	A comprehensive high cost drugs dataset from the NHS in England - An OpenSAFELY-TPP Short Data Report. <i>Wellcome Open Research</i> , 6, 360	4.8	0
15	Rates of serious clinical outcomes in survivors of hospitalisation with COVID-19 in England: a descriptive cohort study within the OpenSAFELY platform. <i>Wellcome Open Research</i> , 7, 142	4.8	0
14	Prescription data for open toe sandals syndrome. <i>BMJ, The</i> , <b>2017</b> , 356, j194	5.9	



13	Transparency of the UK medicines regulator: auditing freedom of information requests and reasons for refusal. <i>BMJ Evidence-Based Medicine</i> , <b>2019</b> , 24, 20-25	2.7
12	Clinical trial reporting - Authors' reply. <i>Lancet, The</i> , <b>2020</b> , 396, 1489-1490	4.0
11	Authors' reply to Beales. <i>BMJ, The</i> , <b>2017</b> , 356, j1196	5.9
10	Reply to Comment on 'Impact of NICE guidance on tamoxifen prescribing in England 2011-2017: an interrupted time series analysis'. <i>British Journal of Cancer</i> , <b>2018</b> , 119, 658	8.7
9	Authors' reply to Aiyenigba and Weeks, Bahadur and colleagues, and Griffin and colleagues. <i>BMJ, The</i> , <b>2017</b> , 356, j761	5.9
8	Open Heart [The new BMJ cardiovascular journal, advocating open access, open peer-review and open data. <i>Open Heart</i> , <b>2013</b> , 1, e000007	3
7	The PRINTO juvenile dermatomyositis trial. <i>Lancet, The</i> , <b>2016</b> , 387, 2600-2601	4.0
6	Effectiveness of an internet-delivered handwashing intervention. <i>Lancet, The</i> , <b>2016</b> , 387, 337	4.0
5	Nanoliposomal irinotecan in metastatic pancreatic cancer. <i>Lancet, The</i> , <b>2016</b> , 387, 1997	4.0
4	PATHWAY-2: spironolactone for resistant hypertension. <i>Lancet, The</i> , <b>2016</b> , 387, 1372-1373	4.0
3	Expectant management in pregnancies with ruptured membranes. <i>Lancet, The</i> , <b>2016</b> , 387, 1996	4.0
2	Harnessing medicines data at low cost to deliver better and safer care. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2021</b> , 30, 1621-1623	2.6
1	Comparison of methods for predicting COVID-19-related death in the general population using the OpenSAFELY platform.. <i>Diagnostic and Prognostic Research</i> , <b>2022</b> , 6, 6	5.5