

# Ben Goldacre

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4850461/ben-goldacre-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

138  
papers

5,311  
citations

31  
h-index

71  
g-index

193  
ext. papers

8,267  
ext. citations

9.2  
avg, IF

6.17  
L-index

#	Paper	IF	Citations
138	Overall and cause-specific hospitalisation and death after COVID-19 hospitalisation in England: A cohort study using linked primary care, secondary care, and death registration data in the OpenSAFELY platform.. <i>PLoS Medicine</i> , <b>2022</b> , 19, e1003871	11.6	6
137	Sales of Over-the-Counter Products Containing Codeine in 31 Countries, 2013-2019: A Retrospective Observational Study.. <i>Drug Safety</i> , <b>2022</b> , 45, 237	5.1	0
136	Potentially inappropriate prescribing of DOACs to people with mechanical heart valves: A federated analysis of 57.9 million patients' primary care records in situ using OpenSAFELY.. <i>Thrombosis Research</i> , <b>2022</b> , 211, 150-153	8.2	0
135	Trends and variation in data quality and availability on the European Union Clinical Trials Register: A cross-sectional study.. <i>Clinical Trials</i> , <b>2022</b> , 17407745211073483	2.2	0
134	Mortality among Care Home Residents in England during the first and second waves of the COVID-19 pandemic: an observational study of 4.3 million adults over the age of 65.. <i>Lancet Regional Health - Europe, The</i> , <b>2022</b> , 14, 100295		4
133	Comparison of methods for predicting COVID-19-related death in the general population using the OpenSAFELY platform.. <i>Diagnostic and Prognostic Research</i> , <b>2022</b> , 6, 6	5.5	
132	Trends and clinical characteristics of 57.9 million COVID-19 vaccine recipients: a federated analysis of patients' primary care records using OpenSAFELY.. <i>British Journal of General Practice</i> , <b>2022</b> , 72, 10	1.6	3
131	Impact of first UK COVID-19 lockdown on hospital admissions: Interrupted time series study of 32 million people. <i>EClinicalMedicine</i> , <b>2022</b> , 49, 101462	11.3	1
130	OpenSAFELY NHS Service Restoration Observatory 1: primary care clinical activity in England during the first wave of COVID-19. <i>British Journal of General Practice</i> , <b>2021</b> ,	1.6	2
129	Trends and clinical characteristics of 57.9 million COVID-19 vaccine recipients: a federated analysis of patients' primary care records using OpenSAFELY. <i>British Journal of General Practice</i> , <b>2021</b> ,	1.6	10
128	The Authors Respond. <i>Epidemiology</i> , <b>2021</b> , 32, e2-e3	3.1	1
127	European non-commercial sponsors showed substantial variation in results reporting to the EU trial registry. <i>Journal of Clinical Epidemiology</i> , <b>2021</b> , 142, 161-170	5.7	2
126	OpenSAFELY: impact of national guidance on switching anticoagulant therapy during COVID-19 pandemic. <i>Open Heart</i> , <b>2021</b> , 8,	3	5
125	Association between warfarin and COVID-19-related outcomes compared with direct oral anticoagulants: population-based cohort study. <i>Journal of Hematology and Oncology</i> , <b>2021</b> , 14, 172	22.4	2
124	The effect of statins on muscle symptoms in primary care: the StatinWISE series of 200 N-of-1 RCTs. <i>Health Technology Assessment</i> , <b>2021</b> , 25, 1-62	4.4	0
123	Association between living with children and outcomes from covid-19: OpenSAFELY cohort study of 12 million adults in England. <i>BMJ, The</i> , <b>2021</b> , 372, n628	5.9	22
122	Evaluating the impact of a very low-cost intervention to increase practices' engagement with data and change prescribing behaviour: a randomized trial in English primary care. <i>Family Practice</i> , <b>2021</b> , 38, 373-380	1.9	0

121	Hydroxychloroquine treatment does not reduce COVID-19 mortality; underdosing to the wrong patients? - Authors' reply. <i>Lancet Rheumatology, The</i> , <b>2021</b> , 3, e172-e173	14.2	1
120	Trends in antidepressant prescribing in England. <i>Lancet Psychiatry, the</i> , <b>2021</b> , 8, 278-279	23.3	5
119	Identifying Care Home Residents in Electronic Health Records - An OpenSAFELY Short Data Report. <i>Wellcome Open Research</i> , <b>2021</b> , 6, 90	4.8	6
118	Trends and variation in antidepressant prescribing in English primary care: a retrospective longitudinal study. <i>BJGP Open</i> , <b>2021</b> , 5,	3.1	6
117	Ethnic differences in SARS-CoV-2 infection and COVID-19-related hospitalisation, intensive care unit admission, and death in 17 million adults in England: an observational cohort study using the OpenSAFELY platform. <i>Lancet, The</i> , <b>2021</b> , 397, 1711-1724	40	103
116	Clinical coding of long COVID in English primary care: a federated analysis of 58 million patient records using OpenSAFELY. <i>British Journal of General Practice</i> , <b>2021</b> , 71, e806-e814	1.6	11
115	Ethnic disparities in COVID-19: increased risk of infection or severe disease? - Authors' reply. <i>Lancet, The</i> , <b>2021</b> , 398, 390	40	0
114	Risks of covid-19 hospital admission and death for people with learning disability: population based cohort study using the OpenSAFELY platform. <i>BMJ, The</i> , <b>2021</b> , 374, n1592	5.9	16
113	Factors associated with deaths due to COVID-19 versus other causes: population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. <i>Lancet Regional Health - Europe, The</i> , <b>2021</b> , 6, 100109		36
112	Effect of pre-exposure use of hydroxychloroquine on COVID-19 mortality: a population-based cohort study in patients with rheumatoid arthritis or systemic lupus erythematosus using the OpenSAFELY platform. <i>Lancet Rheumatology, The</i> , <b>2021</b> , 3, e19-e27	14.2	28
111	Use of non-steroidal anti-inflammatory drugs and risk of death from COVID-19: an OpenSAFELY cohort analysis based on two cohorts. <i>Annals of the Rheumatic Diseases</i> , <b>2021</b> , 80, 943-951	2.4	31
110	HIV infection and COVID-19 death: a population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. <i>Lancet HIV, the</i> , <b>2021</b> , 8, e24-e32	7.8	132
109	Statin treatment and muscle symptoms: series of randomised, placebo controlled n-of-1 trials. <i>BMJ, The</i> , <b>2021</b> , 372, n135	5.9	32
108	Evaluation of Compliance With Legal Requirements Under the FDA Amendments Act of 2007 for Timely Registration of Clinical Trials, Data Verification, Delayed Reporting, and Trial Document Submission. <i>JAMA Internal Medicine</i> , <b>2021</b> , 181, 1128-1130	11.5	7
107	Severity of SARS-CoV-2 alpha variant (B.1.1.7) in England. <i>Clinical Infectious Diseases</i> , <b>2021</b> ,	11.6	13
106	Harnessing medicines data at low cost to deliver better and safer care. <i>Pharmacoepidemiology and Drug Safety</i> , <b>2021</b> , 30, 1621-1623	2.6	
105	Clinical trial reporting - Authors' reply. <i>Lancet, The</i> , <b>2020</b> , 396, 1489-1490	40	
104	Compliance with legal requirement to report clinical trial results on ClinicalTrials.gov: a cohort study. <i>Lancet, The</i> , <b>2020</b> , 395, 361-369	40	72

103	Barriers to Working With National Health Service England's Open Data. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e15603	7.6	5
102	Impact of Electronic Health Record Interface Design on Unsafe Prescribing of Ciclosporin, Tacrolimus, and Diltiazem: Cohort Study in English National Health Service Primary Care. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e17003	7.6	5
101	Trends and variation in unsafe prescribing of methotrexate: a cohort study in English NHS primary care. <i>British Journal of General Practice</i> , <b>2020</b> , 70, e481-e488	1.6	4
100	Projected spending for brand-name drugs in English primary care given US prices: a cross-sectional study. <i>Journal of the Royal Society of Medicine</i> , <b>2020</b> , 113, 350-359	2.3	1
99	Factors associated with COVID-19-related death using OpenSAFELY. <i>Nature</i> , <b>2020</b> , 584, 430-436	50.4	2504
98	The NHS deserves better use of hospital medicines data. <i>BMJ, The</i> , <b>2020</b> , 370, m2607	5.9	8
97	Prescription of suboptimal statin treatment regimens: a retrospective cohort study of trends and variation in English primary care. <i>British Journal of General Practice</i> , <b>2020</b> , 70, e525-e533	1.6	4
96	Risk of COVID-19-related death among patients with chronic obstructive pulmonary disease or asthma prescribed inhaled corticosteroids: an observational cohort study using the OpenSAFELY platform. <i>Lancet Respiratory Medicine</i> , <b>2020</b> , 8, 1106-1120	35.1	128
95	Suboptimal prescribing behaviour associated with clinical software design features: a retrospective cohort study in English NHS primary care. <i>British Journal of General Practice</i> , <b>2020</b> , 70, e636-e643	1.6	3
94	Factors associated with the prescribing of high-dose opioids in primary care: a systematic review and meta-analysis. <i>BMC Medicine</i> , <b>2020</b> , 18, 68	11.4	8
93	Impact of Chief Medical Officer activity on prescribing of antibiotics in England: an interrupted time series analysis. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2019</b> , 74, 1133-1136	5.1	9
92	Benefits and harms of pregabalin in the management of neuropathic pain: a rapid review and meta-analysis of randomised clinical trials. <i>BMJ Open</i> , <b>2019</b> , 9, e023600	3	31
91	Do doctors in dispensing practices with a financial conflict of interest prescribe more expensive drugs? A cross-sectional analysis of English primary care prescribing data. <i>BMJ Open</i> , <b>2019</b> , 9, e026886	3	7
90	Transparency of the UK medicines regulator: auditing freedom of information requests and reasons for refusal. <i>BMJ Evidence-Based Medicine</i> , <b>2019</b> , 24, 20-25	2.7	
89	COMPare: Qualitative analysis of researchers' responses to critical correspondence on a cohort of 58 misreported trials. <i>Trials</i> , <b>2019</b> , 20, 124	2.8	9
88	COMPare: a prospective cohort study correcting and monitoring 58 misreported trials in real time. <i>Trials</i> , <b>2019</b> , 20, 118	2.8	78
87	Measuring the Impact of an Open Web-Based Prescribing Data Analysis Service on Clinical Practice: Cohort Study on NHS England Data. <i>Journal of Medical Internet Research</i> , <b>2019</b> , 21, e10929	7.6	5
86	Variation in responsiveness to warranted behaviour change among NHS clinicians: novel implementation of change detection methods in longitudinal prescribing data. <i>BMJ, The</i> , <b>2019</b> , 367, l52059	5.9	13

85	Six months on: NHS England needs to focus on dissemination, implementation and audit of its low-priority initiative. <i>Journal of the Royal Society of Medicine</i> , <b>2019</b> , 112, 4-5	2.3	8
84	Why did some practices not implement new antibiotic prescribing guidelines on urinary tract infection? A cohort study and survey in NHS England primary care. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2019</b> , 74, 1125-1132	5.1	12
83	Opioid prescribing trends and geographical variation in England, 1998-2018: a retrospective database study. <i>Lancet Psychiatry</i> , <b>2019</b> , 6, 140-150	23.3	80
82	Catalogue of bias: publication bias. <i>BMJ Evidence-Based Medicine</i> , <b>2019</b> , 24, 53-54	2.7	41
81	Time trends and geographical variation in prescribing of antibiotics in England 1998-2017. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2019</b> , 74, 242-250	5.1	26
80	OpenPrescribing: normalised data and software tool to research trends in English NHS primary care prescribing 1998-2016. <i>BMJ Open</i> , <b>2018</b> , 8, e019921	3	29
79	Is use of homeopathy associated with poor prescribing in English primary care? A cross-sectional study. <i>Journal of the Royal Society of Medicine</i> , <b>2018</b> , 111, 167-174	2.3	6
78	Impact of NICE guidance on tamoxifen prescribing in England 2011-2017: an interrupted time series analysis. <i>British Journal of Cancer</i> , <b>2018</b> , 118, 1268-1275	8.7	14
77	Noncommercial Funders' Policies on Trial Registration, Access to Summary Results, and Individual Patient Data Availability. <i>JAMA - Journal of the American Medical Association</i> , <b>2018</b> , 319, 1721-1723	27.4	19
76	Trends, geographical variation and factors associated with prescribing of gluten-free foods in English primary care: a cross-sectional study. <i>BMJ Open</i> , <b>2018</b> , 8, e021312	3	11
75	Variation in diagnostic test requests and outcomes: a preliminary metric for OpenPathology.net. <i>Scientific Reports</i> , <b>2018</b> , 8, 4752	4.9	11
74	New mechanism to identify cost savings in English NHS prescribing: minimising 'price per unit', a cross-sectional study. <i>BMJ Open</i> , <b>2018</b> , 8, e019643	3	7
73	A cross-sectional study of all clinicians' conflict of interest disclosures to NHS hospital employers in England 2015-2016. <i>BMJ Open</i> , <b>2018</b> , 8, e019952	3	4
72	Why Cochrane should prioritise sharing data. <i>BMJ, The</i> , <b>2018</b> , 362, k3229	5.9	12
71	Detecting change in comparison to peers in NHS prescribing data: a novel application of cumulative sum methodology. <i>BMC Medical Informatics and Decision Making</i> , <b>2018</b> , 18, 62	3.6	3
70	Time trends and geographical variation in prescribing of drugs for diabetes in England from 1998 to 2017. <i>Diabetes, Obesity and Metabolism</i> , <b>2018</b> , 20, 2159-2168	6.7	38
69	Reply to Comment on 'Impact of NICE guidance on tamoxifen prescribing in England 2011-2017: an interrupted time series analysis'. <i>British Journal of Cancer</i> , <b>2018</b> , 119, 658	8.7	
68	Pregabalin: what the patent litigation means for doctors and drug companies. <i>BMJ, The</i> , <b>2018</b> , 361, k2318.9		1

67	Trends and variation in prescribing of low-priority treatments identified by NHS England: a cross-sectional study and interactive data tool in English primary care. <i>Journal of the Royal Society of Medicine</i> , <b>2018</b> , 111, 203-213	2.3	13
66	Prevalence of clinical trial status discrepancies: A cross-sectional study of 10,492 trials registered on both ClinicalTrials.gov and the European Union Clinical Trials Register. <i>PLoS ONE</i> , <b>2018</b> , 13, e0193088 <sup>3.7</sup>	3.7	28
65	Practice variation in the use of tests in UK primary care: a retrospective analysis of 16 million tests performed over 3.3 million patient years in 2015/16. <i>BMC Medicine</i> , <b>2018</b> , 16, 229	11.4	11
64	The clinician impact and financial cost to the NHS of litigation over pregabalin: a cohort study in English primary care. <i>BMJ Open</i> , <b>2018</b> , 8, e022416	3	4
63	Temporal trends in use of tests in UK primary care, 2000-15: retrospective analysis of 250 million tests. <i>BMJ, The</i> , <b>2018</b> , 363, k4666	5.9	55
62	Compliance with requirement to report results on the EU Clinical Trials Register: cohort study and web resource. <i>BMJ, The</i> , <b>2018</b> , 362, k3218	5.9	70
61	Prescription data for open toe sandals syndrome. <i>BMJ, The</i> , <b>2017</b> , 356, j194	5.9	
60	You can now search FDA approval documents easily at <a href="http://fda.opentrials.net">fda.opentrials.net</a> . <i>BMJ, The</i> , <b>2017</b> , 356, j677	5.9	2
59	Focus on sharing individual patient data distracts from other ways of improving trial transparency. <i>BMJ, The</i> , <b>2017</b> , 357, j2782	5.9	9
58	Why clinical trial outcomes fail to translate into benefits for patients. <i>Trials</i> , <b>2017</b> , 18, 122	2.8	144
57	Authors' reply to Beales. <i>BMJ, The</i> , <b>2017</b> , 356, j1196	5.9	
56	Study protocol for statin web-based investigation of side effects (StatinWISE): a series of randomised controlled N-of-1 trials comparing atorvastatin and placebo in UK primary care. <i>BMJ Open</i> , <b>2017</b> , 7, e016604	3	12
55	Trials of transvaginal mesh devices for pelvic organ prolapse: a systematic database review of the US FDA approval process. <i>BMJ Open</i> , <b>2017</b> , 7, e017125	3	43
54	Pharmaceutical companies' policies on access to trial data, results, and methods: audit study. <i>BMJ, The</i> , <b>2017</b> , 358, j3334	5.9	34
53	Transvaginal mesh failure: lessons for regulation of implantable devices. <i>BMJ, The</i> , <b>2017</b> , 359, j5515	5.9	31
52	Authors' reply to Aiyenigba and Weeks, Bahadur and colleagues, and Griffin and colleagues. <i>BMJ, The</i> , <b>2017</b> , 356, j761	5.9	
51	Fixing flaws in science must be professionalized. <i>Journal of Clinical Epidemiology</i> , <b>2016</b> , 70, 267-9	5.7	4
50	All BMJ research papers should share their analytic code. <i>BMJ, The</i> , <b>2016</b> , 352, i886	5.9	3

49	Big health data: the need to earn public trust. <i>BMJ, The</i> , <b>2016</b> , 354, i3636	5.9	45
48	Impact of statin related media coverage on use of statins: interrupted time series analysis with UK primary care data. <i>BMJ, The</i> , <b>2016</b> , 353, i3283	5.9	130
47	The CONFIDeNT trial. <i>Lancet, The</i> , <b>2016</b> , 387, 643	4.0	2
46	The TrialsTracker: Automated ongoing monitoring of failure to share clinical trial results by all major companies and research institutions. <i>F1000Research</i> , <b>2016</b> , 5, 2629	3.6	31
45	Make journals report clinical trials properly. <i>Nature</i> , <b>2016</b> , 530, 7	50.4	38
44	The PRINTO juvenile dermatomyositis trial. <i>Lancet, The</i> , <b>2016</b> , 387, 2600-2601	4.0	
43	Text messaging reminders for influenza vaccine in primary care: a cluster randomised controlled trial (TXT4FLUJAB). <i>BMJ Open</i> , <b>2016</b> , 6, e010069	3	26
42	Effectiveness of an internet-delivered handwashing intervention. <i>Lancet, The</i> , <b>2016</b> , 387, 337	4.0	
41	Nanoliposomal irinotecan in metastatic pancreatic cancer. <i>Lancet, The</i> , <b>2016</b> , 387, 1997	4.0	
40	PATHWAY-2: spironolactone for resistant hypertension. <i>Lancet, The</i> , <b>2016</b> , 387, 1372-1373	4.0	
39	Expectant management in pregnancies with ruptured membranes. <i>Lancet, The</i> , <b>2016</b> , 387, 1996	4.0	
38	Outcomes in the EXAMINATION trial. <i>Lancet, The</i> , <b>2016</b> , 387, 1997-8	4.0	1
37	Outcomes in the trial registry should match those in the protocol. <i>Lancet, The</i> , <b>2016</b> , 388, 340-341	4.0	3
36	Problems with ethical approval and how to fix them: lessons from three trials in rheumatoid arthritis. <i>BMJ, The</i> , <b>2016</b> , 354, i4626	5.9	3
35	How to get all trials reported: audit, better data, and individual accountability. <i>PLoS Medicine</i> , <b>2015</b> , 12, e1001821	11.6	41
34	Rethinking the appraisal and approval of drugs for type 2 diabetes. <i>BMJ, The</i> , <b>2015</b> , 351, h5260	5.9	12
33	Commentary: Randomized trials of controversial social interventions: slow progress in 50 years. <i>International Journal of Epidemiology</i> , <b>2015</b> , 44, 19-22	7.8	2
32	Funding source and primary outcome changes in clinical trials registered on ClinicalTrials.gov are associated with the reporting of a statistically significant primary outcome: a cross-sectional study. <i>F1000Research</i> , <b>2015</b> , 4, 80	3.6	15

31	Evidence on industry influence should be in the core medical curriculum. <i>BMJ, The</i> , <b>2014</b> , 348, g1390	5.9	2
30	Prediction of cardiovascular risk using Framingham, ASSIGN and QRISK2: how well do they predict individual rather than population risk?. <i>PLoS ONE</i> , <b>2014</b> , 9, e106455	3.7	41
29	Problems with ABPI proposals to release data on payments to doctors. <i>BMJ, The</i> , <b>2014</b> , 348, g1301	5.9	2
28	Atypical antipsychotic augmentation in SSRI treatment refractory obsessive-compulsive disorder: a systematic review and meta-analysis. <i>BMC Psychiatry</i> , <b>2014</b> , 14, 317	4.2	96
27	Meta-analysis of side effects of statins shows need for trial transparency. <i>BMJ, The</i> , <b>2014</b> , 348, g2940	5.9	7
26	Commentary on Berlin et al. <i>Clinical Trials</i> , <b>2014</b> , 11, 15-8	2.2	4
25	Prevalence of primary outcome changes in clinical trials registered on ClinicalTrials.gov: a cross-sectional study. <i>F1000Research</i> , <b>2014</b> , 3, 77	3.6	28
24	The opportunities and challenges of pragmatic point-of-care randomised trials using routinely collected electronic records: evaluations of two exemplar trials. <i>Health Technology Assessment</i> , <b>2014</b> , 18, 1-146	4.4	98
23	Are clinical trial data shared sufficiently today? No. <i>BMJ, The</i> , <b>2013</b> , 347, f1880	5.9	38
22	Open Heart ¶The new BMJ cardiovascular journal, advocating open access, open peer-review and open data. <i>Open Heart</i> , <b>2013</b> , 1, e000007	3	
21	Study protocol: Comparison of different risk prediction modelling approaches for COVID-19 related death using the OpenSAFELY platform. <i>Wellcome Open Research</i> , 5, 243	4.8	3
20	Comparative effectiveness of ChAdOx1 versus BNT162b2 COVID-19 vaccines in Health and Social Care workers in England: a cohort study using OpenSAFELY		2
19	Does The Reformed Cancer Drug Fund Generate Evidence On Effectiveness? A Cross-sectional Analysis On Publicly Accessible Documentation		1
18	Trends and variation in unsafe prescribing of methotrexate: a cohort study in English NHS primary care		1
17	OpenSAFELY: factors associated with COVID-19-related hospital death in the linked electronic health records of 17 million adult NHS patients		171
16	Inhaled corticosteroid use and risk COVID-19 related death among 966,461 patients with COPD or asthma: an OpenSAFELY analysis		5
15	OpenSAFELY: Do adults prescribed non-steroidal anti-inflammatory drugs have an increased risk of death from COVID-19?		3
14	Ethnic differences in COVID-19 infection, hospitalisation, and mortality: an OpenSAFELY analysis of 17 million adults in England		14

13	Association between living with children and outcomes from COVID-19: an OpenSAFELY cohort study of 12 million adults in England	8
12	OpenSAFELY: impact of national guidance on switching from warfarin to direct oral anticoagulants (DOACs) in early phase of COVID-19 pandemic in England	3
11	FDAAA TrialsTracker: A live informatics tool to monitor compliance with FDA requirements to report clinical trial results	7
10	OpenSAFELY: Risks of COVID-19 hospital admission and death for people with learning disabilities - a cohort study	1
9	Risk factors for long COVID: analyses of 10 longitudinal studies and electronic health records in the UK	13
8	Trends and clinical characteristics of COVID-19 vaccine recipients: a federated analysis of 57.9 million patients' primary care records in situ using OpenSAFELY	20
7	Rates of serious clinical outcomes in survivors of hospitalisation with COVID-19: a descriptive cohort study within the OpenSAFELY platform	3
6	Short report: Ethnicity and COVID-19 death in the early part of the COVID-19 second wave in England: an analysis of OpenSAFELY data from 1st September to 9th November 2020	2
5	Changes in the rate of cardiometabolic and pulmonary events during the COVID-19 pandemic	2
4	Predicting COVID-19 related death using the OpenSAFELY platform	1
3	Risk of severe COVID-19 outcomes associated with immune-mediated inflammatory diseases and immune modifying therapies: a nationwide cohort study in the OpenSAFELY platform	2
2	A comprehensive high cost drugs dataset from the NHS in England - An OpenSAFELY-TPP Short Data Report. <i>Wellcome Open Research</i> ,6, 360	4.8 0
1	Rates of serious clinical outcomes in survivors of hospitalisation with COVID-19 in England: a descriptive cohort study within the OpenSAFELY platform. <i>Wellcome Open Research</i> ,7, 142	4.8 0