Giuseppe Celano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4850856/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Adsorption of Glyphosate by Humic Substancesâ€. Journal of Agricultural and Food Chemistry, 1996, 44, 2442-2446.	2.4	134
2	Agricultural waste-based composts exhibiting suppressivity to diseases caused by the phytopathogenic soil-borne fungi Rhizoctonia solani and Sclerotinia minor. Applied Soil Ecology, 2013, 65, 43-51.	2.1	134
3	Irrigation of olive groves in Southern Italy with treated municipal wastewater: Effects on microbiological quality of soil and fruits. Agriculture, Ecosystems and Environment, 2009, 129, 43-51.	2.5	124
4	Adsorption and desorption of glyphosate in some European soils. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 1994, 29, 1105-1115.	0.7	116
5	Composting: The way for a sustainable agriculture. Applied Soil Ecology, 2018, 123, 744-750.	2.1	113
6	Drought-induced variations of water relations parameters in Olea europaea. Plant and Soil, 2003, 257, 381-389.	1.8	112
7	In situ detection of tree root distribution and biomass by multi-electrode resistivity imaging. Tree Physiology, 2008, 28, 1441-1448.	1.4	110
8	Influence of soil management on soil physical characteristics and water storage in a mature rainfed olive orchard. Soil and Tillage Research, 2014, 144, 96-109.	2.6	108
9	Net CO2 storage in mediterranean olive and peach orchards. Scientia Horticulturae, 2005, 107, 17-24.	1.7	97
10	Sustainability evaluation of Sicily's lemon and orange production: AnÂenergy, economic and environmental analysis. Journal of Environmental Management, 2013, 128, 674-682.	3.8	93
11	On-farm compost: a useful tool to improve soil quality under intensive farming systems. Applied Soil Ecology, 2016, 107, 13-23.	2.1	87
12	Light influences transpiration and calcium accumulation in fruit of kiwifruit plants (Actinidia) Tj ETQq0 0 0 rgBT /	Overlock 1	.0 Jf 50 302
13	Control of Botrytis cinerea, Alternaria alternata and Pyrenochaeta lycopersici on tomato with whey compost-tea applications. Crop Protection, 2012, 38, 80-86.	1.0	69
14	Hydrogenâ€bonding interactions between the herbicide glyphosate and waterâ€soluble humic substances. Environmental Toxicology and Chemistry, 1994, 13, 1737-1741.	2.2	67
15	Effects of water deficit on the vegetative response, yield and oil quality of olive trees (Olea europaea) Tj ETQq1 1	0.784314	l rgBT /Over

16	Effects of on-farm composted tomato residues on soil biological activity and yields in a tomato cropping system. Chemical and Biological Technologies in Agriculture, 2015, 2, .	1.9	63
17	Effects of fractions of coal-derived humic substances on seed germination and growth of seedlings (Lactuga sativa and Lycopersicum esculentum). Biology and Fertility of Soils, 1993, 16, 11-15.	2.3	61
18	Enhancing sustainability of a processing tomato cultivation system by using bioactive compost teas. Scientia Horticulturae, 2016, 202, 117-124.	1.7	54

GIUSEPPE CELANO

#	Article	IF	CITATIONS
19	Effects of soilâ€protecting agricultural practices on soil organic carbon and productivity in fruit tree orchards. Land Degradation and Development, 2010, 21, 132-138.	1.8	52
20	A sustainable model for the management of olive orchards located in semi-arid marginal areas: Some remarks and indications for policy makers. Environmental Science and Policy, 2013, 27, 81-90.	2.4	51
21	Evaluation of soil water content in tilled and cover-cropped olive orchards by the geoelectrical technique. Geoderma, 2011, 163, 163-170.	2.3	46
22	Adsorption of the herbicide glyphosate on a metal-humic acid complex. Science of the Total Environment, 1992, 123-124, 77-82.	3.9	45
23	A survey of carbon sequestration potential of orchards and vineyards in Italy. European Journal of Horticultural Science, 2016, 81, 106-114.	0.3	44
24	A comprehensive Life Cycle Assessment (LCA) of three apricot orchard systems located in Metapontino area (Southern Italy). Journal of Cleaner Production, 2017, 142, 4059-4071.	4.6	43
25	Genetic, Functional, and Metabolic Responses of Soil Microbiota in a Sustainable Olive Orchard. Soil Science, 2010, 175, 81-88.	0.9	42
26	A combined assessment of the energy, economic and environmental issues associated with on-farm manure composting processes: Two case studies in South of Italy. Journal of Cleaner Production, 2018, 172, 3969-3981.	4.6	42
27	Interactions of atrazine with humic substances of different origins and their hydrolysed products. Science of the Total Environment, 1992, 117-118, 403-412.	3.9	39
28	Biostimulant Potential of Humic Acids Extracted From an Amendment Obtained via Combination of Olive Mill Wastewaters (OMW) and a Pre-treated Organic Material Derived From Municipal Solid Waste (MSW). Frontiers in Plant Science, 2018, 9, 1028.	1.7	37
29	Sustainability Assessment of the Green Compost Production Chain from Agricultural Waste: A Case Study in Southern Italy. Agronomy, 2020, 10, 230.	1.3	35
30	Organic olive orchards on sloping land: More than a specialty niche production system?. Journal of Environmental Management, 2008, 89, 99-109.	3.8	32
31	Infrared and fluorescence spectroscopy of glyphosate-humic acid complexes. Science of the Total Environment, 1992, 123-124, 83-92.	3.9	30
32	Alternative management for olive orchards grown in semi-arid environments: An energy, economic and environmental analysis. Scientia Horticulturae, 2013, 162, 380-386.	1.7	29
33	Effects of compost tea treatments on productivity of lettuce and kohlrabi systems under organic cropping management. Italian Journal of Agronomy, 2014, 9, 153.	0.4	29
34	Disease suppressiveness of agricultural greenwaste composts as related to chemical and bio-based properties shaped by different on-farm composting methods. Biological Control, 2019, 137, 104026.	1.4	29
35	Modification of infrared spectra of the herbicide glyphosate induced by pH variation. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 1993, 28, 447-457.	0.7	26
36	Interactions of Three s-Triazines with Humic Acids of Different Structure. Journal of Agricultural and Food Chemistry, 2008, 56, 7360-7366.	2.4	26

GIUSEPPE CELANO

#	Article	IF	CITATIONS
37	Essential oils and quality composts sourced by recycling vegetable residues from the aromatic plant supply chain. Industrial Crops and Products, 2021, 162, 113255.	2.5	26
38	An environmental and economic analysis of the wood-pellet chain: two case studies in Southern Italy. International Journal of Life Cycle Assessment, 2018, 23, 1675-1684.	2.2	24
39	Compost tea spraying increases yield performance of pepper (Capsicum annuum L.) grown in greenhouse under organic farming system. Italian Journal of Agronomy, 0, , 229-234.	0.4	23
40	WATER RELATIONS, CALCIUM AND POTASSIUM CONCENTRATION IN FRUITS AND LEAVES DURING ANNUAL GROWTH IN MATURE KIWIFRUIT PLANTS. Acta Horticulturae, 2001, , 129-134.	0.1	22
41	Soil amendment with seed meals: Short term effects on soil respiration and biochemical properties. Applied Soil Ecology, 2013, 72, 225-231.	2.1	22
42	Environmental Impact Assessment of Organic vs. Integrated Olive-Oil Systems in Mediterranean Context. Agronomy, 2020, 10, 416.	1.3	22
43	Alpha and Beta-diversity of Microbial Communities Associated to Plant Disease Suppressive Functions of On-farm Green Composts. Agriculture (Switzerland), 2020, 10, 113.	1.4	21
44	Changes in the structure of the skin of kiwifruit in relation to water loss. Journal of Horticultural Science and Biotechnology, 2009, 84, 41-46.	0.9	20
45	DISTRIBUTION OF DRY MATTER AND AMOUNT OF MINERAL ELEMENTS IN IRRIGATED AND NON-IRRIGATED OLIVE TREES. Acta Horticulturae, 1999, , 381-384.	0.1	18
46	A high quality low-cost digital microscope minirhizotron system. Computers and Electronics in Agriculture, 2012, 80, 50-53.	3.7	15
47	Reduced Toxicity of Olive Mill Waste Waters by Oxidative Coupling with Biomimetic Catalysis. Environmental Science & Technology, 2008, 42, 4896-4901.	4.6	14
48	Characteristics of molecular size fractions of humic substances derived from oxidized coal. Chemosphere, 1992, 24, 1381-1387.	4.2	13
49	Composition and seasonal variation of soluble cuticular waxes inActinidia deliciosaleaves. Natural Product Research, 2006, 20, 701-709.	1.0	13
50	Electromagnetic induction (EMI) measurements as a proxy of earthworm presence in Southern French vineyards. Applied Soil Ecology, 2012, 61, 76-84.	2.1	12
51	HRMAS-NMR metabolomics of Aglianicone grapes pulp to evaluate terroir and vintage effects, and, as assessed by the electromagnetic induction (EMI) technique, spatial variability of vineyard soils. Food Chemistry, 2019, 283, 215-223.	4.2	12
52	MY SIRR: Minimalist agro-hYdrological model for Sustainable IRRigation management—Soil moisture and crop dynamics. SoftwareX, 2017, 6, 107-117.	1.2	11
53	Composting as Manure Disposal Strategy in Small/Medium-Size Livestock Farms: Some Demonstrations with Operative Indications. Sustainability, 2020, 12, 3315.	1.6	11
54	Changes in composition and activity of soil microbial communities in peach and kiwifruit Mediterranean orchards under an innovative management system. Soil Research, 2010, 48, 266.	0.6	11

GIUSEPPE CELANO

#	Article	IF	CITATIONS
55	GROWTH AND YIELD IN IRRIGATED AND NON-IRRIGATED OLIVE TREES CULTIVAR CORATINA OVER FOUR YEARS AFTER PLANTING. Acta Horticulturae, 1997, , 75-82.	0.1	10
56	Variability of total soil respiration in a Mediterranean vineyard. Soil Research, 2015, 53, 531.	0.6	8
57	Effects of Organic Additives on Chemical, Microbiological and Plant Pathogen Suppressive Properties of Aerated Municipal Waste Compost Teas. Applied Sciences (Switzerland), 2021, 11, 7402.	1.3	7
58	The Stable Isotopes Approach to Study C and N Sequestration Processes in a Plant–Soil System. , 2012, , 107-144.		7
59	Electromagnetic induction: A support tool for the evaluation of soil CO2 emissions and soil organic carbon content in olive orchards under semi-arid conditions. Geoderma, 2016, 264, 188-194.	2.3	6
60	Suitability of On-Farm Green Compost for the Production of Baby Leaf Species. Horticulturae, 2021, 7, 512.	1.2	6
61	ORCHARD MANAGEMENT TO PRESERVE SOIL FERTILITY AND IMPROVE THE EFFICIENCY OF WATER AND MINERAL RESOURCES. Acta Horticulturae, 2006, , 611-618.	0.1	5
62	In situ detection of tree root distribution and biomass by multielectrode resistivity imaging. Tree Physiology, 2008, 28, 1441-1448.	1.4	5
63	Supply of agricultural biomass residues for on-farm composting: a cross-analysis of relevant data sets for the most sustainable management combination. Agroecology and Sustainable Food Systems, 2021, 45, 134-156.	1.0	5
64	CALCIUM ABSORPTION AND DISTRIBUTION IN MATURE KIWIFRUIT PLANTS. Acta Horticulturae, 2003, , 331-334.	0.1	5
65	GREEN MANURE PLANT BIOMASS EVALUATION AND TOTAL MINERAL NITROGEN IN THE SOIL OF A PEACH ORCHARD SYSTEM. Acta Horticulturae, 1998, , 579-586.	0.1	4
66	Application of the environmental impact assessment to medicinal plants cultivation and drying in a hilly area of Campania Region (Southern Italy). Italian Journal of Agronomy, 2020, 15, 48-56.	0.4	3
67	Evidence of reduced poly-B-hydroxybutyrate biosynthesis in free-living nitrogen-fixing bacteria, Azotobacter chroococcum, following acquired resistance to the fungicide captan. Science of the Total Environment, 1992, 123-124, 361-375.	3.9	2
68	Carbon sequestration potential of Italian orchards and vineyards. Acta Horticulturae, 2017, , 145-150.	0.1	2
69	GEO-ELECTRICAL SURVEY ON THE SOIL OF AN APRICOT ORCHARD GROWN UNDER SEMI-ARID CONDITIONS. Acta Horticulturae, 2010, , 425-428.	0.1	2