

# Xingrong Zeng

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4851772/xingrong-zeng-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147  
papers

3,057  
citations

31  
h-index

47  
g-index

152  
ext. papers

3,937  
ext. citations

5.5  
avg, IF

5.91  
L-index

#	Paper	IF	Citations
147	Mechanically robust and multifunctional polyimide/MXene composite aerogel for smart fire protection. <i>Chemical Engineering Journal</i> , <b>2022</b> , 434, 134630	14.7	3
146	Graphene wrapped wood-based phase change composite for efficient electro-thermal energy conversion and storage. <i>Cellulose</i> , <b>2022</b> , 29, 223	5.5	0
145	Conductive and room-temperature self-healable polydimethylsiloxane-based elastomer film with ridge-like microstructure for piezoresistive pressure sensor. <i>Chemical Engineering Journal</i> , <b>2022</b> , 430, 133103	14.7	5
144	Superhydrophobic, flame-retardant and magnetic polyurethane sponge for oil-water separation. <i>Journal of Environmental Chemical Engineering</i> , <b>2022</b> , 10, 107580	6.8	4
143	Skin-inspired flexible and high-performance MXene@polydimethylsiloxane piezoresistive pressure sensor for human motion detection.. <i>Journal of Colloid and Interface Science</i> , <b>2022</b> , 617, 478-488	9.3	7
142	Skin-inspired multifunctional MXene/cellulose nanocoating for smart and efficient fire protection. <i>Chemical Engineering Journal</i> , <b>2022</b> , 136899	14.7	1
141	Superhydrophobic reduced graphene oxide@poly(lactic acid) foam with electrothermal effect for fast separation of viscous crude oil. <i>Journal of Materials Science</i> , <b>2021</b> , 56, 11266-11277	4.3	3
140	Synthesis of a novel N-alkoxyamine containing macromolecular intumescent flame retardant and its synergism in flame-retarding polypropylene. <i>Polymers for Advanced Technologies</i> , <b>2021</b> , 32, 2452-2464	2.2	5
139	Facile fabrication of superhydrophobic, flame-retardant and conductive polyurethane sponge via dip-coating. <i>Materials Letters</i> , <b>2021</b> , 287, 129307	3.3	5
138	N-alkoxyamine-containing macromolecular intumescent flame-retardant-decorated ZrP nanosheet and their synergism in flame-retarding polypropylene. <i>Polymers for Advanced Technologies</i> , <b>2021</b> , 32, 3804-3816	3.2	2
137	Multifunctional MXene/Chitosan-Coated Cotton Fabric for Intelligent Fire Protection. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 23020-23029	9.5	19
136	Superhydrophobic and conductive polydimethylsiloxane/titanium dioxide@reduced graphene oxide coated cotton fabric for human motion detection. <i>Cellulose</i> , <b>2021</b> , 28, 7373-7388	5.5	1
135	Remarkable enhancement of tracking resistance of addition-cure liquid silicone rubber by alkyl-disubstituted ureido siloxane immobilized on the silica filler surface. <i>Polymer Degradation and Stability</i> , <b>2021</b> , 188, 109565	4.7	3
134	Significantly improve fire safety of silicone rubber by efficiently catalyzing ceramization on fluorophlogopite. <i>Composites Communications</i> , <b>2021</b> , 25, 100683	6.7	2
133	Light Stimuli-Responsive Superhydrophobic Films for Electric Switches and Water-Droplet Manipulation. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 36621-36631	9.5	10
132	Superhydrophobic and phosphorus-nitrogen flame-retardant cotton fabric. <i>Progress in Organic Coatings</i> , <b>2021</b> , 159, 106446	4.8	8
131	Skin-inspired thermoelectric nanocoating for temperature sensing and fire safety. <i>Journal of Colloid and Interface Science</i> , <b>2021</b> , 602, 756-766	9.3	6

130	Superhydrophobic and high-performance wood-based piezoresistive pressure sensors for detecting human motions. <i>Chemical Engineering Journal</i> , <b>2021</b> , 426, 130837	14.7	10
129	Superhydrophobic MXene@carboxylated carbon nanotubes/carboxymethyl chitosan aerogel for piezoresistive pressure sensor. <i>Chemical Engineering Journal</i> , <b>2021</b> , 425, 130462	14.7	19
128	Superhydrophobic, stretchable and conductive elastomeric strip for human motion detection. <i>Materials Letters</i> , <b>2020</b> , 280, 128591	3.3	1
127	Facile Fabrication of Superhydrophobic and Magnetic Poly(lactic acid) Nonwoven Fabric for Oil/Water Separation. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 9127-9135	3.9	21
126	Improvement of fluorosilicone resin on the tracking resistance of addition-cure liquid silicone rubber. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , <b>2020</b> , 57, 725-733	2.2	1
125	RIRS with Vacuum-Assisted Ureteral Access Sheath versus MPCNL for the Treatment of 2-4 cm Renal Stone. <i>BioMed Research International</i> , <b>2020</b> , 2020, 8052013	3	4
124	UV-curable superhydrophobic organosilicon/silica hybrid coating on cotton fabric for oil/water separation <b>2020</b> , 17, 1413-1423		5
123	An ultrasensitive fire-warning chitosan/montmorillonite/carbon nanotube composite aerogel with high fire-resistance. <i>Chemical Engineering Journal</i> , <b>2020</b> , 399, 125729	14.7	34
122	Highly stretchable, transparent and room-temperature self-healable polydimethylsiloxane elastomer for bending sensor. <i>Journal of Colloid and Interface Science</i> , <b>2020</b> , 570, 1-10	9.3	35
121	Effects of hydrophilic layer on directional transport of water through robust tri-layered Janus fabrics prepared by electrospinning. <i>Materials Letters</i> , <b>2020</b> , 268, 127583	3.3	6
120	Bioinspired Superhydrophobic ThermoChromic Films with Robust Healability. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 14578-14587	9.5	25
119	Synergistic enhancement of vinyltriethoxysilane and layered MgAl double hydroxide on the tracking and erosion resistance of silicone rubber. <i>Polymer Testing</i> , <b>2020</b> , 84, 106373	4.5	2
118	Stimuli-responsive superhydrophobic films driven by solvent vapor for electric switch and liquid manipulation. <i>Chemical Engineering Journal</i> , <b>2020</b> , 394, 124919	14.7	15
117	Efficient organic-to-inorganic conversion of polysiloxane by novel platinum-thiol catalytic system. <i>Polymer Degradation and Stability</i> , <b>2020</b> , 176, 109161	4.7	5
116	Minimally Invasive Percutaneous Nephrolithotomy with a Novel Vacuum-assisted Access Sheath for obstructive calculous pyonephrosis :A Randomized Study. <i>Urology Journal</i> , <b>2020</b> , 17, 474-479	0.9	3
115	Conductive and superhydrophobic F-rGO@CNTs/chitosan aerogel for piezoresistive pressure sensor. <i>Chemical Engineering Journal</i> , <b>2020</b> , 386, 123998	14.7	56
114	Highly hydrophobic F-rGO@wood sponge for efficient clean-up of viscous crude oil. <i>Chemical Engineering Journal</i> , <b>2020</b> , 386, 123994	14.7	48
113	Remarkable improvement of organic-to-inorganic conversion of silicone rubber at elevated temperature through platinum-nitrogen catalytic system. <i>Polymer Degradation and Stability</i> , <b>2020</b> , 171, 109026	4.7	9

112	Functionalized ZrP nanosheet with free-radical quenching capability and its synergism in intumescent flame-retardant polypropylene. <i>Polymers for Advanced Technologies</i> , <b>2020</b> , 31, 602-615	3.2	9
111	Three-Dimensional Binary-Conductive-Network Silver Nanowires@Thiolated Graphene Foam-Based Room-Temperature Self-Healable Strain Sensor for Human Motion Detection. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 44360-44370	9.5	39
110	A sandwich-like flame retardant nanocoating for supersensitive fire-warning. <i>Chemical Engineering Journal</i> , <b>2020</b> , 382, 122929	14.7	23
109	Synthesis and characterization of ureido-containing MQ silicone resin. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , <b>2019</b> , 56, 1141-1147	2.2	2
108	Remarkable enhancement of mechanical and tribological properties of polyamide 46/polyphenylene oxide alloy by polyurethane-coated carbon fiber. <i>High Performance Polymers</i> , <b>2019</b> , 31, 1122-1131	1.6	2
107	Effective improvement of anti-tracking of addition-cure liquid silicone rubber via charge dissipation of fluorosilane-grafted silica. <i>Polymer Degradation and Stability</i> , <b>2019</b> , 167, 250-258	4.7	9
106	Conductive superhydrophobic cotton fabrics via layer-by-layer assembly of carbon nanotubes for oil-water separation and human motion detection. <i>Materials Letters</i> , <b>2019</b> , 253, 230-233	3.3	30
105	Functional Nanomaterials: 3D Porous Superhydrophobic CNT/EVA Composites for Recoverable Shape Reconfiguration and Underwater Vibration Detection (Adv. Funct. Mater. 24/2019). <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1970166	15.6	2
104	A facile route to prepare homogeneous silicone resin doped with titanium. <i>Journal of Applied Polymer Science</i> , <b>2019</b> , 136, 47834	2.9	1
103	Superhydrophobic [email protected] Carbon Nanotubes Membrane for Effective Water-in-Oil Emulsions Separation and Quick Deicing. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2019</b> ,	3.9	16
102	Carbonized cotton fabric-based multilayer piezoresistive pressure sensors. <i>Cellulose</i> , <b>2019</b> , 26, 5001-5014	4.5	21
101	A highly efficient flame retardant nacre-inspired nanocoating with ultrasensitive fire-warning and self-healing capabilities. <i>Chemical Engineering Journal</i> , <b>2019</b> , 369, 8-17	14.7	52
100	P doped MoS nanoplates embedded in nitrogen doped carbon nanofibers as an efficient catalyst for hydrogen evolution reaction. <i>Journal of Colloid and Interface Science</i> , <b>2019</b> , 547, 291-298	9.3	25
99	One-pot fabrication of superhydrophobic and flame-retardant coatings on cotton fabrics via sol-gel reaction. <i>Journal of Colloid and Interface Science</i> , <b>2019</b> , 533, 198-206	9.3	155
98	Facile fabrication of superhydrophobic conductive polydimethylsiloxane@silver nanowires cotton fabric via dipping-thermal curing method. <i>Materials Letters</i> , <b>2019</b> , 255, 126511	3.3	8
97	Improvement of platinum nanoparticles-immobilized Zirconium phosphate sheets on tracking and erosion resistance of silicone rubber. <i>Composites Part B: Engineering</i> , <b>2019</b> , 176, 107203	10	6
96	Facile fabrication of a novel polyborosiloxane-decorated layered double hydroxide for remarkably reducing fire hazard of silicone rubber. <i>Composites Part B: Engineering</i> , <b>2019</b> , 175, 107068	10	26
95	High concentration of few-layer graphene and MoS <sub>2</sub> nanosheets using carboxyl methyl cellulose as a high-performance stabiliser. <i>Micro and Nano Letters</i> , <b>2019</b> , 14, 835-839	0.9	

94	3D Porous Superhydrophobic CNT/EVA Composites for Recoverable Shape Reconfiguration and Underwater Vibration Detection. <i>Advanced Functional Materials</i> , <b>2019</b> , 29, 1900554	15.6	50
93	Plasma resistance of addition-cure liquid silicone rubber with Ureido-attached MQ silicone resin. <i>Surfaces and Interfaces</i> , <b>2019</b> , 14, 55-60	4.1	4
92	Investigation of ureido-attached vinyl MQ silicone resin on tracking and erosion resistance of addition-cure liquid silicone rubber. <i>Journal of Applied Polymer Science</i> , <b>2019</b> , 136, 47360	2.9	5
91	In situ preparation of reduced graphene oxide reinforced acrylic rubber by self-assembly. <i>Journal of Applied Polymer Science</i> , <b>2019</b> , 136, 47187	2.9	8
90	Mussel-inspired cotton fabric with pH-responsive superwettability for bidirectional oil/water separation. <i>Journal of Materials Science</i> , <b>2019</b> , 54, 3648-3660	4.3	8
89	A green approach to fabricating nacre-inspired nanocoating for super-efficiently fire-safe polymers via one-step self-assembly. <i>Journal of Hazardous Materials</i> , <b>2019</b> , 365, 125-136	12.8	31
88	Effect and mechanism of hepta-phenyl vinyl polyhedral oligomeric silsesquioxane on the flame retardancy of silicone rubber. <i>Polymer Degradation and Stability</i> , <b>2019</b> , 159, 163-173	4.7	13
87	Highly Stretchable and Conductive Superhydrophobic Coating for Flexible Electronics. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 10587-10597	9.5	80
86	Dual-Functional Superhydrophobic Textiles with Asymmetric Roll-Down/Pinned States for Water Droplet Transportation and Oil-Water Separation. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 4213-4221	9.5	82
85	Preparation of functionalized zirconium phosphate and its effect on the flame retardancy of silicone rubber. <i>RSC Advances</i> , <b>2018</b> , 8, 111-121	3.7	22
84	Facile fabrication of superhydrophobic and flame-retardant coatings on cotton fabrics via layer-by-layer assembly. <i>Cellulose</i> , <b>2018</b> , 25, 3135-3149	5.5	67
83	Thermo-oxidative aging resistance and mechanism of a macromolecular hindered phenol antioxidant for natural rubber. <i>Journal of Elastomers and Plastics</i> , <b>2018</b> , 50, 372-387	1.6	1
82	Vacuum-assisted layer-by-layer superhydrophobic carbon nanotube films with electrothermal and photothermal effects for deicing and controllable manipulation. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 16910-16919	13	60
81	Significant improvement of urethane-containing silane on the tracking and erosion resistance of silicone rubber/silica nanocomposite by enhancing the interfacial effect. <i>Polymer Testing</i> , <b>2018</b> , 69, 16-25	4.5	17
80	Significant improvement of tribological performances of polyamide 46/polyphenylene oxide alloy by functionalized zirconium phosphate. <i>Tribology International</i> , <b>2018</b> , 128, 204-213	4.9	7
79	Efficiently enhancing the tracking and erosion resistance of silicone rubber by the synergism of fluorine-containing polyphenylsilsesquioxane and ureido-containing MQ silicone resin. <i>Applied Surface Science</i> , <b>2018</b> , 459, 483-491	6.7	15
78	Superhydrophobic mGO/PDMS hybrid coating on polyester fabric for oil/water separation. <i>Progress in Organic Coatings</i> , <b>2018</b> , 115, 172-180	4.8	39
77	Fabrication of ZrP nanosheet decorated macromolecular charring agent and its efficient synergism with ammonium polyphosphate in flame-retarding polypropylene. <i>Composites Part A: Applied Science and Manufacturing</i> , <b>2018</b> , 105, 223-234	8.4	34

76	Thiolated Graphene@Polyester Fabric-Based Multilayer Piezoresistive Pressure Sensors for Detecting Human Motion. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 41784-41792	9.5	62
75	Remarkably improving the fire-safety of polypropylene by synergism of functionalized ZrP nanosheet and N-alkoxy hindered amine. <i>Applied Clay Science</i> , <b>2018</b> , 166, 61-73	5.2	19
74	Synthesis of Zirconium-Containing Polyhedral Oligometallasilsesquioxane as an Efficient Thermal Stabilizer for Silicone Rubber. <i>Polymers</i> , <b>2018</b> , 10,	4.5	9
73	Fabrication of polymethylphenylsiloxane decorated C60 via $\pi$ - $\pi$ stacking interaction for reducing the flammability of silicone rubber. <i>Materials Letters</i> , <b>2018</b> , 229, 85-88	3.3	6
72	Preparation, structural characterization, and antioxidative behavior in natural rubber of antioxidant GM functionalized nanosilica. <i>Polymer Composites</i> , <b>2017</b> , 38, 1241-1247	3	9
71	Thiolated graphene-based superhydrophobic sponges for oil-water separation. <i>Chemical Engineering Journal</i> , <b>2017</b> , 316, 736-743	14.7	202
70	Extraction resistance and mechanism of a macromolecular hindered phenol antioxidant in natural rubber. <i>Journal of Applied Polymer Science</i> , <b>2017</b> , 134,	2.9	3
69	Antistatic effects and mechanism of ionic liquids for methyl vinyl silicone rubber. <i>Journal of Applied Polymer Science</i> , <b>2017</b> , 134, 45180	2.9	4
68	Synthesis of a novel hydantoin-containing silane and its effect on the tracking and bacteria resistance of addition-cure liquid silicone rubber. <i>Applied Surface Science</i> , <b>2017</b> , 423, 630-640	6.7	8
67	Synthesis of sulphonic lanthanum complex based on C-methylcalix[4]resorcinarene and its thermo-oxidative aging resistance for natural rubber. <i>Plastics, Rubber and Composites</i> , <b>2017</b> , 46, 251-257 <sup>1-5</sup>	1.5	2
66	Phenolic antioxidants based on calixarene: Synthesis, structural characterization, and antioxidative properties in natural rubber. <i>Journal of Applied Polymer Science</i> , <b>2017</b> , 134, 45144	2.9	7
65	Synthesis and characterization of polyphenylsilsesquioxane terminated with methyl and vinyl groups low-melting glass. <i>Journal of Adhesion Science and Technology</i> , <b>2017</b> , 31, 2399-2409	2	5
64	Polydimethylsiloxane-Based Superhydrophobic Surfaces on Steel Substrate: Fabrication, Reversibly Extreme Wettability and Oil-Water Separation. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 3131-3141	8.5	69
63	Study on the anti-abrasion resistance of superhydrophobic coatings based on fluorine-containing acrylates with different T <sub>g</sub> and SiO <sub>2</sub> . <i>RSC Advances</i> , <b>2017</b> , 7, 47738-47745	3.7	9
62	Suppression Effect and Mechanism of Amine-Containing MQ Silicone Resin on the Tracking and Erosion Resistance of Silicone Rubber. <i>ACS Omega</i> , <b>2017</b> , 2, 5111-5121	3.9	13
61	The preparation of fluorine-containing polysiloxane low-melting glass and its effect on the tracking resistance and thermostability of addition-cure liquid silicone rubber. <i>RSC Advances</i> , <b>2017</b> , 7, 33020-33028	3.7	9
60	Effect of alkyl-disubstituted ureido silanes with different alkyl chain structures on tracking resistance property of addition-cure liquid silicone rubber. <i>Polymer Degradation and Stability</i> , <b>2017</b> , 142, 263-272	4.7	18
59	Effect of the platinum catalyst content on the tracking and erosion resistance of addition-cure liquid silicone rubber. <i>Polymer Testing</i> , <b>2017</b> , 63, 92-100	4.5	11

58	An efficient strategy for simultaneously improving tracking resistance and flame retardancy of addition-cure liquid silicone rubber. <i>Polymer Degradation and Stability</i> , <b>2017</b> , 144, 176-186	4.7	20
57	Vapor-Liquid Sol-Gel Approach to Fabricating Highly Durable and Robust Superhydrophobic Polydimethylsiloxane@Silica Surface on Polyester Textile for Oil-Water Separation. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 28089-28099	9.5	180
56	Preparation of a flame retardant phosphorus-containing polyacrylate/Zirconium phosphate nanocomposite through in situ emulsion polymerization. <i>RSC Advances</i> , <b>2017</b> , 7, 49290-49298	3.7	17
55	A facile approach to UV-curable super-hydrophilic polyacrylate coating film grafted on glass substrate <b>2016</b> , 13, 1115-1121		8
54	Well-defined Seven-arm Star Macromolecular Antioxidant based on $\beta$ -Cyclodextrin for Stabilization of Natural Rubber. <i>Chemistry Letters</i> , <b>2016</b> , 45, 191-193	1.7	7
53	Preparation and properties of vinylphenyl-silicone resins and their application in LED packaging. <i>RSC Advances</i> , <b>2016</b> , 6, 71924-71933	3.7	14
52	Synthesis of phenyl silicone resin with epoxy and acrylate group and its adhesion enhancement for addition-cure silicone encapsulant with high refractive index. <i>Journal of Adhesion Science and Technology</i> , <b>2016</b> , 30, 2699-2709	2	6
51	Synthesis of a novel macromolecular charring agent with free-radical quenching capability and its synergism in flame retardant polypropylene. <i>Polymer Degradation and Stability</i> , <b>2016</b> , 130, 68-77	4.7	55
50	Synthesis of silane oligomers containing vinyl and epoxy group for improving the adhesion of addition-cure silicone encapsulant. <i>Journal of Adhesion Science and Technology</i> , <b>2016</b> , 30, 1131-1142	2	9
49	Investigation of the tracking and erosion resistance of cured liquid silicone rubber containing ureido-modified MQ silicone resin. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , <b>2016</b> , 23, 3668-3675	2.3	18
48	Synergistic effect and mechanism of platinum catalyst and nitrogen-containing silane on the thermal stability of silicone rubber. <i>Thermochimica Acta</i> , <b>2016</b> , 632, 1-9	2.9	31
47	Zirconium phosphate functionalized by hindered amine: A new strategy for effectively enhancing the flame retardancy of addition-cure liquid silicone rubber. <i>Materials Letters</i> , <b>2016</b> , 174, 230-233	3.3	23
46	Suppression Effect and Mechanism of Platinum and Nitrogen-Containing Silane on the Tracking and Erosion of Silicone Rubber for High-Voltage Insulation. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2016</b> , 8, 21039-45	9.5	36
45	Thermal degradation mechanism of addition-cure liquid silicone rubber with urea-containing silane. <i>Thermochimica Acta</i> , <b>2015</b> , 605, 28-36	2.9	35
44	In situ synthesis and properties of hydrogenated rosin/polyacrylate composite miniemulsions-based pressure sensitive adhesives. <i>Journal of Adhesion Science and Technology</i> , <b>2015</b> , 29, 2220-2232	2	4
43	Synthesis and antioxidative properties of a star-shaped macromolecular antioxidant based on $\beta$ -Cyclodextrin. <i>Materials Letters</i> , <b>2015</b> , 151, 72-74	3.3	19
42	Synthesis of A Star-Shaped Macromolecular Antioxidant Based on $\beta$ -Cyclodextrin and its Antioxidative Properties in Natural Rubber. <i>Macromolecular Materials and Engineering</i> , <b>2015</b> , 300, 893-900	3.9	16
41	Effect of hydrogenated acrylic rosin on structure and properties of polyacrylates emulsions by seeded semibatch emulsion polymerization method. <i>Journal of Adhesion Science and Technology</i> , <b>2015</b> , 29, 740-752	2	6

40	Synergistic effect between silicone-containing macromolecular charring agent and ammonium polyphosphate in flame retardant polypropylene. <i>Journal of Applied Polymer Science</i> , <b>2015</b> , 132, n/a-n/a	2.9	14
39	Effect and mechanism of N-alkoxy hindered amine on the flame retardancy, UV aging resistance and thermal degradation of intumescent flame retardant polypropylene. <i>Polymer Degradation and Stability</i> , <b>2015</b> , 118, 167-177	4.7	39
38	Flame-retardant mechanism of a novel polymeric intumescent flame retardant containing caged bicyclic phosphate for polypropylene. <i>Polymer Degradation and Stability</i> , <b>2015</b> , 113, 22-31	4.7	100
37	Synthesis and characterization of polyhydroxylated polybutadiene binding 2,2-thiobis(4-methyl-6-tert-butylphenol) with isophorone diisocyanate. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	5
36	Facile fabrication of a robust superhydrophobic/superoleophilic sponge for selective oil absorption from oily water. <i>RSC Advances</i> , <b>2014</b> , 4, 23861	3.7	36
35	Synthesis and Characterization of Hydrogenated Rosin/Polyacrylate Composite Emulsions by Two-Step Mini-Emulsion Polymerization Method. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , <b>2014</b> , 51, 712-717	2.2	1
34	Facile Synthesis of Polyhydroxylated Polybutadiene Derived from Hydroxyl-Terminated Polybutadiene via Thiol-Ene Click Reaction. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , <b>2014</b> , 51, 229-239	2.2	7
33	Research on the tribological performance of Cr2O3 filled with bronze-based PTFE composites. <i>Journal of Applied Polymer Science</i> , <b>2014</b> , 131, n/a-n/a	2.9	1
32	Synthesis and Characterization of A Novel Macromolecular Hindered Phenol Antioxidant and Its Thermo-Oxidative Aging Resistance for Natural Rubber. <i>Journal of Macromolecular Science - Physics</i> , <b>2014</b> , 53, 1244-1257	1.4	26
31	Preparation and Characterization of UV-Curable Cyclohexanone-Formaldehyde Resin and Its Cured Film Properties. <i>International Journal of Polymer Science</i> , <b>2014</b> , 2014, 1-8	2.4	2
30	Effect of Polyborosiloxane on the Flame Retardancy and Thermal Degradation of Intumescent Flame Retardant Polypropylene. <i>Journal of Macromolecular Science - Physics</i> , <b>2014</b> , 53, 721-734	1.4	24
29	Kinetics and effect of surfactant and cosurfactant on miniemulsion polymerization of acrylate monomers <b>2014</b> , 11, 959-966		6
28	Enhancement of wollastonite on flame retardancy and mechanical properties of PP/IFR composite. <i>Polymer Composites</i> , <b>2014</b> , 35, 158-166	3	11
27	Effect of urea-containing anti-tracking additive on the tracking and erosion resistance of addition-cure liquid silicone rubber. <i>Polymer Testing</i> , <b>2014</b> , 37, 19-27	4.5	34
26	Effects of calcination temperature on the microstructure and wetting behavior of superhydrophobic polydimethylsiloxane/silica coating. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2014</b> , 445, 111-118	5.1	31
25	Preparation of fluorinated polyacrylate composite latex with in situ generated nano-silica dispersion and film durability. <i>Iranian Polymer Journal (English Edition)</i> , <b>2013</b> , 22, 775-784	2.3	5
24	Preparation and Characterization of Nano-TiO2/poly (methyl methacrylate) Hybrid Latex by Reverse Microemulsion Method and In-Situ Polymerization. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , <b>2013</b> , 50, 836-843	2.2	4
23	Steady rheological behaviors of UV-curable waterborne hyperbranched polyurethane acrylate dispersions <b>2013</b> , 10, 57-64		11



22	Synthesis of Siloxanes Containing Vinyl and Epoxy Group and its Enhancement for Adhesion of Addition-Cure Silicone Encapsulant. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , <b>2013</b> , 50, 1126-1132	2.2	16
21	Thermal aging on mechanical properties and crosslinked network of natural rubber/zinc Dimethacrylate composites. <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 124, 2240-2249	2.9	10
20	Synergistic Effect of Phosphorus-Containing Montmorillonite with Intumescent Flame Retardant in Polypropylene. <i>Journal of Macromolecular Science - Physics</i> , <b>2012</b> , 51, 1186-1198	1.4	28
19	Structural Characterization of Hydroxyl-Terminated Polybutadiene-Bound 2, 2-Thiobis(4-methyl-6-tert-butylphenol) and Its Thermo-Oxidative Aging Resistance for Natural Rubber Vulcanizates. <i>Journal of Macromolecular Science - Physics</i> , <b>2012</b> , 51, 1904-1920	1.4	13
18	Synthesis and Thermo-Oxidative Aging Resistance of Hydroxyl Terminated Polybutadiene Bound 2,2-Thiobis(4-methyl-6-tert-butylphenol). <i>Polymer-Plastics Technology and Engineering</i> , <b>2012</b> , 51, 1006-1013		16
17	Effect of Polymerized Rosin on Polymer Microstructure and Adhesive Properties in Tackified Acrylate Emulsions. <i>Polymer-Plastics Technology and Engineering</i> , <b>2012</b> , 51, 122-127		20
16	Synergistic effect between a triazine-based macromolecule and melamine pyrophosphate in flame retardant polypropylene. <i>Polymer Composites</i> , <b>2012</b> , 33, 35-43	3	41
15	Fabrication and characterization of nanocapsules containing n-dodecanol by miniemulsion polymerization using interfacial redox initiation. <i>Colloid and Polymer Science</i> , <b>2012</b> , 290, 307-314	2.4	38
14	Synergistic effect of phosphorus-containing nanosponges on intumescent flame-retardant polypropylene. <i>Journal of Applied Polymer Science</i> , <b>2012</b> , 125, 1758-1765	2.9	24
13	Preparation and Properties of Flame Retardant Polypropylene with an Intumescent System Encapsulated by Thermoplastic Polyurethane. <i>Journal of Macromolecular Science - Physics</i> , <b>2012</b> , 51, 35-47 <sup>4</sup>		12
12	Preparation and characterization of polyacrylate/polymerized rosin composite emulsions by seeded semicontinuous emulsion polymerization. <i>Journal of Applied Polymer Science</i> , <b>2011</b> , 124, n/a-n/a <sup>2.9</sup>		1
11	Preparation and characterization of UV-curable hyperbranched polyurethane acrylate <b>2011</b> , 8, 61-66		31
10	Synthesis, photopolymerization kinetics, and thermal properties of UV-curable waterborne hyperbranched polyurethane acrylate dispersions <b>2011</b> , 8, 577-584		27
9	Preparation and Characterization of Organic Nano-Titanium Dioxide/Acrylate Composite Emulsions by in-situ Emulsion Polymerization. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , <b>2011</b> , 48, 309-314	2.2	16
8	Synthesis and Characterization of Nano-silica/Polyacrylate Composite Emulsions by Sol-gel Method and in-situ Emulsion Polymerization. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , <b>2010</b> , 48, 42-46	2.2	18
7	Epoxidation of styrene-isoprene-styrene block copolymer and research on its reaction mechanism. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , <b>2010</b> , 25, 403-407	1	4
6	Epoxidation of Styrene-Isoprene-Styrene Block Copolymer and Its Use for Hot-Melt Pressure Sensitive Adhesives. <i>Polymer-Plastics Technology and Engineering</i> , <b>2008</b> , 47, 978-983		13
5	Synthesis and Characterization of UV-curable Hyperbranched Urethane Acrylate. <i>Polymer-Plastics Technology and Engineering</i> , <b>2008</b> , 47, 237-241		20

4	FT-IR and <sup>29</sup> Si-NMR Studies on UV-Curable DDS-MPTMS/SiO <sub>2</sub> Hybrid Coating. <i>Polymer-Plastics Technology and Engineering</i> , <b>2008</b> , 47, 1297-1301	1
3	Preparation and Characterization of Conductive Polypyrrole/Organophilic Montmorillonite Nanocomposite. <i>Polymer-Plastics Technology and Engineering</i> , <b>2007</b> , 46, 751-757	13
2	Synergistic Effect of Epoxy/Organophilic Montmorillonite Nanocomposites and Triphenyl Phosphate on Flame Retardance Enhancement of Polypropylene. <i>Polymer-Plastics Technology and Engineering</i> , <b>2007</b> , 46, 1011-1020	15
1	Facile fabrication of superhydrophobic, flame-retardant and conductive cotton fabric for human motion detection. <i>Cellulose</i> , 1	5-5 1