Alex J Mitchell

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/485406/publications.pdf

Version: 2024-02-01

258 papers

25,905 citations

79 h-index 155 g-index

269 all docs

269 docs citations

269 times ranked 28851 citing authors

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Mortality Rates in Patients With Anorexia Nervosa and Other Eating Disorders. Archives of General Psychiatry, 2011, 68, 724. | 12.3 | 1,960 |
| 2 | Prevalence of depression, anxiety, and adjustment disorder in oncological, haematological, and palliative-care settings: a meta-analysis of 94 interview-based studies. Lancet Oncology, The, 2011, 12, 160-174. | 10.7 | 1,778 |
| 3 | Rate of progression of mild cognitive impairment to dementia – metaâ€analysis of 41 robust inception cohort studies. Acta Psychiatrica Scandinavica, 2009, 119, 252-265. | 4.5 | 1,242 |
| 4 | Clinical diagnosis of depression in primary care: a meta-analysis. Lancet, The, 2009, 374, 609-619. | 13.7 | 956 |
| 5 | Risk of metabolic syndrome and its components in people with schizophrenia and related psychotic disorders, bipolar disorder and major depressive disorder: a systematic review and metaâ€analysis. World Psychiatry, 2015, 14, 339-347. | 10.4 | 858 |
| 6 | A meta-analysis of the accuracy of the mini-mental state examination in the detection of dementia and mild cognitive impairment. Journal of Psychiatric Research, 2009, 43, 411-431. | 3.1 | 817 |
| 7 | Prevalence of Metabolic Syndrome and Metabolic Abnormalities in Schizophrenia and Related Disordersâ€"A Systematic Review and Meta-Analysis. Schizophrenia Bulletin, 2013, 39, 306-318. | 4.3 | 813 |
| 8 | Risk of dementia and mild cognitive impairment in older people with subjective memory complaints: meta-analysis. Acta Psychiatrica Scandinavica, 2014, 130, 439-451. | 4.5 | 750 |
| 9 | Depression and anxiety in long-term cancer survivors compared with spouses and healthy controls: a systematic review and meta-analysis. Lancet Oncology, The, 2013, 14, 721-732. | 10.7 | 581 |
| 10 | Screening for Distress and Unmet Needs in Patients With Cancer: Review and Recommendations. Journal of Clinical Oncology, 2012, 30, 1160-1177. | 1.6 | 456 |
| 11 | Quality of life and its assessment in multiple sclerosis: integrating physical and psychological components of wellbeing. Lancet Neurology, The, 2005, 4, 556-566. | 10.2 | 423 |
| 12 | Pooled Results From 38 Analyses of the Accuracy of Distress Thermometer and Other Ultra-Short Methods of Detecting Cancer-Related Mood Disorders. Journal of Clinical Oncology, 2007, 25, 4670-4681. | 1.6 | 411 |
| 13 | Depression Screening and Patient Outcomes in Cardiovascular Care. JAMA - Journal of the American Medical Association, 2008, 300, 2161. | 7.4 | 409 |
| 14 | Depression in HIV Infected Patients: a Review. Current Psychiatry Reports, 2015, 17, 530. | 4.5 | 344 |
| 15 | Metabolic Syndrome and Metabolic Abnormalities in Bipolar Disorder: A Meta-Analysis of Prevalence Rates and Moderators. American Journal of Psychiatry, 2013, 170, 265-274. | 7.2 | 336 |
| 16 | Anxiety in patients with epilepsy: Systematic review and suggestions for clinical management. Epilepsy and Behavior, 2005, 7, 161-171. | 1.7 | 310 |
| 17 | Diagnostic validity of the Hospital Anxiety and Depression Scale (HADS) in cancer and palliative settings: A meta-analysis. Journal of Affective Disorders, 2010, 126, 335-348. | 4.1 | 294 |
| 18 | Quality of medical care for people with and without comorbid mental illness and substance misuse: systematic review of comparative studies. British Journal of Psychiatry, 2009, 194, 491-499. | 2.8 | 279 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 19 | Guideline concordant monitoring of metabolic risk in people treated with antipsychotic medication: systematic review and meta-analysis of screening practices. Psychological Medicine, 2012, 42, 125-147. | 4.5 | 278 |
| 20 | A review about the impact of multiple sclerosis on health-related quality of life. Disability and Rehabilitation, 2003, 25, 1291-1303. | 1.8 | 273 |
| 21 | Prognosis of Depression in Old Age Compared to Middle Age: A Systematic Review of Comparative Studies. American Journal of Psychiatry, 2005, 162, 1588-1601. | 7.2 | 261 |
| 22 | Is the Prevalence of Metabolic Syndrome and Metabolic Abnormalities Increased in Early Schizophrenia? A Comparative Meta-Analysis of First Episode, Untreated and Treated Patients. Schizophrenia Bulletin, 2013, 39, 295-305. | 4.3 | 259 |
| 23 | Prevalence and predictors of post-stroke mood disorders: A meta-analysis and meta-regression of depression, anxiety and adjustment disorder. General Hospital Psychiatry, 2017, 47, 48-60. | 2.4 | 255 |
| 24 | Case finding and screening clinical utility of the Patient Health Questionnaire (PHQ-9 and PHQ-2) for depression in primary care: a diagnostic meta-analysis of 40 studies. BJPsych Open, 2016, 2, 127-138. | 0.7 | 237 |
| 25 | Metabolic syndrome and metabolic abnormalities in patients with major depressive disorder: a meta-analysis of prevalences and moderating variables. Psychological Medicine, 2014, 44, 2017-2028. | 4.5 | 223 |
| 26 | Short Screening Tools for Cancer-Related Distress: A Review and Diagnostic Validity Meta-Analysis. Journal of the National Comprehensive Cancer Network: JNCCN, 2010, 8, 487-494. | 4.9 | 222 |
| 27 | A meta-analysis of cardio-metabolic abnormalities in drug naÃ-ve, first-episode and multi-episode patients with schizophrenia versus general population controls. World Psychiatry, 2013, 12, 240-250. | 10.4 | 220 |
| 28 | Why don't patients attend their appointments? Maintaining engagement with psychiatric services. Advances in Psychiatric Treatment, 2007, 13, 423-434. | 0.5 | 207 |
| 29 | The clinical significance of subjective memory complaints in the diagnosis of mild cognitive impairment and dementia: a metaâ€analysis. International Journal of Geriatric Psychiatry, 2008, 23, 1191-1202. | 2.7 | 206 |
| 30 | Diagnostic validity and added value of the geriatric depression scale for depression in primary care: A meta-analysis of GDS30 and GDS15. Journal of Affective Disorders, 2010, 125, 10-17. | 4.1 | 206 |
| 31 | Acceptability of common screening methods used to detect distress and related mood disordersâ€"preferences of cancer specialists and non-specialists. Psycho-Oncology, 2008, 17, 226-236. | 2.3 | 200 |
| 32 | Do ultra-short screening instruments accurately detect depression in primary care? A pooled analysis and meta-analysis of 22 studies. British Journal of General Practice, 2007, 57, 144-51. | 1.4 | 184 |
| 33 | The prevalence and predictors of type two diabetes mellitus in people with schizophrenia: a systematic review and comparative metaâ€analysis. Acta Psychiatrica Scandinavica, 2015, 132, 144-157. | 4.5 | 183 |
| 34 | Subregional Basal Forebrain Atrophy in Alzheimer's Disease: A Multicenter Study. Journal of Alzheimer's Disease, 2014, 40, 687-700. | 2.6 | 173 |
| 35 | Screening for cancer-related distress: When is implementation successful and when is it unsuccessful? Acta Oncol $	ilde{A}^3$ gica, 2013, 52, 216-224. | 1.8 | 171 |
| 36 | Guidelines for screening and monitoring of cardiometabolic risk in schizophrenia: systematic evaluation. British Journal of Psychiatry, 2011, 199, 99-105. | 2.8 | 169 |

| # | Article | IF | CITATIONS |
|----|--|--------------|-----------|
| 37 | Can the Distress Thermometer be improved by additional mood domains? Part I. Initial validation of the Emotion Thermometers tool. Psycho-Oncology, 2010, 19, 125-133. | 2.3 | 155 |
| 38 | Clinical recognition of dementia and cognitive impairment in primary care: a meta-analysis of physician accuracy. Acta Psychiatrica Scandinavica, 2011, 124, 165-183. | 4.5 | 155 |
| 39 | Screening for poststroke major depression: a meta-analysis of diagnostic validity studies. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, 198-206. | 1.9 | 154 |
| 40 | TYPE 2 DIABETES IN PATIENTS WITH MAJOR DEPRESSIVE DISORDER: A META-ANALYSIS OF PREVALENCE ESTIMATES AND PREDICTORS. Depression and Anxiety, 2015, 32, 763-773. | 4.1 | 138 |
| 41 | Why do oncology outpatients who report emotional distress decline help?. Psycho-Oncology, 2015, 24, 812-818. | 2.3 | 136 |
| 42 | Depressive spectrum disorders in cancer: prevalence, risk factors and screening for depression: a critical review. Acta Oncol \tilde{A}^3 gica, 2017, 56, 146-155. | 1.8 | 136 |
| 43 | Why don't patients take their medicine? Reasons and solutions in psychiatry. Advances in Psychiatric Treatment, 2007, 13, 336-346. | 0.5 | 135 |
| 44 | Temporal trends in the long term risk of progression of mild cognitive impairment: a pooled analysis. Journal of Neurology, Neurosurgery and Psychiatry, 2008, 79, 1386-1391. | 1.9 | 133 |
| 45 | Core biological marker candidates of Alzheimer?s disease? perspectives for diagnosis, prediction of outcome and reflection of biological activity. Journal of Neural Transmission, 2004, 111, 247-272. | 2.8 | 122 |
| 46 | Screening for distress and depression in cancer settings: 10 lessons from 40 years of primary are research. Psycho-Oncology, 2011, 20, 572-584. | 2.3 | 122 |
| 47 | The influence of cognitive impairment on health-related quality of life in neurological disease. Acta Neuropsychiatrica, 2010, 22, 2-13. | 2.1 | 119 |
| 48 | SensitivityÂ×ÂPPV is a recognized test called the clinical utility index (CUI+). European Journal of Epidemiology, 2011, 26, 251-252. | 5.7 | 119 |
| 49 | Diabetes mellitus and severe mental illness: mechanisms and clinical implications. Nature Reviews Endocrinology, 2015, 11, 79-89. | 9.6 | 119 |
| 50 | Physical multimorbidity and psychosis: comprehensive cross sectional analysis including 242,952 people across 48 low- and middle-income countries. BMC Medicine, 2016, 14, 189. | 5 . 5 | 119 |
| 51 | The role of Corticotropin Releasing Factor in Depressive Illness: a Critical Review. Neuroscience and Biobehavioral Reviews, 1998, 22, 635-651. | 6.1 | 113 |
| 52 | Do Primary Care Physicians Have Particular Difficulty Identifying Late-Life Depression? A Meta-Analysis Stratified by Age. Psychotherapy and Psychosomatics, 2010, 79, 285-294. | 8.8 | 113 |
| 53 | Obesity and impaired cognitive functioning in the elderly: a populationâ€based crossâ€sectional study (<scp>NEDICES</scp>). European Journal of Neurology, 2013, 20, 899. | 3.3 | 110 |
| 54 | Promotion of cardiorespiratory fitness in schizophrenia: a clinical overview and metaâ€analysis. Acta Psychiatrica Scandinavica, 2015, 132, 131-143. | 4.5 | 108 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | CSF phosphorylated tau in the diagnosis and prognosis of mild cognitive impairment and Alzheimer's disease: a meta-analysis of 51 studies. Journal of Neurology, Neurosurgery and Psychiatry, 2009, 80, 966-975. | 1.9 | 107 |
| 56 | Screening and Case Finding Tools for the Detection of Dementia. Part I: Evidence-Based Meta-Analysis of Multidomain Tests. American Journal of Geriatric Psychiatry, 2010, 18, 759-782. | 1.2 | 107 |
| 57 | Desire for psychological support in cancer patients with depression or distress: validation of a simple help question. Psycho-Oncology, 2011, 20, 525-531. | 2.3 | 107 |
| 58 | Clinical significance of recurrent psychogenic nonepileptic seizure status. Journal of Neurology, 2003, 250, 1355-1362. | 3.6 | 106 |
| 59 | Breast cancer screening in women with mental illness: comparative meta-analysis of mammography uptake. British Journal of Psychiatry, 2014, 205, 428-435. | 2.8 | 106 |
| 60 | Depression and physical health multimorbidity: primary data and country-wide meta-analysis of population data from 190 593 people across 43 low- and middle-income countries. Psychological Medicine, 2017, 47, 2107-2117. | 4.5 | 106 |
| 61 | Measuring Outcome in Psychogenic Nonepileptic Seizures: How Relevant Is Seizure Remission?. Epilepsia, 2005, 46, 1788-1795. | 5.1 | 103 |
| 62 | Are one or two simple questions sufficient to detect depression in cancer and palliative care? A Bayesian meta-analysis. British Journal of Cancer, 2008, 98, 1934-1943. | 6.4 | 103 |
| 63 | Receipt of preventive medical care and medical screening for patients with mental illness: a comparative analysis. General Hospital Psychiatry, 2010, 32, 519-543. | 2.4 | 100 |
| 64 | Case identification of depression in patients with chronic physical health problems: a diagnostic accuracy meta-analysis of 113 studies. British Journal of General Practice, 2011, 61, e808-e820. | 1.4 | 100 |
| 65 | Differences in the prescribing of medication for physical disorders in individuals with <i>v.</i> without mental illness: meta-analysis. British Journal of Psychiatry, 2012, 201, 435-443. | 2.8 | 100 |
| 66 | Clinical recognition and recording of alcohol disorders by clinicians in primary and secondary care: meta-analysis. British Journal of Psychiatry, 2012, 201, 93-100. | 2.8 | 97 |
| 67 | Prevalence of Eating Disorders amongst Dancers: A Systemic Review and Metaâ€Analysis. European Eating Disorders Review, 2014, 22, 92-101. | 4.1 | 97 |
| 68 | Elderly-Onset Essential Tremor and Mild Cognitive Impairment: A Population-Based Study (NEDICES). Journal of Alzheimer's Disease, 2011, 23, 727-735. | 2.6 | 93 |
| 69 | Review: Do deficits in cardiac care influence high mortality rates in schizophrenia? A systematic review and pooled analysis. Journal of Psychopharmacology, 2010, 24, 69-80. | 4.0 | 91 |
| 70 | Revascularisation and mortality rates following acute coronary syndromes in people with severe mental illness: comparative meta-analysis. British Journal of Psychiatry, 2011, 198, 434-441. | 2.8 | 90 |
| 71 | Meta-analysis of screening and case finding tools for depression in cancer: Evidence based recommendations for clinical practice on behalf of the Depression in Cancer Care consensus group. Journal of Affective Disorders, 2012, 140, 149-160. | 4.1 | 90 |
| 72 | Functional symptoms in neurology: questions and answers. Journal of Neurology, Neurosurgery and Psychiatry, 2005, 76, 307-314. | 1.9 | 89 |

| # | Article | IF | Citations |
|----|---|-------------|-----------|
| 73 | Physical health and schizophrenia. Current Opinion in Psychiatry, 2006, 19, 432-437. | 6.3 | 89 |
| 74 | Can general practitioners identify people with distress and mild depression? A meta-analysis of clinical accuracy. Journal of Affective Disorders, 2011, 130, 26-36. | 4.1 | 89 |
| 75 | Predictors of A&E staff attitudes to self-harm patients who use self-laceration: Influence of previous training and experience. Journal of Psychosomatic Research, 2006, 60, 273-277. | 2.6 | 88 |
| 76 | Is it time to separate subjective cognitive complaints from the diagnosis of mild cognitive impairment?. Age and Ageing, 2008, 37, 497-499. | 1.6 | 88 |
| 77 | Promoting physical health for people with schizophrenia by reducing disparities in medical and dental care. Acta Psychiatrica Scandinavica, 2015, 132, 109-121. | 4.5 | 87 |
| 78 | Prevalence and Predictors of Type 2 Diabetes Mellitus in People With Bipolar Disorder. Journal of Clinical Psychiatry, 2015, 76, 1490-1499. | 2.2 | 85 |
| 79 | A systematic approach to analyse health-related quality of life in multiple sclerosis: the GEDMA study. Multiple Sclerosis Journal, 2004, 10, 47-54. | 3.0 | 84 |
| 80 | Which Version of the Geriatric Depression Scale is Most Useful in Medical Settings and Nursing Homes? Diagnostic Validity Meta-Analysis. American Journal of Geriatric Psychiatry, 2010, 18, 1066-1077. | 1.2 | 83 |
| 81 | A meta-analysis of the accuracy of the Addenbrooke's Cognitive Examination (ACE) and the Addenbrooke's Cognitive Examination-Revised (ACE-R) in the detection of dementia. International Psychogeriatrics, 2014, 26, 555-563. | 1.0 | 82 |
| 82 | A Population-Based Study of Cognitive Function in Older People with Subjective Memory Complaints. Journal of Alzheimer's Disease, 2010, 22, 159-170. | 2.6 | 81 |
| 83 | A Lifetime Prevalence of Comorbidity Between Bipolar Affective Disorder and Anxiety Disorders: A Meta-analysis of 52 Interview-based Studies of Psychiatric Population. EBioMedicine, 2015, 2, 1405-1419. | 6.1 | 78 |
| 84 | The prevalence of pain in bipolar disorder: a systematic review and large-scale meta-analysis. Acta Psychiatrica Scandinavica, 2015, 131, 75-88. | 4. 5 | 78 |
| 85 | Screening for cancer-related distress: Summary of evidence from tools to programmes. Acta Oncológica, 2011, 50, 194-204. | 1.8 | 76 |
| 86 | A meta-analysis of prevalence estimates and moderators of low bone mass in people with schizophrenia. Acta Psychiatrica Scandinavica, 2014, 130, 470-486. | 4.5 | 76 |
| 87 | Schizophrenia and the risk of fractures: a systematic review and comparative meta-analysis. General Hospital Psychiatry, 2015, 37, 126-133. | 2.4 | 76 |
| 88 | Management of Delirium in Palliative Care: a Review. Current Psychiatry Reports, 2015, 17, 550. | 4.5 | 74 |
| 89 | Recruitment of ethnic minorities into cancer clinical trials: experience from the front lines. British Journal of Cancer, 2012, 107, 1017-1021. | 6.4 | 72 |
| 90 | Cortical thinning and its relation to cognition in amyotrophic lateral sclerosis. Neurobiology of Aging, 2014, 35, 240-246. | 3.1 | 72 |

| # | Article | IF | Citations |
|-----|---|------|-----------|
| 91 | Relationship between prolactin, breast cancer risk, and antipsychotics in patients with schizophrenia: a critical review. Acta Psychiatrica Scandinavica, 2016, 133, 5-22. | 4.5 | 72 |
| 92 | The Mini-Mental State Examination (MMSE): An Update on Its Diagnostic Validity for Cognitive Disorders. , 2013, , 15-46. | | 71 |
| 93 | Do people with mental illness receive adequate smoking cessation advice? A systematic review and meta-analysis. General Hospital Psychiatry, 2015, 37, 14-23. | 2.4 | 71 |
| 94 | The prevalence and moderators of clinical pain in people with schizophrenia: A systematic review and large scale meta-analysis. Schizophrenia Research, 2014, 160, 1-8. | 2.0 | 70 |
| 95 | How feasible is implementation of distress screening by cancer clinicians in routine clinical care?. Cancer, 2012, 118, 6260-6269. | 4.1 | 69 |
| 96 | Efficiency of a Two-Item Pre-Screen to Reduce the Burden of Depression Screening in Pregnancy and Postpartum: An IMPLICIT Network Study. Journal of the American Board of Family Medicine, 2008, 21, 317-325. | 1.5 | 68 |
| 97 | Can the Distress Thermometer be improved by additional mood domains? Part II. What is the optimal combination of Emotion Thermometers?. Psycho-Oncology, 2010, 19, 134-140. | 2.3 | 68 |
| 98 | Two-week delay in onset of action of antidepressants: new evidence. British Journal of Psychiatry, 2006, 188, 105-106. | 2.8 | 66 |
| 99 | Reluctance to disclose difficult diagnoses: a narrative review comparing communication by psychiatrists and oncologists. Supportive Care in Cancer, 2007, 15, 819-828. | 2.2 | 66 |
| 100 | Identification of patientâ€reported distress by clinical nurse specialists in routine oncology practice: a multicentre UK study. Psycho-Oncology, 2011, 20, 1076-1083. | 2.3 | 63 |
| 101 | A Comparative Survey of Missed Initial and Follow-Up Appointments to Psychiatric Specialties in the United Kingdom. Psychiatric Services, 2007, 58, 868-871. | 2.0 | 62 |
| 102 | The Stability and Resiliency of Self-Control in a Sample of Incarcerated Offenders. Crime and Delinquency, 2006, 52, 432-449. | 1.7 | 61 |
| 103 | The Mini-Mental State Examination (MMSE): Update on Its Diagnostic Accuracy and Clinical Utility for Cognitive Disorders., 2017,, 37-48. | | 59 |
| 104 | Accuracy of the Danish version of the †distress thermometer'. Psycho-Oncology, 2012, 21, 436-443. | 2.3 | 58 |
| 105 | A Systematic Review of Randomized, Double-Blind, Placebo-Controlled Trials Examining the Clinical Efficacy of Vitamin D in Multiple Sclerosis. Neuroepidemiology, 2013, 40, 147-153. | 2.3 | 58 |
| 106 | Screening for depression in epilepsy clinics. A comparison of conventional and visualâ€analog methods. Epilepsia, 2012, 53, 1713-1721. | 5.1 | 56 |
| 107 | International comparison of clinicians' ability to identify depression in primary care: meta-analysis and meta-regression of predictors. British Journal of General Practice, 2011, 61, e72-e80. | 1.4 | 55 |
| 108 | Markers of inflammation in schizophrenia: association vs. causation. World Psychiatry, 2014, 13, 189-192. | 10.4 | 54 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Does the Combination of the MMSE and Clock Drawing Test (Mini-Clock) Improve the Detection of Mild Alzheimer's Disease and Mild Cognitive Impairment?. Journal of Alzheimer's Disease, 2010, 22, 889-896. | 2.6 | 53 |
| 110 | Which symptoms are indicative of DSMIV depression in cancer settings? An analysis of the diagnostic significance of somatic and non-somatic symptoms. Journal of Affective Disorders, 2012, 138, 137-148. | 4.1 | 52 |
| 111 | Physiotherapists can help implement physical activity programmes in clinical practice. British Journal of Psychiatry, 2014, 204, 164-164. | 2.8 | 52 |
| 112 | Accuracy of Clinician Predictions of Future Selfâ€Harm: A Systematic Review and Metaâ€Analysis of Predictive Studies. Suicide and Life-Threatening Behavior, 2019, 49, 23-40. | 1.9 | 52 |
| 113 | Adherence behaviour with psychotropic medication is a form of self-medication. Medical Hypotheses, 2007, 68, 12-21. | 1.5 | 49 |
| 114 | PROMIS depression measures perform similarly to legacy measures relative to a structured diagnostic interview for depression in cancer patients. Quality of Life Research, 2018, 27, 1357-1367. | 3.1 | 46 |
| 115 | Under Reporting of Dementia Deaths on Death Certificates using Data from A Population-Based Study (NEDICES). Journal of Alzheimer's Disease, 2014, 39, 741-748. | 2.6 | 44 |
| 116 | The national service framework for long term conditions. BMJ: British Medical Journal, 2005, 330, 1280-1281. | 2.3 | 43 |
| 117 | Population-based case–control study of cognitive function in early Parkinson's disease (NEDICES). Journal of the Neurological Sciences, 2011, 310, 176-182. | 0.6 | 43 |
| 118 | Accuracy of specific symptoms in the diagnosis of major depressive disorder in psychiatric out-patients: data from the MIDAS project. Psychological Medicine, 2009, 39, 1107. | 4.5 | 42 |
| 119 | How can we promote smoking cessation in people with schizophrenia in practice? A clinical overview. Acta Psychiatrica Scandinavica, 2015, 132, 122-130. | 4.5 | 42 |
| 120 | Wellbeing during Active Surveillance for localised prostate cancer: A systematic review of psychological morbidity and quality of life. Cancer Treatment Reviews, 2015, 41, 46-60. | 7.7 | 42 |
| 121 | A comparison study of cognitive deficits in radiologically and clinically isolated syndromes. Multiple Sclerosis Journal, 2016, 22, 250-253. | 3.0 | 39 |
| 122 | The quality of psychotropic drug prescribing in patients in psychiatric units for the elderly. Aging and Mental Health, 2002, 6, 191-196. | 2.8 | 38 |
| 123 | Screening and Case-Finding Tools for the Detection of Dementia. Part II: Evidence-Based Meta-Analysis of Single-Domain Tests. American Journal of Geriatric Psychiatry, 2010, 18, 783-800. | 1.2 | 38 |
| 124 | Validation of simple visual-analogue thermometer screen for mood complications of cardiovascular disease: the Emotion Thermometers. Journal of Affective Disorders, 2012, 136, 1257-1263. | 4.1 | 38 |
| 125 | Clinical implications of poststroke hypothalamo-pituitary adrenal axis dysfunction: A critical literature review. Journal of Stroke and Cerebrovascular Diseases, 1997, 6, 377-388. | 1.6 | 35 |
| 126 | Screening for postnatal depression: barriers to success. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 11-14. | 2.3 | 35 |

| # | Article | IF | Citations |
|-----|---|---------------------|----------------|
| 127 | Ability of nurses to identify depression in primary care, secondary care and nursing homesâ€"A meta-analysis of routine clinical accuracy. International Journal of Nursing Studies, 2011, 48, 359-368. | 5.6 | 35 |
| 128 | A systematic review of parenting interventions for parents of children with type 1 diabetes. Child: Care, Health and Development, 2015, 41, 803-817. | 1.7 | 35 |
| 129 | Self harm and attempted suicide in adults: 10 practical questions and answers for emergency department staff. Emergency Medicine Journal, 2006, 23, 251-255. | 1.0 | 34 |
| 130 | Impaired healthâ€related quality of life predicts progression of disability in multiple sclerosis. European Journal of Neurology, 2013, 20, 79-86. | 3.3 | 34 |
| 131 | The Mini-Mental State Examination as a diagnostic and screening test for delirium: systematic review and meta-analysis. General Hospital Psychiatry, 2014, 36, 627-633. | 2.4 | 33 |
| 132 | Can the MMSE help clinicians predict progression from mild cognitive impairment to dementia?. BJ Psych Advances, 2015, 21, 363-366. | 0.7 | 33 |
| 133 | Prognostic Significance of Mild Cognitive Impairment Subtypes for Dementia and Mortality: Data from the NEDICES Cohort. Journal of Alzheimer's Disease, 2016, 50, 719-731. | 2.6 | 33 |
| 134 | Screening for emotional disorders in patients with cancer using the Brief Symptom Inventory (BSI) and the BSIâ€18 versus a standardized psychiatric interview (the World Health Organization Composite) Tj ETQ | q0 4.1 0 rgB | BT /®verlock 1 |
| 135 | The Mini-Mental-37 Test for Dementia Screening in the Spanish Population: An Analysis Using the Rasch Model. Clinical Neuropsychologist, 2012, 26, 1003-1018. | 2.3 | 32 |
| 136 | Cause of death in mild cognitive impairment: a prospective study (NEDICES). European Journal of Neurology, 2014, 21, 253. | 3.3 | 32 |
| 137 | The use of denial in an ethnically diverse British cancer population: a cross-sectional study. British Journal of Cancer, 2005, 92, 1393-1397. | 6.4 | 31 |
| 138 | Depressed patients and treatment adherence. Lancet, The, 2006, 367, 2041-2043. | 13.7 | 31 |
| 139 | Information needs across the colorectal cancer care continuum: scoping the literature. European Journal of Cancer Care, 2012, 21, 296-320. | 1.5 | 29 |
| 140 | Making Sense of Variations in Prevalence Estimates of Depression in Cancer: A Co-Calibration of Commonly Used Depression Scales Using Rasch Analysis. Journal of the National Comprehensive Cancer Network: JNCCN, 2015, 13, 1203-1211. | 4.9 | 29 |
| 141 | Sudden cardiac death and antipsychotics Part 2: Monitoring and prevention. Advances in Psychiatric Treatment, 2006, 12, 100-109. | 0.5 | 28 |
| 142 | Sudden cardiac death and antipsychotics. Part 1: Risk factors and mechanisms. Advances in Psychiatric Treatment, 2006, 12, 35-44. | 0.5 | 28 |
| 143 | High Medication Discontinuation Rates in Psychiatry. Journal of Clinical Psychopharmacology, 2006, 26, 109-112. | 1.4 | 27 |
| 144 | Unlocking the diagnosis of depression in primary care: Which key symptoms are GPs using to determine diagnosis and severity?. Australian and New Zealand Journal of Psychiatry, 2014, 48, 542-547. | 2.3 | 27 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | CSF phosphorylated tauâ€"does it constitute an accurate biological test for Alzheimer's disease?. International Journal of Geriatric Psychiatry, 2003, 18, 407-411. | 2.7 | 26 |
| 146 | Antiviral Therapy Completion and Response Rates Among Hepatitis C Patients With and Without Schizophrenia. Schizophrenia Bulletin, 2010, 36, 165-172. | 4.3 | 26 |
| 147 | Depression correlates with quality of life in people with epilepsy independent of the measures used. Epilepsy and Behavior, 2016, 62, 246-250. | 1.7 | 26 |
| 148 | Screening for Metabolic Risk Among Patients With Severe Mental Illness and Diabetes: A National Comparison. Psychiatric Services, 2013, 64, 1060-1063. | 2.0 | 25 |
| 149 | Normative values for the distress thermometer (DT) and the emotion thermometers (ET), derived from a German general population sample. Quality of Life Research, 2019, 28, 277-282. | 3.1 | 25 |
| 150 | Ketamine: stimulating antidepressant treatment?. BJPsych Open, 2016, 2, e5-e9. | 0.7 | 24 |
| 151 | Depression-related cognitive impairment: possibilities for its pharmacological treatment. Journal of Affective Disorders, 1996, 36, 79-87. | 4.1 | 23 |
| 152 | Clinical utility of screening for clinical depression and bipolar disorder. Current Opinion in Psychiatry, 2011, 25, 1. | 6.3 | 23 |
| 153 | Measuring Trust in Healthcare Professionals—A Study of Ethnically Diverse UK Cancer Patients. Clinical Oncology, 2012, 24, 13-21. | 1.4 | 23 |
| 154 | Cognitive impairment in patients with multiple sclerosis predicts worse caregiver's health-related quality of life. Multiple Sclerosis Journal, 2014, 20, 1769-1779. | 3.0 | 23 |
| 155 | Promotion of physical health in persons with schizophrenia: can we prevent cardiometabolic problems before they begin?. Acta Psychiatrica Scandinavica, 2015, 132, 83-85. | 4.5 | 23 |
| 156 | Quality Assessment of Physical Activity Recommendations Within Clinical Practice Guidelines for the Prevention and Treatment of Cardio-metabolic Risk Factors in People With Schizophrenia. Community Mental Health Journal, 2011, 47, 703-710. | 2.0 | 21 |
| 157 | Do CSF biomarkers help clinicians predict the progression of mild cognitive impairment to dementia?. Practical Neurology, 2010, 10, 202-207. | 1.1 | 20 |
| 158 | Accuracy of one or two simple questions to identify alcohol-use disorder in primary care: a meta-analysis. British Journal of General Practice, 2014, 64, e408-e418. | 1.4 | 20 |
| 159 | Consultation-Liaison Psychiatry in the General Hospital: the Experience of UK, Italy, and Japan. Current Psychiatry Reports, 2015, 17, 44. | 4.5 | 20 |
| 160 | Which items on the distress thermometer problem list are the most distressing?. Supportive Care in Cancer, 2016, 24, 4549-4557. | 2.2 | 20 |
| 161 | Psychiatric disturbances in radiologically isolated syndrome. Journal of Psychiatric Research, 2015, 68, 309-315. | 3.1 | 19 |
| 162 | Parity of esteem: Addressing the inequalities between mental and physical healthcare. BJ Psych Advances, 2017, 23, 196-205. | 0.7 | 19 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Schizophrenia: a multisystem disease?. Journal of Psychopharmacology, 2010, 24, 5-7. | 4.0 | 18 |
| 164 | Which symptoms are indicative of depression in epilepsy settings? An analysis of the diagnostic significance of somatic and non-somatic symptoms. Journal of Affective Disorders, 2013, 150, 861-867. | 4.1 | 18 |
| 165 | Depression as a risk factor for later dementia: a robust relationship?. Age and Ageing, 2005, 34, 207-209. | 1.6 | 17 |
| 166 | Diabetes Risk Potentially Underestimated in Youth and Children Receiving Antipsychotics. JAMA Psychiatry, 2014, 71, 209. | 11.0 | 17 |
| 167 | The impact of automated screening with Edmonton Symptom Assessment System (ESAS) on health-related quality of life, supportive care needs, and patient satisfaction with care in 268 ambulatory cancer patients. Supportive Care in Cancer, 2019, 27, 209-218. | 2.2 | 17 |
| 168 | The influence of antiviral therapy on psychiatric symptoms among patients with hepatitis C and schizophrenia. Antiviral Therapy, 2010, 15, 111-119. | 1.0 | 16 |
| 169 | The Beliefs and Knowledge of Patients Newly Diagnosed With Cancer in a UK Ethnically Diverse Population. Clinical Oncology, 2012, 24, 4-12. | 1.4 | 15 |
| 170 | Accuracy of a Brief Neuropsychological Battery for the Diagnosis of Dementia andÂMild Cognitive Impairment: An AnalysisÂofÂthe NEDICES Cohort. Journal of Alzheimer's Disease, 2015, 48, 163-173. | 2.6 | 15 |
| 171 | Anxiety and depressive symptoms in caregivers of multiple sclerosis patients: The role of information processing speed impairment. Journal of the Neurological Sciences, 2015, 349, 220-225. | 0.6 | 15 |
| 172 | The contribution of hypercortisolaemia to the cognitive decline of geriatric depression. International Journal of Geriatric Psychiatry, 1995, 10, 401-409. | 2.7 | 14 |
| 173 | Rate of cognitive decline in premotor Parkinson's disease: A prospective study (NEDICES). Movement Disorders, 2013, 28, 161-168. | 3.9 | 14 |
| 174 | A review of the potential therapeutic role of statins in the treatment of Alzheimer's disease: current research and opinion. Neuropsychiatric Disease and Treatment, 2013, 9, 55. | 2.2 | 14 |
| 175 | Screening for depression in epilepsy: A model of an enhanced screening tool. Epilepsy and Behavior, 2015, 44, 67-72. | 1.7 | 14 |
| 176 | Let's get physical: improving the medical care of people with severe mental illness. Advances in Psychiatric Treatment, 2012, 18, 216-225. | 0.5 | 13 |
| 177 | Screening Procedures for Psychosocial Distress. , 2010, , 389-396. | | 13 |
| 178 | Are depressive symptoms more common among British South Asian patients compared with British White patients with cancer? A cross-sectional survey. BMJ Open, 2013, 3, e002650. | 1.9 | 12 |
| 179 | The prognosis of depression in late life versus mid-life: implications for the treatment of older adults. International Psychogeriatrics, 2005, 17, 533-538. | 1.0 | 11 |
| 180 | Multiple sclerosis is associated with high trait anger: A case–control study. Journal of the Neurological Sciences, 2014, 340, 69-74. | 0.6 | 11 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 181 | Prediabetic increase in hemoglobin A1c compared with impaired fasting glucose in patients receiving antipsychotic drugs. European Neuropsychopharmacology, 2013, 23, 205-211. | 0.7 | 10 |
| 182 | Accuracy of the Emotion Thermometers (ET) Screening Tool in Patients Undergoing Surgery for Upper Gastrointestinal Malignancies. Journal of Psychosocial Oncology, 2015, 33, 1-14. | 1.2 | 10 |
| 183 | A Comparative Survey of Missed Initial and Follow-Up Appointments to Psychiatric Specialties in the United Kingdom. Psychiatric Services, 2007, 58, 868-871. | 2.0 | 10 |
| 184 | Training in neuropsychiatry: is it time to reintegrate into mainstream psychiatry? Psychiatric Bulletin, 2005, 29, 361-364. | 0.3 | 9 |
| 185 | Why doesn't depression treatment improve cancer survival?. Lancet Psychiatry,the, 2018, 5, 289-291. | 7.4 | 9 |
| 186 | Redefining Diagnostic Symptoms of Depression Using Rasch Analysis: Testing an Item Bank Suitable for DSM-V and Computer Adaptive Testing. Australian and New Zealand Journal of Psychiatry, 2011, 45, 846-852. | 2.3 | 8 |
| 187 | Isolated motor neglect following infarction of the posterior limb of the right internal capsule: a case study with diffusion tensor imaging-based tractography. Journal of Neurology, 2012, 259, 100-105. | 3.6 | 8 |
| 188 | Research productivity of staff in NHS mental health trusts: comparison using the Leiden method. Psychiatric Bulletin (2014), 2014, 38, 19-23. | 0.3 | 8 |
| 189 | Survey of expert second opinions in a tertiary psychiatric out-patient clinic in the Yorkshire region between 1988 and 2000. Psychiatric Bulletin, 2003, 27, 416-420. | 0.3 | 7 |
| 190 | Guillain-Barr \tilde{A} @-like Syndrome Associated With Olanzapine Hypersensitivity Reaction. Clinical Neuropharmacology, 2005, 28, 150-151. | 0.7 | 7 |
| 191 | Unusually rapid and severe cognitive deterioration after mild traumatic brain injury. Brain Injury, 2005, 19, 1269-1276. | 1.2 | 7 |
| 192 | The 3 item anxiety subscale of the Edinburgh Postpartum Depression Scale may detect postnatal depression as well as the 10 item full scale. Evidence-Based Mental Health, 2009, 12, 44-44. | 4.5 | 7 |
| 193 | Is there a difference between hospital-verified and self-reported self-harm? Implications for repetition. General Hospital Psychiatry, 2016, 43, 12-16. | 2.4 | 7 |
| 194 | Quality of Life Is Not Favorable for Most Patients With Multiple Sclerosis. Archives of Neurology, 2004, 61, 1807. | 4.5 | 6 |
| 195 | Do Antipsychotics Cost Lives or Save Lives? Risks Versus Benefits From Large Epidemiological Studies. Journal of Clinical Psychopharmacology, 2009, 29, 517-519. | 1.4 | 6 |
| 196 | Premotor cognitive status in a cohort of incident Parkinson disease patients (NEDICES). Journal of the Neurological Sciences, 2011, 310, 211-215. | 0.6 | 6 |
| 197 | Detecting and managing psychological distress in women with cancer: an update of recent evidence. The Obstetrician and Gynaecologist, 2011, 13, 22-28. | 0.4 | 6 |
| 198 | Impact of anger on the health-related quality of life of multiple sclerosis patients. Multiple Sclerosis Journal, 2015, 21, 630-641. | 3.0 | 6 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 199 | Management of self-harm following hospital discharge: role for general practitioners in continuity of care. Primary Care and Community Psychiatry, 2005, 10, 149-158. | 0.4 | 6 |
| 200 | NICE may be discouraging detection of postpartum depression. BMJ: British Medical Journal, 2007, 334, 550.2-550. | 2.3 | 5 |
| 201 | PHQ-9 and PHQ-2 in Western Kenya. Journal of General Internal Medicine, 2009, 24, 890-890. | 2.6 | 5 |
| 202 | Clinical diagnosis of depression in primary care – Authors' reply. Lancet, The, 2009, 374, 1817-1818. | 13.7 | 5 |
| 203 | Why do physicians have difficulty diagnosing depression in the elderly?. Aging Health, 2011, 7, 99-101. | 0.3 | 5 |
| 204 | Psychiatric aspects of chronic physical disease. Medicine, 2012, 40, 662-665. | 0.4 | 5 |
| 205 | Redefining the syndrome of cognitive impairment in DSM-5. Australian and New Zealand Journal of Psychiatry, 2013, 47, 779-780. | 2.3 | 5 |
| 206 | An Association of Cancer Physicians' strategy for improving services and outcomes for cancer patients. Ecancermedicalscience, 2016, 10, 608. | 1.1 | 5 |
| 207 | Confusion Assessment Method is the most appropriate tool to quickly detect delirium in hospitalised patients at the bedside. Evidence-Based Mental Health, 2011, 14, 4-4. | 4.5 | 4 |
| 208 | Predicting the development of schizophrenia. British Journal of Psychiatry, 2012, 200, 254-254. | 2.8 | 4 |
| 209 | Controversy over exercise therapy for chronic fatigue syndrome: Key lessons for clinicians and academics. BJ Psych Advances, 2017, 23, 145-148. | 0.7 | 4 |
| 210 | Controversy over exercise therapy for chronic fatigue syndrome: Continuing the debate. BJ Psych Advances, 2017, 23, 288-291. | 0.7 | 4 |
| 211 | How Do We Know When a Screening Test is Clinically Useful?. , 2009, , . | | 4 |
| 212 | Type 2 Diabetes Mellitus. , 2016, , 255-278. | | 3 |
| 213 | Apples to apples? Comparison of the measurement properties of hospital anxiety and depression-anxiety subscale (HADS-A), depression, anxiety and stress scale-anxiety subscale (DASS-A), and generalised anxiety disorder (GAD-7) scale in an oncology setting using Rasch analysis and diagnostic accuracy statistics. Current Psychology. 2022. 41, 4592-4601. | 2.8 | 3 |
| 214 | New developments in the detection and treatment of depression in cancer settings. Progress in Neurology and Psychiatry, 2011, 15, 12-20. | 0.9 | 2 |
| 215 | Does the academic performance of psychiatrists influence success in the NHS Clinical Excellence Award Scheme?. JRSM Short Reports, 2011, 2, 1-9. | 0.6 | 2 |
| 216 | Understanding disproportionately high cardiometabolic risk in Australians treated for psychosis. Australian and New Zealand Journal of Psychiatry, 2012, 46, 919-920. | 2.3 | 2 |

| # | Article | lF | Citations |
|-----|---|-----|-----------|
| 217 | Response to Bartoli et al American Journal of Psychiatry, 2013, 170, 928-929. | 7.2 | 2 |
| 218 | Implementar un programa de screening del malestar emocional asociado al c $	ilde{A}_i$ ncer: ciencia y pr $	ilde{A}_i$ ctica. Psicooncologia, 2013, 9, . | 0.3 | 2 |
| 219 | Psychological Assessment in Psychopharmacology. , 2014, , 49-67. | | 2 |
| 220 | Screening for Distress in Breast Cancer. Current Breast Cancer Reports, 2014, 6, 226-234. | 1.0 | 2 |
| 221 | Why all GPs should be bothered about Billy. British Journal of General Practice, 2014, 64, 15.1-15. | 1.4 | 2 |
| 222 | Performance on Specific Cognitive Domains and Cause of Death: A Prospective Population-Based Study in Non-Demented Older Adults (NEDICES). Journal of Alzheimer's Disease, 2016, 51, 533-544. | 2.6 | 2 |
| 223 | Which clinical and biochemical predictors should be used to screen for diabetes in patients with serious mental illness receiving antipsychotic medication? A large observational study. PLoS ONE, 2019, 14, e0210674. | 2.5 | 2 |
| 224 | A Visual-Analogue Screening Tool for Assessing Mood and Quality of Daily Life Complications in Family Members of People Living With Cancer: Portuguese Version of the Emotion Thermometers: Burden Version. Evaluation and the Health Professions, 2020, 43, 264-269. | 1.9 | 2 |
| 225 | Screening and Assessment for Distress. , 2015, , 384-395. | | 2 |
| 226 | Review: pharmacotherapy and psychotherapy similarly effective for depression in older adults. Evidence-Based Mental Health, 2007, 10, 50-50. | 4.5 | 1 |
| 227 | Depression screening and management programmes with staff assistance in primary care increase response and remission rates, but programmes without staff assistance do not show benefits. Evidence-Based Medicine, 2010, 15, 49-50. | 0.6 | 1 |
| 228 | First-rank symptoms: a first-rank diagnostic test?. BJ Psych Advances, 2015, 21, 147-149. | 0.7 | 1 |
| 229 | Is liaison psychiatry effective in primary care?. BJ Psych Advances, 2016, 22, 75-77. | 0.7 | 1 |
| 230 | Screening for Psychosocial Distress and Psychiatric Disorders in Medicine: From Concepts to Evidence. Integrating Psychiatry and Primary Care, 2019, , 57-78. | 0.3 | 1 |
| 231 | Memory and Executive Dysfunction Predict Complex Activities of Daily Living Impairment in Amnestic Multi-Domain Mild Cognitive Impairment. Journal of Alzheimer's Disease, 2020, 75, 1061-1069. | 2.6 | 1 |
| 232 | Early intervention for first episode psychosis: Worldwide burden of psychosis is not as severe as suggested. BMJ: British Medical Journal, 2004, 329, 401.3. | 2.3 | 1 |
| 233 | Do selective serotonin reuptake inhibitors cause suicide?: Data seem to be incorrect. BMJ: British Medical Journal, 2005, 330, 1149.3-1150. | 2.3 | 1 |
| 234 | General practice based interventions to prevent repeat episodes of deliberate self harm. GPs have to manage this problem. BMJ, The, 2002, 325, 281. | 6.0 | 1 |

| # | Article | IF | CITATIONS |
|-----|---|-------------|-----------|
| 235 | Dexamethasone for depression. American Journal of Psychiatry, 1996, 153, 1111-1112. | 7.2 | 0 |
| 236 | Self reported depressive symptoms were associated with an increased risk of mortality from stroke. Evidence-Based Mental Health, 1999, 2, 26-26. | 4. 5 | 0 |
| 237 | Neuropsychiatry and Behavioral Neuroscience. Lancet Neurology, The, 2003, 2, 514. | 10.2 | 0 |
| 238 | Mental and Behavioural Dysfunction in Movement Disorders. Lancet Neurology, The, 2003, 2, 581. | 10.2 | 0 |
| 239 | MCQs in Psychiatry. International Journal of Psychiatry in Clinical Practice, 2004, 8, 66-66. | 2.4 | O |
| 240 | Picturing Personhood: Brain Scans and Biomedical Identity. Lancet Neurology, The, 2004, 3, 504. | 10.2 | 0 |
| 241 | P3-044 CSF phosphorylated tau as a diagnostic test of Alzheimer's disease (vs non-AD) — A critical review and meta-analysis using stard guidelines. Neurobiology of Aging, 2004, 25, S364. | 3.1 | O |
| 242 | Interpretation of screening implementation studies. British Journal of Psychiatry, 2009, 195, 462-463. | 2.8 | 0 |
| 243 | Lishman's Organic Psychiatry: A Textbook of Neuropsychiatry Edited by Antony David, Simon Fleminger, Michael Kopelman, Simon Lovestone & John Mellers. Wiley-Blackwell. 2009. £120 (hb). 948pp. ISBN: 9781405118606. British Journal of Psychiatry, 2010, 197, 160-161. | 2.8 | O |
| 244 | Secondary Schizophrenia. Edited by Perminder S. Sachdev & Matcheri S. Keshavan Cambridge University Press. 2010. £70 (hb). 450pp. ISBN: 9780521856973. British Journal of Psychiatry, 2011, 198, 77-78. | 2.8 | 0 |
| 245 | ACE AND ACE-R FOR DIAGNOSIS OF DEMENTIA: A META-ANALYSIS. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, e4.170-e4. | 1.9 | O |
| 246 | Comment on "Re-examining premature mortality in anorexia nervosa: A meta-analysis redux―by Keshaviah et al. [Comprehensive Psychiatry 55 (2014) 1773–1784]. Comprehensive Psychiatry, 2015, 61, 131-132. | 3.1 | 0 |
| 247 | How have systematic reviews and meta-analyses benefited psychiatry?. BJ Psych Advances, 2016, 22, 142-144. | 0.7 | O |
| 248 | Reply. Acta Psychiatrica Scandinavica, 2016, 133, 167-167. | 4.5 | 0 |
| 249 | Delirio de parasitosis en la esclerosis múltiple: una expresión enigmática de una enfermedad pleomórfica. NeurologÃa, 2020, 35, 445-448. | 0.7 | O |
| 250 | Mini-Mental State Examination for the Detection and Prediction of Dementia in People with and without Mild Cognitive Impairment., 2020, , 149-160. | | 0 |
| 251 | Hospital management of self harm in adults in England. BMJ: British Medical Journal, 2004, 328, 1440.1. | 2.3 | O |
| 252 | Antidepressants and suicide: Risk of completed suicide is not the same as risk of deliberate self harm. BMJ: British Medical Journal, 2004, 329, 461.2. | 2.3 | 0 |

ALEX J MITCHELL

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Textbook of Clinical Neuropsychiatry (2nd edn) By David P Moore. Hodder Arnold. 2008. £115.00 (hb). 752pp. ISBN: 9780340939536. British Journal of Psychiatry, 2009, 194, 290-290. | 2.8 | О |
| 254 | Adherence, Compliance, and Discontinuation in Depression. Medical Psychiatry, 2009, , 101-116. | 0.2 | 0 |
| 255 | How to Design and Analyze Screening Studies. , 2010, , 648-651. | | O |
| 256 | The Clinician's Role in Helping Patients to Take Antidepressants as Prescribed. , 2012, , 219-236. | | 0 |
| 257 | Life After Urological Cancer – Psychological Issues. , 2015, , 323-335. | | 0 |
| 258 | The Clinician's Role in Helping Patients to Take Antidepressants as Prescribed. , 0, , . | | 0 |