
## Tae Seo Sohn

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4854193/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	High Insulin Combined With Essential Amino Acids Stimulates Skeletal Muscle Mitochondrial Protein Synthesis While Decreasing Insulin Sensitivity in Healthy Humans. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E2574-E2583.	3.6	50
2	Severe Hypoglycemia Is a Serious Complication and Becoming an Economic Burden in Diabetes. Diabetes and Metabolism Journal, 2012, 36, 280.	4.7	42
3	Prevalence and risk factors of periodontitis among adults with or without diabetes mellitus. Korean Journal of Internal Medicine, 2016, 31, 910-919.	1.7	34
4	Obesity and Hyperglycemia in Korean Men with Klinefelter Syndrome: The Korean Endocrine Society Registry. Endocrinology and Metabolism, 2016, 31, 598.	3.0	25
5	Young-onset type 2 diabetes in South Korea: a review of the current status and unmet need. Korean Journal of Internal Medicine, 2021, 36, 1049-1058.	1.7	20
6	Thyrotoxic Periodic Paralysis Presenting as Polymorphic Ventricular Tachycardia Induced by Painless Thyroiditis. Thyroid, 2009, 19, 1433-1434.	4.5	18
7	The Association between Tobacco Smoke and Serum Immunoglobulin E Levels in Korean Adults. Internal Medicine, 2017, 56, 2571-2577.	0.7	16
8	Mitochondrial TFAM as a Signaling Regulator between Cellular Organelles: A Perspective on Metabolic Diseases. Diabetes and Metabolism Journal, 2021, 45, 853-865.	4.7	16
9	Association between HOMA-IR and Lung Function in Korean Young Adults based on the Korea National Health and Nutrition Examination Survey. Scientific Reports, 2017, 7, 11726.	3.3	14
10	Effects of glucose control on arterial stiffness in patients with type 2 diabetes mellitus and hypertension: An observational study. Journal of International Medical Research, 2018, 46, 284-292.	1.0	12
11	Body Fat Is Related to Sedentary Behavior and Light Physical Activity but Not to Moderate-Vigorous Physical Activity in Type 2 Diabetes Mellitus. Diabetes and Metabolism Journal, 2020, 44, 316.	4.7	12
12	Prevalence and risk factors for reduced pulmonary function in diabetic patients: The Korea National Health and Nutrition Examination Survey. Korean Journal of Internal Medicine, 2017, 32, 682-689.	1.7	11
13	Probucol in Albuminuric Type 2 Diabetes Mellitus Patients on Renin–Angiotensin System Blockade. Arteriosclerosis, Thrombosis, and Vascular Biology, 2016, 36, 2108-2114.	2.4	6
14	The Appropriate Distance and Duration of Walking for Exercise in Patients with Type 2 Diabetes Mellitus. The Journal of Korean Diabetes Association, 2007, 31, 157.	0.1	5
15	Clinical Characteristics and Outcomes of Diabetic Ketoacidosis at a Single Institution. Korean Diabetes Journal, 2008, 32, 165.	0.8	5
16	Identification and functional analysis of a novel CaSR mutation in a family with familial hypocalciuric hypercalcemia. Journal of Bone and Mineral Metabolism, 2016, 34, 662-667.	2.7	4
17	Hemorrhoids Are Associated with Urinary Incontinence. Journal of Women's Health, 2020, 29, 1464-1468.	3.3	4
18	Glomerular filtration rate affects interpretation of pulmonary function test in a Korean general population: results from the Korea National Health and Nutrition Examination Survey 2010 to 2012. Korean Journal of Internal Medicine, 2016, 31, 1101-1109.	1.7	4

Tae Seo Sohn

#	Article	IF	CITATIONS
19	The Effect of Rosiglitazone and Metformin Therapy, as an Initial Therapy, in Patients with Type 2 Diabetes Mellitus. Korean Diabetes Journal, 2008, 32, 445.	0.8	3
20	Association between Cockroach-specific Immunoglobulin E and periodontitis in Korean male adults Based on Korean National Health and Nutrition Examination Survey. Scientific Reports, 2017, 7, 46373.	3.3	3
21	The Changes of Central Aortic Pulse Wave Analysis in Metabolic Syndrome. Korean Diabetes Journal, 2008, 32, 522.	0.8	3
22	Increased urinary albumin/creatinine ratio is associated with atopic dermatitis in Korean males: The 2011-2013 Korea National Health and Nutrition Examination Survey. Journal of the American Academy of Dermatology, 2015, 73, 874-876.	1.2	2
23	Disability of Hearing Impairment Is Positively Associated With Urine Albumin/Creatinine Ratio in Korean Adults: The 2011–2012 Korea National Health and Nutrition Examination Survey. Clinical and Experimental Otorhinolaryngology, 2016, 9, 212-219.	2.1	2
24	Long-Term Glycaemic Durability of Early Combination Therapy Strategy versus Metformin Monotherapy in Korean Patients with Newly Diagnosed Type 2 Diabetes Mellitus. Diabetes and Metabolism Journal, 2021, 45, 954-959.	4.7	2
25	Smoking as a Target for Prevention of Diabetes. Diabetes and Metabolism Journal, 2020, 44, 402.	4.7	2
26	A case of Mayer-Rokitansky-Küster-Hauser syndrome presenting as Graves disease. Journal of Pediatric Endocrinology and Metabolism, 2012, 25, 1169-71.	0.9	1
27	Hyperglycemic hyperosmolar state associated with invasive rhino-orbital aspergillosis in a patient with end-stage renal disease. Korean Journal of Internal Medicine, 2017, 32, 936-938.	1.7	1
28	Letter: Efficacy and Safety of Voglibose Plus Metformin in Patients with Type 2 Diabetes Mellitus: A Randomized Controlled Trial ( <i>Diabetes Metab J</i> 2019;43;276-86). Diabetes and Metabolism Journal, 2019, 43, 545.	4.7	1
29	Diabetic ketoacidosis and acute pancreatitis in a patient with agenesis of the dorsal pancreas. Korean Journal of Internal Medicine, 2022, 37, 484-485.	1.7	1
30	Acquired Generalized Lipodystrophy with Severe Insulin Resistant Diabetes Mellitus. The Journal of Korean Diabetes Association, 2006, 30, 487.	0.1	0
31	Two Cases of Acromegaly with Empty Sella. Journal of Korean Endocrine Society, 2006, 21, 572.	0.1	0
32	Pedometer-Determined Physical Activity in Type 2 Diabetes in Korea. The Journal of Korean Diabetes Association, 2007, 31, 83.	0.1	0
33	The Differences of Circulating Adiponectin Levels and Multimerization According to Obesity in Type 2 Diabetes Mellitus of Men. The Journal of Korean Diabetes Association, 2007, 31, 243.	0.1	0
34	Association of Spot Urine Albumin-to-Creatinine Ratio and 24 Hour-Collected Urine Albumin Excretion Rate in Patients with Type 2 Diabetes Mellitus. Korean Diabetes Journal, 2009, 33, 299.	0.8	0
35	Age at Diagnosis and the Risk of Diabetic Nephropathy in Young Patients with Type 1 Diabetes Mellitus (Diabetes Metab J 2021;45:46-54). Diabetes and Metabolism Journal, 2021, 45, 277-278.	4.7	0
36	Diabetic Nephropathy and Glomerular Filtration Rate. Korean Diabetes Journal, 2008, 32, 182.	0.8	0

Tae Seo Sohn

#	Article	IF	CITATIONS
37	The Efficacy of Fixed Dose Rosiglitazone and Metformin Combination Therapy in Poorly Controlled Subjects with Type 2 Diabetes Mellitus. Korean Diabetes Journal, 2008, 32, 506.	0.8	Ο
38	Hypoglycemia-Associated Autonomic Failure in Diabetes. Korean Clinical Diabetes, 2008, 9, 85.	0.1	0
39	Cognitive Dysfunction and Diabetes Mellitus. Korean Clinical Diabetes, 2008, 9, 273.	0.1	0
40	Letter: Comparison of the Efficacy of Rosuvastatin Monotherapy 20 mg with Rosuvastatin 5 mg and Ezetimibe 10 mg Combination Therapy on Lipid Parameters in Patients with Type 2 Diabetes Mellitus ( <i>Diabetes Metab J</i> 2019;43:582–9). Diabetes and Metabolism Journal, 2019, 43, 909.	4.7	0
41	Diabetic cystopathy preceding renal microabscess with papillary necrosis. Korean Journal of Internal Medicine, 2022, , .	1.7	0
42	High Levels of <i>Akkermansia muciniphilia</i> Growth Associated With Spring Water Ingestion Prevents Obesity and Hyperglycemia in a High-fat Diet-Induced Mouse Model. Natural Product Communications, 2022, 17, 1934578X2211110.	0.5	0