

# Simon Mark Dahl J rgensen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4854390/publications.pdf>

Version: 2024-02-01

34  
papers

1,378  
citations

687220

13  
h-index

454834

30  
g-index

34  
all docs

34  
docs citations

34  
times ranked

1968  
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of macrophages in nonalcoholic fatty liver disease and nonalcoholic steatohepatitis. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2019, 16, 145-159.	8.2	571
2	Fecal Microbiota Transplantation Is Superior to Fidaxomicin for Treatment of Recurrent <i>Clostridium difficile</i> Infection. <i>Gastroenterology</i> , 2019, 156, 1324-1332.e3.	0.6	236
3	Faecal microbiota transplantation for recurrent <i>Clostridioides difficile</i> infection: An updated systematic review and meta-analysis. <i>EClinicalMedicine</i> , 2020, 29-30, 100642.	3.2	111
4	A standardised model for stool banking for faecal microbiota transplantation: a consensus report from a multidisciplinary UEG working group. <i>United European Gastroenterology Journal</i> , 2021, 9, 229-247.	1.6	66
5	Determining Gut Microbial Dysbiosis: a Review of Applied Indexes for Assessment of Intestinal Microbiota Imbalances. <i>Applied and Environmental Microbiology</i> , 2021, 87, .	1.4	51
6	The use of Faecal Microbiota Transplantation (FMT) in Europe: A Europe-wide survey. <i>Lancet Regional Health - Europe</i> , The, 2021, 9, 100181.	3.0	43
7	Faecal microbiota transplantation: establishment of a clinical application framework. <i>European Journal of Gastroenterology and Hepatology</i> , 2017, 29, e36-e45.	0.8	33
8	Long-term effect of medical treatment of diarrhoea in 377 patients with SeHCAT scan diagnosed bile acid malabsorption from 2003 to 2016; a retrospective study. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 47, 951-957.	1.9	31
9	Recruitment of feces donors among blood donors: Results from an observational cohort study. <i>Gut Microbes</i> , 2018, 9, 1-11.	4.3	27
10	Faecal Microbiota Transplantation Eradicated Extended-Spectrum Beta-Lactamase-Producing <i>Klebsiella pneumoniae</i> from a Renal Transplant Recipient with Recurrent Urinary Tract Infections. <i>Case Reports in Nephrology and Dialysis</i> , 2019, 9, 102-107.	0.3	27
11	Vedolizumab clearance in neonates, susceptibility to infections and developmental milestones: a prospective multicentre population-based cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 1320-1329.	1.9	19
12	Systematic review with meta-analysis: encapsulated faecal microbiota transplantation “evidence for clinical efficacy. <i>Therapeutic Advances in Gastroenterology</i> , 2021, 14, 175628482110410.	1.4	18
13	Cost savings following faecal microbiota transplantation for recurrent <i>Clostridium difficile</i> infection. <i>Therapeutic Advances in Gastroenterology</i> , 2019, 12, 175628481984300.	1.4	17
14	Gut microbiota differs between treatment outcomes early after fecal microbiota transplantation against recurrent <i>Clostridioides difficile</i> infection. <i>Gut Microbes</i> , 2022, 14, .	4.3	16
15	Stool for fecal microbiota transplantation should be classified as a transplant product and not as a drug. <i>United European Gastroenterology Journal</i> , 2019, 7, 1408-1410.	1.6	15
16	Banking feces: a new frontier for public blood banks?. <i>Transfusion</i> , 2019, 59, 2776-2782.	0.8	13
17	Danish national guideline for the treatment of <i>Clostridioides difficile</i> infection and use of faecal microbiota transplantation (FMT). <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 1056-1077.	0.6	12
18	Faecal microbiota transplantation as a home therapy to frail older people. <i>Age and Ageing</i> , 2020, 49, 1093-1096.	0.7	11

#	ARTICLE	IF	CITATIONS
19	Clinical efficacy of first and second series of peptide receptor radionuclide therapy in patients with neuroendocrine neoplasm: a cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 289-297.	0.6	11
20	Health economic evaluations comparing faecal microbiota transplantation with antibiotics for treatment of recurrent <i>Clostridioides difficile</i> infection: a systematic review. <i>Health Economics Review</i> , 2021, 11, 3.	0.8	10
21	Systematic review with meta-analysis: effects of implementing a nutrition support team for in-hospital parenteral nutrition. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 560-570.	1.9	9
22	Pregnancy outcome in four women with inflammatory bowel disease treated with budesonide MMX. <i>Scandinavian Journal of Gastroenterology</i> , 2018, 53, 1459-1462.	0.6	5
23	Patient characteristics and clinical outcomes in a specialised intestinal failure unit: An observational cohort study. <i>Clinical Nutrition ESPEN</i> , 2020, 38, 253-262.	0.5	5
24	Faecal microbiota transplantation for eradication of co-infection with <i>Clostridioides difficile</i> and extensively drug-resistant KPC-producing <i>Klebsiella pneumoniae</i> . <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 626-630.	0.6	5
25	SARS-CoV-2 vaccines and donor recruitment for FMT. <i>The Lancet Gastroenterology and Hepatology</i> , 2021, 6, 264-266.	3.7	5
26	Health-related quality of life in patients with recurrent <i>Clostridioides difficile</i> infections. <i>Therapeutic Advances in Gastroenterology</i> , 2022, 15, 175628482210784.	1.4	4
27	Faecal microbiota transplantation: A life-saving therapy challenged by commercial claims for exclusivity. <i>EClinicalMedicine</i> , 2020, 24, 100436.	3.2	3
28	The Monitoring Efficacy of Neurogenic Bowel Dysfunction Treatment on Response (MENTOR) in a Non-Hospital Setting. <i>Journal of Clinical Medicine</i> , 2021, 10, 263.	1.0	2
29	Hypophosphatemia in a Specialized Intestinal Failure Unit: An Observational Cohort Study. <i>Journal of Parenteral and Enteral Nutrition</i> , 2020, 45, 1259-1267.	1.3	1
30	Prognosis of Patients with Bronchopulmonary Neuroendocrine Neoplasms in a Tertiary Neuroendocrine Tumor Centre of Excellence. <i>Neuroendocrinology</i> , 2022, 112, 1214-1224.	1.2	1
31	Letter: long-term treatment of severe bile acid diarrhoea with obeticholic acid can normalise SeHCAT retention. Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 48, 1034-1035.	1.9	0
32	Letter: post-infective bile acid malabsorption and diarrhoea. Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 50, 110-111.	1.9	0
33	Donated stool for faecal microbiota transplantation is not a drug, but guidance and regulation are needed. <i>United European Gastroenterology Journal</i> , 2020, 8, 353-354.	1.6	0
34	OUP accepted manuscript. <i>Gastroenterology Report</i> , 2022, 10, goab043.	0.6	0