

Angela Chambery

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4854555/angela-chambery-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

142
papers

2,547
citations

27
h-index

40
g-index

148
ext. papers

2,972
ext. citations

4.4
avg, IF

4.64
L-index

#	Paper	IF	Citations
142	Identification of Lactic Acid Bacteria in Food Matrices by High-Resolution Nano-LC-ESI MS/MS 2022 , 193-210		
141	Correlation of structure, function and protein dynamics in myoglobins from Eurasian woodcock, chicken and ostrich. <i>Journal of Biomolecular Structure and Dynamics</i> , 2021 , 39, 851-866	3.6	2
140	Development of a New Highly Selective Monoclonal Antibody against Preferentially Expressed Antigen in Melanoma (PRAME) and Identification of the Target Epitope by Bio-Layer Interferometry. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
139	Ageritin from Pioppino Mushroom: The Prototype of Ribotoxin-Like Proteins, a Novel Family of Specific Ribonucleases in Edible Mushrooms. <i>Toxins</i> , 2021 , 13,	4.9	6
138	ZBTB2 protein is a new partner of the Nucleosome Remodeling and Deacetylase (NuRD) complex. <i>International Journal of Biological Macromolecules</i> , 2021 , 168, 67-76	7.9	1
137	The Structural Characterization and Antipathogenic Activities of Quinoin, a Type 1 Ribosome-Inactivating Protein from Quinoa Seeds. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	5
136	Mass spectrometry-based protein and peptide profiling for food frauds, traceability and authenticity assessment. <i>Food Chemistry</i> , 2021 , 365, 130456	8.5	7
135	Differential Secretome Profiling of Human Osteoarthritic Synoviocytes Treated with Biotechnological Unsulfated and Marine Sulfated Chondroitins. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
134	The Pan-Sirtuin Inhibitor MC2494 Regulates Mitochondrial Function in a Leukemia Cell Line. <i>Frontiers in Oncology</i> , 2020 , 10, 820	5.3	4
133	Immunological effects of adjuvants in subsets of antigen presenting cells of cancer patients undergoing chemotherapy. <i>Journal of Translational Medicine</i> , 2020 , 18, 34	8.5	7
132	Cystatin B is essential for proliferation and interneuron migration in individuals with EPM1 epilepsy. <i>EMBO Molecular Medicine</i> , 2020 , 12, e11419	12	11
131	Synthetic Peptide Libraries: From Random Mixtures to In Vivo Testing. <i>Current Medicinal Chemistry</i> , 2020 , 27, 997-1016	4.3	5
130	Insights into the Interaction Mechanism of DTP3 with MKK7 by Using STD-NMR and Computational Approaches. <i>Biomedicines</i> , 2020 , 9,	4.8	3
129	Exploring the Interaction between the SWI/SNF Chromatin Remodeling Complex and the Zinc Finger Factor CTCF. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
128	Macrophage Migration Inhibitory Factor Is a Molecular Determinant of the Anti-EGFR Monoclonal Antibody Cetuximab Resistance in Human Colorectal Cancer Cells. <i>Cancers</i> , 2019 , 11,	6.6	6
127	Functional analysis of elicitors and identification of cell wall proteins in <i>Phytophthora cinnamomi</i> . <i>Physiological and Molecular Plant Pathology</i> , 2019 , 107, 21-32	2.6	3
126	Spectroscopic Characterization and Cytotoxicity Assessment towards Human Colon Cancer Cell Lines of Acylated Cycloartane Glycosides from <i>L. Molecules</i> , 2019 , 24,	4.8	4

125	Preclinical toxicology and safety pharmacology of the first-in-class GADD45 β /MKK7 inhibitor and clinical candidate, DTP3. <i>Toxicology Reports</i> , 2019 , 6, 369-379	4.8	10
124	Reliable identification of lactic acid bacteria by targeted and untargeted high-resolution tandem mass spectrometry. <i>Food Chemistry</i> , 2019 , 285, 111-118	8.5	8
123	Investigating the oxidative refolding mechanism of Cripto-1 CFC domain. <i>International Journal of Biological Macromolecules</i> , 2019 , 137, 1179-1189	7.9	1
122	Muskox myoglobin: purification, characterization and kinetics studies compared with cattle and water buffalo myoglobins. <i>Journal of the Science of Food and Agriculture</i> , 2019 , 99, 6278-6286	4.3	7
121	The striatal-enriched protein Rhes is a critical modulator of cocaine-induced molecular and behavioral responses. <i>Scientific Reports</i> , 2019 , 9, 15294	4.9	5
120	Cystatin B Involvement in Synapse Physiology of Rodent Brains and Human Cerebral Organoids. <i>Frontiers in Molecular Neuroscience</i> , 2019 , 12, 195	6.1	20
119	Phosphoproteomic analysis sheds light on intracellular signaling cascades triggered by Formyl-Peptide Receptor 2. <i>Scientific Reports</i> , 2019 , 9, 17894	4.9	12
118	Structural insights into nucleotide and protein sequence of Ageritin: a novel prototype of fungal ribotoxin. <i>Journal of Biochemistry</i> , 2019 , 165, 415-422	3.1	13
117	Interactome mapping defines BRG1, a component of the SWI/SNF chromatin remodeling complex, as a new partner of the transcriptional regulator CTCF. <i>Journal of Biological Chemistry</i> , 2019 , 294, 861-873	5.4	21
116	Clinical proof of concept for a safe and effective NF- κ B-targeting strategy in multiple myeloma. <i>British Journal of Haematology</i> , 2019 , 185, 588-592	4.5	10
115	Physiological characterization and quantitative proteomic analyses of metabolically engineered E. coli K4 strains with improved pathways for capsular polysaccharide biosynthesis. <i>Biotechnology and Bioengineering</i> , 2018 , 115, 1801-1814	4.9	7
114	Cationic nucleopeptides as novel non-covalent carriers for the delivery of peptide nucleic acid (PNA) and RNA oligomers. <i>Bioorganic and Medicinal Chemistry</i> , 2018 , 26, 2539-2550	3.4	5
113	Myoglobin from common pheasant (<i>Phasianus colchicus</i> L.): Purification and primary structure characterization. <i>Journal of Food Biochemistry</i> , 2018 , 42, e12477	3.3	6
112	A multianalytical approach to investigate the effect of nanofiltration on plasma-derived factor IX clinical lots. <i>Analytical Biochemistry</i> , 2018 , 542, 1-10	3.1	2
111	RIP1-HAT1-SIRT Complex Identification and Targeting in Treatment and Prevention of Cancer. <i>Clinical Cancer Research</i> , 2018 , 24, 2886-2900	12.9	24
110	Probing the interaction interface of the GADD45 β /MKK7 and MKK7/DTP3 complexes by chemical cross-linking mass spectrometry. <i>International Journal of Biological Macromolecules</i> , 2018 , 114, 114-123	7.9	13
109	Metabolomic approach for a rapid identification of natural products with cytotoxic activity against human colorectal cancer cells. <i>Scientific Reports</i> , 2018 , 8, 5309	4.9	26
108	Highlighting the effects of coumarin on adult plants of <i>Arabidopsis thaliana</i> (L.) Heynh. by an integrated -omic approach. <i>Journal of Plant Physiology</i> , 2017 , 213, 30-41	3.6	16

107	Molecular characterization of myoglobin from <i>Sciurus vulgaris meridionalis</i> : Primary structure, kinetics and spectroscopic studies. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2017 , 1865, 499-509	4	10
106	Ultra-performance liquid chromatography/multiple reaction monitoring mass spectrometry quantification of trastuzumab in human serum by selective monitoring of a specific peptide marker from the antibody complementarity-determining regions. <i>Rapid Communications in Mass Spectrometry</i> , 2017 , 31, 1184-1192	2.2	13
105	Trifluoroacetylated tyrosine-rich D-tetrapeptides have potent antioxidant activity. <i>Peptides</i> , 2017 , 89, 50-59	3.8	5
104	Immunodepletion of Plurivirin effector leads to loss of virulence of <i>Phytophthora plurivora</i> towards <i>Fagus sylvatica</i> . <i>Forest Pathology</i> , 2017 , 47, e12362	1.2	2
103	Structural and biochemical insights of CypA and AIF interaction. <i>Scientific Reports</i> , 2017 , 7, 1138	4.9	20
102	Phytochemical study of <i>Helichrysum italicum</i> (Roth) G. Don: Spectroscopic elucidation of unusual amino-phlorogucinols and antimicrobial assessment of secondary metabolites from medium-polar extract. <i>Phytochemistry</i> , 2016 , 132, 86-94	4	9
101	Switchable Protecting Strategy for Solid Phase Synthesis of DNA and RNA Interacting Nucleopeptides. <i>Journal of Organic Chemistry</i> , 2016 , 81, 11612-11625	4.2	16
100	Secretome profiling of cytokines and growth factors reveals that neuro-glial differentiation is associated with the down-regulation of Chemokine Ligand 2 (MCP-1/CCL2) in amniotic fluid derived-mesenchymal progenitor cells. <i>Proteomics</i> , 2016 , 16, 674-88	4.8	8
99	AMP18 interacts with the anion exchanger SLC26A3 and enhances its expression in gastric cancer cells. <i>Biochimie</i> , 2016 , 121, 151-60	4.6	10
98	Rapid detection of water buffalo ricotta adulteration or contamination by matrix-assisted laser desorption/ionisation time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2016 , 30, 497-503	2.2	16
97	De-regulated expression of the BRG1 chromatin remodeling factor in bone marrow mesenchymal stromal cells induces senescence associated with the silencing of NANOG and changes in the levels of chromatin proteins. <i>Cell Cycle</i> , 2015 , 14, 1315-26	4.7	20
96	Structural characterization of dioicin 1 from <i>Phytolacca dioica</i> L. gains novel insights into phylogenetic relationships of Phytolaccaceae type 1 RIPs. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 463, 732-8	3.4	4
95	Molecular fingerprint of the alcoholic Grappa beverage by mass spectrometry techniques. <i>Food Research International</i> , 2015 , 72, 106-114	7	7
94	Structural Elucidation of Saponins: A Combined Approach Based on High-Resolution Spectroscopic Techniques. <i>Studies in Natural Products Chemistry</i> , 2015 , 45, 85-120	1.5	2
93	A targeted secretome profiling by multiplexed immunoassay revealed that secreted chemokine ligand 2 (MCP-1/CCL2) affects neural differentiation in mesencephalic neural progenitor cells. <i>Proteomics</i> , 2015 , 15, 714-24	4.8	9
92	Activation of 5-HT7 receptor stimulates neurite elongation through mTOR, Cdc42 and actin filaments dynamics. <i>Frontiers in Behavioral Neuroscience</i> , 2015 , 9, 62	3.5	35
91	Insight into the structural and functional features of myoglobin from <i>Hystrix cristata</i> L. and <i>Rangifer tarandus</i> L.. <i>RSC Advances</i> , 2015 , 5, 26388-26401	3.7	4
90	Evaluation of salivary adiponectin profile in obese patients. <i>Peptides</i> , 2015 , 63, 150-5	3.8	20

89	Strategies of attack and defence in woody plant-Phytophthora interactions. <i>Forest Pathology</i> , 2014 , 44, 169-190	1.2	76
88	Ribosome-inactivating Proteins from Phytolaccaceae 2014 , 28-43		1
87	Cancer-selective targeting of the NF- κ B survival pathway with GADD45 β /MKK7 inhibitors. <i>Cancer Cell</i> , 2014 , 26, 495-508	24.3	77
86	Purification and characterization of novel cationic peroxidases from <i>Asparagus acutifolius</i> L. with biotechnological applications. <i>Molecular Biotechnology</i> , 2014 , 56, 738-46	3	8
85	Two new acylated drimane-type sesquiterpene glucosides from <i>Petrohragia saxifraga</i> . <i>Phytochemistry Letters</i> , 2014 , 7, 46-51	1.9	1
84	The cold-adapted γ -glutamyl-cysteine ligase from the psychrophile <i>Pseudoalteromonas haloplanktis</i> . <i>Biochimie</i> , 2014 , 104, 50-60	4.6	6
83	Ultra-high performance liquid chromatography tandem mass spectrometry for the detection of durum wheat contamination or adulteration. <i>Journal of Mass Spectrometry</i> , 2014 , 49, 1239-46	2.2	15
82	Immobilised peroxidases from <i>Asparagus acutifolius</i> L. seeds for olive mill waste water treatment. <i>RSC Advances</i> , 2014 , 4, 61482-61490	3.7	3
81	Saliva from obese individuals suppresses the release of aroma compounds from wine. <i>PLoS ONE</i> , 2014 , 9, e85611	3.7	70
80	Comparison of binder compositions in Pompeian wall painting styles from Insula Occidentalis. <i>Chemistry Central Journal</i> , 2014 , 8, 65		13
79	Anti-amyloidogenic property of human gastrokine 1. <i>Biochimie</i> , 2014 , 106, 91-100	4.6	14
78	Molecular profiling of the <i>Phytophthora plurivora</i> secretome: a step towards understanding the cross-talk between plant pathogenic oomycetes and their hosts. <i>PLoS ONE</i> , 2014 , 9, e112317	3.7	12
77	The effects of ohmic and conventional blanching on the nutritional, bioactive compounds and quality parameters of artichoke heads. <i>LWT - Food Science and Technology</i> , 2013 , 53, 569-579	5.4	67
76	A comparative structural and bioanalytical study of IVIG clinical lots. <i>Molecular Biotechnology</i> , 2013 , 54, 983-95	3	9
75	Insulin-like growth factor binding proteins 4 and 7 released by senescent cells promote premature senescence in mesenchymal stem cells. <i>Cell Death and Disease</i> , 2013 , 4, e911	9.8	114
74	The serotonin receptor 7 promotes neurite outgrowth via ERK and Cdk5 signaling pathways. <i>Neuropharmacology</i> , 2013 , 67, 155-67	5.5	56
73	Secretome profiling of differentiated neural mes-c-myc A1 cell line endowed with stem cell properties. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2013 , 1834, 2385-95	4	10
72	Analysis of secreted proteins. <i>Methods in Molecular Biology</i> , 2013 , 1002, 37-60	1.4	14

71	An integrated approach based on multiplexed protein array and iTRAQ labeling for in-depth identification of pathways associated to IVF outcome. <i>PLoS ONE</i> , 2013 , 8, e77303	3.7	15
70	Free-radical hydrothiolation of glycals: a thiol-ene-based synthesis of S-disaccharides. <i>Tetrahedron Letters</i> , 2012 , 53, 702-704	2	34
69	Polar and non-polar organic binder characterization in Pompeian wall paintings: comparison to a simulated painting mimicking an "a secco" technique. <i>Analytical and Bioanalytical Chemistry</i> , 2012 , 402, 3011-6	4.4	14
68	Detection of buffalo mozzarella adulteration by an ultra-high performance liquid chromatography tandem mass spectrometry methodology. <i>Journal of Mass Spectrometry</i> , 2012 , 47, 1407-14	2.2	35
67	Wheat Subtilisin/Chymotrypsin Inhibitor (WSCI) as a scaffold for novel serine protease inhibitors with a given specificity. <i>Molecular BioSystems</i> , 2012 , 8, 3335-43		11
66	Characterization of a cold-adapted glutathione synthetase from the psychrophile <i>Pseudoalteromonas haloplanktis</i> . <i>Molecular BioSystems</i> , 2012 , 8, 2405-14		11
65	De novo sequencing and characterization of a novel Bowman-Birk inhibitor from <i>Lathyrus sativus</i> L. seeds by electrospray mass spectrometry. <i>Molecular BioSystems</i> , 2012 , 8, 3232-41		4
64	Characterization of pigments and ligands in a wall painting fragment from Liternum archaeological park (Italy). <i>Journal of Separation Science</i> , 2012 , 35, 2986-93	3.4	9
63	Glycoside and peptide clustering around the octasilsesquioxane scaffold via photoinduced free-radical thiol-ene coupling. The observation of a striking glycoside cluster effect. <i>Organic and Biomolecular Chemistry</i> , 2012 , 10, 3269-77	3.9	55
62	Oleanane saponins from <i>Bellis sylvestris</i> Cyr. and evaluation of their phytotoxicity on <i>Aegilops geniculata</i> Roth. <i>Phytochemistry</i> , 2012 , 84, 125-34	4	27
61	Rapid primary structure determination of myoglobins by a complementary approach based on mass spectrometry and Edman degradation. <i>Food Chemistry</i> , 2012 , 133, 1646-1652	8.5	16
60	A novel polygalacturonase-inhibiting protein (PGIP) from <i>Lathyrus sativus</i> L. seeds. <i>Protein and Peptide Letters</i> , 2012 , 19, 820-5	1.9	9
59	Properties of a putative cambialistic superoxide dismutase from the aerotolerant bacterium <i>Streptococcus thermophilus</i> strain LMG 18311. <i>Protein and Peptide Letters</i> , 2012 , 19, 333-44	1.9	11
58	A Bowman-Birk inhibitor with anti-elastase activity from <i>Lathyrus sativus</i> L. seeds. <i>Molecular BioSystems</i> , 2011 , 7, 2500-7		10
57	Proteomic profiling of human melanoma metastatic cell line secretomes. <i>Journal of Proteome Research</i> , 2011 , 10, 4703-14	5.6	17
56	Analysis of interaction partners for eukaryotic translation elongation factor 1A M-domain by functional proteomics. <i>Biochimie</i> , 2011 , 93, 1738-46	4.6	12
55	Structure elucidation and hepatotoxicity evaluation against HepG2 human cells of neo-clerodane diterpenes from <i>Teucrium polium</i> L. <i>Phytochemistry</i> , 2011 , 72, 2037-44	4	19
54	Quantitative neuroproteomics: classical and novel tools for studying neural differentiation and function. <i>Stem Cell Reviews and Reports</i> , 2011 , 7, 77-93	6.4	11

53	Temporal proteomic profiling of embryonic stem cell secretome during cardiac and neural differentiation. <i>Proteomics</i> , 2011 , 11, 3972-82	4.8	27
52	PNA-based artificial nucleases as antisense and anti-miRNA oligonucleotide agents. <i>Molecular BioSystems</i> , 2011 , 7, 2490-9		35
51	Convergent synthesis and inclusion properties of novel C _n -symmetric triazole-linked cycloglucopyranosides. <i>Chemical Communications</i> , 2011 , 47, 1240-2	5.8	20
50	Proteomic characterization of early changes induced by triiodothyronine in rat liver. <i>Journal of Proteome Research</i> , 2011 , 10, 3212-24	5.6	17
49	Copper(I)-Catalyzed Azide-Alkyne Cycloadditions in Ionic Liquids under Amine-Free Conditions. <i>Synthesis</i> , 2010 , 2010, 2043-2048	2.9	2
48	Type 1 Ribosome-Inactivating Proteins from the Ombú Tree (<i>Phytolacca dioica</i> L.). <i>Plant Cell Monographs</i> , 2010 , 79-106	0.6	3
47	Modular approach to triazole-linked 1,6- β -D-oligomannosides to the discovery of inhibitors of Mycobacterium tuberculosis cell wall synthetase. <i>Journal of Organic Chemistry</i> , 2010 , 75, 6326-36	4.2	45
46	Proteomic analysis of human U937 cell line activation mediated by Haemophilus influenzae type b P2 porin and its surface-exposed loop 7. <i>Journal of Proteome Research</i> , 2010 , 9, 1050-62	5.6	21
45	Photoinduced addition of glycosyl thiols to alkynyl peptides: use of free-radical thiol-yne coupling for post-translational double-glycosylation of peptides. <i>Journal of Organic Chemistry</i> , 2010 , 75, 4644-7	4.2	87
44	The role of the glycan moiety on the structure-function relationships of PD-L1, type 1 ribosome-inactivating protein from <i>P. dioica</i> leaves. <i>Molecular BioSystems</i> , 2010 , 6, 570-9		11
43	Pathways affected by 3,5-diiodo-L-thyronine in liver of high fat-fed rats: evidence from two-dimensional electrophoresis, blue-native PAGE, and mass spectrometry. <i>Molecular BioSystems</i> , 2010 , 6, 2256-71		33
42	Quantification of thyrotropin-releasing hormone by liquid chromatography-electrospray mass spectrometry. <i>Amino Acids</i> , 2010 , 38, 1031-41	3.5	3
41	Proteomic profiling of medial degeneration in human ascending aorta. <i>Clinical Biochemistry</i> , 2010 , 43, 387-96	3.5	10
40	Characterization and putative role of a type I gonadotropin-releasing hormone in the cephalochordate amphioxus. <i>Endocrinology</i> , 2009 , 150, 812-20	4.8	20
39	Rat mitochondrial manganese superoxide dismutase: amino acid positions involved in covalent modifications, activity, and heat stability. <i>Biopolymers</i> , 2009 , 91, 1215-26	2.2	26
38	Crystal structure of PD-L1, a ribosome inactivating protein from <i>Phytolacca dioica</i> L. leaves with the property to induce DNA cleavage. <i>Biopolymers</i> , 2009 , 91, 1135-42	2.2	15
37	Improved procedure for protein binder analysis in mural painting by LC-ESI/Q-q-TOF mass spectrometry: detection of different milk species by casein proteotypic peptides. <i>Analytical and Bioanalytical Chemistry</i> , 2009 , 395, 2281-91	4.4	46
36	Peptide fingerprint of high quality Campania white wines by MALDI-TOF mass spectrometry. <i>Food Chemistry</i> , 2009 , 113, 1283-1289	8.5	48

35	Qualitative and quantitative proteomic profiling of cripto(-/-) embryonic stem cells by means of accurate mass LC-MS analysis. <i>Journal of Proteome Research</i> , 2009 , 8, 1047-58	5.6	16
34	Proteomic profiling of proliferating and differentiated neural mes-c-myc A1 cell line from mouse embryonic mesencephalon by LC-MS. <i>Journal of Proteome Research</i> , 2009 , 8, 227-38	5.6	17
33	Structural characterization and comparative modeling of PD-Ls 1-3, type 1 ribosome-inactivating proteins from summer leaves of <i>Phytolacca dioica</i> L. <i>Biochimie</i> , 2009 , 91, 352-63	4.6	33
32	Redesigning the reactive site loop of the wheat subtilisin/chymotrypsin inhibitor (WSCI) by site-directed mutagenesis. A protein-protein interaction study by affinity chromatography and molecular modeling. <i>Biochimie</i> , 2009 , 91, 1112-22	4.6	2
31	Structure/function studies on two type 1 ribosome inactivating proteins: Bouganin and lychnin. <i>Journal of Structural Biology</i> , 2009 , 168, 278-87	3.4	16
30	Structural analysis of toxic volkensin, a type 2 ribosome inactivating protein from <i>Adenia volkensii</i> Harm (kilyambiti plant): molecular modeling and surface analysis by computational methods and limited proteolysis. <i>International Journal of Biological Macromolecules</i> , 2009 , 45, 407-13	7.9	1
29	Differential cold-adaptation among protein components of the thioredoxin system in the psychrophilic eubacterium <i>Pseudoalteromonas haloplanktis</i> TAC 125. <i>Molecular BioSystems</i> , 2009 , 5, 519-28		14
28	Single and dual glycoside clustering around calix[4]arene scaffolds via click thiol-ene coupling and azide-alkyne cycloaddition. <i>Organic and Biomolecular Chemistry</i> , 2009 , 7, 3910-3	3.9	46
27	Combined effect of gender and caloric restriction on liver proteomic expression profile. <i>Journal of Proteome Research</i> , 2008 , 7, 2872-81	5.6	14
26	Precursor ion discovery on a hybrid quadrupole-time-of-flight mass spectrometer for gonadotropin-releasing hormone detection in complex biological mixtures. <i>Analytical Biochemistry</i> , 2008 , 374, 335-45	3.1	9
25	Analysis of nickel-binding peptides in a human hepidermoid cancer cell line by Ni-NTA affinity chromatography and mass spectrometry. <i>Protein and Peptide Letters</i> , 2008 , 15, 1126-31	1.9	2
24	Type 1 ribosome-inactivating proteins from <i>Phytolacca dioica</i> L. leaves: differential seasonal and age expression, and cellular localization. <i>Planta</i> , 2008 , 228, 963-75	4.7	22
23	Atomic resolution (1.1 Å) structure of the ribosome-inactivating protein PD-L4 from <i>Phytolacca dioica</i> L. leaves. <i>Proteins: Structure, Function and Bioinformatics</i> , 2008 , 71, 8-15	4.2	15
22	Primary structure and glycan moiety characterization of PD-Ss, type 1 ribosome-inactivating proteins from <i>Phytolacca dioica</i> L. seeds, by precursor ion discovery on a Q-TOF mass spectrometer. <i>Phytochemistry</i> , 2008 , 69, 1973-82	4	17
21	Glutathionylation of the iron superoxide dismutase from the psychrophilic eubacterium <i>Pseudoalteromonas haloplanktis</i> . <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2008 , 1784, 816-26	4	29
20	Isolation, characterization and structure-elicitor activity relationships of hibernalin and its two oxidized forms from <i>Phytophthora hibernalis</i> Carne 1925. <i>Journal of Biochemistry</i> , 2008 , 143, 131-41	3.1	4
19	Thyroid-state influence on protein-expression profile of rat skeletal muscle. <i>Journal of Proteome Research</i> , 2007 , 6, 3187-96	5.6	19
18	Invariant Ser211 is involved in the catalysis of PD-L4, type I RIP from <i>Phytolacca dioica</i> leaves. <i>Proteins: Structure, Function and Bioinformatics</i> , 2007 , 67, 209-18	4.2	26

17	Isolation and characterization of heterotepalins, type 1 ribosome-inactivating proteins from <i>Phytolacca heterotepala</i> leaves. <i>Phytochemistry</i> , 2007 , 68, 767-76	4	35
16	Crystallization and preliminary X-ray diffraction analysis of PD-L1, a highly glycosylated ribosome inactivating protein with DNase activity. <i>Protein and Peptide Letters</i> , 2007 , 14, 407-9	1.9	12
15	Crystallization and preliminary X-ray diffraction analysis of PD-L4, a ribosome inactivating protein from <i>Phytolacca dioica</i> L. leaves. <i>Protein and Peptide Letters</i> , 2007 , 14, 97-100	1.9	5
14	Characterization and kinetics studies of water buffalo (<i>Bubalus bubalis</i>) myoglobin. <i>Italian Journal of Animal Science</i> , 2007 , 6, 1210-1213	2.2	
13	Characterization of highly toxic type 2 ribosome-inactivating proteins from <i>Adenia lanceolata</i> and <i>Adenia stenodactyla</i> (Passifloraceae). <i>Toxicon</i> , 2007 , 50, 94-105	2.8	35
12	Cloning and expression of the B chain of volkensin, type 2 ribosome inactivating protein from <i>Adenia volkensii</i> harms: co-folding with the A chain for heterodimer reconstitution. <i>Protein Expression and Purification</i> , 2007 , 51, 209-15	2	6
11	The chemical synthesis of the GstI protein by NCL on a X-Met site. <i>Biopolymers</i> , 2006 , 83, 508-18	2.2	30
10	Sequence determination of lychnin, a type 1 ribosome-inactivating protein from <i>Lychnis chalconica</i> seeds. <i>Biological Chemistry</i> , 2006 , 387, 1261-6	4.5	14
9	Modeling the 3D structure of wheat subtilisin/chymotrypsin inhibitor (WSCI). Probing the reactive site with two susceptible proteinases by time-course analysis and molecular dynamics simulations. <i>Biological Chemistry</i> , 2006 , 387, 931-40	4.5	8
8	A proteomics approach to identify protein expression changes in rat liver following administration of 3,5,3-Triiodo-L-thyronine. <i>Journal of Proteome Research</i> , 2006 , 5, 2317-27	5.6	17
7	Proteomic analysis of MCF-7 cell lines expressing the zinc-finger or the proline-rich domain of retinoblastoma-interacting-zinc-finger protein. <i>Journal of Proteome Research</i> , 2006 , 5, 1176-85	5.6	17
6	Characterization and kinetics studies of water buffalo (<i>Bubalus bubalis</i>) myoglobin. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 2006 , 145, 230-8	2.3	50
5	Ribosome-inactivating proteins in edible plants and purification and characterization of a new ribosome-inactivating protein from <i>Cucurbita moschata</i> . <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2006 , 1760, 783-92	4	59
4	Psychrophilic superoxide dismutase from <i>Pseudoalteromonas haloplanktis</i> : biochemical characterization and identification of a highly reactive cysteine residue. <i>Biochimie</i> , 2006 , 88, 1377-89	4.6	37
3	Proteomic analysis of MCF-7 breast cancer cell line exposed to mitogenic concentration of 17beta-estradiol. <i>Proteomics</i> , 2006 , 6, 5973-82	4.8	33
2	Chemical synthesis of mouse cripto CFC variants. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 64, 779-88	4.2	10
1	Volkensin from <i>Adenia volkensii</i> Harms (kilyambiti plant), a type 2 ribosome-inactivating protein. <i>FEBS Journal</i> , 2004 , 271, 108-17		21