

Marjolein Visser

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4854657/marjolein-visser-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

148
papers

19,145
citations

46
h-index

138
g-index

153
ext. papers

23,339
ext. citations

5.5
avg, IF

6.31
L-index

#	Paper	IF	Citations
148	Sarcopenia: revised European consensus on definition and diagnosis. <i>Age and Ageing</i> , 2019 , 48, 16-31	3	3263
147	Gait speed and survival in older adults. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 305, 50-8	27.4	2508
146	The loss of skeletal muscle strength, mass, and quality in older adults: the health, aging and body composition study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006 , 61, 1059-64	6.4	1694
145	Strength, but not muscle mass, is associated with mortality in the health, aging and body composition study cohort. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006 , 61, 72-7	6.4	1043
144	Muscle mass, muscle strength, and muscle fat infiltration as predictors of incident mobility limitations in well-functioning older persons. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2005 , 60, 324-33	6.4	909
143	Relationship of interleukin-6 and tumor necrosis factor-alpha with muscle mass and muscle strength in elderly men and women: the Health ABC Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2002 , 57, M326-32	6.4	826
142	Low vitamin D and high parathyroid hormone levels as determinants of loss of muscle strength and muscle mass (sarcopenia): the Longitudinal Aging Study Amsterdam. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 5766-72	5.6	817
141	Dietary protein intake is associated with lean mass change in older, community-dwelling adults: the Health, Aging, and Body Composition (Health ABC) Study. <i>American Journal of Clinical Nutrition</i> , 2008 , 87, 150-5	7	782
140	Sarcopenia: alternative definitions and associations with lower extremity function. <i>Journal of the American Geriatrics Society</i> , 2003 , 51, 1602-9	5.6	686
139	Leg muscle mass and composition in relation to lower extremity performance in men and women aged 70 to 79: the health, aging and body composition study. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 897-904	5.6	609
138	Comparison of the LASA Physical Activity Questionnaire with a 7-day diary and pedometer. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 252-8	5.7	362
137	Pitfalls in the measurement of muscle mass: a need for a reference standard. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018 , 9, 269-278	10.3	294
136	Weight change and the conservation of lean mass in old age: the Health, Aging and Body Composition Study. <i>American Journal of Clinical Nutrition</i> , 2005 , 82, 872-8; quiz 915-6	7	291
135	Sarcopenia in daily practice: assessment and management. <i>BMC Geriatrics</i> , 2016 , 16, 170	4.1	270
134	Skeletal muscle mass and muscle strength in relation to lower-extremity performance in older men and women. <i>Journal of the American Geriatrics Society</i> , 2000 , 48, 381-6	5.6	222
133	Consequences of sarcopenia. <i>Clinics in Geriatric Medicine</i> , 2011 , 27, 387-99	3.8	209
132	Association between physical and cognitive function in healthy elderly: the health, aging and body composition study. <i>Neuroepidemiology</i> , 2005 , 24, 8-14	5.4	195

131	Low serum concentrations of 25-hydroxyvitamin D in older persons and the risk of nursing home admission. <i>American Journal of Clinical Nutrition</i> , 2006 , 84, 616-22; quiz 671-2	7	165
130	Tools in the assessment of sarcopenia. <i>Calcified Tissue International</i> , 2013 , 93, 201-10	3.9	155
129	The Longitudinal Aging Study Amsterdam: cohort update 2016 and major findings. <i>European Journal of Epidemiology</i> , 2016 , 31, 927-45	12.1	137
128	Abdominal diameters as indicators of visceral fat: comparison between magnetic resonance imaging and anthropometry. <i>British Journal of Nutrition</i> , 1993 , 70, 47-58	3.6	129
127	Physical activity as a determinant of change in mobility performance: the Longitudinal Aging Study Amsterdam. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 1774-81	5.6	121
126	Waist circumference and sagittal diameter reflect total body fat better than visceral fat in older men and women. The Health, Aging and Body Composition Study. <i>Annals of the New York Academy of Sciences</i> , 2000 , 904, 462-73	6.5	109
125	Change in muscle mass and muscle strength after a hip fracture: relationship to mobility recovery. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2000 , 55, M434-40	6.4	104
124	Parathyroid hormone and cardiovascular disease events: A systematic review and meta-analysis of prospective studies. <i>American Heart Journal</i> , 2013 , 165, 655-64, 664.e1-5	4.9	93
123	Poor Appetite and Dietary Intake in Community-Dwelling Older Adults. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 2190-2197	5.6	87
122	A review of the validity of malnutrition screening tools used in older adults in community and healthcare settings - A MaNuEL study. <i>Clinical Nutrition ESPEN</i> , 2018 , 24, 1-13	1.3	85
121	Association between sleep duration and mortality is mediated by markers of inflammation and health in older adults: the Health, Aging and Body Composition Study. <i>Sleep</i> , 2015 , 38, 189-95	1.1	85
120	Resting metabolic rate and diet-induced thermogenesis in young and elderly subjects: relationship with body composition, fat distribution, and physical activity level. <i>American Journal of Clinical Nutrition</i> , 1995 , 61, 772-8	7	85
119	Prevalence of protein-energy malnutrition risk in European older adults in community, residential and hospital settings, according to 22 malnutrition screening tools validated for use in adults \geq 65 years: A systematic review and meta-analysis. <i>Maturitas</i> , 2019 , 126, 80-89	5	84
118	Determinants of protein-energy malnutrition in community-dwelling older adults: a systematic review of observational studies. <i>Ageing Research Reviews</i> , 2014 , 18, 112-31	12	83
117	Early determinants for the development of undernutrition in an older general population: Longitudinal Aging Study Amsterdam. <i>British Journal of Nutrition</i> , 2011 , 106, 708-17	3.6	83
116	Development and validation of criteria for determining undernutrition in community-dwelling older men and women: The Short Nutritional Assessment Questionnaire 65+. <i>Clinical Nutrition</i> , 2012 , 31, 351-8 ^{5.9}	5.9	75
115	Type and intensity of activity and risk of mobility limitation: the mediating role of muscle parameters. <i>Journal of the American Geriatrics Society</i> , 2005 , 53, 762-70	5.6	74
114	High prevalence of undernutrition in Dutch community-dwelling older individuals. <i>Nutrition</i> , 2012 , 28, 1151-6	4.8	70

113	Recommendations for the conduct of clinical trials for drugs to treat or prevent sarcopenia. <i>Aging Clinical and Experimental Research</i> , 2016 , 28, 47-58	4.8	69
112	Prediction equations for the estimation of body composition in the elderly using anthropometric data. <i>British Journal of Nutrition</i> , 1994 , 71, 823-33	3.6	64
111	Potentially modifiable determinants of malnutrition in older adults: A systematic review. <i>Clinical Nutrition</i> , 2019 , 38, 2477-2498	5.9	63
110	Association of 25-hydroxyvitamin D and parathyroid hormone with incident hypertension: MESA (Multi-Ethnic Study of Atherosclerosis). <i>Journal of the American College of Cardiology</i> , 2014 , 63, 1214-1222	15.1	62
109	Protein Intake and Mobility Limitation in Community-Dwelling Older Adults: the Health ABC Study. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 1705-1711	5.6	57
108	Transition to sarcopenia and determinants of transitions in older adults: a population-based study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014 , 69, 751-8	6.4	56
107	Are estimates of meaningful decline in mobility performance consistent among clinically important subgroups? (Health ABC study). <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2014 , 69, 1260-8	6.4	55
106	Effect of Multinutrient Supplementation and Food-Related Behavioral Activation Therapy on Prevention of Major Depressive Disorder Among Overweight or Obese Adults With Subsyndromal Depressive Symptoms: The MoodFOOD Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 858-868	27.4	54
105	Relation of vitamin D and parathyroid hormone to cardiac biomarkers and to left ventricular mass (from the Cardiovascular Health Study). <i>American Journal of Cardiology</i> , 2013 , 111, 418-24	3	52
104	Equalization of four cardiovascular risk algorithms after systematic recalibration: individual-participant meta-analysis of 86 prospective studies. <i>European Heart Journal</i> , 2019 , 40, 621-631	9.5	52
103	Serum parathyroid hormone in relation to all-cause and cardiovascular mortality: the Hoorn study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E638-45	5.6	48
102	Diet quality in persons with and without depressive and anxiety disorders. <i>Journal of Psychiatric Research</i> , 2018 , 106, 1-7	5.2	46
101	Effect of a high protein diet and/or resistance exercise on the preservation of fat free mass during weight loss in overweight and obese older adults: a randomized controlled trial. <i>Nutrition Journal</i> , 2017 , 16, 10	4.3	45
100	Prevention of depression through nutritional strategies in high-risk persons: rationale and design of the MoodFOOD prevention trial. <i>BMC Psychiatry</i> , 2016 , 16, 192	4.2	45
99	Management of Malnutrition in Older Patients-Current Approaches, Evidence and Open Questions. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	45
98	Hip Fractures Risk in Older Men and Women Associated With DXA-Derived Measures of Thigh Subcutaneous Fat Thickness, Cross-Sectional Muscle Area, and Muscle Density. <i>Journal of Bone and Mineral Research</i> , 2015 , 30, 1414-21	6.3	43
97	The association between dietary patterns derived by reduced rank regression and depressive symptoms over time: the Invecchiare in Chianti (InCHIANTI) study. <i>British Journal of Nutrition</i> , 2016 , 115, 2145-53	3.6	43
96	The SNAQ(RC), an easy traffic light system as a first step in the recognition of undernutrition in residential care. <i>Journal of Nutrition, Health and Aging</i> , 2010 , 14, 83-9	5.2	36

95	Multi-frequency bioelectrical impedance for assessing total body water and extracellular water in elderly subjects. <i>European Journal of Clinical Nutrition</i> , 1995 , 49, 256-66	5.2	36
94	Plasma phospholipid PUFAs are associated with greater muscle and knee extension strength but not with changes in muscle parameters in older adults. <i>Journal of Nutrition</i> , 2015 , 145, 105-12	4.1	35
93	Self-reported adherence to the physical activity recommendation and determinants of misperception in older adults. <i>Journal of Aging and Physical Activity</i> , 2014 , 22, 226-34	1.6	35
92	The mediation effect of emotional eating between depression and body mass index in the two European countries Denmark and Spain. <i>Appetite</i> , 2016 , 105, 500-8	4.5	35
91	Determinants of Incident Malnutrition in Community-Dwelling Older Adults: A MaNuEL Multicohort Meta-Analysis. <i>Journal of the American Geriatrics Society</i> , 2018 , 66, 2335-2343	5.6	34
90	Prospective associations of poor diet quality with long-term incidence of protein-energy malnutrition in community-dwelling older adults: the Health, Aging, and Body Composition (Health ABC) Study. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 155-164	7	33
89	Self- Perception of Body Weight Status in Older Dutch Adults. <i>Journal of Nutrition, Health and Aging</i> , 2015 , 19, 612-8	5.2	31
88	Total and sports activity in older men and women: relation with body fat distribution. <i>American Journal of Epidemiology</i> , 1997 , 145, 752-61	3.8	31
87	Eating styles in major depressive disorder: Results from a large-scale study. <i>Journal of Psychiatric Research</i> , 2018 , 97, 38-46	5.2	31
86	A critical appraisal of nutritional intervention studies in malnourished, community dwelling older persons. <i>Clinical Nutrition</i> , 2016 , 35, 1008-14	5.9	30
85	Effectiveness of nutritional interventions in older adults at risk of malnutrition across different health care settings: Pooled analyses of individual participant data from nine randomized controlled trials. <i>Clinical Nutrition</i> , 2019 , 38, 1797-1806	5.9	29
84	Development of a Model on Determinants of Malnutrition in Aged Persons: A MaNuEL Project. <i>Gerontology and Geriatric Medicine</i> , 2019 , 5, 2333721419858438	2.3	29
83	Validity of nutritional screening with MUST and SNAQ in hospital outpatients. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 738-42	5.2	29
82	Density of fat-free body mass: relationship with race, age, and level of body fatness. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 1997 , 272, E781-7	6	28
81	Prevalence of malnutrition using harmonized definitions in older adults from different settings - A MaNuEL study. <i>Clinical Nutrition</i> , 2019 , 38, 2389-2398	5.9	28
80	Validation of dietary history method in a group of elderly women using measurements of total energy expenditure. <i>British Journal of Nutrition</i> , 1995 , 74, 775-85	3.6	28
79	The association between depression and eating styles in four European countries: The MoodFOOD prevention study. <i>Journal of Psychosomatic Research</i> , 2018 , 108, 85-92	4.1	27
78	Effects of a dietetic treatment in older, undernourished, community-dwelling individuals in primary care: a randomized controlled trial. <i>European Journal of Nutrition</i> , 2013 , 52, 1939-48	5.2	26

77	Specific food preferences of older adults with a poor appetite. A forced-choice test conducted in various care settings. <i>Appetite</i> , 2015 , 90, 168-75	4.5	25
76	Adherence to dietary guidelines for fruit, vegetables and fish among older Dutch adults; the role of education, income and job prestige. <i>Journal of Nutrition, Health and Aging</i> , 2014 , 18, 115-21	5.2	25
75	Joint Association of Low Vitamin D and Vitamin K Status With Blood Pressure and Hypertension. <i>Hypertension</i> , 2017 , 69, 1165-1172	8.5	24
74	Plasma 1,25-Dihydroxyvitamin D and the Risk of Developing Hypertension: The Prevention of Renal and Vascular End-Stage Disease Study. <i>Hypertension</i> , 2015 , 66, 563-70	8.5	24
73	Depression and eating styles are independently associated with dietary intake. <i>Appetite</i> , 2019 , 134, 103-110	4.5	24
72	Association of dietary patterns with depressive symptoms: a harmonised meta-analysis of observational studies. <i>Psychological Medicine</i> , 2020 , 50, 1872-1883	6.9	24
71	Vitamin D, PTH and the risk of overall and disease-specific mortality: Results of the Longitudinal Aging Study Amsterdam. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016 , 164, 386-394	5.1	23
70	Body Mass Index Trajectories in Relation to Change in Lean Mass and Physical Function: The Health, Aging and Body Composition Study. <i>Journal of the American Geriatrics Society</i> , 2015 , 63, 1615-21	5.6	23
69	The Mindful Eating Behavior Scale: Development and Psychometric Properties in a Sample of Dutch Adults Aged 55 Years and Older. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2018 , 118, 1277-1290	3.9	22
68	Oral health determinants of incident malnutrition in community-dwelling older adults. <i>Journal of Dentistry</i> , 2019 , 85, 73-80	4.8	21
67	Past and current smoking in relation to body fat distribution in older men and women. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 1999 , 54, M293-8	6.4	21
66	Appetite and Protein Intake Strata of Older Adults in the European Union: Socio-Demographic and Health Characteristics, Diet-Related and Physical Activity Behaviours. <i>Nutrients</i> , 2019 , 11,	6.7	20
65	Motivations to eat healthily in older Dutch adults--a cross sectional study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 141	8.4	20
64	Bidirectional associations between food groups and depressive symptoms: longitudinal findings from the Invecchiare in Chianti (InCHIANTI) study. <i>British Journal of Nutrition</i> , 2019 , 121, 439-450	3.6	20
63	Comparison of protein intake per eating occasion, food sources of protein and general characteristics between community-dwelling older adults with a low and high protein intake. <i>Clinical Nutrition ESPEN</i> , 2019 , 29, 165-174	1.3	19
62	Development and validation of a short food questionnaire to screen for low protein intake in community-dwelling older adults: The Protein Screener 55+ (Pro55+). <i>PLoS ONE</i> , 2018 , 13, e0196406	3.7	19
61	Prevalence of protein intake below recommended in community-dwelling older adults: a meta-analysis across cohorts from the PROMISS consortium. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2020 , 11, 1212-1222	10.3	18
60	The intestinal microbiota, energy balance, and malnutrition: emphasis on the role of short-chain fatty acids. <i>Expert Review of Endocrinology and Metabolism</i> , 2017 , 12, 215-226	4.1	17

59	Perspectives on the Causes of Undernutrition of Community-Dwelling Older Adults: A Qualitative Study. <i>Journal of Nutrition, Health and Aging</i> , 2017 , 21, 1200-1209	5.2	16
58	Associations of AD Biomarkers and Cognitive Performance with Nutritional Status: The NUDAD Project. <i>Nutrients</i> , 2019 , 11,	6.7	16
57	Associations of depressive symptoms and history with three a priori diet quality indices in middle-aged and older adults. <i>Journal of Affective Disorders</i> , 2019 , 249, 394-403	6.6	16
56	Update on the ESCEO recommendation for the conduct of clinical trials for drugs aiming at the treatment of sarcopenia in older adults. <i>Aging Clinical and Experimental Research</i> , 2021 , 33, 3-17	4.8	16
55	Vitamin B, homocysteine and depressive symptoms: a longitudinal study among older adults. <i>European Journal of Clinical Nutrition</i> , 2017 , 71, 468-475	5.2	15
54	Development and application of a scoring system to rate malnutrition screening tools used in older adults in community and healthcare settings - A MaNuEL study. <i>Clinical Nutrition</i> , 2019 , 38, 1807-1819	5.9	15
53	Trends across 20 years in multiple indicators of functioning among older adults in the Netherlands. <i>European Journal of Public Health</i> , 2019 , 29, 1096-1102	2.1	14
52	Higher Plasma Phospholipid n-3 PUFAs, but Lower n-6 PUFAs, Are Associated with Lower Pulse Wave Velocity among Older Adults. <i>Journal of Nutrition</i> , 2015 , 145, 2317-24	4.1	14
51	Is the topic of malnutrition in older adults addressed in the European nursing curricula? A MaNuEL study. <i>Nurse Education Today</i> , 2018 , 68, 13-18	3.7	14
50	Targeting the underlying causes of undernutrition. Cost-effectiveness of a multifactorial personalized intervention in community-dwelling older adults: A randomized controlled trial. <i>Clinical Nutrition</i> , 2017 , 36, 1498-1508	5.9	13
49	Joint action malnutrition in the elderly (MaNuEL) knowledge hub: summary of project findings. <i>European Geriatric Medicine</i> , 2020 , 11, 169-177	3	13
48	Efficacy of non-pharmacological interventions to treat malnutrition in older persons: A systematic review and meta-analysis. The SENATOR project ONTOP series and MaNuEL knowledge hub project. <i>Ageing Research Reviews</i> , 2019 , 49, 27-48	12	13
47	The Association of Olfactory Function with BMI, Appetite, and Prospective Weight Change in Dutch Community-Dwelling Older Adults. <i>Journal of Nutrition, Health and Aging</i> , 2019 , 23, 746-752	5.2	12
46	Generation shifts in smoking over 20 years in two Dutch population-based cohorts aged 20-100 years. <i>BMC Public Health</i> , 2015 , 15, 142	4.1	12
45	A Suboptimal Diet is Associated with Poorer Cognition: The NUDAD Project. <i>Nutrients</i> , 2020 , 12,	6.7	11
44	Olfactory and gustatory functioning and food preferences of patients with Alzheimer® disease and mild cognitive impairment compared to controls: the NUDAD project. <i>Journal of Neurology</i> , 2020 , 267, 144-152	5.5	11
43	Undernutrition in nursing home rehabilitation patients. <i>Clinical Nutrition</i> , 2017 , 36, 755-759	5.9	10
42	Effect of Early Individualized Dietary Counseling on Weight Loss, Complications, and Length of Hospital Stay in Patients With Head and Neck Cancer: A Comparative Study. <i>Nutrition and Cancer</i> , 2015 , 67, 1093-103	2.8	10

41	Relevant outcomes for nutrition interventions to treat and prevent malnutrition in older people: a collaborative senator-ontop and manuel delphi study. <i>European Geriatric Medicine</i> , 2018 , 9, 243-248	3	10
40	Sex-and race-specific associations of protein intake with change in muscle mass and physical function in older adults: the Health, Aging, and Body Composition (Health ABC) Study. <i>American Journal of Clinical Nutrition</i> , 2020 , 112, 84-95	7	9
39	Trends in lifestyle among three cohorts of adults aged 55-64 years in 1992/1993, 2002/2003 and 2012/2013. <i>European Journal of Public Health</i> , 2018 , 28, 564-570	2.1	9
38	Energy intake and expenditure in patients with Alzheimer® disease and mild cognitive impairment: the NUDAD project. <i>Alzheimer's Research and Therapy</i> , 2020 , 12, 116	9	9
37	Low protein intake, physical activity, and physical function in European and North American community-dwelling older adults: a pooled analysis of four longitudinal aging cohorts. <i>American Journal of Clinical Nutrition</i> , 2021 , 114, 29-41	7	9
36	Energy and Protein Intake of Alzheimer® Disease Patients Compared to Cognitively Normal Controls: Systematic Review. <i>Journal of the American Medical Directors Association</i> , 2019 , 20, 14-21	5.9	8
35	Is dietetic treatment for undernutrition in older individuals in primary care cost-effective?. <i>Journal of the American Medical Directors Association</i> , 2014 , 15, 226.e7-226.e13	5.9	8
34	Relative Validity of the HELIUS Food Frequency Questionnaire for Measuring Dietary Intake in Older Adult Participants of the Longitudinal Aging Study Amsterdam. <i>Nutrients</i> , 2020 , 12,	6.7	8
33	Nutrition education on malnutrition in older adults in European medical schools: need for improvement?. <i>European Geriatric Medicine</i> , 2019 , 10, 313-318	3	7
32	Change in serum 25-hydroxyvitamin D and parallel change in depressive symptoms in Dutch older adults. <i>European Journal of Endocrinology</i> , 2018 , 179, 239-249	6.5	7
31	No specific effect of fluoxetine treatment on fasting glucose, insulin, lipid levels, and blood pressure in healthy men with abdominal obesity. <i>Obesity</i> , 1994 , 2, 152-9		7
30	A higher protein intake at breakfast and lunch is associated with a higher total daily protein intake in older adults: a post-hoc cross-sectional analysis of four randomised controlled trials. <i>Journal of Human Nutrition and Dietetics</i> , 2021 , 34, 384-394	3.1	7
29	Predictors of Incident Malnutrition in Older Irish Adults from the Irish Longitudinal Study on Ageing Cohort-A MaNuEL study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020 , 75, 249-256	6.4	7
28	Protein for a Healthy Future: How to Increase Protein Intake in an Environmentally Sustainable Way in Older Adults in the Netherlands. <i>Journal of Nutrition</i> , 2021 , 151, 109-119	4.1	6
27	Mindful eating and change in depressive symptoms: Mediation by psychological eating styles. <i>Appetite</i> , 2019 , 133, 204-211	4.5	6
26	Poor Taste and Smell Are Associated with Poor Appetite, Macronutrient Intake, and Dietary Quality but Not with Undernutrition in Older Adults. <i>Journal of Nutrition</i> , 2021 , 151, 605-614	4.1	6
25	The authors reply: Letter on: "Pitfalls in the measurement of muscle mass: a need for a reference standard" by Clark et al. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018 , 9, 1272-1274	10.3	6
24	Epidemiology of Muscle Mass Loss with Age1-7		6

23	Nutritional Status Is Associated With Clinical Progression in Alzheimer® Disease: The NUDAD Project. <i>Journal of the American Medical Directors Association</i> , 2020 ,	5.9	5
22	Nutritional status and structural brain changes in Alzheimer® disease: The NUDAD project. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020 , 12, e12063	5.2	5
21	Depressive Symptom Clusters in Relation to Body Weight Status: Results From Two Large European Multicenter Studies. <i>Frontiers in Psychiatry</i> , 2019 , 10, 858	5	5
20	The effect of fluoxetine on body weight, body composition and visceral fat accumulation 1993 , 17, 247-53		4
19	A poor appetite or ability to eat and its association with physical function amongst community-dwelling older adults: age, gene/environment susceptibility-Reykjavik study. <i>European Journal of Ageing</i> , 2021 , 18, 405-415	3.6	4
18	Nutrition and depression: Summary of findings from the EU-funded MoodFOOD depression prevention randomised controlled trial and a critical review of the literature. <i>Nutrition Bulletin</i> , 2020 , 45, 403-414	3.5	3
17	Protein Knowledge of Older Adults and Identification of Subgroups with Poor Knowledge. <i>Nutrients</i> , 2021 , 13,	6.7	3
16	Predictors of incident malnutrition-a nutritionDay analysis in 11,923 nursing home residents. <i>European Journal of Clinical Nutrition</i> , 2021 ,	5.2	3
15	Prospective associations of protein intake parameters with muscle strength and physical performance in community-dwelling older men and women from the Quebec NuAge cohort. <i>American Journal of Clinical Nutrition</i> , 2021 , 113, 972-983	7	3
14	The Authors reply: "Dual energy X-ray absorptiometry: gold standard for muscle mass?" by Scafoglieri et al. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2018 , 9, 788-790	10.3	2
13	Associations of the oral microbiota and Candida with taste, smell, appetite and undernutrition in older adults. <i>Scientific Reports</i> , 2021 , 11, 23254	4.9	2
12	Habitual Behavior as a Mediator Between Food-Related Behavioral Activation and Change in Symptoms of Depression in the MoodFOOD Trial. <i>Clinical Psychological Science</i> , 2021 , 9, 649-665	6	2
11	Sex differences in mental health among older adults: investigating time trends and possible risk groups with regard to age, educational level and ethnicity. <i>Aging and Mental Health</i> , 2021 , 25, 2355-2364	3.5	1
10	Effects of dietary interventions on depressive symptom profiles: results from the MoodFOOD depression prevention study. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	1
9	Towards developing a Core Outcome Set for malnutrition intervention studies in older adults: a scoping review to identify frequently used research outcomes.. <i>European Geriatric Medicine</i> , 2022 , 1	3	1
8	Associations Between Nutrient Intake and Corresponding Nutritional Biomarker Levels in Blood in a Memory Clinic Cohort: The NUDAD Project. <i>Journal of the American Medical Directors Association</i> , 2020 , 21, 1436-1438	5.9	0
7	Innovative pLAnt Protein fibre and Physical activity solutions to address poor appEtite and prevent undernUTriTion in oldEr adults IAPPETITE. <i>Nutrition Bulletin</i> , 2021 , 46, 486-496	3.5	0
6	LDL cholesterol and uridine levels in blood are potential nutritional biomarkers for clinical progression in Alzheimer® disease: The NUDAD project. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2020 , 12, e12120	5.2	0

- 5 Multinutrient Supplementation for Prevention of Major Depressive Disorder in Overweight Adults-Reply. *JAMA - Journal of the American Medical Association*, **2019**, 322, 366-367 27.4
- 4 Epidemiology of Muscle Mass Loss with Age **2021**, 11-17
- 3 Measurements of Muscle Mass, Equations and Cut-off Points **2021**, 199-226
- 2 Comparative study of two birth cohorts: did the explanatory role of behavioural, social and psychological factors in educational inequalities in mortality change over time?. *BMJ Open*, **2022**, 12, e052204 3
- 1 Changes in the role of explanatory factors for socioeconomic inequalities in physical performance: a comparative study of three birth cohorts.. *International Journal for Equity in Health*, **2021**, 20, 252 4.6