

Tomoki Kimura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4855773/publications.pdf>

Version: 2024-02-01

49
papers

1,228
citations

430754

18
h-index

377752

34
g-index

58
all docs

58
docs citations

58
times ranked

1632
citing authors

#	ARTICLE	IF	CITATIONS
1	Discovery of contaminants with antagonistic activity against retinoic acid receptor in house dust. <i>Journal of Hazardous Materials</i> , 2022, 426, 127847.	6.5	15
2	Influence of light-dark cycle on delayed recovery from isoflurane anesthesia induced by hypnotics in mice. <i>Journal of Pharmacological Sciences</i> , 2021, 145, 335-339.	1.1	4
3	In vivo profiling of 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced estrogenic/anti-estrogenic effects in female estrogen-responsive reporter transgenic mice. <i>Journal of Hazardous Materials</i> , 2020, 385, 121526.	6.5	11
4	A simple method using anesthetics to test effects of sleep-inducing substances in mice. <i>Journal of Pharmacological Sciences</i> , 2020, 142, 79-82.	1.1	3
5	CpG Site-Specific Regulation of Metallothionein-1 Gene Expression. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5946.	1.8	9
6	Tri-substituted organotin compounds, but not retinoic acid, are potent ligands of complement component 8 β . <i>Journal of Toxicological Sciences</i> , 2020, 45, 581-587.	0.7	0
7	Cadmium Inhibits All-Trans-Retinoic Acid-Induced Increase of Nitroblue Tetrazolium Reduction Activity and Induces Metallothionein 1G Expression in Human Acute Myelocytic Leukemia HL-60 Cells. <i>BPB Reports</i> , 2020, 3, 34-38.	0.1	2
8	Long-term cadmium exposure enhances metallothionein-1 induction after subsequent exposure to high concentrations of cadmium in P1798 mouse lymphosarcoma cells. <i>Journal of Toxicological Sciences</i> , 2019, 44, 309-316.	0.7	9
9	Screening of House Dust from Chinese Homes for Chemicals with Liver X Receptors Binding Activities and Characterization of Atherosclerotic Activity Using an <i>in Vitro</i> Macrophage Cell Line and ApoE ^{-/-} Mice. <i>Environmental Health Perspectives</i> , 2019, 127, 117003.	2.8	50
10	Potential Interference of Oil Vehicles on Genital Tubercle Development during the Fetal Period in ICR Mice. <i>Biological and Pharmaceutical Bulletin</i> , 2018, 41, 266-271.	0.6	2
11	Utility of murine dendritic cell line DC2.4 for <i>in vitro</i> assay of skin-sensitization potential. <i>Fundamental Toxicological Sciences</i> , 2017, 4, 121-126.	0.2	1
12	Low-Concentration Tributyltin Decreases GluR2 Expression via Nuclear Respiratory Factor-1 Inhibition. <i>International Journal of Molecular Sciences</i> , 2017, 18, 1754.	1.8	7
13	The Functions of Metallothionein and ZIP and ZnT Transporters: An Overview and Perspective. <i>International Journal of Molecular Sciences</i> , 2016, 17, 336.	1.8	314
14	Transcriptional Induction of Metallothionein by Tris(pentafluorophenyl)stibane in Cultured Bovine Aortic Endothelial Cells. <i>International Journal of Molecular Sciences</i> , 2016, 17, 1381.	1.8	22
15	Male Hypogonadism Causes Obesity Associated with Impairment of Hepatic Gluconeogenesis in Mice. <i>Biological and Pharmaceutical Bulletin</i> , 2016, 39, 587-592.	0.6	13
16	Ligand Activity of Group 15 Compounds Possessing Triphenyl Substituent for the RXR and PPAR β Nuclear Receptors. <i>Biological and Pharmaceutical Bulletin</i> , 2016, 39, 1596-1603.	0.6	4
17	Zinc diethyldithiocarbamate as an inducer of metallothionein in cultured vascular endothelial cells. <i>Journal of Toxicological Sciences</i> , 2016, 41, 217-224.	0.7	16
18	Induction of metallothionein isoforms by copper diethyldithiocarbamate in cultured vascular endothelial cells. <i>Journal of Toxicological Sciences</i> , 2016, 41, 225-232.	0.7	31

#	ARTICLE	IF	CITATIONS
19	Partial contribution of the Keap1-Nrf2 system to cadmium-mediated metallothionein expression in vascular endothelial cells. <i>Toxicology and Applied Pharmacology</i> , 2016, 295, 37-46.	1.3	37
20	Chromium (VI)-induced transformation is enhanced by Zn deficiency in BALB/c 3T3 cells. <i>Journal of Toxicological Sciences</i> , 2015, 40, 383-387.	0.7	9
21	Cooperative Functions of ZnT1, Metallothionein and ZnT4 in the Cytoplasm Are Required for Full Activation of TNAP in the Early Secretory Pathway. <i>PLoS ONE</i> , 2013, 8, e77445.	1.1	34
22	Bis(l-cysteinato)zincate(II) as a coordination compound that induces metallothionein gene transcription without inducing cell-stress-related gene transcription. <i>Journal of Inorganic Biochemistry</i> , 2012, 117, 140-146.	1.5	6
23	Possible aryl hydrocarbon receptor-independent pathway of 2,3,7,8-tetrachlorodibenzo-p-dioxin-induced antiproliferative response in human breast cancer cells. <i>Toxicology Letters</i> , 2012, 211, 257-265.	0.4	30
24	Role of megalin and the soluble form of its ligand RAP in Cd-metallothionein endocytosis and Cd-metallothionein-induced nephrotoxicity in vivo. <i>Toxicology Letters</i> , 2012, 212, 91-96.	0.4	29
25	The zinc-sensing transcription factor MTF-1 mediates zinc-induced epigenetic changes in chromatin of the mouse metallothionein-I promoter. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2011, 1809, 56-62.	0.9	18
26	Chromium (VI) inhibits mouse metallothionein-I gene transcription by modifying the transcription potential of the co-activator p300. <i>Journal of Toxicological Sciences</i> , 2011, 36, 173-180.	0.7	8
27	Caspase-4 Directly Activates Caspase-9 in Endoplasmic Reticulum Stress-Induced Apoptosis in SH-SY5Y Cells. <i>Journal of Pharmacological Sciences</i> , 2011, 115, 239-243.	1.1	53
28	Molecular Mechanisms of Zinc-mediated Induction and Chromium(VI)-mediated Inhibition of Mouse Metallothionein-I Gene Transcription. <i>Journal of Health Science</i> , 2010, 56, 161-166.	0.9	5
29	Ethanol-induced expression of glutamate-cysteine ligase catalytic subunit gene is mediated by NF- κ B. <i>Toxicology Letters</i> , 2009, 185, 110-115.	0.4	26
30	Metal Response Element-binding Transcription Factor-1 Is Activated by Degradation of Metallothionein. <i>Journal of Health Science</i> , 2009, 55, 72-76.	0.9	6
31	Mechanisms of Heavy Metal Sensing by Metal Response Element-binding Transcription Factor-1. <i>Journal of Health Science</i> , 2009, 55, 484-494.	0.9	27
32	Chromium(VI) inhibits mouse metallothionein-I gene transcription by preventing the zinc-dependent formation of an MTF-1-p300 complex. <i>Biochemical Journal</i> , 2008, 415, 477-482.	1.7	29
33	Zinc-Induced Formation of a Coactivator Complex Containing the Zinc-Sensing Transcription Factor MTF-1, p300/CBP, and Sp1. <i>Molecular and Cellular Biology</i> , 2008, 28, 4275-4284.	1.1	64
34	Metallothionein Induction by Hypoxia Involves Cooperative Interactions between Metal-Responsive Transcription Factor-1 and Hypoxia-Inducible Transcription Factor-1 β . <i>Molecular Cancer Research</i> , 2008, 6, 483-490.	1.5	70
35	Function of Metallothionein in Gene Expression and Signal Transduction: Newly Found Protective Role of Metallothionein. <i>Journal of Health Science</i> , 2008, 54, 251-260.	0.9	28
36	Engineering expression of polyphosphate confers cadmium resistance in tobacco. <i>Journal of Toxicological Sciences</i> , 2008, 33, 371-373.	0.7	8

#	ARTICLE	IF	CITATIONS
37	Role of metal-responsive transcription factor-1 (MTF-1) in EGF-dependent DNA synthesis in primary hepatocytes. <i>Journal of Cellular Biochemistry</i> , 2006, 99, 485-494.	1.2	8
38	The Zinc-Sensing Mechanism of Mouse MTF-1 Involves Linker Peptides between the Zinc Fingers. <i>Molecular and Cellular Biology</i> , 2006, 26, 5580-5587.	1.1	59
39	C-terminal deletion mutant of MRE-binding transcription factor-1 inhibits MRE-driven gene expression. <i>Journal of Cellular Biochemistry</i> , 2004, 93, 609-618.	1.2	9
40	Protective Effect of Zinc against Lipopolysaccharide/D-Galactosamine-Induced Lethality.. <i>Journal of Health Science</i> , 2003, 49, 40-44.	0.9	4
41	MRE-binding transcription factor-1 is activated during endotoxemia: a central role for metallothionein. <i>Toxicology Letters</i> , 2002, 129, 77-84.	0.4	16
42	Sensitivity of Metallothionein-Null Mice to LPS/-Galactosamine-Induced Lethality. <i>Biochemical and Biophysical Research Communications</i> , 2001, 280, 358-362.	1.0	38
43	Metallothionein-Null Mice Are Sensitive to Endotoxine/D-Galactosamine-Induced Hepatotoxicity.. <i>Journal of Health Science</i> , 2001, 47, 310-313.	0.9	5
44	Hepatic Zinc Response via Metallothionein Induction after Tumor Transplantation. <i>Biochemical and Biophysical Research Communications</i> , 2000, 270, 1140-1143.	1.0	9
45	Metallothionein-Null Mice Express Altered Genes during Development. <i>Biochemical and Biophysical Research Communications</i> , 2000, 270, 458-461.	1.0	15
46	Effect of Metallothionein on Doxorubicin-induced Hepatotoxicity(PROCEEDINGS OF 24TH SYMPOSIUM) Tj ETQq0 0,0 rgBT /Overlock 10	0.9	0
47	Synergistic activation of mouse metallothionein-I gene by interleukin-6 and glucocorticoid. , 1999, , 267-272.		3
48	Tissue accumulation of cadmium following oral administration to metallothionein-null mice. <i>Toxicology Letters</i> , 1998, 99, 85-90.	0.4	23
49	Metallothionein-independent hepatoprotection by zinc and sakuraso-saponin. <i>Toxicology Letters</i> , 1997, 93, 135-140.	0.4	18