
Wolfgang Lutz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4857113/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Physiological activation and co-activation in an imagery-based treatment for test anxiety. Psychotherapy Research, 2022, 32, 238-248. | 1.1 | 9 |
| 2 | Are some therapists better at facilitating and consolidating sudden gains than others?. Psychotherapy Research, 2022, 32, 343-357. | 1.1 | 3 |
| 3 | For whom should psychotherapy focus on problem coping? A machine learning algorithm for treatment personalization. Psychotherapy Research, 2022, 32, 151-164. | 1.1 | 11 |
| 4 | Prospective evaluation of a clinical decision support system in psychological therapy Journal of Consulting and Clinical Psychology, 2022, 90, 90-106. | 1.6 | 57 |
| 5 | Shedding light on the effects of supportive techniques on nonverbal synchrony and their moderators in psychotherapy for depression. Psychotherapy Research, 2022, 32, 470-483. | 1.1 | 2 |
| 6 | Symptom change trajectories in patients with persistent somatic symptoms and their association to long-term treatment outcome. Psychotherapy Research, 2022, 32, 624-639. | 1.1 | 5 |
| 7 | Psychopathological networks: Theory, methods and practice. Behaviour Research and Therapy, 2022, 149, 104011. | 1.6 | 70 |
| 8 | Predicting patients who will drop out of out-patient psychotherapy using machine learning algorithms. British Journal of Psychiatry, 2022, 220, 192-201. | 1.7 | 12 |
| 9 | Data-Informed Advances and Technology Augmentation. Cognitive and Behavioral Practice, 2022, 29, 591-597. | 0.9 | 4 |
| 10 | Measurement-Based and Data-Informed Psychological Therapy. Annual Review of Clinical Psychology, 2022, 18, 71-98. | 6.3 | 35 |
| 11 | The Trier Treatment Navigator (TTN) in action: Clinical case study on dataâ€informed psychological therapy. Journal of Clinical Psychology, 2022, 78, 2016-2028. | 1.0 | 5 |
| 12 | Continuous outcome measurement in modern dataâ€informed psychotherapies. World Psychiatry, 2022, 21, 215-216. | 4.8 | 5 |
| 13 | Within and between associations of clinical microskills and correct application of techniques/strategies: A longitudinal multilevel approach Journal of Consulting and Clinical Psychology, 2022, 90, 478-490. | 1.6 | 3 |
| 14 | Why do patients go off track? Examining potential influencing factors for being at risk of psychotherapy treatment failure. Quality of Life Research, 2021, 30, 3287-3298. | 1.5 | 7 |
| 15 | Personalized treatment selection in routine care: Integrating machine learning and statistical algorithms to recommend cognitive behavioral or psychodynamic therapy. Psychotherapy Research, 2021, 31, 33-51. | 1.1 | 49 |
| 16 | Within and between associations of nonverbal synchrony in relation to Grawe's general mechanisms of change. Clinical Psychology and Psychotherapy, 2021, 28, 159-168. | 1.4 | 13 |
| 17 | The influence of extra-therapeutic social support on the association between therapeutic bond and treatment outcome. Psychotherapy Research, 2021, 31, 726-736. | 1.1 | 9 |
| 18 | Interpersonal clarification effects in Cognitive-Behavioral Therapy for depression and how they are moderated by the therapeutic alliance. Journal of Affective Disorders, 2021, 279, 662-670. | 2.0 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Psychotherapeutische Kompetenzen. , 2021, , 3-29. | | 2 |
| 20 | Psychotherapieforschung. , 2021, , 855-868. | | 0 |
| 21 | Förderung persönlicher Kompetenzen in der psychotherapeutischen Aus- und Weiterbildung. , 2021, , 31-55. | | 0 |
| 22 | Allgemeine Aufgaben in der Psychotherapie. , 2021, , 473-505. | | 0 |
| 23 | Methods of Clinical Psychology. , 2021, , . | | 0 |
| 24 | The cooperative revolution reaches clinical psychology and psychotherapy: An example from Germany. Clinical Psychology in Europe, 2021, 3, . | 0.5 | 7 |
| 25 | The Use of Digitally Assessed Stress Levels to Model Change Processes in CBT - A Feasibility Study on Seven Case Examples. Frontiers in Psychiatry, 2021, 12, 613085. | 1.3 | 17 |
| 26 | Dynamic prediction of psychological treatment outcomes: development and validation of a prediction model using routinely collected symptom data. The Lancet Digital Health, 2021, 3, e231-e240. | 5.9 | 36 |
| 27 | Exploring change in cognitive-behavioral therapy for generalized anxiety disorder—A two-arms ABAB crossed-therapist randomized clinical implementation trial Journal of Consulting and Clinical Psychology, 2021, 89, 454-468. | 1.6 | 20 |
| 28 | Matching research and practice: Prediction of individual patient progress and dropout risk for basic routine outcome monitoring. Psychotherapy Research, 2021, , 1-14. | 1.1 | 4 |
| 29 | Therapist Interventions and Skills as Predictors of Dropout in Outpatient Psychotherapy. Behavior Therapy, 2021, 52, 1489-1501. | 1.3 | 3 |
| 30 | Movement synchrony and attachment related anxiety and avoidance in social anxiety disorder Journal of Psychotherapy Integration, 2021, 31, 163-179. | 0.7 | 16 |
| 31 | Cost-effectiveness of feedback-informed psychological treatment: Evidence from the IAPT-FIT trial. Behaviour Research and Therapy, 2021, 142, 103873. | 1.6 | 16 |
| 32 | Propiedades psicométricas del Hopkins Symptom Checklist (HSCL-11) en Argentina: Un instrumento para monitoreo y feedback en psicoterapia. Revista Evaluar, 2021, 21, 33-47. | 0.1 | 1 |
| 33 | Personalization of Treatment for Patients with Childhood-Abuse-Related Posttraumatic Stress Disorder. Journal of Clinical Medicine, 2021, 10, 4522. | 1.0 | 8 |
| 34 | Transâ€ŧheoretical clinical models and the implementation of precision mental health care. World Psychiatry, 2021, 20, 380-381. | 4.8 | 6 |
| 35 | The Impact of Switching from Face-to-Face to Remote Psychological Therapy during the COVID-19 Pandemic. Psychotherapy and Psychosomatics, 2021, 90, 285-286. | 4.0 | 5 |
| 36 | Patients' and therapists' actions on the precipice of change: Session processes before sudden gains and sudden losses Journal of Psychotherapy Integration, 2021, 31, 238-256. | 0.7 | 3 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Clients' Emotional Experiences Tied to Therapist-Led (but Not Client-Led) Physiological Synchrony during Imagery Rescripting. Entropy, 2021, 23, 1556. | 1.1 | 3 |
| 38 | Associations between movement synchrony and outcome in patients with social anxiety disorder: Evidence for treatment specific effects. Psychotherapy Research, 2020, 30, 574-590. | 1.1 | 51 |
| 39 | Predicting personalized process-outcome associations in psychotherapy using machine learning approaches—A demonstration. Psychotherapy Research, 2020, 30, 300-309. | 1.1 | 30 |
| 40 | What sticks? Patients' perspectives on treatment three years after psychotherapy: A mixed-methods approach. Psychotherapy Research, 2020, 30, 739-752. | 1.1 | 3 |
| 41 | Assessing treatment integrity in personalized CBT: the inventory of therapeutic interventions and skills. Cognitive Behaviour Therapy, 2020, 49, 210-227. | 1.9 | 18 |
| 42 | A comparison of the three year course between chronic depression and depression with multiple vs. few prior episodes. Psychiatry Research, 2020, 291, 113235. | 1.7 | 7 |
| 43 | Time to get personal? The impact of researchers choices on the selection of treatment targets using the experience sampling methodology. Journal of Psychosomatic Research, 2020, 137, 110211. | 1.2 | 66 |
| 44 | Working Towards the Development and Implementation of Precision Mental Healthcare: An Example. Administration and Policy in Mental Health and Mental Health Services Research, 2020, 47, 856-861. | 1.2 | 10 |
| 45 | Is There an Evidence-Based Number of Sessions in Outpatient Psychotherapy? – A Comparison of Naturalistic Conditions across Countries. Psychotherapy and Psychosomatics, 2020, 89, 333-335. | 4.0 | 10 |
| 46 | A Development Pathway Towards Precision Mental Health Care. JAMA Psychiatry, 2020, 77, 889. | 6.0 | 48 |
| 47 | Outpatient and self-referred participants: Adherence to treatment components and outcome in an internet intervention targeting anxiety disorders. Internet Interventions, 2020, 20, 100319. | 1.4 | 6 |
| 48 | The Leeds Risk Index: Field-Test of a Stratified Psychological Treatment Selection Algorithm. Psychotherapy and Psychosomatics, 2020, 89, 189-190. | 4.0 | 8 |
| 49 | NOVA: A Tool for Explanatory Multimodal Behavior Analysis and Its Application to Psychotherapy. Lecture Notes in Computer Science, 2020, , 577-588. | 1.0 | 5 |
| 50 | Patterns of change and their relationship to outcome and follow-up in group and individual psychotherapy for depression Journal of Consulting and Clinical Psychology, 2020, 88, 757-773. | 1.6 | 8 |
| 51 | The reciprocal relationship between alliance and early treatment symptoms: A two-stage individual participant data meta-analysis Journal of Consulting and Clinical Psychology, 2020, 88, 829-843. | 1.6 | 92 |
| 52 | Patterns of early change in interpersonal problems and their relationship to nonverbal synchrony and multidimensional outcome Journal of Counseling Psychology, 2020, 67, 449-461. | 1.4 | 25 |
| 53 | Identifying change-dropout patterns during an Internet-based intervention for depression by applying the Muthen-Roy model. Cognitive Behaviour Therapy, 2020, 49, 22-40. | 1.9 | 7 |
| 54 | The Association of Therapeutic Alliance With Long-Term Outcome in a Guided Internet Intervention for Depression: Secondary Analysis From a Randomized Control Trial. Journal of Medical Internet Research, 2020, 22, e15824. | 2.1 | 24 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Chancen von E-Mental-Health und eProzessdiagnostik in der ambulanten Psychotherapie: Der Trierer Therapie Navigator. Verhaltenstherapie, 2019, 29, 145-154. | 0.3 | 1 |
| 56 | Towards integrating personalized feedback research into clinical practice: Development of the Trier Treatment Navigator (TTN). Behaviour Research and Therapy, 2019, 120, 103438. | 1.6 | 111 |
| 57 | Health economic evaluation of a web-based intervention for depression: the EVIDENT-trial, a randomized controlled study. Health Economics Review, 2019, 9, 16. | 0.8 | 13 |
| 58 | Identification of movement synchrony: Validation of windowed cross-lagged correlation and -regression with peak-picking algorithm. PLoS ONE, 2019, 14, e0211494. | 1.1 | 25 |
| 59 | Imagery-based treatment for test anxiety: A multiple-baseline open trial. Journal of Affective Disorders, 2019, 244, 187-195. | 2.0 | 15 |
| 60 | Quantification of nonverbal synchrony using linear time series analysis methods: Lack of convergent validity and evidence for facets of synchrony. Behavior Research Methods, 2019, 51, 361-383. | 2.3 | 56 |
| 61 | Mindfulness and progressive muscle relaxation as standardized sessionâ€introduction in individual therapy: A randomized controlled trial. Journal of Clinical Psychology, 2019, 75, 21-45. | 1.0 | 37 |
| 62 | What happens when the therapist leaves? The impact of therapy transfer on the therapeutic alliance and symptoms. Clinical Psychology and Psychotherapy, 2019, 26, 135-145. | 1.4 | 6 |
| 63 | Therapists' empathic accuracy toward their clients' emotions Journal of Consulting and Clinical Psychology, 2019, 87, 33-45. | 1.6 | 17 |
| 64 | Physiological synchrony and therapeutic alliance in an imagery-based treatment Journal of Counseling Psychology, 2019, 66, 508-517. | 1.4 | 32 |
| 65 | Nonverbal synchrony predicts premature termination of psychotherapy for social anxiety disorder Psychotherapy, 2019, 56, 503-513. | 0.7 | 36 |
| 66 | Relapse and Recurrence of Common Mental Health Problems after Low Intensity Cognitive Behavioural Therapy: The WYLOW Longitudinal Cohort Study. Psychotherapy and Psychosomatics, 2018, 87, 116-117. | 4.0 | 14 |
| 67 | Impact and change of attitudes toward Internet interventions within a randomized controlled trial on individuals with depression symptoms. Depression and Anxiety, 2018, 35, 421-430. | 2.0 | 27 |
| 68 | Translating Person-Specific Network Models into Personalized Treatments: Development and Demonstration of the Dynamic Assessment Treatment Algorithm for Individual Networks (DATA-IN). Psychotherapy and Psychosomatics, 2018, 87, 249-251. | 4.0 | 52 |
| 69 | Individual treatment selection for patients with posttraumatic stress disorder. Depression and Anxiety, 2018, 35, 541-550. | 2.0 | 60 |
| 70 | Linguistic analysis of patients with mood and anxiety disorders during cognitive behavioral therapy. Cognitive Behaviour Therapy, 2018, 47, 315-327. | 1.9 | 42 |
| 71 | The association between adherence and outcome in an Internet intervention for depression. Journal of Affective Disorders, 2018, 229, 443-449. | 2.0 | 70 |
| 72 | Using network analysis for the prediction of treatment dropout in patients with mood and anxiety disorders: A methodological proof-of-concept study. Scientific Reports, 2018, 8, 7819. | 1.6 | 75 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Bridging the "digital divide†A comparison of use and effectiveness of an online intervention for depression between Baby Boomers and Millennials. Journal of Affective Disorders, 2018, 236, 243-251. | 2.0 | 25 |
| 74 | Feedback-informed treatment versus usual psychological treatment for depression and anxiety: a multisite, open-label, cluster randomised controlled trial. Lancet Psychiatry,the, 2018, 5, 564-572. | 3.7 | 86 |
| 75 | Diagnostic Features of Nonverbal Synchrony in Psychotherapy: Comparing Depression and Anxiety. Cognitive Therapy and Research, 2018, 42, 539-551. | 1.2 | 35 |
| 76 | An Investigation of Module-Specific Effects of Metacognitive Training for Psychosis. Zeitschrift Fur Psychologie / Journal of Psychology, 2018, 226, 164-173. | 0.7 | 11 |
| 77 | Congruence of therapeutic bond perceptions and its relation to treatment outcome: Within- and between-dyad effects Journal of Consulting and Clinical Psychology, 2018, 86, 341-353. | 1.6 | 42 |
| 78 | Session-to-session effects of alliance ruptures in outpatient CBT: Within- and between-patient associations Journal of Consulting and Clinical Psychology, 2018, 86, 354-366. | 1.6 | 21 |
| 79 | Emotional congruence between clients and therapists and its effect on treatment outcome Journal of Counseling Psychology, 2018, 65, 51-64. | 1.4 | 38 |
| 80 | Moderators of congruent alliance between therapists and clients: A realistic accuracy model Journal of Counseling Psychology, 2018, 65, 703-714. | 1.4 | 6 |
| 81 | Nonverbal synchrony: A new approach to better understand psychotherapeutic processes and drop-out Journal of Psychotherapy Integration, 2018, 28, 367-384. | 0.7 | 80 |
| 82 | Therapist Effects on and Predictors of Non onsensual Dropout in Psychotherapy. Clinical Psychology and Psychotherapy, 2017, 24, 312-321. | 1.4 | 72 |
| 83 | Reliability of Therapist Effects in Practice-Based Psychotherapy Research: A Guide for the Planning of Future Studies. Administration and Policy in Mental Health and Mental Health Services Research, 2017, 44, 598-613. | 1.2 | 51 |
| 84 | How durable is the effect of low intensity CBT for depression and anxiety? Remission and relapse in a longitudinal cohort study. Behaviour Research and Therapy, 2017, 94, 1-8. | 1.6 | 97 |
| 85 | Sudden gains in routine care cognitive behavioral therapy for depression: A replication with extensions. Behaviour Research and Therapy, 2017, 89, 24-32. | 1.6 | 17 |
| 86 | Patients' in-session experiences and symptom change: Session-to-session effects on a within- and between-patient level. Behaviour Research and Therapy, 2017, 90, 58-66. | 1.6 | 58 |
| 87 | Improving the efficiency of psychological treatment using outcome feedback technology. Behaviour Research and Therapy, 2017, 99, 89-97. | 1.6 | 58 |
| 88 | Time to remission from mild to moderate depressive symptoms: One year results from the EVIDENT-study, an RCT of an internet intervention for depression. Behaviour Research and Therapy, 2017, 97, 154-162. | 1.6 | 24 |
| 89 | Does recruitment source moderate treatment effectiveness? A subgroup analysis from the EVIDENT study, a randomised controlled trial of an internet intervention for depressive symptoms. BMJ Open, 2017, 7, e015391. | 0.8 | 20 |
| 90 | Attitudes Towards Internet Interventions Among Psychotherapists and Individuals with Mild to Moderate Depression Symptoms. Cognitive Therapy and Research, 2017, 41, 745-756. | 1.2 | 79 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | The regression discontinuity design showed to be a valid alternative to a randomized controlled trial for estimating treatment effects. Journal of Clinical Epidemiology, 2017, 82, 94-102. | 2.4 | 16 |
| 92 | Randomized controlled trial to evaluate the effects of personalized prediction and adaptation tools on treatment outcome in outpatient psychotherapy: study protocol. BMC Psychiatry, 2017, 17, 306. | 1.1 | 30 |
| 93 | How, When, and Why Do People Change Through Psychological Interventions?—Patient-Focused Psychotherapy Research. , 2017, , 227-243. | | 4 |
| 94 | Processes of change after a sudden gain and relation to treatment outcome—Evidence for an upward spiral Journal of Consulting and Clinical Psychology, 2017, 85, 1199-1210. | 1.6 | 23 |
| 95 | Defining and Predicting Patterns of Early Response in a Web-Based Intervention for Depression. Journal of Medical Internet Research, 2017, 19, e206. | 2.1 | 31 |
| 96 | Daily affect dynamics predict early response in CBT: Feasibility and predictive validity of EMA for outpatient psychotherapy. Journal of Affective Disorders, 2016, 206, 305-314. | 2.0 | 29 |
| 97 | Effects of a Psychological Internet Intervention in the Treatment of Mild to Moderate Depressive Symptoms: Results of the EVIDENT Study, a Randomized Controlled Trial. Psychotherapy and Psychosomatics, 2016, 85, 218-228. | 4.0 | 124 |
| 98 | Clinical effectiveness of cognitive behavioral therapy for depression in routine care: A propensity score based comparison between randomized controlled trials and clinical practice. Journal of Affective Disorders, 2016, 189, 150-158. | 2.0 | 32 |
| 99 | Different people respond differently to therapy: A demonstration using patient profiling and risk stratification. Behaviour Research and Therapy, 2016, 79, 15-22. | 1.6 | 79 |
| 100 | Therapist–client agreement in assessments of clients' functioning Journal of Consulting and Clinical Psychology, 2016, 84, 1127-1134. | 1.6 | 20 |
| 101 | Therapeutic bond judgments: Congruence and incongruence Journal of Consulting and Clinical Psychology, 2015, 83, 773-784. | 1.6 | 66 |
| 102 | Research on psychotherapy integration: Building on the past, looking to the future. Psychotherapy Research, 2015, 25, 365-382. | 1.1 | 88 |
| 103 | Patient-focused and feedback research in psychotherapy: Where are we and where do we want to go?. Psychotherapy Research, 2015, 25, 625-632. | 1.1 | 89 |
| 104 | Effects of an Internet intervention (Deprexis) on severe depression symptoms: Randomized controlled trial. Internet Interventions, 2015, 2, 48-59. | 1.4 | 149 |
| 105 | Defining early positive response to psychotherapy: An empirical comparison between clinically significant change criteria and growth mixture modeling Psychological Assessment, 2015, 27, 478-488. | 1.2 | 35 |
| 106 | Benefits and challenges in practice-oriented psychotherapy research in Germany: The TK and the QS-PSY-BAY projects of quality assurance in outpatient psychotherapy. Psychotherapy Research, 2015, 25, 32-51. | 1.1 | 46 |
| 107 | A train of thought: 25 years ofPsychotherapy Research. Psychotherapy Research, 2015, 25, 277-281. | 1.1 | 8 |
| 108 | Feedback and therapist effects in the context of treatment outcome and treatment length. Psychotherapy Research, 2015, 25, 647-660. | 1.1 | 67 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | The Process-Outcome Mindfulness Effects in Trainees (PrOMET) study: protocol of a pragmatic randomized controlled trial. BMC Psychology, 2015, 3, 25. | 0.9 | 11 |
| 110 | Patterns of Change in Different Phases of Outpatient Psychotherapy: A Stageâ€Sequential Pattern Analysis of Change in Session Reports. Clinical Psychology and Psychotherapy, 2015, 22, 1-14. | 1.4 | 32 |
| 111 | Beyond words: Sensory properties of depressive thoughts. Cognition and Emotion, 2014, 28, 1047-1056. | 1.2 | 39 |
| 112 | The need for a behavioural science focus in research on mental health and mental disorders. International Journal of Methods in Psychiatric Research, 2014, 23, 28-40. | 1.1 | 38 |
| 113 | Using Item and Test Information to Optimize Targeted Assessments of Psychological Distress. Assessment, 2014, 21, 679-693. | 1.9 | 13 |
| 114 | Advancing psychotherapy and evidenceâ€based psychological interventions. International Journal of Methods in Psychiatric Research, 2014, 23, 58-91. | 1.1 | 126 |
| 115 | Affective impact and electrocortical correlates of a psychotherapeutic microintervention: An ERP study of cognitive restructuring. Psychotherapy Research, 2014, 24, 550-564. | 1.1 | 11 |
| 116 | Negative affectivity as a transdiagnostic factor in patients with common mental disorders. Journal of Affective Disorders, 2014, 166, 270-278. | 2.0 | 29 |
| 117 | Patterns of early change and their relationship to outcome and early treatment termination in patients with panic disorder Journal of Consulting and Clinical Psychology, 2014, 82, 287-297. | 1.6 | 90 |
| 118 | Patient-focused research in psychotherapy. , 2014, , 204-217. | | 4 |
| 119 | The EVIDENT-trial: protocol and rationale of a multicenter randomized controlled trial testing the effectiveness of an online-based psychological intervention. BMC Psychiatry, 2013, 13, 239. | 1.1 | 47 |
| 120 | Selfâ€Regulation and Mechanisms of Action in Psychotherapy: A Theoryâ€Based Translational Perspective. Journal of Personality, 2013, 81, 542-553. | 1.8 | 19 |
| 121 | Dose–effect relationship in routine outpatient psychotherapy: Does treatment duration matter?. Journal of Counseling Psychology, 2013, 60, 593-600. | 1.4 | 86 |
| 122 | The ups and downs of psychotherapy: Sudden gains and sudden losses identified with session reports. Psychotherapy Research, 2013, 23, 14-24. | 1.1 | 142 |
| 123 | Working along sudden gains: Responsiveness on small and subtle early changes and exceptions Psychotherapy, 2013, 50, 292-297. | 0.7 | 17 |
| 124 | Lending an Ear to Feedback Systems: Evaluation of Recovery and Non-Response in Psychotherapy in a German Outpatient Setting. Community Mental Health Journal, 2011, 47, 311-317. | 1.1 | 36 |
| 125 | The role of sampling in clinical trial design. Psychotherapy Research, 2011, 21, 243-251. | 1.1 | 14 |
| 126 | Examining differential effects of psychosocial treatments for cocaine dependence: An application of latent trajectory analyses. Drug and Alcohol Dependence, 2010, 106, 164-172. | 1.6 | 13 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Methodological background of decision rules and feedback tools for outcomes management in psychotherapy. Psychotherapy Research, 2009, 19, 502-510. | 1.1 | 24 |
| 128 | Quantitative and qualitative methods for psychotherapy research: Introduction to special section. Psychotherapy Research, 2009, 19, 369-373. | 1.1 | 30 |
| 129 | Patterns of early change and their relationship to outcome and follow-up among patients with major depressive disorders. Journal of Affective Disorders, 2009, 118, 60-68. | 2.0 | 156 |
| 130 | Process transforms inputs to determine outcomes: Therapists are responsible for managing process Clinical Psychology: Science and Practice, 2009, 16, 73-81. | 0.6 | 39 |
| 131 | What should be used for baselines against which to compare treatments' effectiveness?. Psychotherapy Research, 2009, 19, 358-367. | 1.1 | 9 |
| 132 | Enhancing outcome for potential treatment failures: Therapist–client feedback and clinical support tools. Psychotherapy Research, 2007, 17, 379-392. | 1.1 | 214 |
| 133 | Shapes of early change in psychotherapy under routine outpatient conditions Journal of Consulting and Clinical Psychology, 2007, 75, 864-874. | 1.6 | 108 |
| 134 | Therapist effects in outpatient psychotherapy: A three-level growth curve approach Journal of Counseling Psychology, 2007, 54, 32-39. | 1.4 | 195 |
| 135 | Similarities and differences between retrospective and pre–post measurements of outcome. Psychotherapy Research, 2007, 17, 359-364. | 1.1 | 16 |
| 136 | Multidimensional patterns of change in outpatient psychotherapy: The phase model revisited. Journal of Clinical Psychology, 2007, 63, 817-833. | 1.0 | 72 |
| 137 | Die Identifikation früher Veräderungsmuster in der ambulanten Psychotherapie. Zeitschrift Für Klinische Psychologie Und Psychotherapie, 2007, 36, 93-104. | 0.1 | 19 |
| 138 | Zeitliche und sequenzielle Muster von nonlinearen VerÃ ¤ derungen im Therapieverlauf. Zeitschrift Für Klinische Psychologie Und Psychotherapie, 2007, 36, 261-269. | 0.1 | 15 |
| 139 | Plötzliche Gewinne und Verluste im Behandlungsverlauf von Angststörungen, depressiven und komorbiden Störungen. Zeitschrift FÃ1⁄4r Klinische Psychologie Und Psychotherapie, 2007, 36, 298-308. | 0.1 | 14 |
| 140 | Empirically certified treatments or therapists: The issue of separability Psychotherapy, 2007, 44, 347-353. | 0.7 | 14 |
| 141 | Structure and Change of the IIP-D Pre- and Postpsychotherapy. European Journal of Psychological Assessment, 2006, 22, 98-103. | 1.7 | 22 |
| 142 | Wie effektiv sind systematische Rückmeldungen des Therapieverlaufs an den Therapeuten?. Zeitschrift Für Klinische Psychologie Und Psychotherapie, 2006, 35, 21-29. | 0.1 | 30 |
| 143 | How we really ought to be comparing treatments for clinical purposes Psychotherapy, 2006, 43, 359-361. | 0.7 | 11 |
| 144 | Empirically and clinically useful decision making in psychotherapy: Differential predictions with treatment response models Psychological Assessment, 2006, 18, 133-141. | 1.2 | 61 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | The probability of treatment success, failure and duration—what can be learned from empirical data to support decision making in clinical practice?. Clinical Psychology and Psychotherapy, 2006, 13, 223-232. | 1.4 | 84 |
| 146 | Evaluation und störungsspezifische Rückmeldung des therapeutischen Fortschritts in der Psychotherapie. Verhaltenstherapie, 2005, 15, 168-175. | 0.3 | 16 |
| 147 | Predicting change for individual psychotherapy clients on the basis of their nearest neighbors Journal of Consulting and Clinical Psychology, 2005, 73, 904-913. | 1.6 | 107 |
| 148 | The effect of therapist experience on psychotherapy outcomes. Clinical Psychology and Psychotherapy, 2005, 12, 417-426. | 1.4 | 19 |
| 149 | Zur Entwicklung von Entscheidungsregeln in der Psychotherapie. Zeitschrift Für Klinische Psychologie Und Psychotherapie, 2005, 34, 165-175. | 0.1 | 3 |
| 150 | Efficacy, effectiveness, and expected treatment response in psychotherapy. Journal of Clinical Psychology, 2003, 59, 745-750. | 1.0 | 40 |
| 151 | QualitÃ u smonitoring in der ambulanten Psychotherapie: Modellprojekt der Techniker Krankenkasse. Verhaltenstherapie, 2003, 13, 291-295. | 0.3 | 23 |
| 152 | Patient-Focused Psychotherapy Research and Individual Treatment Progress as Scientific Groundwork for an Empirically Based Clinical Practice. Psychotherapy Research, 2002, 12, 251-272. | 1.1 | 93 |
| 153 | Outcomes management, expected treatment response, and severity-adjusted provider profiling in outpatient psychotherapy. Journal of Clinical Psychology, 2002, 58, 1291-1304. | 1.0 | 46 |
| 154 | Some relationships among assessments of depression. Journal of Clinical Psychology, 2002, 58, 1545-1553. | 1.0 | 3 |
| 155 | Standing on the Shoulders of a Giant: Development of an Outcome Management System Based on the Dose Model and Phase Model of Psychotherapy. Psychotherapy Research, 2002, 12, 397-412. | 1.1 | 31 |
| 156 | Adaptive Modeling of Progress in Outpatient Psychotherapy. Psychotherapy Research, 2002, 12, 427-443. | 1.1 | 28 |
| 157 | Patient-Focused Psychotherapy Research and Individual Treatment Progress as Scientific Groundwork for an Empirically Based Clinical Practice. Psychotherapy Research, 2002, 12, 251-272. | 1.1 | 9 |
| 158 | Assessing treatment progress of individual patients using expected treatment response models Journal of Consulting and Clinical Psychology, 2001, 69, 150-158. | 1.6 | 128 |
| 159 | Prediction of dose–response relations based on patient characteristics. Journal of Clinical Psychology, 2001, 57, 889-900. | 1.0 | 85 |
| 160 | The Predicted and Observed Course of Psychotherapy for Anxiety and Mood Disorders. Journal of Nervous and Mental Disease, 2000, 188, 127-134. | 0.5 | 36 |
| 161 | Predicting patients' responses to psychotherapy: Are some more predictable than others?. Journal of Consulting and Clinical Psychology, 1999, 67, 698-704. | 1.6 | 32 |
| 162 | Patient profiling: An application of random coefficient regression models to depicting the response of a patient to outpatient psychotherapy Journal of Consulting and Clinical Psychology, 1999, 67, 571-577. | 1.6 | 99 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Exploring individual change Journal of Consulting and Clinical Psychology, 1998, 66, 838-845. | 1.6 | 47 |
| 164 | Entwicklung, Implementation und Adaptation eines mehrstufigen QualitÃæsicherungskonzepts zum kontinuierlichen Monitoring von Aus-, Weiter- und Fortbildungsveranstaltungen. Lindauer Texte, 1997, , 190-211. | 0.0 | 1 |
| 165 | Evaluation of psychotherapy: Efficacy, effectiveness, and patient progress American Psychologist, 1996, 51, 1059-1064. | 3.8 | 517 |
| 166 | Das Heidelberger Modell der Aktiven Internen Qualitï;½tssicherung stationï;½rer Psychotherapie. Psychotherapeut, 1996, 41, 25-35. | 0.1 | 12 |
| 167 | WHAT IS INDIVIDUALLY TAILORED MENTAL HEALTH CARE?. Revista Argentina De ClÃnica PsicolÓgica, 0, , . | 0.0 | 2 |