

# Luca La Colla

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4857858/publications.pdf>

Version: 2024-02-01

44  
papers

805  
citations

623574

14  
h-index

501076

28  
g-index

46  
all docs

46  
docs citations

46  
times ranked

936  
citing authors

#	ARTICLE	IF	CITATIONS
1	Respiratory Variation in Central Venous Pressure (CVP) to Guide Ventilatory Support in Coronavirus Disease 2019 (COVID-19)â€”Related Lung Injury. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021, 35, 345-347.	0.6	3
2	Out-of-Plane Versus in-Plane Radial Artery Cannulation in Adult Cardiac Surgical Patients: One Size Does Not Fit All. Time to Use a Combined Approach for Radial Artery Cannulation?. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021, 35, 1898-1899.	0.6	0
3	The Epidural â€œTest Doseâ€” Time to Rethink Our Thoracic Practice?. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021, 35, 3145.	0.6	0
4	The Year in Thoracic Anesthesia: Selected Highlights From 2020. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2021, 35, 2855-2868.	0.6	3
5	The impact of health worker gap in Italy on the COVID-19 pandemic. A good time to improve the quality of the Italian National Health System (NHS)?. <i>Journal of Infection and Public Health</i> , 2020, 13, 1253-1254.	1.9	6
6	Challenges faced by the Italian medical workforce: Author's reply. <i>Lancet, The</i> , 2020, 395, e57.	6.3	1
7	Health worker gap in Italy: the untold truth. <i>Lancet, The</i> , 2019, 394, 561-562.	6.3	8
8	Quadratus Lumborum Block as Sole, Homeostatic-Preserving Anesthetic for a Patient with Multiple System Atrophy Undergoing Open Inguinal Hernia Repair: A Case Report. <i>Case Reports in Anesthesiology</i> , 2018, 2018, 1-3.	0.2	4
9	Quadratus Lumborum Block. <i>Regional Anesthesia and Pain Medicine</i> , 2017, 42, 127-128.	1.1	6
10	Extravasated Fluid in Hip Arthroscopy and Pain: Is Quadratus Lumborum Block the Answer?. <i>Anesthesia and Analgesia</i> , 2017, 125, 364-364.	1.1	8
11	Single-shot Quadratus Lumborum Block for Postoperative Analgesia After Minimally Invasive Hip Arthroplasty. <i>Regional Anesthesia and Pain Medicine</i> , 2017, 42, 125-126.	1.1	45
12	Quadratus Lumborum Block as an Alternative to Lumbar Plexus Block for Hip Surgery. A & A Case Reports, 2017, 8, 4-6.	0.7	46
13	Selfâ€”expanding metallic stent for large bowel obstruction: evidenceâ€”based analysis results. <i>Colorectal Disease</i> , 2017, 19, 691-693.	0.7	0
14	Disposition of Remifentanyl in Obesity. <i>Anesthesiology</i> , 2017, 126, 1019-1032.	1.3	32
15	Transversus Abdominis Plane Block for Postoperative Analgesia in Patients Undergoing Total Laparoscopic Hysterectomy: A Randomized, Controlled, Observer-Blinded Trial. <i>Anesthesia and Analgesia</i> , 2016, 123, 488-492.	1.1	38
16	Is an Adductor Canal Block Really Better Than a Femoral Block for Anterior Cruciate Ligament Reconstruction?. <i>Anesthesiology</i> , 2016, 125, 1072-1073.	1.3	1
17	Lidocaine versus ropivacaine for postoperative continuous paravertebral nerve blocks in patients undergoing laparoscopic bowel surgery: a randomized, controlled, double- blinded, pilot study. <i>Local and Regional Anesthesia</i> , 2015, 8, 71.	2.8	3
18	The Use of Intravenous Infusion or Single Dose of Low-Dose Ketamine for Postoperative Analgesia: A Review of the Current Literature. <i>Pain Medicine</i> , 2015, 16, 383-403.	0.9	191

#	ARTICLE	IF	CITATIONS
19	Arterial blood pressure but not serum albumin concentration correlates with ADC ratio values in pediatric posterior reversible encephalopathy syndrome. <i>Neuroradiology</i> , 2015, 57, 721-728.	1.1	5
20	Vasogenic edema characterizes pediatric acute disseminated encephalomyelitis. <i>Neuroradiology</i> , 2014, 56, 679-684.	1.1	33
21	No Difference in Blood Loss During Endoscopic Sinus Surgery With Total Intravenous Anesthesia?. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2013, 139, 1077.	1.2	0
22	Beneficial Effects of Humidified, Warmed Carbon Dioxide Insufflation During Laparoscopic Bariatric Surgery: A Randomized Clinical Trial. What if Sample Size Calculation Made Difference?. <i>Obesity Surgery</i> , 2010, 20, 1747-1747.	1.1	1
23	Predictive Performance of the "Minto"™ Remifentanyl Pharmacokinetic Parameter Set in Morbidly Obese Patients Ensuing from a New Method for Calculating Lean Body Mass. <i>Clinical Pharmacokinetics</i> , 2010, 49, 131-139.	1.6	38
24	Temporal Hollowing following Coronal Incision: A Prospective, Randomized, Controlled Trial—Statistics Are Crucial for Drawing Adequate Conclusions in Plastic Surgery. <i>Plastic and Reconstructive Surgery</i> , 2009, 124, 312-313.	0.7	3
25	Prospective, Randomized, Double-Blind Trial of Local Anesthetic Infusion and Intravenous Narcotic Patient-Controlled Anesthesia Pump for Pain Management after Free TRAM Flap Breast Reconstruction: Are We on the Right Track?. <i>Plastic and Reconstructive Surgery</i> , 2009, 124, 320-321.	0.7	2
26	Povidone-Iodine versus Chlorhexidine in Skin Antisepsis before Elective Plastic Surgery Procedures: A Randomized Controlled Trial. Is Statistical Correctness Always Pursued?. <i>Plastic and Reconstructive Surgery</i> , 2009, 124, 340.	0.7	1
27	Letters From Our Readers. <i>Angle Orthodontist</i> , 2009, 79, i-i.	1.1	0
28	Continuous Infusion of Intraperitoneal Bupivacaine After Laparoscopic Surgery: A Randomized Controlled Trial—What about Statistical Power and Analysis?. <i>Obesity Surgery</i> , 2009, 19, 817-818.	1.1	1
29	Dipyrone Increases the Blood Flow of Arterial Dorsal Skin Flaps: Are Prospective Studies Always Properly Designed?. <i>Aesthetic Plastic Surgery</i> , 2009, 33, 257-257.	0.5	0
30	A Double-Blind, Randomized, Placebo-Controlled, Two-Dose Comparative Study of Botulinum Toxin Type A for Treating Glabellar Lines in Japanese Subjects: What If Sample Size and Statistical Tests Mattered?. <i>Aesthetic Plastic Surgery</i> , 2009, 33, 788-788.	0.5	0
31	Effects of nonpathogenic gram-negative bacterium <i>Vitreoscilla filiformis</i> lysate on atopic dermatitis: a prospective, randomized, double-blind, placebo-controlled clinical study. Does this make a real difference?. <i>British Journal of Dermatology</i> , 2009, 161, 477-478.	1.4	4
32	Prospective clinical evaluation of 1920 Morse taper connection implants: results after 4 years of functional loading. <i>Clinical Oral Implants Research</i> , 2009, 20, 254-261.	1.9	82
33	No adjustment vs. adjustment formula as input weight for propofol target-controlled infusion in morbidly obese patients. <i>European Journal of Anaesthesiology</i> , 2009, 26, 362-369.	0.7	47
34	The Use of Suction Drains in Abdominal Dermolipectomy: A Randomized Clinical Trial. Are "Significant" Findings Always So?. <i>Plastic and Reconstructive Surgery</i> , 2009, 124, 669-670.	0.7	0
35	Effects of Preoperative Local Ropivacaine Infiltration on Postoperative Pain Scores in Infants and Small Children Undergoing Elective Cleft Palate Repair. <i>Journal of Craniofacial Surgery</i> , 2009, 20, 1627-1628.	0.3	2
36	A Prospective, Randomized, Double-Blind, Controlled Trial of Continuous Local Anesthetic Infusion in Cosmetic Breast Augmentation: What Lies beyond Data?. <i>Plastic and Reconstructive Surgery</i> , 2009, 123, 1636-1637.	0.7	1

#	ARTICLE	IF	CITATIONS
37	Progressive Tension Sutures in the Prevention of Postabdominoplasty Seroma: A Prospective, Randomized, Double-Blind Clinical Trial. The Quest for Statistical Significance Goes through Sample Size Calculation. Plastic and Reconstructive Surgery, 2009, 124, 330-331.	0.7	0
38	Preoperative Gum Chewing May Increase Gastric Fluid Retention. Time to Change Our Minds and Review Current Guidelines?. Obesity Surgery, 2008, 18, 430-431.	1.1	2
39	A New Technique for the Treatment of Lagophthalmos in Patients with Stabilized Exophthalmos in Graves-Basedow Disease. Plastic and Reconstructive Surgery, 2008, 122, 213e-214e.	0.7	0
40	Greater Peripheral Blood Flow but Less Bleeding With Propofol Versus Sevoflurane During Spine Surgery. Spine, 2008, 33, 2017-2022.	1.0	26
41	Predictive performance of $\hat{\sigma}$ Servin's formula <sup>TM</sup> during BIS <sup>®</sup> -guided propofol-remifentanil target-controlled infusion in morbidly obese patients. British Journal of Anaesthesia, 2007, 98, 66-75.	1.5	43
42	Faster wash-out and recovery for desflurane vs sevoflurane in morbidly obese patients when no premedication is used. British Journal of Anaesthesia, 2007, 99, 353-358.	1.5	79
43	The use of propofol and remifentanil for the anaesthetic management of a super <sup>o</sup> bese patient. Anaesthesia, 2007, 62, 842-845.	1.8	17
44	A New Twist in Approaching Difficult Tracheal Intubation. Description of an Economic, Easy, and Effective Way: The $\hat{\Sigma}$ Way. Anesthesiology, 2007, 106, 1069-1070.	1.3	2