

Na Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4858869/publications.pdf>

Version: 2024-02-01

65
papers

1,533
citations

361045

20
h-index

344852

36
g-index

69
all docs

69
docs citations

69
times ranked

1990
citing authors

#	ARTICLE	IF	CITATIONS
1	Antibiotics in Drinking Water in Shanghai and Their Contribution to Antibiotic Exposure of School Children. <i>Environmental Science & Technology</i> , 2016, 50, 2692-2699.	4.6	203
2	Antibiotics detected in urines and adipogenesis in school children. <i>Environment International</i> , 2016, 89-90, 204-211.	4.8	132
3	Antibiotic Body Burden of Chinese School Children: A Multisite Biomonitoring-based Study. <i>Environmental Science & Technology</i> , 2015, 49, 5070-5079.	4.6	111
4	Urinary Antibiotics of Pregnant Women in Eastern China and Cumulative Health Risk Assessment. <i>Environmental Science & Technology</i> , 2017, 51, 3518-3525.	4.6	86
5	Understanding the Use of Smartphone Apps for Health Information Among Pregnant Chinese Women: Mixed Methods Study. <i>JMIR MHealth and UHealth</i> , 2019, 7, e12631.	1.8	73
6	Reduction in healthcare services during the COVID-19 pandemic in China. <i>BMJ Global Health</i> , 2020, 5, e003421.	2.0	66
7	Changes in gut microbiota and plasma inflammatory factors across the stages of colorectal tumorigenesis: a case-control study. <i>BMC Microbiology</i> , 2018, 18, 92.	1.3	64
8	Exposure of Adults to Antibiotics in a Shanghai Suburban Area and Health Risk Assessment: A Biomonitoring-Based Study. <i>Environmental Science & Technology</i> , 2018, 52, 13942-13950.	4.6	57
9	Effects of oral florfenicol and azithromycin on gut microbiota and adipogenesis in mice. <i>PLoS ONE</i> , 2017, 12, e0181690.	1.1	47
10	Predictors of urinary antibiotics in children of Shanghai and health risk assessment. <i>Environment International</i> , 2018, 121, 507-514.	4.8	44
11	Influence of Bisphenol A on Thyroid Volume and Structure Independent of Iodine in School Children. <i>PLoS ONE</i> , 2015, 10, e0141248.	1.1	38
12	Poor sleep quality and influencing factors among rural adults in Deqing, China. <i>Sleep and Breathing</i> , 2018, 22, 1213-1220.	0.9	38
13	Costs of chronic obstructive pulmonary disease in urban areas of China: a cross-sectional study in four cities. <i>International Journal of COPD</i> , 2016, Volume 11, 2625-2632.	0.9	37
14	Cancer incidence in patients with type 2 diabetes mellitus: a population-based cohort study in Shanghai. <i>BMC Cancer</i> , 2015, 15, 852.	1.1	30
15	Gender differences and determinants of prevalence, awareness, treatment and control of hypertension among adults in China and Sweden. <i>BMC Public Health</i> , 2020, 20, 1763.	1.2	30
16	Cohort profile: protocol and baseline survey for the Shanghai Suburban Adult Cohort and Biobank (SSACB) study. <i>BMJ Open</i> , 2020, 10, e035430.	0.8	30
17	Association between anthropometric indicators of obesity and cardiovascular risk factors among adults in Shanghai, China. <i>BMC Public Health</i> , 2019, 19, 1035.	1.2	28
18	Sleep quality of Shanghai residents: population-based cross-sectional study. <i>Quality of Life Research</i> , 2020, 29, 1055-1064.	1.5	28

#	ARTICLE	IF	CITATIONS
19	Enriched taxa were found among the gut microbiota of centenarians in East China. PLoS ONE, 2019, 14, e0222763.	1.1	26
20	Prevalence of anxiety and depression symptoms and their associated factors in mild COPD patients from community settings, Shanghai, China: a cross-sectional study. BMC Psychiatry, 2018, 18, 89.	1.1	24
21	Sex-Modified Effect of Hepatitis B Virus Infection on Mortality From Primary Liver Cancer. American Journal of Epidemiology, 2009, 169, 990-995.	1.6	22
22	Central But Not General Obesity Is Positively Associated with the Risk of Hyperhomocysteinemia in Middle-Aged Women. Nutrients, 2019, 11, 1614.	1.7	19
23	Effects of pre-pregnancy body mass index and gestational weight gain on neonatal birth weight in women with gestational diabetes mellitus. Early Human Development, 2018, 124, 17-21.	0.8	17
24	Obesity and Dyslipidemia in Chinese Adults: A Cross-Sectional Study in Shanghai, China. Nutrients, 2022, 14, 2321.	1.7	17
25	UCP2 and UCP3 variants and gene-environment interaction associated with prediabetes and T2DM in a rural population: a case control study in China. BMC Medical Genetics, 2018, 19, 43.	2.1	15
26	Prevalence and the Association of Body Mass Index and Other Risk Factors with Prediabetes and Type 2 Diabetes Among 50,867 Adults in China and Sweden: A Cross-Sectional Study. Diabetes Therapy, 2019, 10, 2061-2077.	1.2	15
27	Thyroid Stimulating Hormone (TSH) Is Associated With General and Abdominal Obesity: A Cohort Study in School-Aged Girls During Puberty in East China. Frontiers in Endocrinology, 2020, 11, 620.	1.5	14
28	Associations of adiposity measurements with thyroid nodules in Chinese children living in iodine-sufficient areas: an observational study. BMJ Open, 2017, 7, e016706.	0.8	13
29	Association of Metabolic Syndrome and Its Components with Decreased Estimated Glomerular Filtration Rate in Adults. Annals of Nutrition and Metabolism, 2019, 75, 168-178.	1.0	12
30	Prevalences of metabolic syndrome and its sex-specific association with socioeconomic status in rural China: a cross-sectional study. BMC Public Health, 2021, 21, 2033.	1.2	12
31	Association of hypertriglyceridemic waist phenotype with renal function impairment: a cross-sectional study in a population of Chinese adults. Nutrition and Metabolism, 2020, 17, 63.	1.3	11
32	Quality of life during the epidemic of COVID-19 and its associated factors among enterprise workers in East China. BMC Public Health, 2021, 21, 1370.	1.2	11
33	Unfavorable Dietary Quality Contributes to Elevated Risk of Ischemic Stroke among Residents in Southwest China: Based on the Chinese Diet Balance Index 2016 (DBI-16). Nutrients, 2022, 14, 694.	1.7	11
34	Associations of Dietary Patterns and Risk of Hypertension in Southwest China: A Prospective Cohort Study. International Journal of Environmental Research and Public Health, 2021, 18, 12378.	1.2	10
35	Depression and anxiety symptoms among returning workers during the COVID-19 period in East China. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1233-1240.	1.6	9
36	Associations between serum amino acids and incident type 2 diabetes in Chinese rural adults. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 2416-2425.	1.1	9

#	ARTICLE	IF	CITATIONS
37	Epidemiology and temporal trend of suicide mortality in the elderly in Jiading, Shanghai, 2003–2013: a descriptive, observational study. <i>BMJ Open</i> , 2016, 6, e012227.	0.8	8
38	Estimates of Dietary Exposure to Antibiotics among a Community Population in East China. <i>Antibiotics</i> , 2022, 11, 407.	1.5	8
39	Association Between Depression and Risk of Incident Cardiovascular Diseases and Its Sex and Age Modifications: A Prospective Cohort Study in Southwest China. <i>Frontiers in Public Health</i> , 2022, 10, 765183.	1.3	8
40	Associations of oral hygiene with incident hypertension and type 2 diabetes mellitus: A population based cohort study in Southwest China. <i>Journal of Clinical Hypertension</i> , 2022, 24, 483-492.	1.0	8
41	Association between Drinking Patterns and Incident Hypertension in Southwest China. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3801.	1.2	8
42	Impacts of Antibiotic Residues in the Environment on Bacterial Resistance and Human Health in Eastern China: An Interdisciplinary Mixed-Methods Study Protocol. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8145.	1.2	8
43	Pain problems for patients with mild and moderate chronic obstructive pulmonary disease – a community-based study in Shanghai. <i>Journal of Pain Research</i> , 2017, Volume 10, 2247-2252.	0.8	6
44	Prediction of 10-year atherosclerotic cardiovascular disease risk among community residents in Shanghai, China – a comparative analysis of risk algorithms. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2058-2067.	1.1	6
45	Soy Isoflavones Intake and Obesity in Chinese Adults: A Cross-Sectional Study in Shanghai, China. <i>Nutrients</i> , 2021, 13, 2715.	1.7	6
46	Association of Obesity with the Risk of Hyperhomocysteinemia among the Chinese Community Residents: A Prospective Cohort Study in Shanghai, China. <i>Nutrients</i> , 2021, 13, 3648.	1.7	6
47	Associations of Dietary Patterns and Incident Type 2 Diabetes in a Community Population Cohort From Southwest China. <i>Frontiers in Public Health</i> , 2022, 10, 773172.	1.3	6
48	Vaccine bidding, procurement and distribution management practices in mainland China: A nationwide study. <i>Vaccine</i> , 2021, 39, 7584-7584.	1.7	5
49	Association between Reproductive Factors and Type 2 Diabetes: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1019.	1.2	5
50	Relationships between Maternal Dietary Patterns and Blood Lipid Levels during Pregnancy: A Prospective Cohort Study in Shanghai, China. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3701.	1.2	4
51	Thyroid Function Changes and Pubertal Progress in Females: A Longitudinal Study in Iodine-Sufficient Areas of East China. <i>Frontiers in Endocrinology</i> , 2021, 12, 653680.	1.5	4
52	Iron Deficiency Anaemia: Its Prevalence Among Women of Reproductive Age in Shanghai and Tokyo and Links to Body Mass Index. <i>Cureus</i> , 2020, 12, e9436.	0.2	4
53	Investigation of the Association between 45 Tag SNPs and Type 2 Diabetes Mellitus in Han Chinese Adults: A Prospective Cohort Study. <i>Public Health Genomics</i> , 2021, 24, 123-130.	0.6	3
54	Association of the Reproductive Period with Decreased Estimated Glomerular Filtration Rate in Menopausal Women: A Study from the Shanghai Suburban Adult Cohort and Biobank (2016–2020). <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10451.	1.2	3

#	ARTICLE	IF	CITATIONS
55	Adiposity and Long-Term Adiposity Change Are Associated with Incident Diabetes: A Prospective Cohort Study in Southwest China. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11481.	1.2	3
56	Incidence of active tuberculosis in rural China. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 144-145.	4.6	2
57	Quality of life and its associated factors for mild chronic obstructive pulmonary disease patients of urban community settings. <i>Annals of Palliative Medicine</i> , 2020, 9, 1420-1430.	0.5	2
58	Associations Between Thyroid Volume and Physical Growth in Pubertal Girls: Thyroid Volume Indexes Need to Be Applied to Thyroid Volume Assessments. <i>Frontiers in Endocrinology</i> , 2021, 12, 662543.	1.5	2
59	Prediction models and nomograms of 3-year risk of chronic kidney disease in China: a study from the Shanghai Suburban Adult Cohort and Biobank (2016-2020). <i>Annals of Translational Medicine</i> , 2021, 9, 1690-1690.	0.7	2
60	Patterns and Determinants of Antibiotic Use Behaviors among Rural Community Residents in Eastern China. <i>Antibiotics</i> , 2022, 11, 823.	1.5	2
61	The prevalence of diabetes mellitus with chronic kidney disease in adults and associated factors in Songjiang District, Shanghai. <i>Annals of Palliative Medicine</i> , 2021, 10, 7214-7224.	0.5	1
62	Association Between Sleep Quality and Pain Intensity in Mild Patients with COPD: A Community Study. <i>Journal of Pain Research</i> , 2021, Volume 14, 2641-2649.	0.8	1
63	Postload Plasma Glucose but Not Fasting Plasma Glucose Had a Greater Predictive Value for Cardiovascular Disease in a Large Prospective Cohort Study in Southwest China. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 815357.	1.1	1
64	Underweight rather than adiposity is an important predictor of death in rural Chinese adults: a cohort study. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 1123-1128.	2.0	0
65	Modification effects of T2DM-susceptible SNPs on the reduction of blood glucose in response to lifestyle interventions. <i>Yi Chuan = Hereditas / Zhongguo Yi Chuan Xue Hui Bian Ji</i> , 2020, 42, 483-492.	0.1	0