

Na Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4858869/publications.pdf>

Version: 2024-02-01

65
papers

1,533
citations

361045

20
h-index

344852

36
g-index

69
all docs

69
docs citations

69
times ranked

1990
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between Reproductive Factors and Type 2 Diabetes: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1019.	1.2	5
2	Associations of Dietary Patterns and Incident Type 2 Diabetes in a Community Population Cohort From Southwest China. <i>Frontiers in Public Health</i> , 2022, 10, 773172.	1.3	6
3	Unfavorable Dietary Quality Contributes to Elevated Risk of Ischemic Stroke among Residents in Southwest China: Based on the Chinese Diet Balance Index 2016 (DBI-16). <i>Nutrients</i> , 2022, 14, 694.	1.7	11
4	Estimates of Dietary Exposure to Antibiotics among a Community Population in East China. <i>Antibiotics</i> , 2022, 11, 407.	1.5	8
5	Association Between Depression and Risk of Incident Cardiovascular Diseases and Its Sex and Age Modifications: A Prospective Cohort Study in Southwest China. <i>Frontiers in Public Health</i> , 2022, 10, 765183.	1.3	8
6	Associations of oral hygiene with incident hypertension and type 2 diabetes mellitus: A population based cohort study in Southwest China. <i>Journal of Clinical Hypertension</i> , 2022, 24, 483-492.	1.0	8
7	Association between Drinking Patterns and Incident Hypertension in Southwest China. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3801.	1.2	8
8	Obesity and Dyslipidemia in Chinese Adults: A Cross-Sectional Study in Shanghai, China. <i>Nutrients</i> , 2022, 14, 2321.	1.7	17
9	Patterns and Determinants of Antibiotic Use Behaviors among Rural Community Residents in Eastern China. <i>Antibiotics</i> , 2022, 11, 823.	1.5	2
10	Impacts of Antibiotic Residues in the Environment on Bacterial Resistance and Human Health in Eastern China: An Interdisciplinary Mixed-Methods Study Protocol. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 8145.	1.2	8
11	Depression and anxiety symptoms among returning workers during the COVID-19 period in East China. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 1233-1240.	1.6	9
12	The prevalence of diabetes mellitus with chronic kidney disease in adults and associated factors in Songjiang District, Shanghai. <i>Annals of Palliative Medicine</i> , 2021, 10, 7214-7224.	0.5	1
13	Investigation of the Association between 45 Tag SNPs and Type 2 Diabetes Mellitus in Han Chinese Adults: A Prospective Cohort Study. <i>Public Health Genomics</i> , 2021, 24, 123-130.	0.6	3
14	Underweight rather than adiposity is an important predictor of death in rural Chinese adults: a cohort study. <i>Journal of Epidemiology and Community Health</i> , 2021, 75, 1123-1128.	2.0	0
15	Relationships between Maternal Dietary Patterns and Blood Lipid Levels during Pregnancy: A Prospective Cohort Study in Shanghai, China. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3701.	1.2	4
16	Thyroid Function Changes and Pubertal Progress in Females: A Longitudinal Study in Iodine-Sufficient Areas of East China. <i>Frontiers in Endocrinology</i> , 2021, 12, 653680.	1.5	4
17	Associations Between Thyroid Volume and Physical Growth in Pubertal Girls: Thyroid Volume Indexes Need to Be Applied to Thyroid Volume Assessments. <i>Frontiers in Endocrinology</i> , 2021, 12, 662543.	1.5	2
18	Prediction of 10-year atherosclerotic cardiovascular disease risk among community residents in Shanghai, China – a comparative analysis of risk algorithms. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2058-2067.	1.1	6

#	ARTICLE	IF	CITATIONS
19	Associations between serum amino acids and incident type 2 diabetes in Chinese rural adults. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2416-2425.	1.1	9
20	Quality of life during the epidemic of COVID-19 and its associated factors among enterprise workers in East China. <i>BMC Public Health</i> , 2021, 21, 1370.	1.2	11
21	Association Between Sleep Quality and Pain Intensity in Mild Patients with COPD: A Community Study. <i>Journal of Pain Research</i> , 2021, Volume 14, 2641-2649.	0.8	1
22	Soy Isoflavones Intake and Obesity in Chinese Adults: A Cross-Sectional Study in Shanghai, China. <i>Nutrients</i> , 2021, 13, 2715.	1.7	6
23	Association of Obesity with the Risk of Hyperhomocysteinemia among the Chinese Community Residents: A Prospective Cohort Study in Shanghai, China. <i>Nutrients</i> , 2021, 13, 3648.	1.7	6
24	Association of the Reproductive Period with Decreased Estimated Glomerular Filtration Rate in Menopausal Women: A Study from the Shanghai Suburban Adult Cohort and Biobank (2016â€“2020). <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10451.	1.2	3
25	Adiposity and Long-Term Adiposity Change Are Associated with Incident Diabetes: A Prospective Cohort Study in Southwest China. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 11481.	1.2	3
26	Prevalences of metabolic syndrome and its sex-specific association with socioeconomic status in rural China: a cross-sectional study. <i>BMC Public Health</i> , 2021, 21, 2033.	1.2	12
27	Associations of Dietary Patterns and Risk of Hypertension in Southwest China: A Prospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12378.	1.2	10
28	Prediction models and nomograms of 3-year risk of chronic kidney disease in China: a study from the Shanghai Suburban Adult Cohort and Biobank (2016â€“2020). <i>Annals of Translational Medicine</i> , 2021, 9, 1690-1690.	0.7	2
29	Vaccine bidding, procurement and distribution management practices in mainland China: A nationwide study. <i>Vaccine</i> , 2021, 39, 7584-7584.	1.7	5
30	Postload Plasma Glucose but Not Fasting Plasma Glucose Had a Greater Predictive Value for Cardiovascular Disease in a Large Prospective Cohort Study in Southwest China. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 815357.	1.1	1
31	Sleep quality of Shanghai residents: population-based cross-sectional study. <i>Quality of Life Research</i> , 2020, 29, 1055-1064.	1.5	28
32	Thyroid Stimulating Hormone (TSH) Is Associated With General and Abdominal Obesity: A Cohort Study in School-Aged Girls During Puberty in East China. <i>Frontiers in Endocrinology</i> , 2020, 11, 620.	1.5	14
33	Reduction in healthcare services during the COVID-19 pandemic in China. <i>BMJ Global Health</i> , 2020, 5, e003421.	2.0	66
34	Quality of life and its associated factors for mild chronic obstructive pulmonary disease patients of urban community settings. <i>Annals of Palliative Medicine</i> , 2020, 9, 1420-1430.	0.5	2
35	Association of hypertriglyceridemic waist phenotype with renal function impairment: a cross-sectional study in a population of Chinese adults. <i>Nutrition and Metabolism</i> , 2020, 17, 63.	1.3	11
36	Gender differences and determinants of prevalence, awareness, treatment and control of hypertension among adults in China and Sweden. <i>BMC Public Health</i> , 2020, 20, 1763.	1.2	30

#	ARTICLE	IF	CITATIONS
37	Cohort profile: protocol and baseline survey for the Shanghai Suburban Adult Cohort and Biobank (SSACB) study. <i>BMJ Open</i> , 2020, 10, e035430.	0.8	30
38	Iron Deficiency Anaemia: Its Prevalence Among Women of Reproductive Age in Shanghai and Tokyo and Links to Body Mass Index. <i>Cureus</i> , 2020, 12, e9436.	0.2	4
39	Modification effects of T2DM-susceptible SNPs on the reduction of blood glucose in response to lifestyle interventions. <i>Yi Chuan = Hereditas / Zhongguo Yi Chuan Xue Hui Bian Ji</i> , 2020, 42, 483-492.	0.1	0
40	Association between anthropometric indicators of obesity and cardiovascular risk factors among adults in Shanghai, China. <i>BMC Public Health</i> , 2019, 19, 1035.	1.2	28
41	Central But Not General Obesity Is Positively Associated with the Risk of Hyperhomocysteinemia in Middle-Aged Women. <i>Nutrients</i> , 2019, 11, 1614.	1.7	19
42	Enriched taxa were found among the gut microbiota of centenarians in East China. <i>PLoS ONE</i> , 2019, 14, e0222763.	1.1	26
43	Prevalence and the Association of Body Mass Index and Other Risk Factors with Prediabetes and Type 2 Diabetes Among 50,867 Adults in China and Sweden: A Cross-Sectional Study. <i>Diabetes Therapy</i> , 2019, 10, 2061-2077.	1.2	15
44	Association of Metabolic Syndrome and Its Components with Decreased Estimated Glomerular Filtration Rate in Adults. <i>Annals of Nutrition and Metabolism</i> , 2019, 75, 168-178.	1.0	12
45	Understanding the Use of Smartphone Apps for Health Information Among Pregnant Chinese Women: Mixed Methods Study. <i>JMIR MHealth and UHealth</i> , 2019, 7, e12631.	1.8	73
46	Incidence of active tuberculosis in rural China. <i>Lancet Infectious Diseases</i> , 2018, 18, 144-145.	4.6	2
47	Prevalence of anxiety and depression symptoms and their associated factors in mild COPD patients from community settings, Shanghai, China: a cross-sectional study. <i>BMC Psychiatry</i> , 2018, 18, 89.	1.1	24
48	Predictors of urinary antibiotics in children of Shanghai and health risk assessment. <i>Environment International</i> , 2018, 121, 507-514.	4.8	44
49	Exposure of Adults to Antibiotics in a Shanghai Suburban Area and Health Risk Assessment: A Biomonitoring-Based Study. <i>Environmental Science & Technology</i> , 2018, 52, 13942-13950.	4.6	57
50	Changes in gut microbiota and plasma inflammatory factors across the stages of colorectal tumorigenesis: a case-control study. <i>BMC Microbiology</i> , 2018, 18, 92.	1.3	64
51	Poor sleep quality and influencing factors among rural adults in Deqing, China. <i>Sleep and Breathing</i> , 2018, 22, 1213-1220.	0.9	38
52	Effects of pre-pregnancy body mass index and gestational weight gain on neonatal birth weight in women with gestational diabetes mellitus. <i>Early Human Development</i> , 2018, 124, 17-21.	0.8	17
53	UCP2 and UCP3 variants and gene-environment interaction associated with prediabetes and T2DM in a rural population: a case control study in China. <i>BMC Medical Genetics</i> , 2018, 19, 43.	2.1	15
54	Urinary Antibiotics of Pregnant Women in Eastern China and Cumulative Health Risk Assessment. <i>Environmental Science & Technology</i> , 2017, 51, 3518-3525.	4.6	86

#	ARTICLE	IF	CITATIONS
55	Associations of adiposity measurements with thyroid nodules in Chinese children living in iodine-sufficient areas: an observational study. <i>BMJ Open</i> , 2017, 7, e016706.	0.8	13
56	Pain problems for patients with mild and moderate chronic obstructive pulmonary disease – a community-based study in Shanghai. <i>Journal of Pain Research</i> , 2017, Volume 10, 2247-2252.	0.8	6
57	Effects of oral florfenicol and azithromycin on gut microbiota and adipogenesis in mice. <i>PLoS ONE</i> , 2017, 12, e0181690.	1.1	47
58	Costs of chronic obstructive pulmonary disease in urban areas of China: a cross-sectional study in four cities. <i>International Journal of COPD</i> , 2016, Volume 11, 2625-2632.	0.9	37
59	Epidemiology and temporal trend of suicide mortality in the elderly in Jiading, Shanghai, 2003&acaron;2013: a descriptive, observational study. <i>BMJ Open</i> , 2016, 6, e012227.	0.8	8
60	Antibiotics detected in urines and adipogenesis in school children. <i>Environment International</i> , 2016, 89-90, 204-211.	4.8	132
61	Antibiotics in Drinking Water in Shanghai and Their Contribution to Antibiotic Exposure of School Children. <i>Environmental Science & Technology</i> , 2016, 50, 2692-2699.	4.6	203
62	Cancer incidence in patients with type 2 diabetes mellitus: a population-based cohort study in Shanghai. <i>BMC Cancer</i> , 2015, 15, 852.	1.1	30
63	Influence of Bisphenol A on Thyroid Volume and Structure Independent of Iodine in School Children. <i>PLoS ONE</i> , 2015, 10, e0141248.	1.1	38
64	Antibiotic Body Burden of Chinese School Children: A Multisite Biomonitoring-based Study. <i>Environmental Science & Technology</i> , 2015, 49, 5070-5079.	4.6	111
65	Sex-Modified Effect of Hepatitis B Virus Infection on Mortality From Primary Liver Cancer. <i>American Journal of Epidemiology</i> , 2009, 169, 990-995.	1.6	22