

# Gultekin Genctoy

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4858936/publications.pdf>

Version: 2024-02-01

37  
papers

719  
citations

686830

13  
h-index

552369

26  
g-index

37  
all docs

37  
docs citations

37  
times ranked

1070  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Determinants of Endothelial Dysfunction in CKD: Oxidative Stress and Asymmetric Dimethylarginine. <i>American Journal of Kidney Diseases</i> , 2006, 47, 42-50.	2.1	285
2	Prediction of renal allograft function with early Doppler ultrasonography. <i>Transplantation Proceedings</i> , 2004, 36, 1348-1351.	0.3	54
3	The prevalence of carotid artery calcification on the panoramic radiographs of patients with renal disease. <i>Dentomaxillofacial Radiology</i> , 2005, 34, 16-19.	1.3	37
4	Pulmonary hypertension in hemodialysis patients without arteriovenous fistula: the effect of dialyzer composition. <i>Renal Failure</i> , 2010, 32, 1148-1152.	0.8	33
5	Can dental pulp calcification serve as a diagnostic marker for carotid artery calcification in patients with renal diseases?. <i>Dentomaxillofacial Radiology</i> , 2009, 38, 542-545.	1.3	31
6	The prevalence, epidemiology and risk factors for onychomycosis in hemodialysis patients. <i>BMC Infectious Diseases</i> , 2007, 7, 102.	1.3	30
7	<i>Crataegus Orientalis</i> Associated Multiorgan Hypersensitivity Reaction and Acute Renal Failure. <i>Internal Medicine</i> , 2008, 47, 2039-2042.	0.3	22
8	The correlation of thrombolysis in myocardial infarction frame count with insulin resistance in patients with slow coronary flow. <i>Coronary Artery Disease</i> , 2008, 19, 591-595.	0.3	20
9	Membranoproliferative glomerulonephritis associated with type 1 diabetes mellitus and Hashimoto's thyroiditis. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 988-989.	0.4	19
10	Secondary hyperparathyroidism is associated with pulmonary hypertension in older patients with chronic kidney disease and proteinuria. <i>International Urology and Nephrology</i> , 2015, 47, 353-358.	0.6	17
11	Impact of rHuEPO therapy initiation on soluble adhesion molecule levels in haemodialysis patients. <i>Nephrology</i> , 2005, 10, 264-269.	0.7	16
12	Apolipoprotein E gene polymorphism in renal transplant recipients: effects on lipid metabolism, atherosclerosis and allograft function. <i>Clinical Transplantation</i> , 2004, 18, 288-294.	0.8	15
13	TNF Alpha-308 Genotype and Renin-Angiotensin System in Hemodialysis Patients: An Effect on Inflammatory Cytokine Levels?. <i>Artificial Organs</i> , 2005, 29, 174-178.	1.0	15
14	Gingival health status in renal transplant recipients: relationship between systemic inflammation and atherosclerosis. <i>International Journal of Clinical Practice</i> , 2007, 61, 577-582.	0.8	14
15	Septic arthritis caused by nocardia asteroides in a renal transplant recipient. <i>Transplantation Proceedings</i> , 2004, 36, 1415-1418.	0.3	12
16	Pulmonary hypertension associates with malnutrition and body composition hemodialysis patients. <i>Renal Failure</i> , 2015, 37, 273-279.	0.8	11
17	Increased frequency of gallbladder stone and related parameters in hemodialysis patients. <i>Turkish Journal of Gastroenterology</i> , 2014, 25, 54-58.	0.4	9
18	Impact of cytokine gene polymorphism on cardiovascular risk in renal transplant recipients. <i>Transplant International</i> , 2005, 18, 681-689.	0.8	8

#	ARTICLE	IF	CITATIONS
19	Efficacy and Safety of Intravenous Iron Therapy for HCV-Positive Haemodialysis Patients. <i>Nephron Clinical Practice</i> , 2005, 100, c78-c85.	2.3	8
20	Association of mineral metabolism with an increase in cellular adhesion molecules: another link to cardiovascular risk in maintenance haemodialysis?. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 999-1005.	0.4	8
21	Serum Stem Cell Factor Level in Renal Transplant Recipients With Posttransplant Erythrocytosis. <i>Artificial Organs</i> , 2009, 33, 1086-1090.	1.0	8
22	The Influence of Hemodialysis on P-Wave Signal-Averaged Electrocardiogram Findings. <i>Artificial Organs</i> , 2007, 31, 612-616.	1.0	7
23	The Role of Proinflammatory Cytokine Gene Polymorphisms for Development of Insulin Resistance After Renal Transplantation. <i>Transplantation Proceedings</i> , 2006, 38, 521-528.	0.3	6
24	Assessment of vascular inflammation and subclinical nephropathy in exaggerated blood pressure response to exercise test. <i>Blood Pressure Monitoring</i> , 2019, 24, 114-119.	0.4	6
25	Periaortic Fat Tissue: A Predictor of Cardiac Valvular Calcification, Malnutrition, Inflammation, and Atherosclerosis Components in Hemodialysis Patients. <i>Artificial Organs</i> , 2015, 39, 748-755.	1.0	5
26	High-Grade Proteinuria as a Cardiovascular Risk Factor in Renal Transplant Recipients. <i>Transplantation Proceedings</i> , 2015, 47, 1170-1173.	0.3	5
27	Post-transplant Hyperuricemia as a Cardiovascular Risk Factor. <i>Transplantation Proceedings</i> , 2015, 47, 1146-1151.	0.3	4
28	Prognosis of patients hospitalized with a diagnosis of COVID-19 pneumonia in a tertiary hospital in Turkey. <i>Annals of Saudi Medicine</i> , 2021, 41, 327-335.	0.5	4
29	The interleukin-10 promoter genotype predicts diastolic dysfunction in maintenance hemodialysis patients. <i>Hemodialysis International</i> , 2008, 12, 352-361.	0.4	3
30	Unusual aortic localization of a malignant epithelial tumor metastasis of unknown origin. <i>Journal of Cardiovascular Medicine</i> , 2009, 10, 78-80.	0.6	2
31	Fibromyalgia and Its Clinical Relevance in Renal Transplant Recipients. <i>Transplantation Proceedings</i> , 2015, 47, 1105-1109.	0.3	2
32	Severe hypocalcemia and hypercalciuria due to contrast medium in the course of acute myocardial infarction. <i>Anatolian Journal of Cardiology</i> , 2016, 16, 543-5.	0.5	2
33	Determinants of reverse dipping blood pressure in normotensive, non-diabetic population with an office measurement below 130/85mmHg. <i>Clinical and Experimental Hypertension</i> , 2021, 43, 647-652.	0.5	1
34	A Protective Role for Protein C Inhibitor on Graft Function in Renal Transplant Recipients?. <i>Nephron</i> , 2002, 91, 356-357.	0.9	0
35	Urinary N-Acetyl-Beta-D Glucosaminidase Activity is Associated with Inflammation and Proteinuria in Diabetic and Non-Diabetic Patients with Different Stages of Chronic Kidney Disease. <i>Turkish Nephrology, Dialysis and Transplantation Journal</i> , 2015, 24, 166-173.	0.0	0
36	Low baseline proBNP associated with increased risk of intraoperative hypotension during spinal anaesthesia for cesarean delivery. <i>Annals of Saudi Medicine</i> , 2015, 35, 248-253.	0.5	0

#	ARTICLE	IF	CITATIONS
37	Association Between Vascular Access Type and Visceral and Peripheral Body Fat, Nutritional and Inflammatory Parameters in Incident Hemodialysis Patients. Turkish Nephrology, Dialysis and Transplantation Journal, 2017, 26, 261-270.	0.0	0