## Tomasz Zdrojewski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/486025/publications.pdf

Version: 2024-02-01

203 papers

16,920 citations

31 h-index

147726

125 g-index

220 all docs

220 docs citations

times ranked

220

30678 citing authors

#	Article	IF	CITATIONS
1	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in $128 \text{\^A} \cdot 9$ million children, adolescents, and adults. Lancet, The, $2017$ , $390$ , $2627$ - $2642$ .	6.3	5,010
2	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19·2 million participants. Lancet, The, 2016, 387, 1377-1396.	6.3	3,941
3	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with $4\hat{A}\cdot 4$ million participants. Lancet, The, 2016, 387, 1513-1530.	6.3	2,842
4	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with $19 \hat{A} \cdot 1$ million participants. Lancet, The, 2017, 389, 37-55.	6.3	1,667
5	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. Nature, 2019, 569, 260-264.	13.7	469
6	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331â€^288 participants. Lancet Diabetes and Endocrinology,the, 2015, 3, 624-637.	5.5	139
7	Decline in mortality from coronary heart disease in Poland after socioeconomic transformation: modelling study. BMJ: British Medical Journal, 2012, 344, d8136-d8136.	2.4	115
8	Apolipoprotein B improves risk assessment of future coronary heart disease in the Framingham Heart Study beyond LDL-C and non-HDL-C. European Journal of Preventive Cardiology, 2015, 22, 1321-1327.	0.8	112
9	Population-level changes to promote cardiovascular health. European Journal of Preventive Cardiology, 2013, 20, 409-421.	0.8	106
10	Seasonal Variation of Overall and Cardiovascular Mortality: A Study in 19 Countries from Different Geographic Locations. PLoS ONE, 2014, 9, e113500.	1.1	105
11	Medical, psychological and socioeconomic aspects of aging in Poland. Experimental Gerontology, 2011, 46, 1003-1009.	1.2	99
12	A comparison of ST elevation versus non-ST elevation myocardial infarction outcomes in a large registry database. International Journal of Cardiology, 2011, 152, 70-77.	0.8	87
13	Prevalence and control of cardiovascular risk factors in Poland. Assumptions and objectives of the NATPOL 2011 Survey. Kardiologia Polska, 2013, 71, 381-392.	0.3	66
14	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. International Journal of Epidemiology, 2018, 47, 872-883i.	0.9	65
15	Prevalence of self-reported insomnia in general population of Poland. Psychiatria Polska, 2016, 50, 165-173.	0.2	62
16	Incidence, treatment, in-hospital mortality and one-year outcomes of acute myocardial infarction in Poland in 2009–2012 — nationwide AMI-PL database. Kardiologia Polska, 2015, 73, 142-158.	0.3	62
17	Arterial hypertension in Poland in 2002. Journal of Human Hypertension, 2004, 18, 557-562.	1.0	56
18	Multi-centre National Population Health Examination Survey (WOBASZ II study): assumptions, methods, and implementation. Kardiologia Polska, 2016, 74, 681-690.	0.3	51

#	Article	IF	CITATIONS
19	Are dietary habits of the Polish population consistent with the recommendations for prevention of cardiovascular disease? — WOBASZ II project. Kardiologia Polska, 2016, 74, 969-977.	0.3	45
20	Epidemiology of physical inactivity in Poland: Prevalence and determinants in a former communist country in socioeconomic transition. Public Health, 2009, 123, 592-597.	1.4	44
21	Smoking status, the menopausal transition, and metabolic syndrome in women. Menopause, 2012, 19, 194-201.	0.8	44
22	Prevalence, awareness, treatment and control of hypertension in the adult Polish population – Multi-center National Population Health Examination Surveys – WOBASZ studies. Archives of Medical Science, 2018, 14, 951-961.	0.4	44
23	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. International Journal of Epidemiology, 2020, 49, 173-192.	0.9	44
24	Inflammation but not obesity or insulin resistance is associated with increased plasma fibroblast growth factor 23 concentration in the elderly. Clinical Endocrinology, 2015, 82, 900-909.	1.2	42
25	Associations between cardiovascular disease risk factors and IL-6 and hsCRP levels in the elderly. Experimental Gerontology, 2016, 85, 112-117.	1.2	42
26	Prevalence of chronic kidney disease in a representative sample of the Polish population: results of the NATPOL 2011 survey. Nephrology Dialysis Transplantation, 2016, 31, 433-439.	0.4	39
27	Prevalence of familial hypercholesterolemia: a meta-analysis of six large, observational, population-based studies in Poland. Archives of Medical Science, 2016, 4, 687-696.	0.4	37
28	The costs of heart failure in Poland from the public payer's perspective. Polish programme assessing diagnostic procedures, treatment and costs in patients with heart failure in randomly selected outpatient clinics and hospitals at different levels of car. Kardiologia Polska, 2013, 71, 224-232.	0.3	37
29	Prevalence of lipid abnormalities in Poland. The NATPOL 2011 survey. Kardiologia Polska, 2016, 74, 213-223.	0.3	37
30	The prevalence of chronic kidney disease and its relation to socioeconomic conditions in an elderly Polish population: results from the national population-based study PolSenior. Nephrology Dialysis Transplantation, 2014, 29, 1073-1082.	0.4	34
31	Socio-demographic and lifestyle correlates of commuting activity in Poland. Preventive Medicine, 2010, 50, 257-261.	1.6	33
32	Dietary Total Antioxidant Capacity and Dietary Polyphenol Intake and Prevalence of Metabolic Syndrome in Polish Adults: A Nationwide Study. Oxidative Medicine and Cellular Longevity, 2018, 2018, 1-10.	1.9	32
33	Prevalence, awareness, and control of hypertension in elderly and very elderly in Poland. Journal of Hypertension, 2016, 34, 532-538.	0.3	31
34	Cerebral Vasomotor Reactivity and Extent of White Matter Lesions in Middle-Aged Men With Arterial Hypertension: A Pilot Study. American Journal of Hypertension, 2010, 23, 1198-1203.	1.0	30
35	Commuting physical activity and prevalence of metabolic disorders in Poland. Preventive Medicine, 2010, 51, 482-487.	1.6	30
36	Management of familial hypercholesterolemia in children and adolescents. Position paper of the Polish Lipid Expert Forum. Journal of Clinical Lipidology, 2014, 8, 173-180.	0.6	30

3

#	Article	IF	Citations
37	Management of familial heterozygous hypercholesterolemia: Position Paper of the Polish Lipid Expert Forum. Journal of Clinical Lipidology, 2013, 7, 217-221.	0.6	28
38	Changes in the prevalence, management and treatment of hypercholesterolemia and other dyslipidemias over 10 years in Poland. The WOBASZ study. Polish Archives of Internal Medicine, 2016, 126, 642-652.	0.3	26
39	Epidemiology and prevention of arterial hypertension in Poland. Blood Pressure, 2005, 14, 10-16.	0.7	25
40	Low-density lipoprotein cholesterol and survival in pulmonary arterial hypertension. Scientific Reports, 2017, 7, 41650.	1.6	24
41	2015 guidelines for the management of hypertension. Recommendations of the Polish Society of Hypertension — short version. Kardiologia Polska, 2015, 73, 676-700.	0.3	24
42	Reduced functionality in everyday activities of patients with self-reported heart failure hospitalization — Population-based study results. International Journal of Cardiology, 2014, 176, 423-429.	0.8	23
43	Are young women with Turner syndrome at greater risk of coronary artery disease?. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 467-469.	3.1	22
44	Prevalence of diabetes and impaired fasting glucose in Polandâ€"the ⟨scp⟩NATPOL⟨/scp⟩ 2011 Study. Diabetic Medicine, 2014, 31, 1568-1571.	1.2	21
45	Temporal trends in secondary prevention in myocardial infarction patients discharged with left ventricular systolic dysfunction in Poland. European Journal of Preventive Cardiology, 2018, 25, 960-969.	0.8	20
46	Tobacco smoking in Poland in 2003–2014. Multi-centre National Population Health Examination Survey (WOBASZ). Polish Archives of Internal Medicine, 2017, 127, 91-99.	0.3	20
47	Impact of COVIDâ€19 pandemic on acute heart failure admissions and mortality: a multicentre study (COVâ€HFâ€SIRIO 6 study). ESC Heart Failure, 2022, 9, 721-728.	1.4	20
48	Exploring potential mortality reductions in 9 European countries by improving diet and lifestyle: A modelling approach. International Journal of Cardiology, 2016, 207, 286-291.	0.8	19
49	Risk factors predisposing to acute coronary syndromes in young women â‰ <b>¤</b> 5†years of age. International Journal of Cardiology, 2018, 264, 165-169.	0.8	19
50	Ten-Year Changes in the Prevalence and Socio-Demographic Determinants of Physical Activity among Polish Adults Aged 20 to 74 Years. Results of the National Multicenter Health Surveys WOBASZ (2003-2005) and WOBASZ II (2013-2014). PLoS ONE, 2016, 11, e0156766.	1.1	19
51	Relationship between circulating visfatin/NAMPT, nutritional status and insulin resistance in an elderly population – results from the PolSenior substudy. Metabolism: Clinical and Experimental, 2014, 63, 1409-1418.	1.5	18
52	Prevalence of diabetes in Poland: a combined analysis of national databases. Diabetic Medicine, 2019, 36, 1209-1216.	1.2	18
53	Pharmacological Interactions in the Elderly. Medicina (Lithuania), 2020, 56, 320.	0.8	16
54	Knowledge and use of hormone replacement therapy among Polish women: estimates from a nationally representative study—HORTPOL 2002. Maturitas, 2004, 47, 31-37.	1.0	15

#	Article	IF	CITATIONS
55	Are young women with Turner syndrome at greater risk of coronary artery disease?. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 467-469.	3.1	15
56	Plasma visfatin/nicotinamide phosphoribosyltransferase levels in hypertensive elderly – results from the PolSenior substudy. Journal of the American Society of Hypertension, 2015, 9, 1-8.	2.3	15
57	Obesity and Diet Awareness among Polish Children and Adolescents in Small Towns and Villages. Central European Journal of Public Health, 2014, 22, 12-16.	0.4	15
58	Ventricular remodeling after myocardial infarction and effects of ACE inhibition on hemodynamics and scar formation in SHR. Cardiovascular Pathology, 2002, $11$ , 88-93.	0.7	14
59	Comparison of Invasive and Non-Invasive Treatment Strategies in Older Patients With Acute Myocardial Infarction Complicated by Cardiogenic Shock (from the Polish Registry of Acute Coronary) Tj ETQq1	1 0078431	4 rgBT /Over
60	Epidemiology of physical activity in adult Polish population in the second decade of the 21st century. Results of the NATPOL 2011 study. International Journal of Occupational Medicine and Environmental Health, 2013, 26, 846-55.	0.6	14
61	Prognostic role of traditional cardiovascular risk factors in patients with idiopathic pulmonary arterial hypertension. Archives of Medical Science, 2019, 15, 1397-1406.	0.4	14
62	Relationship between diabetes mellitus and atrial fibrillation prevalence in the Polish population: a report from the Non-invasive Monitoring for Early Detection of Atrial Fibrillation (NOMED-AF) prospective cross-sectional observational study. Cardiovascular Diabetology, 2021, 20, 128.	2.7	14
63	Renal Dysfunction in Post-Stroke Patients. PLoS ONE, 2016, 11, e0159775.	1.1	14
64	Have rapid socioeconomic changes influenced awareness of blood pressure in Poland?. Journal of Human Hypertension, 2001, 15, 247-253.	1.0	13
65	Plasma level of N-terminal pro brain natriuretic peptide (NT-proBNP) in elderly population in Poland — The PolSenior Study. Experimental Gerontology, 2013, 48, 852-857.	1.2	13
66	Population Effect of Differences in Cholesterol Guidelines in Eastern Europe and the United States. JAMA Cardiology, 2016, 1, 700.	3.0	13
67	Smoking among pregnant women in small towns in Poland. International Journal of Public Health, 2016, 61, 111-118.	1.0	13
68	Metformin and Colorectal Cancer – A Systematic Review Experimental and Clinical Endocrinology and Diabetes, 2019, 127, 445-454.	0.6	13
69	Increased plasma RBP4 concentration in older hypertensives is related to the decreased kidney function and the number of antihypertensive drugsâ€"results from the PolSenior substudy. Journal of the American Society of Hypertension, 2017, 11, 71-80.	2.3	12
70	Blood pressure and cholesterol control in hypertensive participants with hypercholesterolemia: results from the Polish multicenter national health survey WOBASZ II. Polish Archives of Internal Medicine, 2019, 129, 864-873.	0.3	12
71	Consensus Statement on a Screening Programme for the Detection of Early Lung Cancer in Poland. Advances in Respiratory Medicine, 2018, 86, 53-74.	0.5	12
72	Age-related gap in the management of heart failure patients. The National Project of Prevention and Treatment of Cardiovascular Diseases — POLKARD. Cardiology Journal, 2012, 19, 146-152.	0.5	12

#	Article	IF	CITATIONS
73	Cardiovascular diseases prevention in Poland: results of WOBASZ and WOBASZ II studies. Kardiologia Polska, 2018, 76, 1534-1541.	0.3	12
74	Overweight, obesity, hypertension and albuminuria in Polish adolescents-results of the Sopkard 15 study. Nephrology Dialysis Transplantation, 2013, 28, iv204-iv211.	0.4	11
75	Health status of older cancer survivorsâ€"results of the PolSenior study. Journal of Cancer Survivorship, 2018, 12, 326-333.	1.5	11
76	Influence of Sociodemographic, Behavioral and Other Health-Related Factors on Healthy Ageing Based on Three Operative Definitions. Journal of Nutrition, Health and Aging, 2019, 23, 862-869.	1.5	11
77	The Knowledge and Awareness of Hypertension Among Patients With Hypertension in Central Poland. Angiology, 2014, 65, 525-532.	0.8	10
78	Clinical research Objectives and methodology of Romanian SEPHAR II Survey. Project for comparing the prevalence and control of cardiovascular risk factors in two east-European countries: Romania and Poland. Archives of Medical Science, 2015, 4, 715-723.	0.4	10
79	Long-term outcomes after acute myocardial infarction in countries with different socioeconomic environments: an international prospective cohort study. BMJ Open, 2017, 7, e012715.	0.8	10
80	Results of an open-access lung cancer screening program with low-dose computed tomography: the GdaÅ,,sk experience. Polish Archives of Internal Medicine, 2015, 125, 232-239.	0.3	10
81	Polish Forum for Prevention Guidelines on overweight and obesity. Kardiologia Polska, 2008, 66, 594-6.	0.3	10
82	Long-term mortality after stroke is higher than after myocardial infarction. Neurological Sciences, 2016, 37, 891-898.	0.9	9
83	Chronic kidney disease in Polish elderly population aged 75+: results of the WOBASZ Senior Survey. International Urology and Nephrology, 2017, 49, 669-676.	0.6	9
84	Atrial fibrillation independently linked with depression in community-dwelling older population. Results from the nationwide PolSenior project. Experimental Gerontology, 2018, 112, 88-91.	1.2	9
85	Predicting Silent Atrial Fibrillation in the Elderly: A Report from the NOMED-AF Cross-Sectional Study. Journal of Clinical Medicine, 2021, 10, 2321.	1.0	9
86	Polish Forum for Prevention Guidelines on Hypertension: update 2017. Kardiologia Polska, 2017, 75, 282-285.	0.3	9
87	Quality of care of hospitalised patients with heart failure in Poland in 2013: results of the second nationwide survey. Kardiologia Polska, 2017, 75, 527-534.	0.3	9
88	NOninvasive Monitoring for Early Detection of Atrial Fibrillation: rationale and design of the NOMED-AF study. Kardiologia Polska, 2018, 76, 1482-1485.	0.3	9
89	Depressive symptoms and cardiovascular diseases in the adult Polish population. Results of the NATPOL2011 study. Kardiologia Polska, 2019, 77, 18-23.	0.3	9
90	Attempt to eliminate health inequalities in Poland arising at the time of political and economic transformation: Polish 400 Cities Project. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 832-838.	3.1	8

#	Article	IF	Citations
91	Hypertension in patients with Alzheimer's diseaseâ€"prevalence, characteristics, and impact on clinical outcome. Experience of one neurology center in Poland. Journal of the American Society of Hypertension, 2015, 9, 711-724.	2.3	8
92	Acute Ischemic Stroke Hospital Admissions, Treatment, and Outcomes in Poland in 2009–2013. Frontiers in Neurology, 2018, 9, 134.	1.1	8
93	Factors influencing post-exercise proteinuria after marathon and ultramarathon races. Biology of Sport, 2020, 37, 33-40.	1.7	8
94	Factors Affecting Early Mortality and 1-Year Outcomes in Young Women With ST-Segment-Elevation Myocardial Infarction Aged Less Than or Equal to 45 Years. Current Problems in Cardiology, 2021, 46, 100419.	1.1	8
95	Observed and relative survival and 5-year outcomes of patients discharged after acute myocardial infarction: the nationwide AMI-PL database. Kardiologia Polska, 2020, 78, 990-998.	0.3	8
96	Trends in hypertension prevalence, awareness, treatment, and control among Polish adults 75 years and older during 2007–2014. Cardiology Journal, 2018, 25, 333-344.	0.5	8
97	Prevalence, diagnosis, and treatment of familial hypercholesterolaemia in outpatient practices in Poland. Kardiologia Polska, 2018, 76, 960-967.	0.3	8
98	Management and predictors of clinical events inÂ75Â686Âpatients with acute myocardial infarction. Kardiologia Polska, 2022, 80, 468-475.	0.3	8
99	A victory for statins or a defeat for diet policies? Cholesterol falls in Poland in the past decade: A modeling study. International Journal of Cardiology, 2015, 185, 313-319.	0.8	7
100	Increase in the prevalence of the metabolic syndrome in Poland. Comparison of the results of the WOBASZ (2003–2005) and WOBASZ II (2013–2014) studies. Polish Archives of Internal Medicine, 2021, 13 520-526.	1,0.3	7
101	Prevalence of hypokalemia in older persons: results from the PolSenior national survey. European Geriatric Medicine, 2021, 12, 981-987.	1.2	7
102	Prevalence of diabetes and impaired fasting glucose in Poland in 2005–2014: results of the WOBASZ surveys. Diabetic Medicine, 2020, 37, 1528-1535.	1.2	7
103	Polish Forum for Prevention Guidelines on Smoking: update 2017. Kardiologia Polska, 2017, 75, 409-411.	0.3	7
104	Health status and its socio-economic covariates in the older population in Poland $\hat{a} \in$ the assumptions and methods of the nationwide, cross-sectional PolSenior2 survey. Archives of Medical Science, 2020, 18, 92-102.	0.4	7
105	Distribution of Câ€reactive protein and its relation to arterial hypertension in a country representing a highâ€risk region for cardiovascular diseases. Blood Pressure, 2006, 15, 20-26.	0.7	6
106	Assessment of the Quality of Secondary Ischemic Stroke Prevention in Selected Urban Areas of Poland and Ukraine: The ASCEP Study Results. European Neurology, 2011, 65, 323-331.	0.6	6
107	Early and One-Year Outcomes of Acute Stroke in the Industrial Region of Poland During the Decade 2006–2015: The Silesian Stroke Registry. Neuroepidemiology, 2018, 50, 183-194.	1.1	6
108	Chronic heart failure management in primary healthcare in Poland: Results of a nationwide cross-sectional study. European Journal of General Practice, 2018, 24, 1-8.	0.9	6

#	Article	IF	Citations
109	Lung cancer survival and comorbidities in lung cancer screening participants of the Gdańsk screening cohort. European Journal of Public Health, 2019, 29, 1114-1117.	0.1	6
110	Prevalence, characteristics, and prognostic implications of type 2 diabetes in patients with myocardial infarction: the Polish Registry of Acute Coronary Syndromes (PL‑ACS) annual 2018 report. Kardiologia Polska, 2020, 78, 243-246.	0.3	6
111	Cardiovascular health knowledge of the Polish population. Comparison of two national multi-centre health surveys: WOBASZ and WOBASZ II. Kardiologia Polska, 2017, 75, 711-719.	0.3	6
112	Effects of social intervention on detection and efficacy of treatment for arterial hypertension. Main results of the Polish Four Cities Programme. Kardiologia Polska, 2004, 61, 546-58; discussion 559-60.	0.3	6
113	Socio-economic factors in the management of hypertension. Journal of Hypertension, 2004, 22, 661-662.	0.3	5
114	Arm circumference in adults in Poland as an important factor influencing the accuracy of blood pressure readings. Blood Pressure Monitoring, 2005, 10, 73-77.	0.4	5
115	Paraoxonase 1 activity and level of antibodies directed against oxidized low density lipoproteins in a group of an elderly population in Poland – PolSenior study. Archives of Gerontology and Geriatrics, 2015, 60, 153-161.	1.4	5
116	Factors Associated With Quitting Among Smoking Pregnant Women From Small Town and Rural Areas in Poland. Nicotine and Tobacco Research, 2017, 19, 647-651.	1.4	5
117	Assessment of quality of care of patients with ST-segment elevation myocardial infarction. European Heart Journal: Acute Cardiovascular Care, 2020, 9, 893-901.	0.4	5
118	Differences in Symptomatology and Clinical Course of Acute Coronary Syndromes in Women â‰ <b>\$</b> 5 Years of Age Compared to Older Women. Current Problems in Cardiology, 2021, 46, 100508.	1.1	5
119	Relationship between the dietary glycemic load of the adult Polish population and socio-demographic and lifestyle factors – results of the WOBASZ II study. Advances in Clinical and Experimental Medicine, 2019, 28, 891-897.	0.6	5
120	Plasma visfatin/nicotinamide phosphoribosyltransferase (visfatin/NAMPT) concentration in elderly subjects with metabolic syndrome. Polish Archives of Internal Medicine, 2015, 125, 402-413.	0.3	5
121	The prevalence of risk factors for atherosclerosis among middle school students in Sopot, Poland: results of the SOPKARD 15 programme. Kardiologia Polska, 2011, 69, 540-5.	0.3	5
122	Ten-year changes in adherence to a healthy lifestyle: the results of the WOBASZ Surveys. Polish Archives of Internal Medicine, 2021, 131, 136-144.	0.3	4
123	How does the risk of cardiovascular death and cardiovascular risk factor profiles differ between socioeconomic classes in Poland: A country in transition. Cardiology Journal, 2019, 26, 493-502.	0.5	4
124	Parafunctions, Signs and Symptoms of Temporomandibular Disorders (TMD), in Children with Attention-Deficit Hyperactivity Disorder (ADHD) Psychiatria Polska, 2021, 55, 887-900.	0.2	4
125	Epidemiology and management of coexisting heart failure and atrial fibrillation in an outpatient setting. Polish Archives of Internal Medicine, 2013, 121, 392-399.	0.3	4
126	Is neural network better than logistic regression in death prediction in patients after ST-segment elevation myocardial infarction?. Kardiologia Polska, 2021, 79, 1353-1361.	0.3	4

#	Article	IF	CITATIONS
127	Heart failure and atrial fibrillation â€" Does practice meet the anticoagulation guidelines?. International Journal of Cardiology, 2012, 157, 274-275.	0.8	3
128	An assessment of health status and health behaviours in adolescents: main points and methods of the SOPKARD-Junior programme. Archives of Medical Science, 2018, 1, 38-51.	0.4	3
129	Prevalence of cardiometabolic risk factors and selected cardiovascular diseases in hypertensive and normotensive participants in the adult Polish population. Medicine (United States), 2020, 99, e21149.	0.4	3
130	Prevalence and socioeconomic predictors of diagnosed and undiagnosed diabetes in oldest-old and younger Caucasian seniors: results from the PolSenior study. Endokrynologia Polska, 2021, 72, 249-255.	0.3	3
131	Serum Uric Acid Is a Weak Independent Predictor of Overall Survival in Older Adults. Journal of Clinical Medicine, 2021, 10, 4505.	1.0	3
132	Smoking ban in public places and myocardial infarction hospitalizations in high cardiovascular risk European country – insights from the Polish nationwide AMI-PL database. Polish Archives of Internal Medicine, 2019, 129, 386-391.	0.3	3
133	Detection and treatment of hypercholesterolemia in primary health care. Results of the POLKARD program of the Ministry of Health of the Republic of Poland. Polish Archives of Internal Medicine, 2012, 122, 154-161.	0.3	3
134	Heart failure management in Poland: The National Cardiovascular Disease Prevention and Treatment Program POLKARD, edition 2003-2005. Cardiology Journal, 2007, 14, 552-60.	0.5	3
135	Polish forum for prevention guidelines on dyslipidaemia. Kardiologia Polska, 2008, 66, 1239-42.	0.3	3
136	Access to selected diagnostic procedures in the management of heart failure patients in Poland - POLKARD 2005. Kardiologia Polska, 2010, 68, 265-72.	0.3	3
137	QT/ QS(2) Ratio in Mitral Valve Prolapse Syndrome, Hyperthyroidism and Borderline Hypertension: Possible Indication of Dysautonomia. American Journal of Noninvasive Cardiology, 1993, 7, 19-22.	0.1	2
138	How to improve cooperation with political leaders and other decision-makers to improve prevention of cardiovascular disease: lessons from Poland. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 319-324.	3.1	2
139	Depression and smoking – widespread health problems among 14-year old adolescents in Poland. The SOPKARD-Junior survey Psychiatria Polska, 2021, 55, 113-125.	0.2	2
140	Subjective daytime functioning assessment in people with insomnia. Psychiatria Polska, 2017, 51, 833-843.	0.2	2
141	Polish Forum for Prevention Guidelines on Dyslipidaemia: update 2016. Kardiologia Polska, 2017, 75, 187-190.	0.3	2
142	Polish Forum for Prevention Guidelines on Cardiovascular Risk Assessment: update 2016. Kardiologia Polska, 2017, 75, 84-86.	0.3	2
143	Do participants with depression receive more counseling on cardiovascular disease risk factors? The results of the WOBASZ II study. Kardiologia Polska, 2019, 77, 1176-1181.	0.3	2
144	The necessity of prevention and treatment in the population of adolescents based on a comprehensive assessment of their health: the SOPKARD-Junior survey. Polish Archives of Internal Medicine, 2020, 130, 358-367.	0.3	2

#	Article	IF	CITATIONS
145	Mortality from ischaemic heart disease in Poland in 1991-1996 estimated by the coding system used since 1997. Kardiologia Polska, 2010, 68, 520-7.	0.3	2
146	Prevalence, symptom burden and under-diagnosis of chronic obstructive pulmonary disease in Polish lung cancer screening population: a cohort observational study. BMJ Open, 2022, 12, e055007.	0.8	2
147	Stanowisko dotyczÄ…ce postÄ™powania w rodzinnej hipercholesterolemii u dzieci i mÅ,odzieży. Stanowisko Forum Ekspertijw Lipidowych. Pediatria Polska, 2013, 88, 567-574.	0.1	1
148	Obesity confers similar 30-year risk of cardiovascular disease or diabetes as hypertension or hypercholesterolemia in young adults. European Heart Journal, 2013, 34, 4362-4362.	1.0	1
149	OP72â€EUROHEART II - comparing policies to reduce future coronary heart disease mortality in nine European countries: modelling study. Journal of Epidemiology and Community Health, 2014, 68, A36.1-A36.	2.0	1
150	OP53â€Contrasting cardiovascular mortality trends in Eastern Mediterranean populations – contributions from risk factor changes and treatments: modelling study. Journal of Epidemiology and Community Health, 2014, 68, A28.1-A28.	2.0	1
151	[OP.2C.07] THE GROWING RATE OF ATRIAL FIBRILLATION AMONG HEART FAILURE PATIENTS IN POLISH PRIMARY HEALTH CARE – DATA FROM 2005 AND 2013. Journal of Hypertension, 2016, 34, e23.	0.3	1
152	FP006CHANGES IN FRACTIONAL URIC EXCRETION AFTER MARATHON AND ULTRAMARATHON Nephrology Dialysis Transplantation, 2018, 33, i51-i52.	0.4	1
153	Cardiovascular risk factor profiles in familial hypercholesterolemia patients with and without genetic mutation compared to a nationally representative sample of adults in a high-risk European country. American Heart Journal, 2019, 218, 32-45.	1.2	1
154	The level of knowledge of diabetic prevention in Poland – is there a phenomenon of pluralistic ignorance?. International Journal of Occupational Medicine and Environmental Health, 2021, 34, 667-678.	0.6	1
155	THE CIRCUMFERENCE OF THE ARM AND ACCURACY OF BLOOD PRESSURE MEASUREMENTS. Journal of Hypertension, 2000, 18, S53.	0.3	1
156	Age is the main determinant of glycated hemoglobin levels in a general Polish population without diabetes: The NATPOL 2011 Study. Advances in Clinical and Experimental Medicine, 2019, 28, 659-664.	0.6	1
157	Polish Forum for Prevention Guidelines on Prophylactic Pharmacotherapy: update 2017. Kardiologia Polska, 2017, 75, 508-511.	0.3	1
158	Polish Forum for Prevention Guidelines on Diabetes: update 2017. Kardiologia Polska, 2017, 75, 628-631.	0.3	1
159	Socioeconomic and sex differences in health care utilisation, counselling on cardiovascular disease (CVD) risk factors, and CVD risk factors control in the Polish population. The WOBASZ II Study. Kardiologia Polska, 2018, 76, 1516-1524.	0.3	1
160	Prevalence of chronic heart failure and asymptomatic left ventricular dysfunction in the general population: methods and preliminary results of the HF-Pomorskie Study. Kardiologia Polska, 2018, 76, 1567-1569.	0.3	1
161	Management of familial heterozygous hypercholesterolemia. Position paper of the Polish Lipid Expert Forum. Polish Archives of Internal Medicine, 2013, 123, 7-10.	0.3	1
162	Current guidelines and controversies in the diagnosis and therapy of hypertension in the elderly and very elderly $\hat{a} \in \mathbb{R}^n$ a review of international recommendations. Arterial Hypertension, 2020, 24, 1-9.	0.2	1

#	Article	IF	CITATIONS
163	Metformin and heart injury after acute coronary syndrome in diabetic patients with no previous history of cardiovascular disease: data from the PLACS registry. Polish Archives of Internal Medicine, 2020, 130, 708-710.	0.3	1
164	Stanowisko Komitetu Zdrowia Publicznego Polskiej Akademii Nauk w sprawie szczepieÅ,, przeciw COVID-19. Zdrowie Publiczne I ZarzÄdzanie, 2021, 18, 193-201.	0.3	1
165	Anthropometric Determinants of Respiratory Sinus Arrhythmia in Children. International Journal of Environmental Research and Public Health, 2022, 19, 566.	1.2	1
166	DISTRIBUTION OF ARM CIRCUMFERENCE IN ADULTS IN POLAND AS AN IMPORTANT FACTOR INFLUENCING ACCURACY OF BLOOD PRESSURE MEASUREMENTS. Journal of Hypertension, 2004, 22, S3.	0.3	0
167	Foreword. European Journal of Cardiovascular Prevention and Rehabilitation, 2007, 14, S1-S1.	3.1	O
168	FP37-WE-05 Impact of insomnia on the quality of life of post-stroke patients. Journal of the Neurological Sciences, 2009, 285, S117.	0.3	0
169	Polish Forum for Prevention: a response to the European Society of Cardiology †call for action†in Poland. European Journal of Cardiovascular Prevention and Rehabilitation, 2010, 17, 250-250.	3.1	O
170	Sharp increase in statin use and large changes in lipids and hsCRP in adults >=55 years of age in Poland during the last decade. European Heart Journal, 2013, 34, P699-P699.	1.0	0
171	Thirty year risk of cardiovascular disease and key risk factors increase with increasing thyroid stimulating hormone in adolescents. European Heart Journal, 2013, 34, P1539-P1539.	1.0	O
172	PPO5â€Are recent population declines in total cholesterol levels in Poland attributable to statin medications or dietary changes?. Journal of Epidemiology and Community Health, 2014, 68, A49.1-A49.	2.0	0
173	MP329ASPECTS OF CKD EPIDEMIOLOGY IN THE ELDERLY. Nephrology Dialysis Transplantation, 2016, 31, i448-i449.	0.4	O
174	[PP.23.08] PREVALENCE OF RESISTANT HYPERTENSION IN THE ELDERLY HYPERTENSIVE SUBJECTS - THE RESULTS OF THE POPULATION-BASED STUDY 'POLSENIOR'. Journal of Hypertension, 2016, 34, e256.	0.3	0
175	PO732DOES KIDNEY FUNCTION INFLUENCE PLASMA ADIPONECTIN CONCENTRATION IN ELDERLY CAUCASIANS?. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	O
176	Association between cardiovascular diseases and depressive symptoms in adults. A pooled analysis of population-based surveys WOBASZ, NATPOL2011 and WOBASZ II. Polish Archives of Internal Medicine, 2021, 131, 503-511.	0.3	0
177	The effectiveness of screening for major cardiovascular risk factors in the population of small towns in Poland. European Journal of Translational and Clinical Medicine, 2021, 4, 57-64.	0.0	O
178	SOPKARD – THE NEW PREVENTIVE PROGRAM OF THE POLISH SOCIETY OF HYPERTENSION IN GDANSK. Journal of Hypertension, 2000, 18, S178.	0.3	0
179	HYPERTENSION AND OVERWEIGHT IN ELDERLY – THE PREVALENCE AND AWARENESS ESTIMATES BASED ON REPRESENTATIVE SURVEY. Journal of Hypertension, 2000, 18, S178.	0.3	O
180	1275 Prevalence of arterial hypertension in Poland in 2002, and its influence on risk of myocardial infarction. European Heart Journal, 2003, 24, 241.	1.0	0

#	Article	IF	Citations
181	IS SCREENING OF GENERAL POPULATION EFFECTIVE IN DETECTION OF ARTERIAL HYPERTENSION AND OTHER RISK FACTORS IN HIGH-RISK REGIONS?. Journal of Hypertension, 2004, 22, S22.	0.3	0
182	ASSOCIATION OF ELEVATED BLOOD PRESSURE AND METABOLIC SYNDROME WITH SOCIAL SUPPORT LEVEL IN MEN AND WOMEN IN NORTHERN POLAND. Journal of Hypertension, 2004, 22, S231.	0.3	0
183	RELATIONSHIP BETWEEN DEPRESSION WITH INCREASED BLOOD PRESSURE AND OTHER COMPONENTS OF METABOLIC SYNDROM. Journal of Hypertension, 2004, 22, S155.	0.3	O
184	HYPERTENSION PREVALENCE AND BP LEVELS IN THE CZECH REPUBLIC AND POLAND. Journal of Hypertension, 2004, 22, S262-S263.	0.3	0
185	DEPRESSION IN RELATION TO INCREASED BLOOD PRESSURE AND OTHER COMPONENTS OF METABOLIC SYNDROME. Journal of Hypertension, 2004, 22, S84.	0.3	0
186	OVERWEIGHT AND OBESITY AMONG 40 AND 50 YEARS OLD PEOPLE IN UKRAINIAN CITY LUTSK. Journal of Hypertension, 2004, 22, S227.	0.3	0
187	IS SCREENING OF GENERAL POPULATION EFFECTIVE IN DETECTION OF ARTERIAL HYPERTENSION AND OTHER RISK FACTORS IN HIGH-RISK REGIONS?. Journal of Hypertension, 2004, 22, S266-S267.	0.3	0
188	DISTRIBUTION OF C-REACTIVE PROTEIN IN GENERAL POPULATION AND IN PATIENTS WITH ARTERIAL HYPERTENSION IN COUNTRY REPRESENTING HIGH RISK REGION FOR CVD. Journal of Hypertension, 2004, 22, \$260-\$261.	0.3	0
189	CARDIOVASCULAR PREVENTIVE PROJECT LUTSKARD IN UKRAINIAN CITY LUTSK. PREVALENCE, AWARENESS, TREATMENT AND CONTROL OF HYPERTENSION, AND RESPONSE TO THE PROJECT. Journal of Hypertension, 2004, 22, S396.	0.3	0
190	RELATIONSHIP BETWEEN INCREASED BLOOD PRESSURE AND LIPID DISORDERS IN MIDDLE-AGED PARTICIPANTS OF PREVENTIVE PROGRAMS IN NORTHERN POLAND. Journal of Hypertension, 2004, 22, S268.	0.3	0
191	NON-PHARMACOLOGICAL TREATMENT IS LARGELY UNDERUSED IN CLINICAL PRACTICE. Journal of Hypertension, 2004, 22, S241.	0.3	O
192	Alcohol consumption and serum concentration of high sensitivity C-reactive protein in general Polish population. European Journal of Cardiovascular Prevention and Rehabilitation, 2005, 12, 282.	3.1	0
193	How to improve cooperation with political leaders and other decision-makers to improve prevention of cardiovascular disease: lessons from Poland. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 319-324.	3.1	0
194	AT1-Receptorblocker Versus Angiotensin Converting Enzyme Inhibitor in Acute Myocardial Infarction? Role of Dosage and Bradykinin on Remodeling, Hemodynamics and Mortality in the Rat Model. Journal of the American College of Cardiology, 1998, 31, 311A.	1.2	0
195	Endocrine and Metabolic Disorders in Aging Women. ISGE Series, 2015, , 137-141.	0.2	0
196	Projekt utworzenia sieci oŠrodków diabetologicznych w województwie pomorskim. Clinical Diabetology, 2015, 4, 210-217.	0.2	0
197	Health outcomes and economic consequences of using angiotensin-converting enzyme inhibitors in comparison with angiotensin receptor blockers in the treatment of arterial hypertension in the contemporary Polish setting. Kardiologia Polska, 2016, 74, 1016-1024.	0.3	O
198	Parafunctions, signs and symptoms of temporomandibular disorders (TMD) among adolescents 14 to 15 years of age. Journal of Stomatology, 2016, 69, 712-724.	0.1	0

#	Article	IF	CITATIONS
199	Statin Eligibility Under American and European Cholesterol Guidelinesâ€"Reply. JAMA Cardiology, 2017, 2, 460.	3.0	0
200	Rozpowszechnienie nadciÅnienia tÄ™tniczego w grupie przewlekle palÄ…cych — wyniki programu wczesnego wykrywania raka pÅ,uc MOLTEST BIS. Arterial Hypertension, 2018, 22, 74-80.	0.2	0
201	Influence of endurance training on respiratory system. , 2019, , .		0
202	Blood pressure and cholesterol control in the general population. Authors' reply. Polish Archives of Internal Medicine, 2020, 130, 258-260.	0.3	0
203	Effectiveness and safety of PCSK9 inhibitor therapy in patients with familial hypercholesterolemia within a therapeutic program in Poland: Preliminary multicenter data. Cardiology Journal, 2022, 29, 62-71.	0.5	O