

Tomasz Zdrojewski

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/486025/tomasz-zdrojewski-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

178
papers

11,265
citations

27
h-index

105
g-index

220
ext. papers

14,183
ext. citations

3.7
avg, IF

7.36
L-index

#	Paper	IF	Citations
178	Health status and its socio-economic covariates in the older population in Poland - the assumptions and methods of the nationwide, cross-sectional PolSenior2 survey.. <i>Archives of Medical Science</i> , 2022 , 18, 92-102	2.9	1
177	Prevalence, symptom burden and under-diagnosis of chronic obstructive pulmonary disease in Polish lung cancer screening population: a cohort observational study.. <i>BMJ Open</i> , 2022 , 12, e055007	3	
176	Management and predictors of clinical events in 75 686 patients with acute myocardial infarction.. <i>Kardiologia Polska</i> , 2022 ,	0.9	4
175	Impact of COVID-19 pandemic on acute heart failure admissions and mortality: a multicentre study (COV-HF-SIRIO 6 study). <i>ESC Heart Failure</i> , 2021 , 9, 721	3.7	3
174	Stanowisko Komitetu Zdrowia Publicznego Polskiej Akademii Nauk w sprawie szczepień przeciw COVID-19. <i>Zdrowie Publiczne I Zarządzanie</i> , 2021 , 18, 193-201	4.7	
173	Parafunctions, Signs and Symptoms of Temporomandibular Disorders (TMD), in Children with Attention-Deficit Hyperactivity Disorder (ADHD).. <i>Psychiatria Polska</i> , 2021 , 55, 887-900	1.3	0
172	Increase in the prevalence of metabolic syndrome in Poland: comparison of the results of the WOBASZ (2003-2005) and WOBASZ II (2013-2014) studies. <i>Polish Archives of Internal Medicine</i> , 2021 , 131, 520-526	1.9	1
171	Prevalence of hypokalemia in older persons: results from the PolSenior national survey. <i>European Geriatric Medicine</i> , 2021 , 12, 981-987	3	0
170	Association between cardiovascular diseases and depressive symptoms in adults. A pooled analysis of population-based surveys: WOBASZ, NATPOL 2011, and WOBASZ II. <i>Polish Archives of Internal Medicine</i> , 2021 , 131, 503-511	1.9	
169	Predicting Silent Atrial Fibrillation in the Elderly: A Report from the NOMED-AF Cross-Sectional Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
168	Relationship between diabetes mellitus and atrial fibrillation prevalence in the Polish population: a report from the Non-invasive Monitoring for Early Detection of Atrial Fibrillation (NOMED-AF) prospective cross-sectional observational study. <i>Cardiovascular Diabetology</i> , 2021 , 20, 128	8.7	3
167	Prevalence and socioeconomic predictors of diagnosed and undiagnosed diabetes in oldest-old and younger Caucasian seniors: results from the PolSenior study. <i>Endokrynologia Polska</i> , 2021 , 72, 249-255	1.1	0
166	Factors Affecting Early Mortality and 1-Year Outcomes in Young Women With ST-Segment-Elevation Myocardial Infarction Aged Less Than or Equal to 45 Years. <i>Current Problems in Cardiology</i> , 2021 , 46, 100419	17.1	3
165	Differences in Symptomatology and Clinical Course of Acute Coronary Syndromes in Women ≥5 Years of Age Compared to Older Women. <i>Current Problems in Cardiology</i> , 2021 , 46, 100508	17.1	2
164	Depression and smoking - widespread health problems among 14-year-old adolescents in Poland. The results of the SOPKARD-Junior survey. <i>Psychiatria Polska</i> , 2021 , 55, 113-125	1.3	0
163	The level of knowledge of diabetic prevention in Poland - is there a phenomenon of pluralistic ignorance?. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2021 , 34, 667-678	1.5	
162	Serum Uric Acid Is a Weak Independent Predictor of Overall Survival in Older Adults. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1

161	Ten-year changes in adherence to a healthy lifestyle: the results of the WOBASZ surveys. <i>Polish Archives of Internal Medicine</i> , 2021 , 131, 136-144	1.9	2
160	Factors influencing post-exercise proteinuria after marathon and ultramarathon races. <i>Biology of Sport</i> , 2020 , 37, 33-40	4.3	7
159	Prevalence of diabetes and impaired fasting glucose in Poland in 2005-2014: results of the WOBASZ surveys. <i>Diabetic Medicine</i> , 2020 , 37, 1528-1535	3.5	3
158	Blood pressure and cholesterol control in the general population. AuthorsReply. <i>Polish Archives of Internal Medicine</i> , 2020 , 130, 258-260	1.9	
157	The necessity of prevention and treatment in the population of adolescents based on a comprehensive health assessment: the SOPKARD-Junior study. <i>Polish Archives of Internal Medicine</i> , 2020 , 130, 358-367	1.9	1
156	Metformin and cardiac injury after acute coronary syndrome in diabetic patients with no history of cardiovascular disease: data from the PL-ACS registry. <i>Polish Archives of Internal Medicine</i> , 2020 , 130, 708-710	1.9	0
155	Prevalence, characteristics, and prognostic implications of type 2 diabetes in patients with myocardial infarction: the Polish Registry of Acute Coronary Syndromes (PL-ACS) annual 2018 report. <i>Kardiologia Polska</i> , 2020 , 78, 243-246	0.9	1
154	Observed and relative survival and 5-year outcomes of patients discharged after acute myocardial infarction: the nationwide AMI-PL database. <i>Kardiologia Polska</i> , 2020 , 78, 990-998	0.9	4
153	Assessment of quality of care of patients with ST-segment elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020 , 9, 893-901	4.3	4
152	Prevalence of cardiometabolic risk factors and selected cardiovascular diseases in hypertensive and normotensive participants in the adult Polish population: The WOBASZ II study. <i>Medicine (United States)</i> , 2020 , 99, e21149	1.8	1
151	Pharmacological Interactions in the Elderly. <i>Medicina (Lithuania)</i> , 2020 , 56,	3.1	3
150	National trends in total cholesterol obscure heterogeneous changes in HDL and non-HDL cholesterol and total-to-HDL cholesterol ratio: a pooled analysis of 458 population-based studies in Asian and Western countries. <i>International Journal of Epidemiology</i> , 2020 , 49, 173-192	7.8	25
149	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. <i>Nature</i> , 2019 , 569, 260-264	50.4	278
148	Lung cancer survival and comorbidities in lung cancer screening participants of the Gdańsk screening cohort. <i>European Journal of Public Health</i> , 2019 , 29, 1114-1117	2.1	2
147	Prevalence of diabetes in Poland: a combined analysis of national databases. <i>Diabetic Medicine</i> , 2019 , 36, 1209-1216	3.5	8
146	Metformin and Colorectal Cancer - A Systematic Review. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2019 , 127, 445-454	2.3	6
145	Influence of Sociodemographic, Behavioral and Other Health-Related Factors on Healthy Ageing Based on Three Operative Definitions. <i>Journal of Nutrition, Health and Aging</i> , 2019 , 23, 862-869	5.2	5
144	Age is the main determinant of glycosylated hemoglobin levels in a general Polish population without diabetes: The NATPOL 2011 Study. <i>Advances in Clinical and Experimental Medicine</i> , 2019 , 28, 659-664	1.8	1

143	Relationship between the dietary glycemic load of the adult Polish population and socio-demographic and lifestyle factors - results of the WOBASZ II study. <i>Advances in Clinical and Experimental Medicine</i> , 2019 , 28, 891-897	1.8	1
142	Smoking ban in public places and myocardial infarction hospitalizations in a European country with high cardiovascular risk: insights from the Polish nationwide AMI-PL database. <i>Polish Archives of Internal Medicine</i> , 2019 , 129, 386-391	1.9	1
141	Blood pressure and cholesterol control in patients with hypertension and hypercholesterolemia: the results from the Polish multicenter national health survey WOBASZ II. <i>Polish Archives of Internal Medicine</i> , 2019 , 129, 864-873	1.9	7
140	How does the risk of cardiovascular death and cardiovascular risk factor profiles differ between socioeconomic classes in Poland: A country in transition. <i>Cardiology Journal</i> , 2019 , 26, 493-502	1.4	1
139	Depressive symptoms and cardiovascular diseases in the adult Polish population. Results of the NATPOL2011 study. <i>Kardiologia Polska</i> , 2019 , 77, 18-23	0.9	3
138	Do participants with depression receive more counseling on cardiovascular disease risk factors? The results of the WOBASZ II study. <i>Kardiologia Polska</i> , 2019 , 77, 1176-1181	0.9	0
137	Cardiovascular risk factor profiles in familial hypercholesterolemia patients with and without genetic mutation compared to a nationally representative sample of adults in a high-risk European country. <i>American Heart Journal</i> , 2019 , 218, 32-45	4.9	1
136	Prognostic role of traditional cardiovascular risk factors in patients with idiopathic pulmonary arterial hypertension. <i>Archives of Medical Science</i> , 2019 , 15, 1397-1406	2.9	6
135	Risk factors predisposing to acute coronary syndromes in young women \geq 5 years of age. <i>International Journal of Cardiology</i> , 2018 , 264, 165-169	3.2	14
134	Health status of older cancer survivors-results of the PolSenior study. <i>Journal of Cancer Survivorship</i> , 2018 , 12, 326-333	5.1	8
133	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. <i>International Journal of Epidemiology</i> , 2018 , 47, 872-883i	7.8	40
132	Temporal trends in secondary prevention in myocardial infarction patients discharged with left ventricular systolic dysfunction in Poland. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 960-969	3.9	16
131	Early and One-Year Outcomes of Acute Stroke in the Industrial Region of Poland During the Decade 2006-2015: The Silesian Stroke Registry. <i>Neuroepidemiology</i> , 2018 , 50, 183-194	5.4	5
130	Dietary Total Antioxidant Capacity and Dietary Polyphenol Intake and Prevalence of Metabolic Syndrome in Polish Adults: A Nationwide Study. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 7487816	6.7	17
129	FP006CHANGES IN FRACTIONAL URIC EXCRETION AFTER MARATHON AND ULTRAMARATHON.. <i>Nephrology Dialysis Transplantation</i> , 2018 , 33, i51-i52	4.3	1
128	Acute Ischemic Stroke Hospital Admissions, Treatment, and Outcomes in Poland in 2009-2013. <i>Frontiers in Neurology</i> , 2018 , 9, 134	4.1	6
127	Consensus statement on a screening programme for the detection of early lung cancer in Poland. <i>Advances in Respiratory Medicine</i> , 2018 , 86, 53-74	0.8	7
126	Trends in hypertension prevalence, awareness, treatment, and control among Polish adults 75 years and older during 2007-2014. <i>Cardiology Journal</i> , 2018 , 25, 333-344	1.4	6

125	Prevalence, diagnosis, and treatment of familial hypercholesterolaemia in outpatient practices in Poland. <i>Kardiologia Polska</i> , 2018 , 76, 960-967	0.9	5
124	Cardiovascular diseases prevention in Poland: results of WOBASZ and WOBASZ II studies. <i>Kardiologia Polska</i> , 2018 , 76, 1534-1541	0.9	6
123	NOInvasive Monitoring for Early Detection of Atrial Fibrillation: rationale and design of the NOMED-AF study. <i>Kardiologia Polska</i> , 2018 , 76, 1482-1485	0.9	6
122	Prevalence of chronic heart failure and asymptomatic left ventricular dysfunction in the general population: methods and preliminary results of the HF-Pomorskie Study. <i>Kardiologia Polska</i> , 2018 , 76, 1567-1569	0.9	1
121	Chronic heart failure management in primary healthcare in Poland: Results of a nationwide cross-sectional study. <i>European Journal of General Practice</i> , 2018 , 24, 1-8	2.8	5
120	Atrial fibrillation independently linked with depression in community-dwelling older population. Results from the nationwide PolSenior project. <i>Experimental Gerontology</i> , 2018 , 112, 88-91	4.5	4
119	Prevalence, awareness, treatment and control of hypertension in the adult Polish population - Multi-center National Population Health Examination Surveys - WOBASZ studies. <i>Archives of Medical Science</i> , 2018 , 14, 951-961	2.9	27
118	An assessment of health status and health behaviours in adolescents: main points and methods of the SOPKARD-Junior programme. <i>Archives of Medical Science</i> , 2018 , 14, 38-51	2.9	1
117	Low-density lipoprotein cholesterol and survival in pulmonary arterial hypertension. <i>Scientific Reports</i> , 2017 , 7, 41650	4.9	15
116	Chronic kidney disease in Polish elderly population aged 75+: results of the WOBASZ Senior Survey. <i>International Urology and Nephrology</i> , 2017 , 49, 669-676	2.3	5
115	Increased plasma RBP4 concentration in older hypertensives is related to the decreased kidney function and the number of antihypertensive drugs-results from the PolSenior substudy. <i>Journal of the American Society of Hypertension</i> , 2017 , 11, 71-80		9
114	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128.9 million children, adolescents, and adults. <i>Lancet, The</i> , 2017 , 390, 2627-2642	40	2980
113	Factors Associated With Quitting Among Smoking Pregnant Women From Small Town and Rural Areas in Poland. <i>Nicotine and Tobacco Research</i> , 2017 , 19, 647-651	4.9	4
112	Long-term outcomes after acute myocardial infarction in countries with different socioeconomic environments: an international prospective cohort study. <i>BMJ Open</i> , 2017 , 7, e012715	3	6
111	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with 19.1 million participants. <i>Lancet, The</i> , 2017 , 389, 37-55	40	1100
110	Subjective daytime functioning assessment in people with insomnia. <i>Psychiatria Polska</i> , 2017 , 51, 833-843	3	1
109	Tobacco smoking in Poland in the years from 2003 to 2014. Multi-centre National Population Health Examination Survey (WOBASZ). <i>Polish Archives of Internal Medicine</i> , 2017 , 127, 91-99	1.9	14
108	Polish Forum for Prevention Guidelines on Dyslipidaemia: update 2016. <i>Kardiologia Polska</i> , 2017 , 75, 187-190	0.9	2

107	Polish Forum for Prevention Guidelines on Hypertension: update 2017. <i>Kardiologia Polska</i> , 2017 , 75, 282-285	0.9	9
106	Polish Forum for Prevention Guidelines on Smoking: update 2017. <i>Kardiologia Polska</i> , 2017 , 75, 409-411	0.9	6
105	Polish Forum for Prevention Guidelines on Prophylactic Pharmacotherapy: update 2017. <i>Kardiologia Polska</i> , 2017 , 75, 508-511	0.9	1
104	Polish Forum for Prevention Guidelines on Diabetes: update 2017. <i>Kardiologia Polska</i> , 2017 , 75, 628-631	0.9	1
103	Quality of care of hospitalised patients with heart failure in Poland in 2013: results of the second nationwide survey. <i>Kardiologia Polska</i> , 2017 , 75, 527-534	0.9	6
102	Cardiovascular health knowledge of the Polish population. Comparison of two national multi-centre health surveys: WOBASZ and WOBASZ II. <i>Kardiologia Polska</i> , 2017 , 75, 711-719	0.9	4
101	Polish Forum for Prevention Guidelines on Cardiovascular Risk Assessment: update 2016. <i>Kardiologia Polska</i> , 2017 , 75, 84-86	0.9	2
100	Statin Eligibility Under American and European Cholesterol Guidelines-Reply. <i>JAMA Cardiology</i> , 2017 , 2, 460	16.2	
99	Smoking among pregnant women in small towns in Poland. <i>International Journal of Public Health</i> , 2016 , 61, 111-118	4	11
98	Long-term mortality after stroke is higher than after myocardial infarction. <i>Neurological Sciences</i> , 2016 , 37, 891-8	3.5	6
97	Prevalence of chronic kidney disease in a representative sample of the Polish population: results of the NATPOL 2011 survey. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, 433-9	4.3	30
96	Prevalence of self-reported insomnia in general population of Poland. <i>Psychiatria Polska</i> , 2016 , 50, 165-73	3	44
95	Ten-Year Changes in the Prevalence and Socio-Demographic Determinants of Physical Activity among Polish Adults Aged 20 to 74 Years. Results of the National Multicenter Health Surveys WOBASZ (2003-2005) and WOBASZ II (2013-2014). <i>PLoS ONE</i> , 2016 , 11, e0156766	3.7	16
94	Renal Dysfunction in Post-Stroke Patients. <i>PLoS ONE</i> , 2016 , 11, e0159775	3.7	11
93	Changes in the prevalence, treatment, and control of hypercholesterolemia and other dyslipidemias over 10 years in Poland: the WOBASZ study. <i>Polish Archives of Internal Medicine</i> , 2016 , 126, 642-652	1.9	15
92	Prevalence of lipid abnormalities in Poland. The NATPOL 2011 survey. <i>Kardiologia Polska</i> , 2016 , 74, 213-239	0.9	28
91	Multi-centre National Population Health Examination Survey (WOBASZ II study): assumptions, methods, and implementation. <i>Kardiologia Polska</i> , 2016 , 74, 681-90	0.9	37
90	Are dietary habits of the Polish population consistent with the recommendations for prevention of cardiovascular disease? - WOBASZ II project. <i>Kardiologia Polska</i> , 2016 , 74, 969-77	0.9	31

89	Health outcomes and economic consequences of using angiotensin-converting enzyme inhibitors in comparison with angiotensin receptor blockers in the treatment of arterial hypertension in the contemporary Polish setting. <i>Kardiologia Polska</i> , 2016 , 74, 1016-24	0.9	
88	Prevalence of familial hypercholesterolemia: a meta-analysis of six large, observational, population-based studies in Poland. <i>Archives of Medical Science</i> , 2016 , 12, 687-96	2.9	26
87	MP329ASPECTS OF CKD EPIDEMIOLOGY IN THE ELDERLY. <i>Nephrology Dialysis Transplantation</i> , 2016 , 31, i448-i449	4.3	
86	Population Effect of Differences in Cholesterol Guidelines in Eastern Europe and the United States. <i>JAMA Cardiology</i> , 2016 , 1, 700-7	16.2	10
85	Prevalence, awareness, and control of hypertension in elderly and very elderly in Poland: results of a cross-sectional representative survey. <i>Journal of Hypertension</i> , 2016 , 34, 532-8; discussion 538	1.9	24
84	Exploring potential mortality reductions in 9 European countries by improving diet and lifestyle: A modelling approach. <i>International Journal of Cardiology</i> , 2016 , 207, 286-91	3.2	16
83	Worldwide trends in diabetes since 1980: a pooled analysis of 751 population-based studies with 4.4 million participants. <i>Lancet, The</i> , 2016 , 387, 1513-1530	4.0	2039
82	Trends in adult body-mass index in 200 countries from 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 1912 million participants. <i>Lancet, The</i> , 2016 , 387, 1377-1396 ⁴⁰		2787
81	Associations between cardiovascular disease risk factors and IL-6 and hsCRP levels in the elderly. <i>Experimental Gerontology</i> , 2016 , 85, 112-117	4.5	26
80	Inflammation but not obesity or insulin resistance is associated with increased plasma fibroblast growth factor 23 concentration in the elderly. <i>Clinical Endocrinology</i> , 2015 , 82, 900-9	3.4	38
79	Effects of diabetes definition on global surveillance of diabetes prevalence and diagnosis: a pooled analysis of 96 population-based studies with 331,288 participants. <i>Lancet Diabetes and Endocrinology, the</i> , 2015 , 3, 624-37	18.1	109
78	Hypertension in patients with Alzheimer's disease--prevalence, characteristics, and impact on clinical outcome. Experience of one neurology center in Poland. <i>Journal of the American Society of Hypertension</i> , 2015 , 9, 711-24		5
77	Paraoxonase 1 activity and level of antibodies directed against oxidized low density lipoproteins in a group of an elderly population in Poland - PolSenior study. <i>Archives of Gerontology and Geriatrics</i> , 2015 , 60, 153-61	4	5
76	Objectives and methodology of Romanian SEPHAR II Survey. Project for comparing the prevalence and control of cardiovascular risk factors in two East-European countries: Romania and Poland. <i>Archives of Medical Science</i> , 2015 , 11, 715-23	2.9	8
75	A victory for statins or a defeat for diet policies? Cholesterol falls in Poland in the past decade: A modeling study. <i>International Journal of Cardiology</i> , 2015 , 185, 313-9	3.2	5
74	Plasma visfatin/nicotinamide phosphoribosyltransferase levels in hypertensive elderly - results from the PolSenior substudy. <i>Journal of the American Society of Hypertension</i> , 2015 , 9, 1-8		12
73	Apolipoprotein B improves risk assessment of future coronary heart disease in the Framingham Heart Study beyond LDL-C and non-HDL-C. <i>European Journal of Preventive Cardiology</i> , 2015 , 22, 1321-7	3.9	76
72	Results of an open-access lung cancer screening program with low-dose computed tomography: the Gdańsk experience. <i>Polish Archives of Internal Medicine</i> , 2015 , 125, 232-9	1.9	8

71	Plasma visfatin/nicotinamide phosphoribosyltransferase (visfatin/NAMPT) concentration in elderly subjects with metabolic syndrome. <i>Polish Archives of Internal Medicine</i> , 2015 , 125, 402-13	1.9	4
70	2015 guidelines for the management of hypertension. Recommendations of the Polish Society of Hypertension - short version. <i>Kardiologia Polska</i> , 2015 , 73, 676-700	0.9	17
69	Incidence, treatment, in-hospital mortality and one-year outcomes of acute myocardial infarction in Poland in 2009-2012--nationwide AMI-PL database. <i>Kardiologia Polska</i> , 2015 , 73, 142-58	0.9	45
68	Endocrine and Metabolic Disorders in Aging Women. <i>ISGE Series</i> , 2015 , 137-141	0.2	
67	Reduced functionality in everyday activities of patients with self-reported heart failure hospitalization--population-based study results. <i>International Journal of Cardiology</i> , 2014 , 176, 423-9	3.2	18
66	Relationship between circulating visfatin/NAMPT, nutritional status and insulin resistance in an elderly population - results from the PolSenior substudy. <i>Metabolism: Clinical and Experimental</i> , 2014 , 63, 1409-18	12.7	14
65	The knowledge and awareness of hypertension among patients with hypertension in central Poland: a pilot registry. <i>Angiology</i> , 2014 , 65, 525-32	2.1	7
64	Management of familial hypercholesterolemia in children and adolescents. Position paper of the Polish Lipid Expert Forum. <i>Journal of Clinical Lipidology</i> , 2014 , 8, 173-80	4.9	27
63	Seasonal variation of overall and cardiovascular mortality: a study in 19 countries from different geographic locations. <i>PLoS ONE</i> , 2014 , 9, e113500	3.7	64
62	OP72 EUROHEART II - comparing policies to reduce future coronary heart disease mortality in nine European countries: modelling study. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, A36.1-A36	5.1	1
61	The prevalence of chronic kidney disease and its relation to socioeconomic conditions in an elderly Polish population: results from the national population-based study PolSenior. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 1073-82	4.3	26
60	OP53 Contrasting cardiovascular mortality trends in Eastern Mediterranean populations -- contributions from risk factor changes and treatments: modelling study. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, A28.1-A28	5.1	1
59	PP05 Are recent population declines in total cholesterol levels in Poland attributable to statin medications or dietary changes?. <i>Journal of Epidemiology and Community Health</i> , 2014 , 68, A49.1-A49	5.1	
58	Prevalence of diabetes and impaired fasting glucose in Poland--the NATPOL 2011 Study. <i>Diabetic Medicine</i> , 2014 , 31, 1568-71	3.5	15
57	Obesity and diet awareness among Polish children and adolescents in small towns and villages. <i>Central European Journal of Public Health</i> , 2014 , 22, 12-6	1.2	11
56	Epidemiology of physical activity in adult Polish population in the second decade of the 21st century. Results of the NATPOL 2011 study. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2013 , 26, 846-55	1.5	12
55	Plasma level of N-terminal pro brain natriuretic peptide (NT-proBNP) in elderly population in Poland--the PolSenior Study. <i>Experimental Gerontology</i> , 2013 , 48, 852-7	4.5	11
54	Stanowisko dotyczce postpowania w rodzinnej hipercholesterolemii u dzieci i mdziej. Stanowisko Forum Ekspertw Lipidowych. <i>Pediatrics Polska</i> , 2013 , 88, 567-574	0.1	1

53	Management of familial heterozygous hypercholesterolemia: Position Paper of the Polish Lipid Expert Forum. <i>Journal of Clinical Lipidology</i> , 2013 , 7, 217-21	4.9	25
52	Sharp increase in statin use and large changes in lipids and hsCRP in adults >=55 years of age in Poland during the last decade. <i>European Heart Journal</i> , 2013 , 34, P699-P699	9.5	
51	Obesity confers similar 30-year risk of cardiovascular disease or diabetes as hypertension or hypercholesterolemia in young adults. <i>European Heart Journal</i> , 2013 , 34, 4362-4362	9.5	
50	Thirty year risk of cardiovascular disease and key risk factors increase with increasing thyroid stimulating hormone in adolescents. <i>European Heart Journal</i> , 2013 , 34, P1539-P1539	9.5	
49	Population-level changes to promote cardiovascular health. <i>European Journal of Preventive Cardiology</i> , 2013 , 20, 409-21	3.9	76
48	Overweight, obesity, hypertension and albuminuria in Polish adolescents--results of the Sopkard 15 study. <i>Nephrology Dialysis Transplantation</i> , 2013 , 28 Suppl 4, iv204-11	4.3	9
47	The costs of heart failure in Poland from the public payer's perspective. Polish programme assessing diagnostic procedures, treatment and costs in patients with heart failure in randomly selected outpatient clinics and hospitals at different levels of care: POLKARD. <i>Kardiologia Polska</i> , 2013 , 71, 224-32	0.9	26
46	Prevalence and control of cardiovascular risk factors in Poland. Assumptions and objectives of the NATPOL 2011 Survey. <i>Kardiologia Polska</i> , 2013 , 71, 381-92	0.9	43
45	Heart failure and atrial fibrillation--does practice meet the anticoagulation guidelines?. <i>International Journal of Cardiology</i> , 2012 , 157, 274-5	3.2	3
44	Decline in mortality from coronary heart disease in Poland after socioeconomic transformation: modelling study. <i>BMJ, The</i> , 2012 , 344, d8136	5.9	81
43	Smoking status, the menopausal transition, and metabolic syndrome in women. <i>Menopause</i> , 2012 , 19, 194-201	2.5	34
42	Age-related gap in the management of heart failure patients. The National Project of Prevention and Treatment of Cardiovascular Diseases--POLKARD. <i>Cardiology Journal</i> , 2012 , 19, 146-52	1.4	7
41	Detection and treatment of hypercholesterolemia in primary health care. Results of the POLKARD program of the Ministry of Health of the Republic of Poland. <i>Polish Archives of Internal Medicine</i> , 2012 , 122, 154-61	1.9	2
40	A comparison of ST elevation versus non-ST elevation myocardial infarction outcomes in a large registry database: are non-ST myocardial infarctions associated with worse long-term prognoses?. <i>International Journal of Cardiology</i> , 2011 , 152, 70-7	3.2	64
39	Comparison of invasive and non-invasive treatment strategies in older patients with acute myocardial infarction complicated by cardiogenic shock (from the Polish Registry of Acute Coronary Syndromes - PL-ACS). <i>American Journal of Cardiology</i> , 2011 , 107, 30-6	3	9
38	Medical, psychological and socioeconomic aspects of aging in Poland: assumptions and objectives of the PolSenior project. <i>Experimental Gerontology</i> , 2011 , 46, 1003-9	4.5	82
37	Assessment of the quality of secondary ischemic stroke prevention in selected urban areas of Poland and Ukraine: the ASCEP study results. <i>European Neurology</i> , 2011 , 65, 323-31	2.1	5
36	The prevalence of risk factors for atherosclerosis among middle school students in Sopot, Poland: results of the SOPKARD 15 programme. <i>Kardiologia Polska</i> , 2011 , 69, 540-5	0.9	3

35	Polish Forum for Prevention: a response to the European Society of Cardiology Call for action in Poland. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2010 , 17, 250		
34	Cerebral vasomotor reactivity and extent of white matter lesions in middle-aged men with arterial hypertension: a pilot study. <i>American Journal of Hypertension</i> , 2010 , 23, 1198-203	2.3	27
33	Socio-demographic and lifestyle correlates of commuting activity in Poland. <i>Preventive Medicine</i> , 2010 , 50, 257-61	4.3	27
32	Commuting physical activity and prevalence of metabolic disorders in Poland. <i>Preventive Medicine</i> , 2010 , 51, 482-7	4.3	26
31	Access to selected diagnostic procedures in the management of heart failure patients in Poland - POLKARD 2005. <i>Kardiologia Polska</i> , 2010 , 68, 265-72	0.9	2
30	Mortality from ischaemic heart disease in Poland in 1991-1996 estimated by the coding system used since 1997. <i>Kardiologia Polska</i> , 2010 , 68, 520-7	0.9	2
29	Epidemiology of physical inactivity in Poland: prevalence and determinants in a former communist country in socioeconomic transition. <i>Public Health</i> , 2009 , 123, 592-7	4	36
28	Polish Forum for Prevention Guidelines on overweight and obesity. <i>Kardiologia Polska</i> , 2008 , 66, 594-6	0.9	7
27	Polish forum for prevention guidelines on dyslipidaemia. <i>Kardiologia Polska</i> , 2008 , 66, 1239-42	0.9	3
26	Foreword. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007 , 14 Suppl 3, S1		
25	Heart failure management in Poland: The National Cardiovascular Disease Prevention and Treatment Program POLKARD, edition 2003-2005. <i>Cardiology Journal</i> , 2007 , 14, 552-60	1.4	3
24	How to improve cooperation with political leaders and other decision-makers to improve prevention of cardiovascular disease: lessons from Poland. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 319-24		1
23	Attempt to eliminate health inequalities in Poland arising at the time of political and economic transformation: Polish 400 Cities Project. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 832-8		6
22	Are young women with Turner syndrome at greater risk of coronary artery disease?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 467-9		9
21	Distribution of C-reactive protein and its relation to arterial hypertension in a country representing a high-risk region for cardiovascular diseases. <i>Blood Pressure</i> , 2006 , 15, 20-6	1.7	4
20	How to improve cooperation with political leaders and other decision-makers to improve prevention of cardiovascular disease: lessons from Poland. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 319-324		1
19	Are young women with Turner syndrome at greater risk of coronary artery disease?. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 467-469		20
18	Arm circumference in adults in Poland as an important factor influencing the accuracy of blood pressure readings. <i>Blood Pressure Monitoring</i> , 2005 , 10, 73-7	1.3	3

17	Epidemiology and prevention of arterial hypertension in Poland. <i>Blood Pressure</i> , 2005 , 2, 10-6	1.7	19
16	Arterial hypertension in Poland in 2002. <i>Journal of Human Hypertension</i> , 2004 , 18, 557-62	2.6	47
15	Knowledge and use of hormone replacement therapy among Polish women: estimates from a nationally representative study--HORTPOL 2002. <i>Maturitas</i> , 2004 , 47, 31-7	5	13
14	Socio-economic factors in the management of hypertension: the Polish experience. <i>Journal of Hypertension</i> , 2004 , 22, 661-2	1.9	3
13	ASSOCIATION OF ELEVATED BLOOD PRESSURE AND METABOLIC SYNDROME WITH SOCIAL SUPPORT LEVEL IN MEN AND WOMEN IN NORTHERN POLAND. <i>Journal of Hypertension</i> , 2004 , 22, S231	1.9	
12	RELATIONSHIP BETWEEN DEPRESSION WITH INCREASED BLOOD PRESSURE AND OTHER COMPONENTS OF METABOLIC SYNDROM. <i>Journal of Hypertension</i> , 2004 , 22, S155	1.9	
11	HYPERTENSION PREVALENCE AND BP LEVELS IN THE CZECH REPUBLIC AND POLAND. <i>Journal of Hypertension</i> , 2004 , 22, S262-S263	1.9	
10	DEPRESSION IN RELATION TO INCREASED BLOOD PRESSURE AND OTHER COMPONENTS OF METABOLIC SYNDROME. <i>Journal of Hypertension</i> , 2004 , 22, S84	1.9	
9	OVERWEIGHT AND OBESITY AMONG 40 AND 50 YEARS OLD PEOPLE IN UKRAINIAN CITY LUTSK. <i>Journal of Hypertension</i> , 2004 , 22, S227	1.9	
8	DISTRIBUTION OF C-REACTIVE PROTEIN IN GENERAL POPULATION AND IN PATIENTS WITH ARTERIAL HYPERTENSION IN COUNTRY REPRESENTING HIGH RISK REGION FOR CVD. <i>Journal of Hypertension</i> , 2004 , 22, S260-S261	1.9	
7	CARDIOVASCULAR PREVENTIVE PROJECT LUTSKARD IN UKRAINIAN CITY LUTSK. PREVALENCE, AWARENESS, TREATMENT AND CONTROL OF HYPERTENSION, AND RESPONSE TO THE PROJECT. <i>Journal of Hypertension</i> , 2004 , 22, S396	1.9	
6	RELATIONSHIP BETWEEN INCREASED BLOOD PRESSURE AND LIPID DISORDERS IN MIDDLE-AGED PARTICIPANTS OF PREVENTIVE PROGRAMS IN NORTHERN POLAND. <i>Journal of Hypertension</i> , 2004 , 22, S268	1.9	
5	NON-PHARMACOLOGICAL TREATMENT IS LARGELY UNDERUSED IN CLINICAL PRACTICE. <i>Journal of Hypertension</i> , 2004 , 22, S241	1.9	
4	Effects of social intervention on detection and efficacy of treatment for arterial hypertension. Main results of the Polish Four Cities Programme. <i>Kardiologia Polska</i> , 2004 , 61, 546-58; discussion 559-60	0.9	4
3	Ventricular remodeling after myocardial infarction and effects of ACE inhibition on hemodynamics and scar formation in SHR. <i>Cardiovascular Pathology</i> , 2002 , 11, 88-93	3.8	12
2	Have rapid socioeconomic changes influenced awareness of blood pressure in Poland?. <i>Journal of Human Hypertension</i> , 2001 , 15, 247-53	2.6	12
1	QT/ QS(2) Ratio in Mitral Valve Prolapse Syndrome, Hyperthyroidism and Borderline Hypertension: Possible Indication of Dysautonomia. <i>American Journal of Noninvasive Cardiology</i> , 1993 , 7, 19-22		1