

Shengchang Xiang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/486213/publications.pdf>

Version: 2024-02-01

193
papers

20,397
citations

13865

67
h-index

10445

139
g-index

202
all docs

202
docs citations

202
times ranked

12589
citing authors

#	ARTICLE	IF	CITATIONS
1	Metal-Organic Frameworks with Functional Pores for Recognition of Small Molecules. <i>Accounts of Chemical Research</i> , 2010, 43, 1115-1124.	15.6	1,919
2	Ethane/ethylene separation in a metal-organic framework with iron-peroxo sites. <i>Science</i> , 2018, 362, 443-446.	12.6	763
3	Microporous metal-organic framework with potential for carbon dioxide capture at ambient conditions. <i>Nature Communications</i> , 2012, 3, 954.	12.8	716
4	Perspective of microporous metal-organic frameworks for CO ₂ capture and separation. <i>Energy and Environmental Science</i> , 2014, 7, 2868.	30.8	693
5	A Microporous Hydrogen-Bonded Organic Framework for Highly Selective C ₂ H ₂ /C ₂ H ₄ Separation at Ambient Temperature. <i>Journal of the American Chemical Society</i> , 2011, 133, 14570-14573.	13.7	559
6	Exploration of porous metal-organic frameworks for gas separation and purification. <i>Coordination Chemistry Reviews</i> , 2019, 378, 87-103.	18.8	538
7	Microporous Metal-Organic Framework Materials for Gas Separation. <i>CheM</i> , 2020, 6, 337-363.	11.7	528
8	Exceptionally High Acetylene Uptake in a Microporous Metal-Organic Framework with Open Metal Sites. <i>Journal of the American Chemical Society</i> , 2009, 131, 12415-12419.	13.7	510
9	Hydrogen-Bonded Organic Frameworks as a Tunable Platform for Functional Materials. <i>Journal of the American Chemical Society</i> , 2020, 142, 14399-14416.	13.7	444
10	Porous metal-organic frameworks for gas storage and separation: Status and challenges. <i>EnergyChem</i> , 2019, 1, 100006.	19.1	434
11	Microporous metal-organic framework with dual functionalities for highly efficient removal of acetylene from ethylene/acetylene mixtures. <i>Nature Communications</i> , 2015, 6, 7328.	12.8	404
12	A microporous luminescent metal-organic framework for highly selective and sensitive sensing of Cu ²⁺ in aqueous solution. <i>Chemical Communications</i> , 2010, 46, 5503.	4.1	384
13	Functional Mixed Metal-Organic Frameworks with Metalloligands. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 10510-10520.	13.8	384
14	A Flexible Microporous Hydrogen-Bonded Organic Framework for Gas Sorption and Separation. <i>Journal of the American Chemical Society</i> , 2015, 137, 9963-9970.	13.7	360
15	A robust near infrared luminescent ytterbium metal-organic framework for sensing of small molecules. <i>Chemical Communications</i> , 2011, 47, 5551-5553.	4.1	345
16	Open Metal Sites within Isostructural Metal-Organic Frameworks for Differential Recognition of Acetylene and Extraordinarily High Acetylene Storage Capacity at Room Temperature. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 4615-4618.	13.8	344
17	A Metal-Organic Framework with Optimized Open Metal Sites and Pore Spaces for High Methane Storage at Room Temperature. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 3178-3181.	13.8	340
18	Pore Space Partition within a Metal-Organic Framework for Highly Efficient C ₂ H ₂ /CO ₂ Separation. <i>Journal of the American Chemical Society</i> , 2019, 141, 4130-4136.	13.7	338

#	ARTICLE	IF	CITATIONS
19	Interplay of Metalloligand and Organic Ligand to Tune Micropores within Isostructural Mixed-Metal Organic Frameworks (M ² MOFs) for Their Highly Selective Separation of Chiral and Achiral Small Molecules. <i>Journal of the American Chemical Society</i> , 2012, 134, 8703-8710.	13.7	326
20	A Homochiral Microporous Hydrogen-Bonded Organic Framework for Highly Enantioselective Separation of Secondary Alcohols. <i>Journal of the American Chemical Society</i> , 2014, 136, 547-549.	13.7	292
21	Straightforward Loading of Imidazole Molecules into Metal-Organic Framework for High Proton Conduction. <i>Journal of the American Chemical Society</i> , 2017, 139, 15604-15607.	13.7	290
22	A 3D Canted Antiferromagnetic Porous Metal-Organic Framework with Anatase Topology through Assembly of an Analogue of Polyoxometalate. <i>Journal of the American Chemical Society</i> , 2005, 127, 16352-16353.	13.7	282
23	Metal-Organic Frameworks as a Versatile Platform for Proton Conductors. <i>Advanced Materials</i> , 2020, 32, e1907090.	21.0	255
24	A rod packing microporous metal-organic framework with open metal sites for selective guest sorption and sensing of nitrobenzene. <i>Chemical Communications</i> , 2010, 46, 7205.	4.1	239
25	High Anhydrous Proton Conductivity of Imidazole-Loaded Mesoporous Polyimides over a Wide Range from Subzero to Moderate Temperature. <i>Journal of the American Chemical Society</i> , 2015, 137, 913-918.	13.7	238
26	Ethylene/ethane separation in a stable hydrogen-bonded organic framework through a gating mechanism. <i>Nature Chemistry</i> , 2021, 13, 933-939.	13.6	235
27	A new MOF-505 analog exhibiting high acetylene storage. <i>Chemical Communications</i> , 2009, , 7551.	4.1	231
28	A robust doubly interpenetrated metal-organic framework constructed from a novel aromatic tricarboxylate for highly selective separation of small hydrocarbons. <i>Chemical Communications</i> , 2012, 48, 6493.	4.1	224
29	A Microporous Metal-Organic Framework for Highly Selective Separation of Acetylene, Ethylene, and Ethane from Methane at Room Temperature. <i>Chemistry - A European Journal</i> , 2012, 18, 613-619.	3.3	204
30	Microporous Hydrogen-Bonded Organic Framework for Highly Efficient Turn-Up Fluorescent Sensing of Aniline. <i>Journal of the American Chemical Society</i> , 2020, 142, 12478-12485.	13.7	201
31	Wavelength-Dependent Photochromic Inorganic-Organic Hybrid Based on a 3D Iodoplate Open-Framework Material. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 4149-4152.	13.8	191
32	Microporous metal-organic frameworks for acetylene storage and separation. <i>CrystEngComm</i> , 2011, 13, 5983.	2.6	163
33	A microporous metal-organic framework with both open metal and Lewis basic pyridyl sites for highly selective C ₂ H ₂ /CH ₄ and C ₂ H ₂ /CO ₂ gas separation at room temperature. <i>Journal of Materials Chemistry A</i> , 2013, 1, 77-81.	10.3	148
34	High Separation Capacity and Selectivity of C ₂ Hydrocarbons over Methane within a Microporous Metal-Organic Framework at Room Temperature. <i>Chemistry - A European Journal</i> , 2012, 18, 1901-1904.	3.3	142
35	Integrating the Pillared-Layer Strategy and Pore-Space Partition Method to Construct Multicomponent MOFs for C ₂ H ₂ /CO ₂ Separation. <i>Journal of the American Chemical Society</i> , 2020, 142, 9258-9266.	13.7	141
36	Design and applications of water-stable metal-organic frameworks: status and challenges. <i>Coordination Chemistry Reviews</i> , 2020, 423, 213507.	18.8	138

#	ARTICLE	IF	CITATIONS
37	A New Approach to Construct a Doubly Interpenetrated Microporous Metal-Organic Framework of Primitive Cubic Net for Highly Selective Sorption of Small Hydrocarbon Molecules. Chemistry - A European Journal, 2011, 17, 7817-7822.	3.3	137
38	A microporous lanthanide-tricarboxylate framework with the potential for purification of natural gas. Chemical Communications, 2012, 48, 10856.	4.1	134
39	A Fan-Shaped Polynuclear Gd ₆ Cu ₁₂ Amino Acid Cluster: A "Hollow" and Ferromagnetic [Gd ₆ ($\frac{1}{4}$ 3-OH) ₈] Octahedral Core Encapsulated by Six [Cu ₂] Glycinato Blade Fragments. Journal of the American Chemical Society, 2007, 129, 15144-15146.	13.7	128
40	Our journey of developing multifunctional metal-organic frameworks. Coordination Chemistry Reviews, 2019, 384, 21-36.	18.8	126
41	Three-Dimensional Pillar-Layered Copper(II) Metal-Organic Framework with Immobilized Functional OH Groups on Pore Surfaces for Highly Selective CO ₂ /CH ₄ and C ₂ H ₂ /CH ₄ Gas Sorption at Room Temperature. Inorganic Chemistry, 2011, 50, 3442-3446.	4.0	115
42	Extraordinary Separation of Acetylene-Containing Mixtures with Microporous Metal-Organic Frameworks with Open O Donor Sites and Tunable Robustness through Control of the Helical Chain Secondary Building Units. Chemistry - A European Journal, 2016, 22, 5676-5683.	3.3	113
43	Metal-organic frameworks with a large breathing effect to host hydroxyl compounds for high anhydrous proton conductivity over a wide temperature range from subzero to 125 °C. Journal of Materials Chemistry A, 2016, 4, 4062-4070.	10.3	109
44	Metallic MoS ₂ Nanoflowers Decorated Graphene Nanosheet Catalytically Boosts the Volumetric Capacity and Cycle Life of Lithium-Sulfur Batteries. Advanced Energy Materials, 2021, 11, 2003718.	19.5	105
45	Syntheses, Structures, and Properties of High-Nuclear 3d ^{4f} Clusters with Amino Acid as Ligand: {Gd ₆ Cu ₂₄ }, {Tb ₆ Cu ₂₆ }, and {(Ln ₆ Cu ₂₄) ₂ Cu} (Ln= Sm, Gd). Inorganic Chemistry, 2006, 45, 7173-7181.	4.0	102
46	Two water-stable lanthanide metal-organic frameworks with oxygen-rich channels for fluorescence sensing of Fe(III) ions in aqueous solution. Dalton Transactions, 2018, 47, 16190-16196.	3.3	101
47	A Robust Highly Interpenetrated Metal-Organic Framework Constructed from Pentanuclear Clusters for Selective Sorption of Gas Molecules. Inorganic Chemistry, 2010, 49, 8444-8448.	4.0	100
48	A Microporous Metal-Organic Framework with Immobilized "OH Functional Groups within the Pore Surfaces for Selective Gas Sorption. European Journal of Inorganic Chemistry, 2010, 2010, 3745-3749.	2.0	97
49	Reversible Two-Dimensional~Three Dimensional Framework Transformation within a Prototype Metal-Organic Framework. Crystal Growth and Design, 2009, 9, 5293-5296.	3.0	96
50	Metallo Hydrogen-Bonded Organic Frameworks (MHOs) as New Class of Crystalline Materials for Protonic Conduction. Chemistry - A European Journal, 2019, 25, 1691-1695.	3.3	92
51	Simultaneous implementation of resistive switching and rectifying effects in a metal-organic framework with switched hydrogen bond pathway. Science Advances, 2019, 5, eaaw4515.	10.3	90
52	Novel Structures and Luminescence Properties of Lanthanide Coordination Polymers with a Novel Flexible Polycarboxylate Ligand. Crystal Growth and Design, 2009, 9, 5128-5134.	3.0	88
53	Robustness, Selective Gas Separation, and Nitrobenzene Sensing on Two Isomers of Cadmium Metal-Organic Frameworks Containing Various Metal-Oxide Metal Chains. Inorganic Chemistry, 2018, 57, 12961-12968.	4.0	87
54	Origin of Long-Range Ferromagnetic Ordering in Metal-Organic Frameworks with Antiferromagnetic Dimeric-Cu(II) Building Units. Journal of the American Chemical Society, 2012, 134, 17286-17290.	13.7	86

#	ARTICLE	IF	CITATIONS
55	Triple Framework Interpenetration and Immobilization of Open Metal Sites within a Microporous Mixed Metal-Organic Framework for Highly Selective Gas Adsorption. <i>Inorganic Chemistry</i> , 2012, 51, 4947-4953.	4.0	83
56	A cationic microporous metal-organic framework for highly selective separation of small hydrocarbons at room temperature. <i>Journal of Materials Chemistry A</i> , 2013, 1, 9916.	10.3	83
57	Microporous Metal-Organic Framework Stabilized by Balanced Multiple Host-Guest Hydrogen-Bonding Interactions for High-Density CO ₂ Capture at Ambient Conditions. <i>Inorganic Chemistry</i> , 2016, 55, 292-299.	4.0	82
58	A New Type of Hybrid Magnetic Semiconductor Based upon Polymeric Iodoplumbate and Metal-Organic Complexes as Templates. <i>Inorganic Chemistry</i> , 2006, 45, 1972-1977.	4.0	81
59	A novel 2D net-like supramolecular polymer constructed from Ln ₆ Cu ₂₄ node and trans-Cu(Cly) ₂ bridge. <i>Chemical Communications</i> , 2004, , 1186-1187.	4.1	78
60	A microporous hydrogen-bonded organic framework with amine sites for selective recognition of small molecules. <i>Journal of Materials Chemistry A</i> , 2017, 5, 8292-8296.	10.3	78
61	A novel mesoporous hydrogen-bonded organic framework with high porosity and stability. <i>Chemical Communications</i> , 2020, 56, 66-69.	4.1	76
62	Mixed-Valence Cobalt(II/III) Metal-Organic Framework for Ammonia Sensing with Naked-Eye Color Switching. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 27465-27471.	8.0	75
63	New Prototype Isoreticular Metal-Organic Framework Zn ₄ O(FMA) ₃ for Gas Storage. <i>Inorganic Chemistry</i> , 2009, 48, 4649-4651.	4.0	72
64	A Rare Uninodal 9-Connected Metal-Organic Framework with Permanent Porosity. <i>Crystal Growth and Design</i> , 2010, 10, 2372-2375.	3.0	71
65	Cobalt-citrate framework armored with graphene oxide exhibiting improved thermal stability and selectivity for biogas decarburization. <i>Journal of Materials Chemistry A</i> , 2015, 3, 593-599.	10.3	71
66	Rationally tuning host-guest interactions to free hydroxide ions within intertrimerically cuprophilic metal-organic frameworks for high OH ⁻ conductivity. <i>Journal of Materials Chemistry A</i> , 2017, 5, 7816-7824.	10.3	71
67	Hydrogen-bonding 2D metal-organic solids as highly robust and efficient heterogeneous green catalysts for Biginelli reaction. <i>Tetrahedron Letters</i> , 2011, 52, 6220-6222.	1.4	68
68	40-Fold Enhanced Intrinsic Proton Conductivity in Coordination Polymers with the Same Proton-Conducting Pathway by Tuning Metal Cation Nodes. <i>Inorganic Chemistry</i> , 2016, 55, 983-986.	4.0	68
69	Low Cytotoxic Metal-Organic Frameworks as Temperature-Responsive Drug Carriers. <i>ChemPlusChem</i> , 2016, 81, 804-810.	2.8	67
70	Additive-Induced Supramolecular Isomerism and Enhancement of Robustness in Co(II)-Based MOFs for Efficiently Trapping Acetylene from Acetylene-Containing Mixtures. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 30912-30918.	8.0	67
71	Enhancement of Intrinsic Proton Conductivity and Aniline Sensitivity by Introducing Dye Molecules into the MOF Channel. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 16490-16495.	8.0	65
72	Microporous Metal-Organic Framework with Dual Functionalities for Efficient Separation of Acetylene from Light Hydrocarbon Mixtures. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 4897-4902.	6.7	65

#	ARTICLE	IF	CITATIONS
73	The dual-function of hematite-based photoelectrochemical sensor for solar-to-electricity conversion and self-powered glucose detection. <i>Sensors and Actuators B: Chemical</i> , 2020, 310, 127842.	7.8	63
74	A microporous metal-organic framework assembled from an aromatic tetracarboxylate for H ₂ purification. <i>Journal of Materials Chemistry A</i> , 2013, 1, 2543.	10.3	62
75	Enhanced Intrinsic Proton Conductivity of Metal-Organic Frameworks by Tuning the Degree of Interpenetration. <i>Crystal Growth and Design</i> , 2018, 18, 3724-3728.	3.0	62
76	A microporous metal-organic framework of a rare sty topology for high CH ₄ storage at room temperature. <i>Chemical Communications</i> , 2013, 49, 2043.	4.1	61
77	Enantioselective ring-opening of meso-epoxides by aromatic amines catalyzed by a homochiral metal-organic framework. <i>Chemical Communications</i> , 2013, 49, 9836.	4.1	60
78	Metastable Interwoven Mesoporous Metal-Organic Frameworks. <i>Inorganic Chemistry</i> , 2013, 52, 11580-11584.	4.0	60
79	Assembled bright green fluorescent zinc coordination polymer. <i>Chemical Communications</i> , 2005, , 5292.	4.1	58
80	Selective gas adsorption within a five-connected porous metal-organic framework. <i>Journal of Materials Chemistry</i> , 2010, 20, 3984.	6.7	58
81	Steric-Hindrance-Controlled Laser Switch Based on Pure Metal-Organic Framework Microcrystals. <i>Journal of the American Chemical Society</i> , 2019, 141, 19959-19963.	13.7	57
82	A microporous aluminum-based metal-organic framework for high methane, hydrogen, and carbon dioxide storage. <i>Nano Research</i> , 2021, 14, 507-511.	10.4	57
83	Significantly Enhanced CO ₂ /CH ₄ Separation Selectivity within a 3D Prototype Metal-Organic Framework Functionalized with OH Groups on Pore Surfaces at Room Temperature. <i>European Journal of Inorganic Chemistry</i> , 2011, 2011, 2227-2231.	2.0	56
84	A Stable Microporous Mixed-Metal Metal-Organic Framework with Highly Active Cu ²⁺ Sites for Efficient Cross-Dehydrogenative Coupling Reactions. <i>Chemistry - A European Journal</i> , 2014, 20, 1447-1452.	3.3	55
85	Structural Diversity of Infinite 3d-4f Heterometallic Cluster Compounds Driven by Various Lanthanide Radii. <i>Chemistry - A European Journal</i> , 2009, 15, 12496-12502.	3.3	54
86	A theoretical study on the chemical bonding of 3d-transition-metal carbides. <i>Solid State Communications</i> , 2002, 121, 411-416.	1.9	51
87	A New Multidentate Hexacarboxylic Acid for the Construction of Porous Metal-Organic Frameworks of Diverse Structures and Porosities. <i>Crystal Growth and Design</i> , 2010, 10, 2775-2779.	3.0	48
88	Highly Selective Adsorption of C ₂ /C ₁ Mixtures and Solvent-Dependent Thermochromic Properties in Metal-Organic Frameworks Containing Infinite Copper-Halogen Chains. <i>Crystal Growth and Design</i> , 2017, 17, 2081-2089.	3.0	48
89	An Ultramicroporous Hydrogen-Bonded Organic Framework Exhibiting High C ₂ /H ₂ /CO ₂ Separation. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	48
90	Syntheses, crystal structures, and properties of complexes constructed with polybenzoate and 2,2'-bibenzimidazole. <i>CrystEngComm</i> , 2006, 8, 281.	2.6	47

#	ARTICLE	IF	CITATIONS
91	Rhodium-Catalyzed NH-Indole-Directed C-H Carbonylation with Carbon Monoxide: Synthesis of 6 <i>H</i> - <i>l</i> -isoindolo[2,1- <i>a</i>]indol-6-ones. <i>Journal of Organic Chemistry</i> , 2016, 81, 12135-12142.	3.2	47
92	Metal-Organic Framework with Rich Accessible Nitrogen Sites for Highly Efficient CO ₂ Capture and Separation. <i>Inorganic Chemistry</i> , 2019, 58, 7754-7759.	4.0	47
93	MOF-derived binary mixed carbon/metal oxide porous materials for constructing simultaneous determination of hydroquinone and catechol sensor. <i>Journal of Solid State Electrochemistry</i> , 2019, 23, 81-89.	2.5	47
94	{[Cu(mtz)] ₃ (Cu)} _n : An Unprecedented Non-interpenetrated (123)(122-14) ₃ Network with Triple-Stranded Helices. <i>Inorganic Chemistry</i> , 2007, 46, 497-500.	4.0	45
95	Two Chiral Nonlinear Optical Coordination Networks Based on Interwoven Two-Dimensional Square Grids of Double Helices. <i>Crystal Growth and Design</i> , 2010, 10, 5291-5296.	3.0	44
96	High proton conductivity in an unprecedented anionic metalloring organic framework (MROF) containing novel metalloring clusters with the largest diameter. <i>Journal of Materials Chemistry A</i> , 2016, 4, 18742-18746.	10.3	44
97	A Microporous Hydrogen-Bonded Organic Framework for Efficient Xe/Kr Separation. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 19623-19628.	8.0	44
98	Photochromic naphthalene diimide Cd-MOFs based on different second dicarboxylic acid ligands. <i>CrystEngComm</i> , 2018, 20, 7567-7573.	2.6	43
99	Microporous Metal-Organic Framework with Lantern-like Dodecanuclear Metal Coordination Cages as Nodes for Selective Adsorption of C ₂ /C ₁ Mixtures and Sensing of Nitrobenzene. <i>Crystal Growth and Design</i> , 2015, 15, 3847-3852.	3.0	42
100	A microporous metal-organic framework with polarized trifluoromethyl groups for high methane storage. <i>Chemical Communications</i> , 2015, 51, 14789-14792.	4.1	40
101	Hydrogen-Bonded Organic Framework Microlasers with Conformation-Induced Color-Tunable Output. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 28662-28667.	8.0	39
102	Threefold Collaborative Stabilization of Ag ₁₄ Nanorods by Hydrophobic Ti ₁₆ Oxo Clusters and Alkynes: Designable Assembly and Solid-State Optical Limiting Application. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 12949-12954.	13.8	38
103	Syntheses, Characterization, and Magnetic Properties of Four New Layered Transition-Metal Hydroxyl-Carboxylate-Phosphonates: [M(CH(OH)(CO ₂)(PO ₃ H))(H ₂ O) ₂] (M = Mn, Fe, Co, Zn). <i>Crystal Growth and Design</i> , 2005, 5, 1795-1799.	3.0	36
104	Three Novel Isomeric Zinc Metal-Organic Frameworks from a Tetracarboxylate Linker. <i>Inorganic Chemistry</i> , 2012, 51, 7066-7074.	4.0	36
105	Novel Microporous Metal-Organic Framework Exhibiting High Acetylene and Methane Storage Capacities. <i>Inorganic Chemistry</i> , 2015, 54, 4377-4381.	4.0	36
106	Two Chiral Metal Clusters Derived from Nucleophilic Addition of <i>l</i> -proline to Di-2-pyridyl Ketone. <i>Inorganic Chemistry</i> , 2006, 45, 6577-6579.	4.0	35
107	A series of goblet-like heterometallic pentanuclear [LnIII ₃ CuII ₂] clusters featuring ferromagnetic coupling and single-molecule magnet behavior. <i>Chemical Communications</i> , 2012, 48, 10736.	4.1	35
108	MOF/PAN nanofiber-derived N-doped porous carbon materials with excellent electrochemical activity for the simultaneous determination of catechol and hydroquinone. <i>New Journal of Chemistry</i> , 2019, 43, 3913-3920.	2.8	35

#	ARTICLE	IF	CITATIONS
109	Assembly of a Heterometallic Polynuclear Sn(IV)-Cu(I) Cluster Based on Sn(edt) ₂ (edt = 1,2,3-tris(4-ethoxyphenyl)-4,5,6-trimethylbenzene-1,3,5-tricarboxylate) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 742	4.0	34
110	Solvothermal Synthesis, Crystal Structure, and Thermal Stability of Three-Layered Thioantimonate(III) Complexes: [Ni(C ₃ H ₁₀ N ₂) ₃]Sb ₄ S ₇ , [C ₄ H ₁₄ N ₂]Sb ₈ S ₁₃ ·H ₂ O, and [C ₆ H ₁₈ N ₂]Sb ₁₀ S ₁₆ ·H ₂ O. European Journal of Inorganic Chemistry, 2007, 2007, 1606-1612.	4.0	32
111	Multimode stimuli responsive dual-state organic room temperature phosphorescence from a phenanthrene derivative. Chemical Engineering Journal, 2022, 444, 136629.	12.7	32
112	Loading Acid-Base Pairs into Periodic Mesoporous Organosilica for High Anhydrous Proton Conductivity over a Wide Operating Temperature Window. ACS Applied Energy Materials, 2018, 1, 5068-5074.	5.1	31
113	A microporous metal-organic framework with naphthalene diimide groups for high methane storage. Dalton Transactions, 2020, 49, 3658-3661.	3.3	31
114	Pure Metal-Organic Framework Microlasers with Controlled Cavity Shapes. Nano Letters, 2020, 20, 2020-2025.	9.1	31
115	Rhodium-Catalyzed Regioselective <i>ortho</i> -C-H Olefination of <i>o</i> -Arylindoles via NH-Indole-Directed C-H Bond Cleavage. Advanced Synthesis and Catalysis, 2018, 360, 972-984.	4.3	30
116	Microporous metal-organic frameworks with open metal sites and π -Lewis acidic pore surfaces for recovering ethylene from polyethylene off-gas. Journal of Materials Chemistry A, 2018, 6, 20822-20828.	10.3	30
117	Switched Proton Conduction in Metal-Organic Frameworks. JACS, 2022, 144, 1043-1053.	7.9	30
118	Three new cubane-like transition metal complexes of di-2-pyridyl ketone in gem-diol form: Syntheses, crystal structures and properties. Polyhedron, 2006, 25, 1618-1624.	2.2	29
119	Solvent-Assisted Modification to Enhance Proton Conductivity and Water Stability in Metal Phosphonates. Inorganic Chemistry, 2020, 59, 3518-3522.	4.0	29
120	Self-Assembly of Luminescent Sn(IV)/Cu/S Clusters Using Metal Thiolates as Metalloligands. Inorganic Chemistry, 2008, 47, 4054-4059.	4.0	28
121	Isostructural MOFs with Higher Proton Conductivity for Improved Oxygen Evolution Reaction Performance. ACS Applied Materials & Interfaces, 2020, 12, 16367-16375.	8.0	28
122	Pore-space-partitioned MOF separator promotes high-sulfur-loading Li-S batteries with intensified rate capability and cycling life. Journal of Materials Chemistry A, 2021, 9, 26929-26938.	10.3	27
123	Simultaneous defect passivation and hole mobility enhancement of perovskite solar cells by incorporating anionic metal-organic framework into hole transport materials. Chemical Engineering Journal, 2021, 408, 127328.	12.7	26
124	A microporous metal-organic framework with Lewis basic pyridyl sites for selective gas separation of C ₂ H ₂ /CH ₄ and CO ₂ /CH ₄ at room temperature. CrystEngComm, 2013, 15, 5232.	2.6	24
125	Reticular Chemistry of Multifunctional Metal-Organic Framework Materials. Israel Journal of Chemistry, 2018, 58, 949-961.	2.3	24
126	Framework-Shrinkage-Induced Wavelength-Switchable Lasing from a Single Hydrogen-Bonded Organic Framework Microcrystal. Journal of Physical Chemistry Letters, 2022, 13, 130-135.	4.6	24

#	ARTICLE	IF	CITATIONS
127	Dual-functional hydrogen-bonded organic frameworks for aniline and ultraviolet sensitive detection. Chinese Chemical Letters, 2021, 32, 3109-3112.	9.0	23
128	A novel hydrogen-bonded organic framework for the sensing of two representative organic arsenics. Canadian Journal of Chemistry, 2020, 98, 352-357.	1.1	22
129	Syntheses, characterization and electrical property of a new silver diphosphonate with zeolite-like framework and three-dimensional silver interactions: [Ag ₄ (O ₃ PCH ₂ CH ₂ PO ₃)]. Journal of Solid State Chemistry, 2004, 177, 4626-4631.	2.9	21
130	Direct Evidence of CO ₂ Capture under Low Partial Pressure on a Pillared Metal-Organic Framework with Improved Stabilization through Intramolecular Hydrogen Bonding. ChemPlusChem, 2016, 81, 850-856.	2.8	21
131	An antiferromagnetic metalloring pyrazolate (Pz) framework with [Cu ₁₂ (1/4 ₂ -OH) ₁₂ (Pz) ₁₂] nodes for separation of C ₂ H ₂ /CH ₄ mixture. Journal of Materials Chemistry A, 2018, 6, 19681-19688.	10.3	21
132	Rational Design of New Bright Luminescent Zinc Diphosphonates with 12-Member Ring Channels. Inorganic Chemistry, 2006, 45, 5254-5256.	4.0	20
133	Synthesis and characterization of a novel 3D copper(I) coordination polymer with a ligand generated in situ. Inorganic Chemistry Communication, 2006, 9, 1304-1307.	3.9	20
134	A Three-Dimensional Tetraphenyl-Äthene-Based Metal-Organic Framework for Selective Gas Separation and Luminescence Sensing of Metal Ions. European Journal of Inorganic Chemistry, 2016, 2016, 4470-4475.	2.0	20
135	Hydrogen-Bonded Organic Frameworks: Functionalized Construction Strategy by Nitrogen-Containing Functional Group. Chemistry - A European Journal, 2022, 28, .	3.3	20
136	A naphthalene diimide-based MOF with mog net featuring photochromic behaviors and high stability. Inorganic Chemistry Communication, 2018, 93, 105-109.	3.9	19
137	High proton conductivity in metalloring-cluster based metal-organic nanotubes. Nano Research, 2021, 14, 387-391.	10.4	19
138	Thermal Conversion of MOF@MOF: Synthesis of an N-Doped Carbon Material with Excellent ORR Performance. ChemPlusChem, 2018, 83, 1044-1051.	2.8	18
139	Amidinium sulfonate hydrogen-bonded organic framework with fluorescence amplification function for sensitive aniline detection. Chinese Chemical Letters, 2022, 33, 4317-4320.	9.0	18
140	Syntheses and characterization of two novel heptanuclear trigonal prismatic LnNi ₆ clusters with different terminal ligands. Polyhedron, 2006, 25, 1-8.	2.2	17
141	A Hierarchically Porous Metal-Organic Framework from Semirigid Ligand for Gas Adsorption. Chinese Journal of Chemistry, 2016, 34, 215-219.	4.9	17
142	Isomorphic MOF-derived porous carbon materials as electrochemical sensor for simultaneous determination of hydroquinone and catechol. Journal of Applied Electrochemistry, 2019, 49, 563-574.	2.9	17
143	Inserting V-Shaped Bidentate Partition Agent into MIL-88-Type Framework for Acetylene Separation from Acetylene-Containing Mixtures. Crystal Growth and Design, 2020, 20, 2099-2105.	3.0	17
144	Two-Dimensional Metal-Organic Frameworks for Electrochemical CO ₂ -Reduction Reaction. ChemCatChem, 2022, 14, .	3.7	17

#	ARTICLE	IF	CITATIONS
145	Electrostatic force-driven lattice water bridging to stabilize a partially charged indium MOF for efficient separation of C ₂ H ₂ /CO ₂ mixtures. Journal of Materials Chemistry A, 2022, 10, 9363-9369.	10.3	17
146	A New Spherical Metallacryptate Compound [Na{Cu ₆ (Thr) ₈ (H ₂ O) ₂ (ClO ₄) ₄ }]·ClO ₄ ·5 H ₂ O: Magnetic Properties and DFT Calculations. European Journal of Inorganic Chemistry, 2005, 2005, 2706-2713.	2.0	16
147	Synthesis, crystal structure, magnetic and electrochemical studies of two copper complexes with carboxylate rich dinucleating ligand. Inorganica Chimica Acta, 2013, 394, 220-228.	2.4	16
148	Theoretical predictions of the structure, gas-phase acidity, and aromaticity of tetrathiosquaric acid. International Journal of Quantum Chemistry, 2000, 78, 443-449.	2.0	15
149	Synthesis of Seven-Membered Azepino[3,2,1- <i>hi</i>]indoles via Rhodium-Catalyzed Regioselective C-H Activation/1,8-Diazabicyclo[5.4.0]undec-7-ene-Catalyzed Intramolecular Amidation of 7-Phenylindoles in One Pot. Journal of Organic Chemistry, 2019, 84, 14701-14711.	3.2	15
150	Anhydrous Proton Conduction in Crystalline Porous Materials with a Wide Working Temperature Range. ACS Applied Materials & Interfaces, 2021, 13, 41363-41371.	8.0	15
151	Greatness in Simplicity: Efficient Red Room-Temperature Phosphorescence from Simple Halogenated Maleimides with a 2D Layered Structure. ACS Applied Materials & Interfaces, 2022, 14, 14703-14711.	8.0	15
152	Synthesis, Structure, and Magnetic Properties of Three Chiral Sodium-Centered Polynuclear Copper(II) Clusters with L-Alanine. European Journal of Inorganic Chemistry, 2008, 2008, 1141-1146.	2.0	14
153	Controlled Shape Evolution of Pure MOF 1D Microcrystals towards Efficient Waveguide and Laser Applications. Chemistry - A European Journal, 2021, 27, 3297-3301.	3.3	14
154	Homochiral coordination polymers constructed from aminocarboxylate derivatives: Effect of bipyridine on the amidation reaction. Journal of Solid State Chemistry, 2012, 192, 255-262.	2.9	13
155	MOFs-Derived Nano-CuO Modified Electrode as a Sensor for Determination of Hydrazine Hydrate in Aqueous Medium. Sensors, 2020, 20, 140.	3.8	13
156	A microporous metal-organic framework with basic sites for efficient C ₂ H ₂ /CO ₂ separation. Journal of Solid State Chemistry, 2020, 284, 121209.	2.9	13
157	Mitigation of vacancy with ammonium salt-trapped ZIF-8 capsules for stable perovskite solar cells through simultaneous compensation and loss inhibition. Nanoscale Advances, 2021, 3, 3554-3562.	4.6	13
158	Triazine Based MOFs with Abundant N Sites for Selective Nitrobenzene Detection. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2021, 647, 1301-1304.	1.2	13
159	The cooperative utilization of imprinting, electro-spinning and a pore-forming agent to synthesise β -cyclodextrin polymers with enhanced recognition of naringin. RSC Advances, 2013, 3, 25396.	3.6	12
160	Water-compatible imprinted polymers based on CS@SiO ₂ particles for selective recognition of naringin. Journal of Applied Polymer Science, 2014, 131, .	2.6	12
161	A 3D-diamond-like metal-organic framework: Crystal structure, nonlinear optical effect and high thermal stability. Inorganic Chemistry Communication, 2015, 60, 19-22.	3.9	12
162	Sulfonated periodic-mesoporous-organosilicas column for selective separation of C ₂ H ₂ /CH ₄ mixtures. Journal of Solid State Chemistry, 2018, 264, 113-118.	2.9	12

#	ARTICLE	IF	CITATIONS
163	A Cd(II) metal-organic framework based on semi-rigid ligand 3,5-(4-carboxybenzyloxy) benzoic acid with high stability by intramolecular hydrogen-bonding. <i>Inorganic Chemistry Communication</i> , 2017, 80, 49-52.	3.9	11
164	Multifunctional anionic metal-organic frameworks enhancing stability of perovskite solar cells. <i>Chemical Engineering Journal</i> , 2022, 433, 133587.	12.7	11
165	A two dimensional microporous metal-organic framework for selective gas separation. <i>Inorganic Chemistry Communication</i> , 2014, 50, 106-109.	3.9	10
166	Low Cytotoxic Metal-Organic Frameworks as Temperature-Responsive Drug Carriers. <i>ChemPlusChem</i> , 2016, 81, 668-668.	2.8	10
167	Molecularly Imprinted Nanofiber Film for Sensitive Sensing 2,4,6-Tribromophenol. <i>Polymers</i> , 2016, 8, 222.	4.5	9
168	Efficient Separation of Acetylene-Containing Mixtures Using ZIF-8 Membranes. <i>ACS Omega</i> , 2021, 6, 33018-33023.	3.5	9
169	A convenient method for the conversion of $[\text{Sn}_3\text{S}_4]^{2-}$ to $[\text{Sn}_3\text{S}_3(\frac{1}{4}\text{-OH})]^{-}$: Syntheses, structures and characterizations of $(\text{Bu}_4\text{N})[\text{Sn}_3(\frac{1}{4}\text{-OH})\text{S}_3(\text{edt})_3]\cdot\text{DMF}$ and $(\text{Bu}_4\text{N})[\text{Sn}_3(\frac{1}{4}\text{-OH})\text{S}_3(\text{edt})_3]\cdot\text{H}_2\text{O}$ (edt=1,2-ethanedithiolate). <i>Polyhedron</i> , 2007, 26, 1098-1104.	2.2	8
170	Controllable Assembly, Structures, and Properties of Lanthanide-Transition Metal-Amino Acid Clusters. <i>Structure and Bonding</i> , 2009, , 161-206.	1.0	8
171	A metal organic cage with semi-rigid ligand for heterogeneous alcoholysis of epoxides. <i>Inorganic Chemistry Communication</i> , 2019, 108, 107540.	3.9	8
172	Ultrasensitive sensing of tris(2,3-dibromopropyl) isocyanurate based on the synergistic effect of amino and hydroxyl groups of a molecularly imprinted poly(o-aminophenol) film. <i>New Journal of Chemistry</i> , 2016, 40, 1649-1654.	2.8	7
173	Facile synthesis of oxidized activated carbons for high-selectivity and low-enthalpy CO_2 capture from flue gas. <i>New Journal of Chemistry</i> , 2018, 42, 4495-4500.	2.8	7
174	Single-phase proton- and electron-conducting Ag-organic coordination polymers for efficient CO_2 electroreduction. <i>Journal of Materials Chemistry A</i> , 2022, 10, 3216-3225.	10.3	7
175	Structural Isomerization in Cu(I) Clusters: Tracing the Cu Thermal Migration Paths and Unveiling the Structure-Dependent Photoluminescence. <i>CCS Chemistry</i> , 2023, 5, 350-360.	7.8	7
176	Microporous polycarbazole frameworks with large conjugated π systems for cyclohexane separation from cyclohexane-containing mixtures. <i>New Journal of Chemistry</i> , 2021, 45, 22437-22443.	2.8	6
177	Two Tb-metal organic frameworks with different metal cluster nodes for $\text{C}_2\text{H}_2/\text{CO}_2$ separation. <i>Dalton Transactions</i> , 2021, 50, 4932-4935.	3.3	5
178	Two Water Stable Phosphate-Amidinium Based Hydrogen-Bonded Organic Framework with Proton Conduction. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2022, 648, .	1.2	5
179	Isorecticular Double Interpenetrating Copper-Pyrazolate-Carboxylate Frameworks for Efficient CO_2 Capture. <i>Crystal Growth and Design</i> , 2022, 22, 3853-3861.	3.0	5
180	Synthesis and characterization of vanadium(III) and vanadium(IV) polymers containing 3,5-pyrazoledicarboxylato. <i>Journal of Coordination Chemistry</i> , 2008, 61, 3556-3567.	2.2	4

#	ARTICLE	IF	CITATIONS
181	Sensing 2,4,6-tribromophenol based on molecularly imprinted technology. Monatshefte für Chemie, 2015, 146, 485-491.	1.8	4
182	A Facile Approach to Preparing Molecularly Imprinted Chitosan for Detecting 2,4,6-Tribromophenol with a Widely Linear Range. Environments - MDPI, 2017, 4, 30.	3.3	4
183	A metal-organic framework with double interpenetrated frameworks for effective C ₂ H ₂ /CO ₂ separation. Inorganic Chemistry Communication, 2020, 112, 107721.	3.9	4
184	Metal organic frameworks composite Eu ₂ O ₃ @ [Zn ₂ (1,4-ndc) ₂ dabco] synthesized by pulsed laser ablation in flowing liquid and its fluorescent sensing of fatty alcohol with different branch chains. Optical Materials, 2020, 105, 109886.	3.6	4
185	Lithium–Sulfur Batteries: Metallic MoS ₂ Nanoflowers Decorated Graphene Nanosheet Catalytically Boosts the Volumetric Capacity and Cycle Life of Lithium–Sulfur Batteries (Adv. Energy) Tj ETQq1 1 097843144gBT /Over	3.9	4
186	Separation and Purification of Xylene by Self-Assembly of a Tunable N-aryl B Adduct. Crystal Growth and Design, 2021, 21, 3168-3174.	3.0	4
187	In Situ Etching Strategy to Controllably Fabricate Single-Crystal Metal–Organic Framework Microtubes. Crystal Growth and Design, 2022, 22, 1521-1527.	3.0	3
188	A photochromic NDI-based framework for the facile hydrazine sensor. Inorganic Chemistry Communication, 2022, 141, 109497.	3.9	3
189	UiO-66/GO Composites with Improved Electrochemical Properties for Effective Detection of Phosphite(P(III)) in Phosphate(P(V)) Buffer Solutions. ChemistrySelect, 2020, 5, 10855-10862.	1.5	2
190	Preparation and characterization of metal–organic frameworks and their composite Eu ₂ O ₃ @ [Zn ₂ (bdc) ₂ dabco] (ZBDh) via pulsed laser ablation in a flowing liquid. CrystEngComm, 2020, 22, 3188-3197.	2.6	2
191	Broadband emission of corner-sharing halometalate templated by benzyltrimethylammonium. Inorganic Chemistry Communication, 2021, 129, 108622.	3.9	2
192	Mixing halogens improves the passivation effects of amine halide on perovskite. Electrochimica Acta, 2022, 405, 139782.	5.2	2
193	A Microporous Metal–Organic Framework with Channels Constructed from Nonpolar Aromatic Rings for the Selective Separation of Ethane/Ethylene Mixtures. ChemPlusChem, 2022, 87, e202100482.	2.8	1