Mark Glover

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4863602/publications.pdf

Version: 2024-02-01

794141 840119 20 721 11 19 citations h-index g-index papers 21 21 21 796 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Options for the diagnosis of high blood pressure in primary care: a systematic review and economic model. Journal of Human Hypertension, 2021, 35, 455-461.	1.0	12
2	Cost-Effectiveness of Initiating Pharmacological Treatment in Stage One Hypertension Based on 10-Year Cardiovascular Disease Risk. Hypertension, 2021, 77, 682-691.	1.3	12
3	Managing cardiovascular disease risk in hypertension. Lancet, The, 2020, 395, 869-870.	6.3	5
4	Urinary Extracellular Vesicle Protein Profiling and Endogenous Lithium Clearance Support Excessive Renal Sodium Wasting and Water Reabsorption inÂThiazide-Induced Hyponatremia. Kidney International Reports, 2019, 4, 139-147.	0.4	8
5	Clinical and Molecular Features of Thiazide-Induced Hyponatremia. Current Hypertension Reports, 2018, 20, 31.	1.5	12
6	Impact of hydration status on haemodynamics, effects of acute blood pressureâ€lowering treatment, and prognosis after stroke. British Journal of Clinical Pharmacology, 2018, 84, 2914-2922.	1.1	6
7	A randomized controlled crossover trial evaluating differential responses to antihypertensive drugs (used as mono- or dual therapy) on the basis of ethnicity: The comparlsoN oF Optimal Hypertension RegiMens; part of the Ancestry Informative Markers in HYpertension program—AIM-HY INFORM trial. American Heart Journal. 2018. 204. 102-108.	1.2	11
8	Phenotypic and pharmacogenetic evaluation of patients with thiazide-induced hyponatremia. Journal of Clinical Investigation, 2017, 127, 3367-3374.	3.9	58
9	A systematic review and metaâ€analysis of thiazideâ€induced hyponatraemia: time to reconsider electrolyte monitoring regimens after thiazide initiation?. British Journal of Clinical Pharmacology, 2015, 79, 566-577.	1.1	52
10	Detection of mutations in <i>KLHL3</i> and <i>CUL3</i> in families with FHHt (familial hyperkalaemic) Tj ETQq(0 0 ggBT 1.8	/Overlock 10 1
11	Molecular insights from dysregulation of the thiazideâ€sensitive <scp>WNK</scp> / <scp>SPAK</scp> / <scp>NCC</scp> pathway in the kidney: Gordon syndrome and thiazideâ€induced hyponatraemia. Clinical and Experimental Pharmacology and Physiology, 2013, 40, 876-884.	0.9	19
12	Thiazideâ€Induced Hyponatraemia: Epidemiology and Clues to Pathogenesis. Cardiovascular Therapeutics, 2012, 30, e219-26.	1.1	31
13	Hypertension, Dietary Salt Intake, and the Role of the Thiazide-Sensitive Sodium Chloride Transporter NCCT. Cardiovascular Therapeutics, 2011, 29, 68-76.	1.1	46
14	SPAK and WNK kinases: a new target for blood pressure treatment?. Current Opinion in Nephrology and Hypertension, 2011, 20, 16-22.	1.0	39
15	Role of the WNKâ€activated SPAK kinase in regulating blood pressure. EMBO Molecular Medicine, 2010, 2, 63-75.	3.3	233
16	The activity of the thiazide-sensitive Na ⁺ –Cl [–] cotransporter is regulated by protein phosphatase PP4. Canadian Journal of Physiology and Pharmacology, 2010, 88, 986-995.	0.7	45
17	A Single Amino Acid Substitution Makes WNK4 Susceptible to SB 203580 and SB 202190. Open Medicinal Chemistry Journal, 2010, 4, 57-61.	0.9	1
18	Renal and Brain Isoforms of WNK3 Have Opposite Effects on NCCT Expression. Journal of the American Society of Nephrology: JASN, 2009, 20, 1314-1322.	3.0	46

#	Article	lF	CITATIONS
19	Mitomycin Dimers:Â Polyfunctional Cross-Linkers of DNA. Journal of Medicinal Chemistry, 2004, 47, 3308-3319.	2.9	35
20	An audit of hyponatraemia in a large UK university teaching hospital. Endocrine Abstracts, 0, , .	0.0	1