Arthur Moraes

List of Publications by Citations

Source: https://exaly.com/author-pdf/4864782/arthur-moraes-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 437
 14,325
 59
 97

 papers
 citations
 h-index
 g-index

 459
 16,867
 4.7
 2.64

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
437	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010 , 70, 823-874	4.2	817
436	Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2518	4.2	276
435	Event generator tunes obtained from underlying event and multiparton scattering measurements. <i>European Physical Journal C</i> , 2016 , 76, 155	4.2	250
434	Particle-flow reconstruction and global event description with the CMS detector. <i>Journal of Instrumentation</i> , 2017 , 12, P10003-P10003	1	234
433	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012 , 72, 1	4.2	232
432	Performance of missing transverse momentum reconstruction in proton-proton collisions at $(sqrt\{s\} = 7 \sim Mox\{TeV\})$ with ATLAS. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	217
431	The CMS trigger system. <i>Journal of Instrumentation</i> , 2017 , 12, P01020-P01020	1	210
430	Jet energy measurement with the ATLAS detector in proton-proton collisions at (sqrt{mathrm{s}}=7 mathrm{TeV}). European Physical Journal C, 2013, 73, 1	4.2	209
429	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	199
428	Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text] [TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 17	4.2	194
427	Evidence for collectivity in pp collisions at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 765, 193-220	4.2	171
426	Luminosity determination in pp collisions at $(sqrt\{s\} = 7)$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2011 , 71, 1	4.2	167
425	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 2941	4.2	160
424	Combined measurements of Higgs boson couplings in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 421	4.2	153
423	Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2306	4.2	153
422	Identification of heavy-flavour jets with the CMS detector in pp collisions at 13 TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P05011-P05011	1	152
421	Jet energy scale and resolution in the CMS experiment in pp collisions at 8 TeV. <i>Journal of Instrumentation</i> , 2017 , 12, P02014-P02014	1	149

(2010-2013)

420	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at (sqrt{{{s_{NN }}}}) = 2.76 TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2013, 2013, 1	5.4	143
419	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at (sqrt{s}=7) TeV. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	138
418	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	124
417	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at (sqrt{s}) = 8TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1	5.4	120
416	Performance of the CMS muon detector and muon reconstruction with proton-proton collisions at E=13 TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P06015-P06015	1	118
415	Search for charged Higgs bosons decaying via H \oplus - \oplus (toverline t) events using pp collision data at (sqrt {s} = 7;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	112
414	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using (sqrt{s}=8) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	108
413	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8 [TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109	4.2	107
412	Evidence for transverse-momentum- and pseudorapidity-dependent event-plane fluctuations in PbPb and pPb collisions. <i>Physical Review C</i> , 2015 , 92,	2.7	104
411	Search for doubly charged Higgs bosons in like-sign dilepton final states at (sqrt{s} = 7 mathrm{TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	104
410	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	103
409	Search for Narrow Resonances Decaying to Dijets in Proton-Proton Collisions at [k]=13 TeV. <i>Physical Review Letters</i> , 2016 , 116, 071801	7.4	96
408	Observation of tt[over []]H Production. <i>Physical Review Letters</i> , 2018 , 120, 231801	7.4	96
407	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in (sqrt{s}=8) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	92
406	Measurement of Long-Range Near-Side Two-Particle Angular Correlations in pp Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2016 , 116, 172302	7.4	90
405	Search for invisible decays of a Higgs boson produced through vector boson fusion in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 793, 520-551	4.2	86
404	Measurement of [Formula: see text] production with a veto on additional central jet activity in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2043	4.2	82
403	Readiness of the ATLAS Tile Calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010 , 70, 1193-1	1236	82

402	Measurement of the Z/I [*] boson transverse momentum distribution in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	79
401	Observation of Higgs Boson Decay to Bottom Quarks. <i>Physical Review Letters</i> , 2018 , 121, 121801	7.4	79
400	Observation of the Higgs boson decay to a pair of ¶eptons with the CMS detector. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> 2018 , 779, 283-316	4.2	78
399	Measurement of the charge asymmetry in top quark pair production in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2039	4.2	78
398	Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2056	4.2	78
397	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	77
396	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in (sqrt{s}) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	76
395	Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2465	4.2	76
394	Search for dijet resonances in protonBroton collisions at s=13TeV and constraints on dark matter and other models. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 769, 520-542	4.2	74
393	Searches for invisible decays of the Higgs boson in pp collisions at (sqrt{s}) = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017 , 2017, 1	5.4	74
392	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	73
391	Observation of Charge-Dependent Azimuthal Correlations in p-Pb Collisions and Its Implication for the Search for the Chiral Magnetic Effect. <i>Physical Review Letters</i> , 2017 , 118, 122301	7.4	72
390	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	72
389	Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2509	4.2	71
388	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at (sqrt{s} = 7 mbox{~TeV}). European Physical Journal C, 2012 , 72, 1	4.2	70
387	The ATLAS Inner Detector commissioning and calibration. European Physical Journal C, 2010 , 70, 787-87	214.2	70
386	Measurement of the top quark mass using proton-proton data at (s)=7 and 8 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	69
385	Jet mass and substructure of inclusive jets in (sqrt {s} = 7;{text{TeV}}) pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	67

(2011-2013)

384	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at (sqrt{s}=8) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	64	
383	Charged-particle nuclear modification factors in PbPb and pPb collisions at (sqrt{s_{mathrm{N};mathrm{N}}}=5.02) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	64	
382	Search for high-mass resonances in dilepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	63	
381	Search for Heavy Neutral Leptons in Events with Three Charged Leptons in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2018 , 120, 221801	7.4	62	
380	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. <i>European Physical Journal C</i> , 2020 , 80, 4	4.2	61	
379	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using (sqrt {s}) = 7 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	60	
378	Measurement of the W - hand Z/\mathbb{P} -haproduction cross sections in proton-proton collisions at (sqrt {s} = 7;{text{TeV}}) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	58	
377	Search for Narrow Resonances in Dijet Final States at sqrt[s]=8 TeV with the Novel CMS Technique of Data Scouting. <i>Physical Review Letters</i> , 2016 , 117, 031802	7.4	57	
376	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	55	
375	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at (sqrt{s} = 7 mbox{TeV}). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	55	
374	Measurement of W \oplus Z production in proton-proton collisions at (sqrt{s}=7~mbox{TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	54	
373	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	53	
372	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at (sqrt{s}=7mbox{~TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	53	
371	Search for direct top-squark pair production in final states with two leptons in pp collisions at ($sqrt{s}) = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	52	
370	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at [Formula: see text] [TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3157	4.2	52	
369	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	52	
368	Search for new physics in final states with an energetic jet or a hadronically decaying W or Z boson and transverse momentum imbalance at s=13 TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	51	
367	Measurement of the jet fragmentation function and transverse profile in protonBroton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	51	

366	Observation of Electroweak Production of Same-Sign W Boson Pairs in the Two Jet and Two Same-Sign Lepton Final State in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2018 , 120, 081801	7.4	50
365	Measurement of the production cross section of jets in association with a Z boson in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	50
364	Search for high-mass resonances decaying to dilepton final states in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	49
363	The silicon microstrip sensors of the ATLAS semiconductor tracker. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2007 , 578, 98-118	1.2	49
362	Search for resonant tt□production in proton-proton collisions at s=8 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	48
361	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb[] of (sqrt {s} = 7;TeV) proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	48
360	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	47
359	Evidence for the Higgs boson decay to a bottom quarkEntiquark pair. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 501-532	4.2	47
358	Light-quark and gluon jet discrimination in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3023	4.2	46
357	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	46
356	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	45
355	Measurement of ZZ production in pp collisions at (sqrt{s}=7) TeV and limits on anomalous ZZZ and ZZIŁouplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	45
354	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at [Formula: see text] TeV in 2010. European Physical Journal C, 2014 , 74, 3034	4.2	45
353	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in (sqrt{s}=7;mathrm{TeV}) pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45
352	Measurement of isolated-photon pair production in pp collisions at (sqrt{s}=7;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	44
351	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton \vec{p} roton collisions at (sqrt{s} = 7 mbox{TeV}). European Physical Journal C, 2013 , 73, 1	4.2	44
350	Measurement of multi-jet cross sections in protonproton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	44
349	Measurement of angular parameters from the decay B0 -lK?0\(\textit{H}\)\(\textit{In}\) proton\(\textit{B}\)roton collisions at s=8TeV. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 517-5	41 ²	44

348	Performance of jet substructure techniques for large-R jets in proton-proton collisions at (sqrt{s}=7) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43	
347	Measurement of the cross section for top-quark pair production in pp collisions at (sqrt {s} = {7},{text{TeV}}) with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	43	
346	Measurements of the Higgs boson width and anomalous HVV couplings from on-shell and off-shell production in the four-lepton final state. <i>Physical Review D</i> , 2019 , 99,	4.9	42	
345	Measurement of the top quark mass with the template method in the [Formula: see text] channel using ATLAS data. <i>European Physical Journal C</i> , 2012 , 72, 2046	4.2	42	
344	Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2883	4.2	41	
343	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	41	
342	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in (sqrt{s}=7~mbox{TeV}) protonproton collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	41	
341	Readiness of the ATLAS liquid argon calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010 , 70, 723-753	4.2	41	
340	Measurement of the inelastic proton-proton cross section at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	41	
339	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	40	
338	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at ($sqrt{s}$) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	40	
337	Constraints on the chiral magnetic effect using charge-dependent azimuthal correlations in pPb and PbPb collisions at the CERN Large Hadron Collider. <i>Physical Review C</i> , 2018 , 97,	2.7	40	
336	Search for pair production of first and second generation leptoquarks in proton-proton collisions at s=8 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	39	
335	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 199	4.2	39	
334	Performance of missing transverse momentum reconstruction in proton-proton collisions at ☐ = 13 TeV using the CMS detector. <i>Journal of Instrumentation</i> , 2019 , 14, P07004-P07004	1	39	
333	Search for supersymmetry at $(sqrt\{s\}) = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	39	
332	A search for (toverline t) resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at (sqrt $\{s\} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	39	
331	Search for natural and split supersymmetry in proton-proton collisions at (sqrt{s}=13) TeV in final states with jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	39	

330	Measurement of Prompt D^{0} Meson Azimuthal Anisotropy in Pb-Pb Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2018 , 120, 202301	7.4	39
329	Measurement of the production of a W boson in association with a charm quark in pp collisions at ($sqrt\{s\}$) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	37
328	Search for the standard model Higgs boson produced through vector boson fusion and decaying to $bb \square$ <i>Physical Review D</i> , 2015 , 92,	4.9	37
327	Limits on the Higgs boson lifetime and width from its decay to four charged leptons. <i>Physical Review D</i> , 2015 , 92,	4.9	37
326	Search for the Standard Model Higgs boson in the H - Habe Indecay mode in (sqrt {s} = 7,{mathrm{TeV}}) pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	37
325	Limits on the production of the standard model Higgs boson in pp collisions at (sqrt{s} = 7) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	37
324	Search for massive colored scalars in four-jet final states in ($sqrt{s}=7\sim mbox{TeV}$) proton proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	37
323	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	37
322	Search for the X(5568) State Decaying into B_{s}^{0} in Proton-Proton Collisions at sqrt[s]=8 TeV. <i>Physical Review Letters</i> , 2018 , 120, 202005	7.4	36
321	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at (sqrt $\{s\}$) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	36
320	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 451	4.2	36
319	Combination of Searches for Higgs Boson Pair Production in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2019 , 122, 121803	7.4	35
318	Study of Z boson production in pPb collisions at sNN=5.02TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 36-57	4.2	35
317	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 13	4.2	35
316	Elliptic Flow of Charm and Strange Hadrons in High-Multiplicity p+Pb Collisions at sqrt[s_{NN}]=8.16 TeV. <i>Physical Review Letters</i> , 2018 , 121, 082301	7.4	35
315	Search for second generation scalar leptoquarks in pp collisions at (sqrt{s}=7~mbox{TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	35
314	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at (sqrt{s}=8) TeV and cross section ratios to 2.76 and 7 TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	34
313	Pseudorapidity distribution of charged hadrons in protonBroton collisions at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2015 , 751, 143-163	4.2	34

312	Search for new physics in same-sign dilepton events in proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 439	4.2	34	
311	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	34	
310	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at (sqrt{s} = 7 mathrm{TeV}). <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	34	
309	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at (sqrt $\{s\} = \{7\}; \{\text{text}\{\text{TeV}\}\}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	34	
308	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	33	
307	Constraints on anomalous Higgs boson couplings using production and decay information in the four-lepton final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 775, 1-24	4.2	32	
306	Observation of Two Excited B_{c}^{+} States and Measurement of the B_{c}^{+}(2S) Mass in pp Collisions at $sqrt[s]=13$ TeV. <i>Physical Review Letters</i> , 2019 , 122, 132001	7.4	31	
305	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at (sqrt{s} = 7 mbox{TeV}) with the ATLAS experiment. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	31	
304	Measurement of the production and lepton charge asymmetry of [Formula: see text] bosons in Pb+Pb collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 23	4.2	31	
303	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at [Formula: see text][8]TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3134	4.2	31	
302	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at (sqrt{s} = 8) TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	31	
301	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at (sqrt{s}=7;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	31	
300	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in (sqrt{s}=7 mathrm{TeV}) protonBroton collisions. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	31	
299	Inclusive search for same-sign dilepton signatures in pp collisions at (sqrt $\{s\} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	31	
298	Inclusive Search for a Highly Boosted Higgs Boson Decaying to a Bottom Quark-Antiquark Pair. <i>Physical Review Letters</i> , 2018 , 120, 071802	7.4	30	
297	Measurement of the (mathrm $\{t\}$ overline $\{mathrm\{t\}\}$) production cross section in the elthannel in proton-proton collisions at (sqrt $\{s\}=7$) and 8 TeV. Journal of High Energy Physics, 2016 , 2016, 1	5.4	30	
296	Search for third generation scalar leptoquarks in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	30	
295	Measurement of the [Formula: see text] production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2328	4.2	30	

294	Measurements of underlying-event properties using neutral and charged particles in pp collisions at (sqrt{s}=900) GeV and (sqrt{s}=7) TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	30
293	Beam tests of ATLAS SCT silicon strip detector modules. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2005 , 538, 384-40	7 ^{1.2}	30
292	Search for an L IL gauge boson using Z -l#Levents in proton-proton collisions at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 792, 345-368	4.2	29
291	Measurements of the production cross section and the branching fraction, and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2018 , 78, 165	4.2	29
290	Search for pair production of vector-like quarks in the bWb?W channel from protonproton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 82-106	4.2	29
289	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	29
288	Measurement of vector boson scattering and constraints on anomalous quartic couplings from events with four leptons and two jets in proton rollisions at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> 2017 , 774, 682-705	4.2	29
287	Prediction for minimum bias and the underlying event at LHC energies. <i>European Physical Journal C</i> , 2007 , 50, 435-466	4.2	29
286	Performance of reconstruction and identification of [leptons decaying to hadrons and viin pp collisions at B=13 TeV. <i>Journal of Instrumentation</i> , 2018 , 13, P10005-P10005	1	29
285	Search for Charged Higgs Bosons Produced via Vector Boson Fusion and Decaying into a Pair of W and Z Bosons Using pp Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2017 , 119, 141802	7.4	28
284	Measurement of the Top Quark Pair Production Cross Section in Proton-Proton Collisions at [k]=13 TeV. <i>Physical Review Letters</i> , 2016 , 116, 052002	7.4	28
283	Combined search for anomalous pseudoscalar HVV couplings in VH(H-bb?) production and H -lVV decay. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 672-69	96 ^{4.2}	28
282	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state with two b quarks and two Ileptons in proton proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 785, 462-488	4.2	28
281	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28
280	Measurements of properties of the Higgs boson decaying to a W boson pair in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 791, 96-	12 ⁴ 9 ²	27
279	Measurement of the production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. <i>European Physical Journal C</i> , 2019 , 79, 368	4.2	27
278	Observation of Correlated Azimuthal Anisotropy Fourier Harmonics in pp and p+Pb Collisions at the LHC. <i>Physical Review Letters</i> , 2018 , 120, 092301	7.4	27
277	Measurement of the Splitting Function in pp and Pb-Pb Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2018 , 120, 142302	7.4	27

(2012-2018)

276	Azimuthal anisotropy of charged particles with transverse momentum up to 100LGeV/c in PBPb collisions at sNN=5.02TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 195-216	4.2	27	
275	Measurement of the CP-violating weak phase ?s and the decay width difference █ using the Bs0-b/☑(1020) decay channel in pp collisions at s=8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 757, 97-120	4.2	26	
274	Search for top squarks and dark matter particles in opposite-charge dilepton final states at s=13 TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	26	
273	Measurement of $\textcircled{E}1$ and $\textcircled{E}2$ production with (sqrt{s}) = 7 TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	26	
272	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	26	
271	Constraints on models of scalar and vector leptoquarks decaying to a quark and a neutrino at s=13 TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	26	
270	A measurement of the Higgs boson mass in the diphoton decay channel. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135425	4.2	25	
269	Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2362	4.2	25	
268	Search for top squark pair production in pp collisions at (sqrt{s}=13) TeV using single lepton events. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25	
267	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 75	4.2	24	
266	Search for single production of a vector-like T quark decaying to a Z boson and a top quark in protonBroton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 574-600	4.2	24	
265	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at ($sqrt{s}$) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	24	
264	Measurement of the production cross section of prompt J/Imesons in association with a W \oplus boson in pp collisions at (sqrt{s}) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	24	
263	Measurement of the differential cross-section of B + meson production in pp collisions at (sqrt{s}=7) TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	24	
262	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	24	
261	Performance of the CMS Level-1 trigger in proton-proton collisions at \blacksquare = 13 TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P10017-P10017	1	23	
260	Search for Evidence of the Type-III Seesaw Mechanism in Multilepton Final States in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2017 , 119, 221802	7:4	23	
259	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	23	

258	Search for third-generation scalar leptoquarks decaying to a top quark and a lepton at. <i>European Physical Journal C</i> , 2018 , 78, 707	4.2	23
257	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying [leptons at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
256	Measurement of the [Formula: see text] production cross section using events in the [Formula: see text] final state in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 172	4.2	22
255	Search for a massive resonance decaying to a pair of Higgs bosons in the four b quark final state in protonproton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 244-269	4.2	22
254	Measurement of the ZZ production cross section and Z - HZ+ZI branching fraction in pp collisions at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 763, 280-303	4.2	22
253	Measurement of the WZ production cross section in pp collisions at [Formula: see text] and 8[Formula: see text] and search for anomalous triple gauge couplings at [Formula: see text]. European Physical Journal C, 2017 , 77, 236	4.2	21
252	Measurement of the [Formula: see text] production cross section in the all-jets final state in pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 128	4.2	21
251	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2017 , 119, 111802	7.4	21
250	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2017 , 77, 578	4.2	21
249	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	21
248	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
247	Measurement of quarkonium production cross sections in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> 2018 , 780, 251-272	4.2	20
246	Search for massive resonances decaying into WW, WZ, ZZ, qW, and qZ with dijet final states at s=13 TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	20
245	Measurement of differential cross sections for the production of top quark pairs and of additional jets in lepton+jets events from pp collisions at s=13 TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	20
244	Search for new long-lived particles at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 432-454	4.2	20
243	Search for standard model production of four top quarks with same-sign and multilepton final states in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 140	4.2	20
242	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at. <i>European Physical Journal C</i> , 2019 , 79, 564	4.2	20
241	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at. <i>European Physical Journal C</i> , 2017 , 77, 636	4.2	20

240	Search for Leptoquarks Coupled to Third-Generation Quarks in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2018 , 121, 241802	7.4	20	
239	Measurements of the [Formula: see text] production cross section in lepton+jets final states in pp collisions at 8 [Formula: see text] and ratio of 8 to 7[[Formula: see text] cross sections. <i>European Physical Journal C</i> , 2017 , 77, 15	4.2	19	
238	Measurement of electroweak WZ boson production and search for new physics in WZ + two jets events in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 281-307	4.2	19	
237	Search for resonant and nonresonant Higgs boson pair production in the (mathrm{b}overline{mathrm{b}}mathit{ell nu ell nu }) final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	19	
236	Measurement of differential cross sections for boson production in association with jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 965	4.2	19	
235	Search for new physics in dijet angular distributions using proton-proton collisions at and constraints on dark matter and other models. <i>European Physical Journal C</i> , 2018 , 78, 789	4.2	19	
234	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 364	4.2	18	
233	Identification of heavy, energetic, hadronically decaying particles using machine-learning techniques. <i>Journal of Instrumentation</i> , 2020 , 15, P06005-P06005	1	18	
232	Search for dark matter and unparticles produced in association with a Z boson in proton-proton collisions at s=8 TeV. <i>Physical Review D</i> , 2016 , 93,	4.9	18	
231	Measurement of the underlying event in jet events from 7 (text {TeV}) protonproton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	18	
230	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2982	4.2	18	
229	Measurement of the low-mass Drell-Yan differential cross section at ($sqrt{s}$) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	18	
228	Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2676	4.2	18	
227	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	18	
226	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18	
225	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at (sqrt{mathbf{s}}=7 mathrm{TeV}). European Physical Journal C, 2012, 72, 1	4.2	18	
224	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in (sqrt{s}=7) TeV protonBroton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	18	
223	Search for (mathrm{t}overline{mathrm{t}}mathrm{H}) production in the (mathrm{H}to mathrm{b}overline{mathrm{b}}) decay channel with leptonic (mathrm{t}overline{mathrm{t}}) decays in proton-proton collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2019, 2019, 1	5.4	17	

222	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at = 13. <i>European Physical Journal C</i> , 2018 , 78, 291	4.2	17
221	Measurement of the inclusive jet cross section in pp collisions at $(sqrt\{s\} = 2.76, text\{TeV\})$. European Physical Journal C, 2016 , 76, 1	4.2	17
220	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	17
219	Measurement of polarization in -hdecays with the ATLAS detector in collisions at [Formula: see text]. European Physical Journal C, 2012, 72, 2062	4.2	17
218	Searches for pair production of third-generation squarks in [Formula: see text][Formula: see text] pp collisions. <i>European Physical Journal C</i> , 2017 , 77, 327	4.2	17
217	Searches for physics beyond the standard model with the variable in hadronic final states with and without disappearing tracks in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 3	4.2	16
216	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into [leptons in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16
215	Search for anomalous electroweak production of vector boson pairs in association with two jets in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134985	4.2	16
214	Measurement of the production cross-section of ($\mathbb{P}S$) -b/($\mathbb{P}B$ - $\mathbb{P}D$ - $\mathbb{P}D$ pp collisions at (sqrt{s}) = 7 TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	16
213	Search for anomalous production of prompt like-sign lepton pairs at (sqrt{s}=7;mathrm{TeV}) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	16
212	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	16
211	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	16
2 10	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16
209	Search for supersymmetry in proton-proton collisions at 13 TeV using identified top quarks. <i>Physical Review D</i> , 2018 , 97,	4.9	16
208	Search for top squark pair production in compressed-mass-spectrum scenarios in proton collisions at s=8 TeV using the \exists T variable. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 767, 403-430	4.2	15
207	Measurement of the differential cross sections for the associated production of a W boson and jets in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2017 , 96,	4.9	15
206	Measurements of the associated production of a Z boson and b jets in pp collisions at. <i>European Physical Journal C</i> , 2017 , 77, 751	4.2	15
205	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at (sqrt{s}=7) and 8 TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	15

(2010-2019)

204	Search for long-lived particles using nonprompt jets and missing transverse momentum with proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 797, 134876	4.2	15
203	Measurement of the top quark charge in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1	5.4	15
202	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at (sqrt{s}=7;mathrm{TeV}) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15
201	Search forWHproduction with a light Higgs boson decaying to prompt electron-jets in protonBroton collisions at \$sqrt {s}=7\$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2013 , 15, 043009	2.9	15
200	Search for diphoton events with large missing transverse energy with 36 pbfl of 7 TeV protonBroton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	15
199	Search for high-mass resonances in final states with a lepton and missing transverse momentum at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15
198	Measurement of the jet mass in highly boosted [Formula: see text] events from pp collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 467	4.2	14
197	Measurement of the (toverline{t}) production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	14
196	Pileup mitigation at CMS in 13 TeV data. <i>Journal of Instrumentation</i> , 2020 , 15, P09018-P09018	1	14
195	Search for disappearing tracks in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> 2020 , 806, 135502	4.2	14
194	Search for heavy resonances decaying to a top quark and a bottom quark in the lepton+jets final state in protonBroton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 777, 39-63	4.2	14
193	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 460	4.2	14
192	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at (sqrt{s}) = 8 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	14
191	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	14
190	Search for charged Higgs bosons through the violation of lepton universality in (toverline{t}) events using pp collision data at (sqrt{s}=7) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
189	Measurement of the (mathrm{t}overline{mathrm{t}}) production cross section using events with one lepton and at least one jet in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	14
188	A search for [Formula: see text] resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2083	4.2	14
187	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. <i>European Physical Journal C</i> , 2010 , 70, 875-916	4.2	14

186	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	14
185	Measurements of production cross sections of WZ and same-sign WW boson pairs in association with two jets in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 809, 135710	4.2	14
184	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	13
183	Addendum to Measurement of the (tbar{t}) production cross-section using (emu) events with b-tagged jets in pp collisions at (sqrt{s}) = 7 and 8 (,mathrm{TeV}) with the ATLAS detector European Physical Journal C, 2016, 76, 1	4.2	13
182	Search for associated production of a Higgs boson and a single top quark in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	13
181	Measurement of the top quark mass in the all-jets final state at and combination with the lepton+jets channel. <i>European Physical Journal C</i> , 2019 , 79, 313	4.2	13
180	Search for R-parity-violating supersymmetry in events with four or more leptons in (sqrt{s}=7;mathrm{TeV}) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
179	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at (sqrt{s} = 7~mathrm{TeV}). European Physical Journal C, 2012, 72, 1	4.2	13
178	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	13
177	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb 1 of ATLAS data. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	13
176	Measurement of (hbox {t}{bar{hbox {t}}}) normalised multi-differential cross sections in ({text {p}}{text {p}}) collisions at (sqrt{s}=13,{text {TeV}}), and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. <i>European Physical</i>	4.2	13
175	Journal C, 2020, 80, 1 Search for (mathrm{t}overline{mathrm{t}}mathrm{H}) production in the all-jet final state in proton-proton collisions at (sqrt{s}=13) TeV. Journal of High Energy Physics, 2018, 2018, 1	5.4	13
174	Measurement of the top quark mass with lepton+jets final states using collisions at. <i>European Physical Journal C</i> , 2018 , 78, 891	4.2	13
173	Search for Narrow Resonances in the b-Tagged Dijet Mass Spectrum in Proton-Proton Collisions at sqrt[s]=8 TeV. <i>Physical Review Letters</i> , 2018 , 120, 201801	7.4	13
172	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at. <i>European Physical Journal C</i> , 2019 , 79, 280	4.2	12
171	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	12
170	Search for a Narrow Resonance Lighter than 200 GeV Decaying to a Pair of Muons in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2020 , 124, 131802	7.4	12
169	Measurements of tt□cross sections in association with b jets and inclusive jets and their ratio using dilepton final states in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 776, 355-378	4.2	12

168	Measurement of normalized differential (mathrm{t}overline{mathrm{t}}) cross sections in the dilepton channel from pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12	
167	Search for supersymmetry in events with soft leptons, low jet multiplicity, and missing transverse energy in proton proton collisions at s=8 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2016 , 759, 9-35	4.2	12	
166	The differential production cross section of the [Formula: see text](1020) meson in [Formula: see text] = 7[TeV [Formula: see text] collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2895	4.2	12	
165	Principal-component analysis of two-particle azimuthal correlations in PbPb and pPb collisions at CMS. <i>Physical Review C</i> , 2017 , 96,	2.7	12	
164	Measurement of the flavour composition of dijet events in pp collisions at (sqrt{s}=7 mbox{TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	12	
163	Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. <i>European Physical Journal C</i> , 2010 , 70, 755-785	4.2	12	
162	Search for low-mass resonances decaying into bottom quark-antiquark pairs in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	12	
161	Measurement of jet substructure observables in tt□events from proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2018 , 98,	4.9	12	
160	Studies of and mesons including the observation of the decay in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 939	4.2	12	
159	Search for the pair production of third-generation squarks with two-body decays to a bottom or charm quark and a neutralino in protonBroton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 778, 263-291	4.2	12	
158	Search for R-parity violating supersymmetry with displaced vertices in proton-proton collisions at s=8 TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	11	
157	Measurement of associated Z + charm production in proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 287	4.2	11	
156	Measurement of the charge asymmetry in top quark pair production in pp collisions at s=8 TeV using a template method. <i>Physical Review D</i> , 2016 , 93,	4.9	11	
155	Measurement of the associated production of a single top quark and a Z boson in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 358	8-3 1 8 ² 4	11	
154	Observation of Top Quark Production in Proton-Nucleus Collisions. <i>Physical Review Letters</i> , 2017 , 119, 242001	7.4	11	
153	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11	
152	Search for new physics with dijet angular distributions in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11	
151	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at (sqrt{s}=7) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11	

150	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11
149	Measurement of Whand Zhoroduction in proton-proton collisions at (sqrt $\{s\} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	11
148	Measurements of differential Z boson production cross sections in proton-proton collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	11
147	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at 目 = 13 TeV. <i>Journal of Instrumentation</i> , 2020 , 15, P02027-P02027	1	11
146	Electron and photon reconstruction and identification with the CMS experiment at the CERN LHC. <i>Journal of Instrumentation</i> , 2021 , 16, P05014	1	11
145	Constraints on anomalous HVV couplings from the production of Higgs bosons decaying to lepton pairs. <i>Physical Review D</i> , 2019 , 100,	4.9	11
144	Search for Zūresonances using leptonic and hadronic final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	11
143	Measurements of the pp -lwZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
142	A multi-dimensional search for new heavy resonances decaying to boosted , , or boson pairs in the dijet final state at 13 <i>European Physical Journal C</i> , 2020 , 80, 237	4.2	10
141	Combination of CMS searches for heavy resonances decaying to pairs of bosons or leptons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 798, 134952	4.2	10
140	Search for lepton flavour violation in the continuum with the ATLAS detector in [Formula: see text] collisions at the LHC. <i>European Physical Journal C</i> , 2012 , 72, 2040	4.2	10
139	Search for standard model production of four top quarks in protonBroton collisions at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2017 , 772, 336-358	4.2	10
138	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	10
137	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
136	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	10
135	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
134	Inclusive search for supersymmetry using razor variables in pp collisions at s=13 TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	9
133	Search for gauge-mediated supersymmetry in events with at least one photon and missing transverse momentum in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 780, 118-143	4.2	9

(2020-2018)

132	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
131	Measurement of charged particle spectra in minimum-bias events from proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 697	4.2	9
130	Jet Shapes of Isolated Photon-Tagged Jets in Pb-Pb and pp Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2019 , 122, 152001	7.4	8
129	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
128	Search for Higgsino pair production in pp collisions at s=13 TeV in final states with large missing transverse momentum and two Higgs bosons decaying via H-bb \square <i>Physical Review D</i> , 2018 , 97,	4.9	8
127	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at (sqrt{s_{mathrm{NN}}}=5.02) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
126	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
125	Measurement of splitting scales in -levents at [Formula: see text] with the ATLAS detector. European Physical Journal C, 2013 , 73, 2432	4.2	8
124	Measurement of the triple-differential dijet cross section in proton-proton collisions at and constraints on parton distribution functions. <i>European Physical Journal C</i> , 2017 , 77, 746	4.2	8
123	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at [Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 158	4.2	8
122	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
121	Search for singly and pair-produced leptoquarks coupling to third-generation fermions in proton-proton collisions at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136446	4.2	8
120	Search for supersymmetry in events with one lepton and multiple jets in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2017 , 95,	4.9	7
119	Measurement of the production cross section of a Wiboson in association with two b jets in pp collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2017 , 77, 92	4.2	7
118	Search for Dark Matter Particles Produced in Association with a Top Quark Pair at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2019 , 122, 011803	7.4	7
117	Measurement of the energy density as a function of pseudorapidity in protonproton collisions at (sqrt{s} =13,text {TeV}). European Physical Journal C, 2019 , 79, 1	4.2	7
116	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
115	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7

114	Jet properties in PbPb and pp collisions at ($sqrt{s_{mathrm{N};mathrm{N}}}=5.02$) TeV. Journal of High Energy Physics, 2018 , 2018, 1	5.4	7
113	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
112	Searches for R-parity-violating supersymmetry in pp collisions at s=8 TeV in final states with 0½ leptons. <i>Physical Review D</i> , 2016 , 94,	4.9	7
111	Search for long-lived particles using delayed photons in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	7
110	Search for Low-Mass Quark-Antiquark Resonances Produced in Association with a Photon at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2019 , 123, 231803	7.4	7
109	Search for dark matter produced in association with a leptonically decaying boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 13	4.2	7
108	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
107	Precision measurement of the structure of the CMS inner tracking system using nuclear interactions. <i>Journal of Instrumentation</i> , 2018 , 13, P10034-P10034	1	7
106	Search for a heavy resonance decaying into a Z boson and a Z or W boson in 2½q final states at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
105	Search for dark matter produced in association with a Higgs boson decaying to Dor 14-111at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
104	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
103	Precision luminosity measurement in proton-proton collisions at in 2015 and 2016 at CMS. <i>European Physical Journal C</i> , 2021 , 81, 800	4.2	7
102	Search for a Light Charged Higgs Boson Decaying to a W Boson and a CP-Odd Higgs Boson in Final States with elbr [In Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2019 , 123, 131802	7.4	6
101	Search for a light charged Higgs boson in the H∃-bs channel in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2020 , 102,	4.9	6
100	Mixed higher-order anisotropic flow and nonlinear response coefficients of charged particles in collisions at and 5.02. <i>European Physical Journal C</i> , 2020 , 80, 534	4.2	6
99	Constraints on the $\mathbb{Q}\{c1\}$ versus $\mathbb{Q}\{c2\}$ Polarizations in Proton-Proton Collisions at sqrt[s]=8 TeV. <i>Physical Review Letters</i> , 2020 , 124, 162002	7.4	6
98	Measurement of the B polarization and angular parameters in B-b/Idecays from pp collisions at s=7 and 8 TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	6
97	Measurement of dijet azimuthal decorrelation in pp©collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2016 , 76, 536	4.2	6

96	Search for vectorlike light-flavor quark partners in proton-proton collisions at s=8 TeV. <i>Physical Review D</i> , 2018 , 97,	4.9	6
95	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton $+$ jets final state in pp collisions at (sqrt{s} = 13,text {TeV}). European Physical Journal C, 2019 , 79, 1	4.2	6
94	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	6
93	Measurement of the associated production of a Z boson with charm or bottom quark jets in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2020 , 102,	4.9	6
92	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	6
91	Measurement of the differential Drell-Yan cross section in proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	6
90	Measurements of production cross sections of polarized same-sign W boson pairs in association with two jets in proton-proton collisions at s=13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 812, 136018	4.2	6
89	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
88	Search for a heavy resonance decaying into a Z boson and a vector boson in the (nu overline{nu}mathrm{q}overline{mathrm{q}}) final state. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
87	Search for pair production of excited top quarks in the lepton + jets final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics,</i> 2018 , 778, 349-370	4.2	6
86	An embedding technique to determine b ackgrounds in proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P06032-P06032	1	5
85	Measurement of the top quark Yukawa coupling from tt□kinematic distributions in the lepton+jets final state in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	5
84	Observation of the Bo-b/D decay in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 802, 135203	4.2	5
83	Measurements of production cross sections and constraints on anomalous triple gauge couplings at. <i>European Physical Journal C</i> , 2021 , 81, 200	4.2	5
82	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at. <i>European Physical Journal C</i> , 2021 , 81, 378	4.2	5
81	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 488	4.2	5
80	Search for top squark pair production using dilepton final states in collision data collected at. <i>European Physical Journal C</i> , 2021 , 81, 3	4.2	5
79	Measurement of the cross section in pp collisions at and validation of lepton analysis techniques. <i>European Physical Journal C</i> , 2018 , 78, 708	4.2	5

78	Search for excited quarks of light and heavy flavor in I jet final states in proton froton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 781, 390-411	4.2	5
77	Search for the pair production of light top squarks in the e⊞⊠ final state in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	4
76	Study of the underlying event in top quark pair production in collisions at 13. <i>European Physical Journal C</i> , 2019 , 79, 123	4.2	4
75	Measurements of the W boson rapidity, helicity, double-differential cross sections, and charge asymmetry in pp collisions at s=13 TeV. <i>Physical Review D</i> , 2020 , 102,	4.9	4
74	Search for resonant pair production of Higgs bosons in the bbZZ channel in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2020 , 102,	4.9	4
73	Evidence for (text $\{W\}$ text $\{W\}$) production from double-parton interactions in proton proton collisions at (sqrt $\{s\}$ = 13 ,text $\{TeV\}$). European Physical Journal C, 2020 , 80, 1	4.2	4
72	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at. <i>European Physical Journal C</i> , 2018 , 78, 242	4.2	4
71	Pseudorapidity distributions of charged hadrons in proton-lead collisions at (sqrt{s_{mathrm{NN}}}=5.02) and 8.16 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
70	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4
69	Search for supersymmetry with Higgs boson to diphoton decays using the razor variables at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 , 779, 166-	190	4
68	Observation of the B_{s}^{0}-\(3872)? Decay. <i>Physical Review Letters</i> , 2020 , 125, 152001	7.4	4
67	Search for long-lived particles using displaced jets in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	4
66	MUSiC: a model-unspecific search for new physics in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 629	4.2	4
65	Search for top squark production in fully hadronic final states in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	4
64	Search for direct pair production of supersymmetric partners to the lepton in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 189	4.2	3
63	Search for Supersymmetry with a Compressed Mass Spectrum in Events with a Soft Lepton, a Highly Energetic Jet, and Large Missing Transverse Momentum in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2020 , 124, 041803	7.4	3
62	Measurement of the inclusive (mathrm{t}overline{mathrm{t}}) cross section in pp collisions at (sqrt{s}=5.02) TeV using final states with at least one charged lepton. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
61	Search for ZZ resonances in the 2½ Final state in proton-proton collisions at 13 TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3

60	Search for the production of W \oplus W \oplus W? events at s=13 TeV. <i>Physical Review D</i> , 2019 , 100,	4.9	3
59	Measurements of the (mathrm {p}mathrm {p}rightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}rightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13,text {TeV}) 2018 , 78, 1		3
58	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 970	4.2	3
57	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. <i>Computing and Software for Big Science</i> , 2020 , 4, 10	6	3
56	Studies of Charm Quark Diffusion inside Jets Using Pb-Pb and pp Collisions at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2020 , 125, 102001	7.4	3
55	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
54	Measurement of differential cross sections for Z boson pair production in association with jets at s=8 and 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 789, 19-44	4.2	3
53	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to elfinal states in proton-proton collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	3
52	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 723	4.2	3
51	Constraints on anomalous Higgs boson couplings to vector bosons and fermions in its production and decay using the four-lepton final state. <i>Physical Review D</i> , 2021 , 104,	4.9	3
50	Multiparticle correlation studies in pPb collisions at sNN=8.16 TeV. <i>Physical Review C</i> , 2020 , 101,	2.7	2
49	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
48	Measurement of differential cross sections in the kinematic angular variable ?* for inclusive Z boson production in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	2
47	Search for supersymmetry in events with one lepton and multiple jets exploiting the angular correlation between the lepton and the missing transverse momentum in proton rollisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2018 ,	4.2	2
46	Centrality and pseudorapidity dependence of the transverse energy density in pPb collisions at sNN=5.02 TeV. <i>Physical Review C</i> , 2019 , 100,	2.7	2
45	Search for dark matter in events with a leptoquark and missing transverse momentum in proton-proton collisions at 13 TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2019 , 795, 76-99	4.2	2
44	Predicting the radiation environment at high-luminosity hadron-collider experiments. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2003 , 510, 219-232	1.2	2
43	Measurement of the (toverline{t}) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at (sqrt{s}=7) and 8 TeV with the ATLAS detector 2014 , 74, 1		2

42	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at. <i>European Physical Journal C</i> , 2020 , 80, 752	4.2	2
41	Performance of the CMS muon trigger system in proton-proton collisions at (t) = 13. <i>Journal of Instrumentation</i> , 2021 , 16, P07001	1	2
40	Search for pair-produced three-jet resonances in proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2019 , 99,	4.9	2
39	Search for W? bosons decaying to a top and a bottom quark at s=13TeV in the hadronic final state. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 820, 136535	4.2	2
38	Search for Narrow HiResonances in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2019 , 122, 081804	7.4	1
37	Evidence for Top Quark Production in Nucleus-Nucleus Collisions. <i>Physical Review Letters</i> , 2020 , 125, 222001	7.4	1
36	Search for dijet resonances using events with three jets in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 805, 135448	4.2	1
35			
34	Measurement of differential ttll production cross sections in the full kinematic range using lepton+jets events from proton-proton collisions at s=13 TeV. <i>Physical Review D</i> , 2021 , 104,	4.9	1
33	Measurement of the electroweak production of Zhand two jets in proton-proton collisions at s=13 TeV and constraints on anomalous quartic gauge couplings. <i>Physical Review D</i> , 2021 , 104,	4.9	1
32	Study of the ($\{\text{mathrm}\{B\}\}^{+}$ to mathrm $\{J\}$ /uppsi overline $\{\text{Lambda}\}$ mathrm $\{p\}$) decay in proton-proton collisions at ($\text{sqrt}\{s\}$) = 8 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	1
31	Development and validation of HERWIG tunes from CMS underlying-event measurements. <i>European Physical Journal C</i> , 2021 , 81, 312	4.2	1
30	Measurement of the CP-violating phase ?s in the Bs0-b/2(1020)-BR+KIzhannel in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 816, 136188	4.2	1
29	Observation of a New Excited Beauty Strange Baryon Decaying to []{b}^{-}[]{+}[]{-}. <i>Physical Review Letters</i> , 2021 , 126, 252003	7.4	1
28	Studies of charm and beauty hadron long-range correlations in pp and pPb collisions at LHC energies. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 813, 1360	36	1
27	Observation of the Z- B {+} D {-} Decay in pp Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2018 , 121, 141801	7.4	1
26	Search for Pair-Produced Resonances Each Decaying into at Least Four Quarks in Proton-Proton Collisions at sqrt[s]=13 TeV. <i>Physical Review Letters</i> , 2018 , 121, 141802	7.4	1
25	Constraints on the Initial State of Pb-Pb Collisions via Measurements of Z-Boson Yields and Azimuthal Anisotropy at sqrt[s_{NN}]=5.02 TeV. <i>Physical Review Letters</i> , 2021 , 127, 102002	7.4	1

24	Measurement of the azimuthal anisotropy of and mesons in PbPb collisions at sNN=5.02TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136385	4.2	1
23	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	1
22	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in collisions at. <i>European Physical Journal C</i> , 2019 , 79, 773	4.2	O
21	Search for Wiresonances in proton-proton collisions at s=13 TeV using hadronic decays of Lorentz-boosted W bosons. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2022 , 826, 136888	4.2	O
20	Measurement of single-diffractive dijet production in proton-proton collisions at with the CMS and TOTEM experiments. <i>European Physical Journal C</i> , 2020 , 80, 1164	4.2	O
19	Measurements of the Electroweak Diboson Production Cross Sections in Proton-Proton Collisions at sqrt[s]=5.02 TeV Using Leptonic Decays. <i>Physical Review Letters</i> , 2021 , 127, 191801	7.4	O
18	Search for the rare decay of the W boson into a pion and a photon in proton-proton collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 819, 136	4 09	O
17	Search for a heavy vector resonance decaying to a lboson and a Higgs boson in proton-proton collisions at. <i>European Physical Journal C</i> , 2021 , 81, 688	4.2	O
16	First measurement of the cross section for top quark pair production with additional charm jets using dileptonic final states in pp collisions at s=13TeV. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2021 , 820, 136565	4.2	O
15	Measurements of angular distance and momentum ratio distributions in three-jet and + two-jet final states in collisions. <i>European Physical Journal C</i> , 2021 , 81, 852	4.2	O
14	Measurement of the Inclusive and Differential Higgs Boson Production Cross Sections in the Decay Mode to a Pair of [Leptons in pp Collisions at sqrt[s]=13 TeV <i>Physical Review Letters</i> , 2022 , 128, 08180	57.4	O
13	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
12	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at <i>European Physical Journal C</i> , 2022 , 82, 153	4.2	O
11	A new calibration method for charm jet identification validated with proton-proton collision events at \blacksquare = 13 TeV. <i>Journal of Instrumentation</i> , 2022 , 17, P03014	1	O
10	Search for strongly interacting massive particles generating trackless jets in proton-proton collisions at European Physical Journal C, 2022, 82, 213	4.2	O
9	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at <i>European Physical Journal C</i> , 2022 , 82, 290	4.2	O
8	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	О
7	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O

6	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	О
5	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
4	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
3	Search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	O
2	Study of dijet events with large rapidity separation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 2.76 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	
1	Measurement of the inclusive $\$\$$ mathrm{t}overline{mathrm{t}} $\$\$$ production cross section in proton-proton collisions at $\$\$$ sqrt{s} $\$\$$ = 5.02 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	