

Jose Antonio A Martinez-Lozano

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4865232/publications.pdf>

Version: 2024-02-01

81
papers

1,653
citations

236925

25
h-index

361022

35
g-index

82
all docs

82
docs citations

82
times ranked

1409
citing authors

#	ARTICLE	IF	CITATIONS
1	Analysis of four years of ceilometer-derived aerosol backscatter profiles in a coastal site of the western Mediterranean. <i>Atmospheric Research</i> , 2018, 213, 331-345.	4.1	19
2	Precipitable water vapour content from ESR/SKYNET sun-sky radiometers: validation against GNSS/GPS and AERONET over three different sites in Europe. <i>Atmospheric Measurement Techniques</i> , 2018, 11, 81-94.	3.1	27
3	UVER and UV index at high altitude in Northwestern Argentina. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2016, 163, 290-295.	3.8	12
4	Sensitivity of UVER enhancement to broken liquid water clouds: A Monte Carlo approach. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016, 121, 949-964.	3.3	6
5	Factors for inconsistent aerosol single scattering albedo between SKYNET and AERONET. <i>Journal of Geophysical Research D: Atmospheres</i> , 2016, 121, 1859-1877.	3.3	22
6	Analysis of Desert Dust Outbreaks Over Southern Europe Using CALIOP Data and Ground-Based Measurements. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2016, 54, 744-756.	6.3	4
7	Relationship between $\langle \text{scp} \rangle \text{UVB} / \langle \text{scp} \rangle$ and broadband solar radiation in Spain. <i>International Journal of Climatology</i> , 2015, 35, 1761-1771.	3.5	8
8	Assessment and application of MODIS ocean and land algorithms for the characterization of aerosol properties over a Mediterranean coastal site. <i>Atmospheric Research</i> , 2015, 157, 66-73.	4.1	8
9	Relationship between the effective cloud optical depth and different atmospheric transmission factors. <i>Atmospheric Research</i> , 2015, 160, 50-58.	4.1	17
10	Determination and analysis of in situ spectral aerosol optical properties by a multi-instrumental approach. <i>Atmospheric Measurement Techniques</i> , 2014, 7, 2373-2387.	3.1	59
11	Analysis of the aerosol radiative forcing over a Mediterranean urban coastal site. <i>Atmospheric Research</i> , 2014, 137, 195-204.	4.1	33
12	Determinación de la dosis eritemática mínima y reacciones anómalas a radiación ultravioleta A según fototipo. <i>Actas Dermo-sifilográficas</i> , 2014, 105, 780-788.	0.4	21
13	Effective cloud optical depth for overcast conditions determined with a UV radiometers. <i>International Journal of Climatology</i> , 2014, 34, 3939-3952.	3.5	14
14	Estimation of daily average values of the Ångström turbidity coefficient $\hat{\tau}^2$ using a Corrected Yang Hybrid Model. <i>Renewable Energy</i> , 2013, 51, 182-188.	8.9	10
15	Analysis of a severe pollution episode in Valencia (Spain) and its effect on ground level particulate matter. <i>Journal of Aerosol Science</i> , 2013, 56, 41-52.	3.8	17
16	A comparison of Microtops II and satellite ozone measurements in the period 2001-2011. <i>Journal of Atmospheric and Solar-Terrestrial Physics</i> , 2013, 94, 5-12.	1.6	9
17	Ten years of measured UV Index from the Spanish UVB Radiometric Network. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2013, 125, 1-7.	3.8	21
18	Empirical determination of direct aerosol radiative effects in the shortwave and longwave spectral ranges during desert dust events over Valencia (Spain). , 2013, , .		1

#	ARTICLE	IF	CITATIONS
19	Estimation of cloud optical depth for low clouds from UV erythema irradiance. , 2013, , .		1
20	Proposal of a simple model for the characterization of aerosols in relation to the dominant air masses. International Journal of Remote Sensing, 2013, 34, 3625-3635.	2.9	2
21	Operational considerations to improve total ozone measurements with a Microtops II ozone monitor. Atmospheric Measurement Techniques, 2012, 5, 759-769.	3.1	13
22	Comparison of AERONET and SKYRAD4.2 inversion products retrieved from a Cimel CE318 sunphotometer. Atmospheric Measurement Techniques, 2012, 5, 569-579.	3.1	53
23	Evaluation of the new ESR network software for the retrieval of direct sun products from CIMEL CE318 and PREDE POM01 sun-sky radiometers. Atmospheric Chemistry and Physics, 2012, 12, 11619-11630.	4.9	35
24	Modelling of the UV Index on vertical and 40° tilted planes for different orientations. Photochemical and Photobiological Sciences, 2012, 11, 333-344.	2.9	5
25	Study of the correlation between columnar aerosol burden, suspended matter at ground and chemical components in a background European environment. Journal of Geophysical Research, 2012, 117, .	3.3	14
26	Approaches to partitioning the global UVER irradiance into its direct and diffuse components in Valencia, Spain. Journal of Geophysical Research, 2012, 117, .	3.3	6
27	In-situ integrating nephelometer measurements of the scattering properties of atmospheric aerosols at an urban coastal site in western Mediterranean. Atmospheric Environment, 2012, 47, 43-50.	4.1	32
28	Measurement and Analysis of Broadband UVB Solar Radiation in Spain. Photochemistry and Photobiology, 2012, 88, 1489-1496.	2.5	9
29	UV Index experimental values on vertical surfaces. International Journal of Climatology, 2012, 32, 2066-2072.	3.5	3
30	Incorporation of aerosol effects in a clear-sky semi-empirical model of UVER radiation for Valencia, Spain. International Journal of Climatology, 2011, 31, 937-948.	3.5	5
31	Ozone mini-holes over Valencia (Spain) and their influence on the UV erythema radiation. International Journal of Climatology, 2011, 31, 1554-1566.	3.5	15
32	Influence of cloudiness over the values of erythema radiation in Valencia, Spain. International Journal of Climatology, 2010, 30, 127-136.	3.5	14
33	AERONET and Euroskyrad (ESR) aerosol optical depth intercomparison on Cimel CE318 and Prede POM01 radiometers. , 2010, , .		4
34	Ultraviolet Radiation Protection by a Beach Umbrella. Photochemistry and Photobiology, 2010, 86, 449-456.	2.5	25
35	Climatology of the Aerosol Extinction-to-Backscatter Ratio from Sun-Photometric Measurements. IEEE Transactions on Geoscience and Remote Sensing, 2010, 48, 237-249.	6.3	13
36	Aerosol Lidar Intercomparison in the Framework of SPALINET – The Spanish Lidar Network: Methodology and Results. IEEE Transactions on Geoscience and Remote Sensing, 2009, 47, 3547-3559.	6.3	30

#	ARTICLE	IF	CITATIONS
37	The erythemal clearness index for Valencia, Spain. International Journal of Climatology, 2009, 29, 147-155.	3.5	19
38	The influence of ozone and aerosols on the experimental values of UV erythemal radiation at ground level in Valencia. International Journal of Climatology, 2009, 29, 2171-2182.	3.5	17
39	Diffuse Ultraviolet Erythemal Irradiance on Inclined Planes: A Comparison of Experimental and Modeled Data. Photochemistry and Photobiology, 2009, 85, 1245-1253.	2.5	14
40	Performance of a FieldSpec spectroradiometer for aerosol optical depth retrieval: method and preliminary results. Applied Optics, 2009, 48, 1969.	2.1	4
41	Study of erythemal, UV (A + B) and global solar radiation in Valencia (Spain). International Journal of Climatology, 2008, 28, 693-702.	3.5	24
42	Aerosol columnar properties retrieved from CIMEL radiometers during VELETA 2002. Atmospheric Environment, 2008, 42, 2654-2667.	4.1	57
43	Characterization of the atmosphere during SEN2FLEX 2005 field campaign. Journal of Geophysical Research, 2008, 113, .	3.3	5
44	Altitude effect in UV radiation during the Evaluation of the Effects of Elevation and Aerosols on the Ultraviolet Radiation 2002 (VELETA 2002) field campaign. Journal of Geophysical Research, 2008, 113, .	3.3	26
45	Column aerosol characterization in a semi-arid region around Marrakech during the WATERMED 2003 campaign. International Journal of Remote Sensing, 2008, 29, 5013-5027.	2.9	4
46	Columnar aerosol properties in Valencia (Spain) by ground-based Sun photometry. Journal of Geophysical Research, 2007, 112, .	3.3	67
47	Application of the SKYRAD Improved Langley plot method for the in situ calibration of CIMEL Sun-sky photometers. Applied Optics, 2007, 46, 2688.	2.1	72
48	Aerosol radiative forcing efficiency in the UV region over southeastern Mediterranean: VELETA2002 campaign. Journal of Geophysical Research, 2007, 112, .	3.3	19
49	Influence of air mass history on the columnar aerosol properties at Valencia, Spain. Journal of Geophysical Research, 2007, 112, .	3.3	28
50	Diffuse UV erythemal radiation experimental values. Journal of Geophysical Research, 2007, 112, .	3.3	27
51	Design of a sun tracker for the automatic measurement of spectral irradiance and construction of an irradiance database in the 330-1100nm range. Renewable Energy, 2007, 32, 2053-2068.	8.9	31
52	Atmospheric Components Determination From Ground-Level Measurements During the Spectra Barax Campaigns (SPARC) Field Campaigns. IEEE Transactions on Geoscience and Remote Sensing, 2007, 45, 2778-2793.	6.3	4
53	Intercomparison of spectroradiometers and Sun photometers for the determination of the aerosol optical depth during the VELETA-2002 field campaign. Journal of Geophysical Research, 2006, 111, .	3.3	47
54	Column-integrated aerosol optical properties in Sodankylä (Finland) during the Solar Induced Fluorescence Experiment (SIFLEX-2002). Journal of Geophysical Research, 2006, 111, .	3.3	8

#	ARTICLE	IF	CITATIONS
55	UV Index on Tilted Surfaces. Photochemistry and Photobiology, 2006, 82, 1047.	2.5	4
56	Aerosol optical depth derived from lidar measurements during VELETA-2002 campaign. , 2004, 5235, 477.		0
57	Column-integrated aerosol optical properties in the free troposphere: case study-Sierra Nevada, Spain. IEEE Transactions on Geoscience and Remote Sensing, 2004, 42, 2268-2276.	6.3	6
58	Energy saving and solar energy use in the University of Valencia (Spain). Renewable Energy, 2004, 29, 675-685.	8.9	9
59	<title>UVB and erythemal solar radiation on tilted planes in Valencia, Spain</title>. , 2004, , .		0
60	Column-integrated aerosol optical properties from ground-based spectroradiometer measurements at Barrax (Spain) during the Digital Airborne Imaging Spectrometer Experiment (DAISEX) campaigns. Journal of Geophysical Research, 2003, 108, .	3.3	51
61	Intercomparison of Spectroradiometers for Global and Direct Solar Irradiance in the Visible Range. Journal of Atmospheric and Oceanic Technology, 2003, 20, 997-1010.	1.3	19
62	A multi-instrument approach for characterizing the atmospheric aerosol optical thickness during the STAAARTE/DAISEX-99 campaign. Geophysical Research Letters, 2002, 29, 12-1.	4.0	6
63	UV Index Experimental Values During the Years 2000 and 2001 from the Spanish Broadband UV-B Radiometric Network. Photochemistry and Photobiology, 2002, 76, 181.	2.5	39
64	Aerosol optical characteristics from a summer campaign in an urban coastal Mediterranean area. IEEE Transactions on Geoscience and Remote Sensing, 2001, 39, 1573-1585.	6.3	26
65	A New Method for Determining the Å...ngstrÅm Turbidity Coefficient from Broadband Filter Measurements. Journal of Applied Meteorology and Climatology, 2000, 39, 863-874.	1.7	8
66	Comparison of aerosol optical thickness retrieval from spectroradiometer measurements and from two radiative transfer models. Solar Energy, 2000, 68, 197-205.	6.1	33
67	Values of broad band turbidity coefficients in a mediterranean coastal site. Solar Energy, 1999, 66, 11-20.	6.1	36
68	The optimisation of the angle of inclination of a solar collector to maximise the incident solar radiation. Renewable Energy, 1999, 17, 291-309.	8.9	56
69	A comparative study of SPCTRAL2 and SMARTS2 parameterised models based on spectral irradiance measurements at Valencia, Spain. Solar Energy, 1998, 63, 161-171.	6.1	40
70	The parameterisation of the atmospheric aerosol optical depth using the Å...ngstrÅm power law. Solar Energy, 1998, 63, 303-311.	6.1	60
71	Determination of the atmospheric-water-vapor content in the 940-nm absorption band by use of moderate spectral-resolution measurements of direct solar irradiance. Applied Optics, 1998, 37, 4678.	2.1	32
72	Analysis of the atmospheric water vapor content determination in the 940-nm band using moderate spectral resolution measurements of direct solar irradiance. , 1998, , .		0

#	ARTICLE	IF	CITATIONS
73	Preliminary study of the influence of the urban effect on the spectral aerosol optical thickness in a Mediterranean coastal site. , 1998, , .		2
74	A preliminary assessment of a detailed two stream short-wave narrow-band model using spectral radiation measurements. Solar Energy, 1997, 61, 265-273.	6.1	21
75	<title>Ozone content determination and aerosol characteristics from spectral radiation measurements in Valladolid (Spain)</title>. , 1995, , .		1
76	Spectral solar irradiance in the range 300â€“1100 nm measured at ValÃ©ncia, Spain. Renewable Energy, 1995, 6, 997-1003.	8.9	6
77	<title>Comparison of two methods for inferring total columnar ozone amount and aerosol optical depth</title>. , 1995, , .		2
78	Performance evaluation of several versions of the Perez tilted diffuse irradiance model. Solar Energy, 1994, 53, 155-162.	6.1	40
79	Comparison of global ultraviolet (290â€“385 nm) and global irradiation measured during the warm season in valencia, spain. International Journal of Climatology, 1994, 14, 93-102.	3.5	38
80	Estimation of the diffuse solar irradiation from global solar irradiation. Daily and monthly average daily values. Renewable Energy, 1994, 4, 95-100.	8.9	13
81	Evaluation of models for estimating solar irradiation on vertical surfaces at Valencia, Spain. Solar Energy, 1991, 47, 223-229.	6.1	39