Crick Lund

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4865864/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Lancet Commission on global mental health and sustainable development. Lancet, The, 2018, 392, 1553-1598.	6.3	1,534
2	Poverty and common mental disorders in low and middle income countries: AÂsystematic review. Social Science and Medicine, 2010, 71, 517-528.	1.8	911
3	Scale up services for mental disorders: a call for action. Lancet, The, 2007, 370, 1241-1252.	6.3	649
4	Poverty and mental disorders: breaking the cycle in low-income and middle-income countries. Lancet, The, 2011, 378, 1502-1514.	6.3	609
5	Addressing the burden of mental, neurological, and substance use disorders: key messages from Disease Control Priorities, 3rd edition. Lancet, The, 2016, 387, 1672-1685.	6.3	586
6	Social determinants of mental disorders and the Sustainable Development Goals: a systematic review of reviews. Lancet Psychiatry,the, 2018, 5, 357-369.	3.7	515
7	Burden of non-communicable diseases in sub-Saharan Africa, 1990–2017: results from the Global Burden of Disease Study 2017. The Lancet Global Health, 2019, 7, e1375-e1387.	2.9	509
8	PRIME: A Programme to Reduce the Treatment Gap for Mental Disorders in Five Low- and Middle-Income Countries. PLoS Medicine, 2012, 9, e1001359.	3.9	436
9	Theory of Change: a theory-driven approach to enhance the Medical Research Council's framework for complex interventions. Trials, 2014, 15, 267.	0.7	392
10	Income inequality and depression: a systematic review and metaâ€analysis of the association and a scoping review of mechanisms. World Psychiatry, 2018, 17, 76-89.	4.8	309
11	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571.	2.7	274
12	Acceptability and feasibility of using non-specialist health workers to deliver mental health care: Stakeholder perceptions from the PRIME district sites in Ethiopia, India, Nepal, South Africa, and Uganda. Social Science and Medicine, 2014, 118, 33-42.	1.8	259
13	Challenges and Opportunities for Implementing Integrated Mental Health Care: A District Level Situation Analysis from Five Low- and Middle-Income Countries. PLoS ONE, 2014, 9, e88437.	1.1	255
14	Using theory of change to design and evaluate public health interventions: a systematic review. Implementation Science, 2015, 11, 63.	2.5	211
15	â€~Whether you like it or not people with mental problems are going to go to them': A qualitative exploration into the widespread use of traditional and faith healers in the provision of mental health care in Ghana. International Review of Psychiatry, 2010, 22, 558-567.	1.4	204
16	Strengthening mental health systems in low- and middle-income countries: the Emerald programme. BMC Medicine, 2015, 13, 79.	2.3	190
17	Suicide and poverty in low-income and middle-income countries: a systematic review. Lancet Psychiatry,the, 2016, 3, 774-783.	3.7	185
18	Validation of the 10-item Centre for Epidemiological Studies Depression Scale (CES-D-10) in Zulu, Xhosa and Afrikaans populations in South Africa. BMC Psychiatry, 2017, 17, 6.	1.1	185

#	Article	IF	CITATIONS
19	Efficacy of psychosocial interventions for mental health outcomes in low-income and middle-income countries: an umbrella review. Lancet Psychiatry,the, 2020, 7, 162-172.	3.7	163
20	Public sector mental health systems in South Africa: inter-provincial comparisons and policy implications. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 393-404.	1.6	160
21	Mental health system costs, resources and constraints in South Africa: a national survey. Health Policy and Planning, 2019, 34, 706-719.	1.0	135
22	Validity of brief screening questionnaires to detect depression in primary care in Ethiopia. Journal of Affective Disorders, 2015, 186, 32-39.	2.0	131
23	Integrating mental health with other non-communicable diseases. BMJ: British Medical Journal, 2019, 364, 1295.	2.4	130
24	Strengthening mental health system governance in six low- and middle-income countries in Africa and South Asia: challenges, needs and potential strategies. Health Policy and Planning, 2017, 32, 699-709.	1.0	127
25	A task shifting approach to primary mental health care for adults in South Africa: human resource requirements and costs for rural settings. Health Policy and Planning, 2012, 27, 42-51.	1.0	125
26	Investigating the psychosocial determinants of child health in Africa: The Drakenstein Child Health Study. Journal of Neuroscience Methods, 2015, 252, 27-35.	1.3	118
27	Mental Health Policy Development and Implementation in Four African Countries. Journal of Health Psychology, 2007, 12, 505-516.	1.3	116
28	Maternal mental health in primary care in five low- and middle-income countries: a situational analysis. BMC Health Services Research, 2016, 16, 53.	0.9	110
29	Mental health care in Nepal: current situation and challenges for development of a district mental health care plan. Conflict and Health, 2015, 9, 3.	1.0	108
30	Screening for common mental disorders in low resource settings: reasons for caution and a way forward. International Health, 2013, 5, 11-14.	0.8	107
31	Reducing stigma among healthcare providers to improve mental health services (RESHAPE): protocol for a pilot cluster randomized controlled trial of a stigma reduction intervention for training primary healthcare workers in Nepal. Pilot and Feasibility Studies, 2018, 4, 36.	0.5	105
32	Mental and Substance Use Disorders in Sub-Saharan Africa: Predictions of Epidemiological Changes and Mental Health Workforce Requirements for the Next 40 Years. PLoS ONE, 2014, 9, e110208.	1.1	102
33	Mental Health Inequalities in Adolescents Growing Up in Post-Apartheid South Africa: Cross-Sectional Survey, SHaW Study. PLoS ONE, 2016, 11, e0154478.	1.1	101
34	Integration of mental health into primary care in low- and middle-income countries: The PRIME mental healthcare plans. British Journal of Psychiatry, 2016, 208, s1-s3.	1.7	101
35	Population level mental distress in rural Ethiopia. BMC Psychiatry, 2014, 14, 194.	1.1	98
36	Capacity Building in Global Mental Health Research. Harvard Review of Psychiatry, 2012, 20, 13-24.	0.9	95

#	Article	IF	CITATIONS
37	Reducing mental illness stigma in healthcare settings: Proof of concept for a social contact intervention to address what matters most for primary care providers. Social Science and Medicine, 2020, 250, 112852.	1.8	95
38	Development of a scalable mental healthcare plan for a rural district in Ethiopia. British Journal of Psychiatry, 2016, 208, s4-s12.	1.7	93
39	Optimizing mental health services in low-income and middle-income countries. Current Opinion in Psychiatry, 2011, 24, 318-323.	3.1	92
40	Evaluation of district mental healthcare plans: The PRIME consortium methodology. British Journal of Psychiatry, 2016, 208, s63-s70.	1.7	92
41	Closing the treatment gap for mental, neurological and substance use disorders by strengthening existing health care platforms: strategies for delivery and integration of evidence-based interventions. International Journal of Mental Health Systems, 2015, 9, 40.	1.1	90
42	Cost of scaling up mental healthcare in low-and middle-income countries. British Journal of Psychiatry, 2007, 191, 528-535.	1.7	87
43	Effect of psychosocial interventions on social functioning in depression and schizophrenia: meta-analysis. British Journal of Psychiatry, 2013, 202, 253-260.	1.7	87
44	Integrating mental health into chronic care in South Africa: The development of a district mental healthcare plan. British Journal of Psychiatry, 2016, 208, s29-s39.	1.7	87
45	Suicidal ideation and behaviour among community and health care seeking populations in five low- and middle-income countries: a cross-sectional study. Epidemiology and Psychiatric Sciences, 2018, 27, 393-402.	1.8	87
46	A systematic review of growth curve mixture modelling literature investigating trajectories of perinatal depressive symptoms and associated risk factors. Journal of Affective Disorders, 2017, 223, 194-208.	2.0	85
47	Planning for district mental health services in South Africa: a situational analysis of a rural district site. Health Policy and Planning, 2009, 24, 140-150.	1.0	84
48	Simultaneous social causation and social drift: Longitudinal analysis of depression and poverty in South Africa. Journal of Affective Disorders, 2018, 229, 396-402.	2.0	84
49	Mental health service delivery in South Africa from 2000 to 2010: one step forward, one step back. South African Medical Journal, 2011, 101, 751-7.	0.2	84
50	Service user involvement in mental health system strengthening in a rural African setting: qualitative study. BMC Psychiatry, 2017, 17, 187.	1.1	83
51	Adolescent Mental Health Program Components and Behavior Risk Reduction: A Meta-analysis. Pediatrics, 2019, 144, .	1.0	83
52	Child and adolescent mental health in South Africa. Journal of Child and Adolescent Mental Health, 2012, 24, 149-161.	1.7	81
53	Why Does Mental Health Not Get the Attention It Deserves? An Application of the Shiffman and Smith Framework. PLoS Medicine, 2012, 9, e1001178.	3.9	80
54	A situation analysis of mental health services and legislation in Ghana: challenges for transformation. African Journal of Psychiatry, 2010, 13, 99-108.	0.1	79

#	Article	IF	CITATIONS
55	Increasing the priority of mental health in Africa: findings from qualitative research in Ghana, South Africa, Uganda and Zambia. Health Policy and Planning, 2011, 26, 357-365.	1.0	79
56	Poverty and suicide research in low- and middle-income countries: systematic mapping of literature published in English and a proposed research agenda. Global Mental Health (Cambridge, England), 2016, 3, e32.	1.0	79
57	Generating evidence to narrow the treatment gap for mental disorders in sub-Saharan Africa: rationale, overview and methods of AFFIRM. Epidemiology and Psychiatric Sciences, 2015, 24, 233-240.	1.8	77
58	A situational analysis of child and adolescent mental health services in Ghana, Uganda, South Africa and Zambia. African Journal of Psychiatry, 2010, 13, 132-9.	0.1	76
59	Classification systems in psychiatry. Current Opinion in Psychiatry, 2013, 26, 493-497.	3.1	76
60	Educational Outreach with an Integrated Clinical Tool for Nurse-Led Non-communicable Chronic Disease Management in Primary Care in South Africa: A Pragmatic Cluster Randomised Controlled Trial. PLoS Medicine, 2016, 13, e1002178.	3.9	74
61	District mental healthcare plans for five low-and middle-income countries: Commonalities, variations and evidence gaps. British Journal of Psychiatry, 2016, 208, s47-s54.	1.7	73
62	Planning and evaluating mental health services in low- and middle-income countries using theory of change. British Journal of Psychiatry, 2016, 208, s55-s62.	1.7	69
63	Psychological interventions for Common Mental Disorders for People Living With <scp>HIV</scp> in Low―and Middleâ€Income Countries: systematic review. Tropical Medicine and International Health, 2015, 20, 830-839.	1.0	67
64	Mental health policy process: a comparative study of Chana, South Africa, Uganda and Zambia. International Journal of Mental Health Systems, 2010, 4, 24.	1.1	65
65	Mental illness and lost income among adult South Africans. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 845-851.	1.6	64
66	Factors associated with household food insecurity and depression in pregnant South African women from a low socio-economic setting: a cross-sectional study. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 363-372.	1.6	64
67	Mental Health Stigma: What is being done to raise awareness and reduce stigma in South Africa?. African Journal of Psychiatry, 2010, 13, 116-24.	0.1	63
68	Accuracy of proactive case finding for mental disorders by community informants in Nepal. British Journal of Psychiatry, 2015, 207, 501-506.	1.7	62
69	Systematic review of feasibility and acceptability of psychosocial interventions for schizophrenia in low and middle income countries. BMC Psychiatry, 2015, 15, 19.	1.1	62
70	Treatment Contact Coverage for Probable Depressive and Probable Alcohol Use Disorders in Four Low- and Middle-Income Country Districts: The PRIME Cross-Sectional Community Surveys. PLoS ONE, 2016, 11, e0162038.	1.1	62
71	Prevalence and correlates of probable common mental disorders in a population with high prevalence of HIV in Zimbabwe. BMC Psychiatry, 2016, 16, 55.	1.1	61
72	Using workshops to develop theories of change in five low and middle income countries: lessons from the programme for improving mental health care (PRIME). International Journal of Mental Health Systems, 2014, 8, 15.	1.1	60

#	Article	IF	CITATIONS
73	Community-, facility-, and individual-level outcomes of a district mental healthcare plan in a low-resource setting in Nepal: A population-based evaluation. PLoS Medicine, 2019, 16, e1002748.	3.9	58
74	Stakeholder perceptions of mental health stigma and poverty in Uganda. BMC International Health and Human Rights, 2009, 9, 5.	2.5	57
75	Mental Health Services in South Africa: Taking stock. African Journal of Psychiatry, 2012, 15, 402-5.	0.1	57
76	Effectiveness of psychological treatments for depression and alcohol use disorder delivered by community-based counsellors: two pragmatic randomised controlled trials within primary healthcare in Nepal. British Journal of Psychiatry, 2019, 215, 485-493.	1.7	57
77	The impact of cash transfers on mental health in children and young people in low-income and middle-income countries: a systematic review and meta-analysis. BMJ Global Health, 2021, 6, e004661.	2.0	56
78	Health systems context(s) for integrating mental health into primary health care in six Emerald countries: a situation analysis. International Journal of Mental Health Systems, 2017, 11, 7.	1.1	55
79	Public mental health: required actions to address implementation failure in the context of COVID-19. Lancet Psychiatry,the, 2022, 9, 169-182.	3.7	54
80	Mental health policy in South Africa: development process and content. Health Policy and Planning, 2009, 24, 342-356.	1.0	51
81	Scaling up integrated primary mental health in six low- and middle-income countries: obstacles, synergies and implications for systems reform. BJPsych Open, 2019, 5, e69.	0.3	51
82	Stakeholder analysis of the Programme for Improving Mental health carE (PRIME): baseline findings. International Journal of Mental Health Systems, 2015, 9, 27.	1.1	50
83	Developing capacity-building activities for mental health system strengthening in low- and middle-income countries for service users and caregivers, service planners, and researchers. Epidemiology and Psychiatric Sciences, 2018, 27, 11-21.	1.8	50
84	Outcomes of the mental health and development model in rural Kenya: a 2-year prospective cohort intervention study. International Health, 2013, 5, 43-50.	0.8	48
85	Scaling-up services for psychosis, depression and epilepsy in sub-Saharan Africa and South Asia: development and application of a mental health systems planning tool (OneHealth). Epidemiology and Psychiatric Sciences, 2017, 26, 234-244.	1.8	47
86	Comparing dedicated and designated models of integrating mental health into chronic disease care: study protocol for a cluster randomized controlled trial. Trials, 2018, 19, 185.	0.7	47
87	Mental health care user participation in mental health policy development and implementation in South Africa. International Review of Psychiatry, 2010, 22, 568-577.	1.4	46
88	Social interventions: a new era for global mental health?. Lancet Psychiatry,the, 2020, 7, 118-119.	3.7	46
89	Norms for mental health services in South Africa. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 587-594.	1.6	45
90	Integrating mental health into primary health care in Zambia: a care provider's perspective. International Journal of Mental Health Systems, 2010, 4, 21.	1.1	45

#	Article	IF	CITATIONS
91	Multimorbidity, control and treatment of non- communicable diseases among primary healthcare attenders in the Western Cape, South Africa. South African Medical Journal, 2015, 105, 642.	0.2	45
92	Income inequality widens the existing income-related disparity in depression risk in post-apartheid South Africa: Evidence from a nationally representative panel study. Health and Place, 2017, 45, 10-16.	1.5	45
93	Detection and treatment initiation for depression and alcohol use disorders: facility-based cross-sectional studies in five low-income and middle-income country districts. BMJ Open, 2018, 8, e023421.	0.8	45
94	Alcohol use in a rural district in Uganda: findings from community-based and facility-based cross-sectional studies. International Journal of Mental Health Systems, 2018, 12, 12.	1.1	45
95	Evaluation of a collaborative care model for integrated primary care of common mental disorders comorbid with chronic conditions in South Africa. BMC Psychiatry, 2019, 19, 107.	1.1	45
96	Integrating youth mental health into cash transfer programmes in response to the COVID-19 crisis in low-income and middle-income countries. Lancet Psychiatry,the, 2021, 8, 340-346.	3.7	45
97	Adolescents' and Adults' Experiences of Being Surveyed About Violence and Abuse: A Systematic Review of Harms, Benefits, and Regrets. American Journal of Public Health, 2015, 105, e31-e45.	1.5	44
98	Catastrophic health expenditure and impoverishment in households of persons with depression: a cross-sectional, comparative study in rural Ethiopia. BMC Public Health, 2019, 19, 930.	1.2	44
99	Mental health services for infectious disease outbreaks including COVID-19: a rapid systematic review. Psychological Medicine, 2020, 50, 2498-2513.	2.7	44
100	Task-sharing of psychological treatment for antenatal depression in Khayelitsha, South Africa: Effects on antenatal and postnatal outcomes in an individual randomised controlled trial. Behaviour Research and Therapy, 2020, 130, 103466.	1.6	43
101	â€ [~] Mental health is everybody's business': Roles for an intersectoral approach in South Africa. International Review of Psychiatry, 2010, 22, 611-623.	1.4	42
102	Community health worker-delivered counselling for common mental disorders among chronic disease patients in South Africa: a feasibility study. BMJ Open, 2019, 9, e024277.	0.8	42
103	Scaling up child and adolescent mental health services in South Africa: Human resource requirements and costs. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2009, 50, 1121-1130.	3.1	41
104	Lay Health Workers' Experience of Delivering a Problem Solving Therapy Intervention for Common Mental Disorders Among People Living with HIV: A Qualitative Study from Zimbabwe. Community Mental Health Journal, 2017, 53, 143-153.	1.1	41
105	Mental health financing challenges, opportunities and strategies in low- and middle-income countries: findings from the Emerald project. BJPsych Open, 2019, 5, e68.	0.3	41
106	Proactive community case-finding to facilitate treatment seeking for mental disorders, Nepal. Bulletin of the World Health Organization, 2017, 95, 531-536.	1.5	41
107	Attitudes of primary health care providers towards people with mental illness: evidence from two districts in Zambia. African Journal of Psychiatry, 2011, 14, 290-7.	0.1	40
108	Poverty and mental health: Towards a research agenda for low and middle-income countries. Commentary on Tampubolon and Hanandita (2014). Social Science and Medicine, 2014, 111, 134-136.	1.8	40

#	Article	IF	CITATIONS
109	Estimating the cost of implementing district mental healthcare plans in five low- and middle-income countries: The PRIME study. British Journal of Psychiatry, 2016, 208, s71-s78.	1.7	40
110	Exposure to violence and mental health of adolescents: South African Health and Well-being Study. BJPsych Open, 2017, 3, 257-264.	0.3	40
111	Excess mortality associated with mental illness in people living with HIV in Cape Town, South Africa: a cohort study using linked electronic health records. The Lancet Global Health, 2020, 8, e1326-e1334.	2.9	40
112	Barriers to the participation of people with psychosocial disability in mental health policy development in South Africa: a qualitative study of perspectives of policy makers, professionals, religious leaders and academics. BMC International Health and Human Rights, 2013, 13, 17.	2.5	39
113	"The sun has set even though it is morningâ€ŧ Experiences and explanations of perinatal depression in an urban township, Cape Town. Transcultural Psychiatry, 2016, 53, 286-312.	0.9	39
114	Task sharing for the care of severe mental disorders in a low-income country (TaSCS): study protocol for a randomised, controlled, non-inferiority trial. Trials, 2016, 17, 76.	0.7	39
115	Meeting the Millennium Development Goals in Sub-Saharan Africa: What about mental health?. International Review of Psychiatry, 2010, 22, 624-631.	1.4	38
116	Using a theory driven approach to develop and evaluate a complex mental health intervention: the friendship bench project in Zimbabwe. International Journal of Mental Health Systems, 2016, 10, 16.	1.1	38
117	The measurement of poverty in psychiatric epidemiology in LMICs: critical review and recommendations. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1499-1516.	1.6	37
118	Information systems for mental health in six low and middle income countries: cross country situation analysis. International Journal of Mental Health Systems, 2016, 10, 60.	1.1	37
119	Perinatal depressive symptoms among low-income South African women at risk of depression: trajectories and predictors. BMC Pregnancy and Childbirth, 2019, 19, 202.	0.9	37
120	Indicators for routine monitoring of effective mental healthcare coverage in low- and middle-income settings: a Delphi study. Health Policy and Planning, 2016, 31, 1100-1106.	1.0	36
121	Development of a district mental healthcare plan in Uganda. British Journal of Psychiatry, 2016, 208, s40-s46.	1.7	36
122	Integrating mental health care into primary care systems in low- and middle-income countries: lessons from PRIME and AFFIRM. Global Mental Health (Cambridge, England), 2017, 4, e7.	1.0	36
123	Recognition of depression by primary care clinicians in rural Ethiopia. BMC Family Practice, 2017, 18, 56.	2.9	36
124	Collaborative care for the detection and management of depression among adults receiving antiretroviral therapy in South Africa: study protocol for the CobALT randomised controlled trial. Trials, 2018, 19, 193.	0.7	36
125	Task sharing of a psychological intervention for maternal depression in Khayelitsha, South Africa: study protocol for a randomized controlled trial. Trials, 2014, 15, 457.	0.7	35
126	Patient preferences for the integration of mental health counseling and chronic disease care in South Africa. Patient Preference and Adherence, 2018, Volume 12, 1797-1803.	0.8	35

#	Article	IF	CITATIONS
127	Can mental health treatments help prevent or reduce intimate partner violence in low- and middle-income countries? A systematic review. BMC Women's Health, 2019, 19, 34.	0.8	35
128	Responsible Governance for Mental Health Research in Low Resource Countries. PLoS Medicine, 2011, 8, e1001126.	3.9	33
129	Filling the treatment gap: developing a task sharing counselling intervention for perinatal depression in Khayelitsha, South Africa. BMC Psychiatry, 2016, 16, 164.	1.1	33
130	Process evaluations of task sharing interventions for perinatal depression in low and middle income countries (LMIC): a systematic review and qualitative meta-synthesis. BMC Health Services Research, 2018, 18, 205.	0.9	33
131	Impact of district mental health care plans on symptom severity and functioning of patients with priority mental health conditions: the Programme for Improving Mental Health Care (PRIME) cohort protocol. BMC Psychiatry, 2018, 18, 61.	1.1	33
132	Community, facility and individual level impact of integrating mental health screening and treatment into the primary healthcare system in Sehore district, Madhya Pradesh, India. BMJ Global Health, 2019, 4, e001344.	2.0	33
133	Common understandings of women's mental illness in Ghana: Results from a qualitative study. International Review of Psychiatry, 2010, 22, 589-598.	1.4	32
134	Poverty and mental health: a review of practice and policies. Neuropsychiatry, 2012, 2, 213-219.	0.4	31
135	Non-fatal suicidal behaviour in rural Ethiopia: a cross-sectional facility- and population-based study. BMC Psychiatry, 2016, 16, 75.	1.1	31
136	Perceived burden of care and reported coping strategies and needs for family caregivers of people with mental disorders in Zimbabwe. African Journal of Disability, 2016, 5, 209.	0.7	29
137	Piloting a mental health training programme for community health workers in South Africa: an exploration of changes in knowledge, confidence and attitudes. BMC Psychiatry, 2018, 18, 191.	1.1	29
138	Food insecurity among people with severe mental disorder in a rural Ethiopian setting: a comparative, population-based study. Epidemiology and Psychiatric Sciences, 2019, 28, 397-407.	1.8	29
139	Effectiveness of psychological treatments for depressive symptoms among people living with HIV/AIDS in low- and middle-income countries: A systematic review and meta-analysis. Journal of Affective Disorders, 2020, 270, 174-187.	2.0	29
140	Mental Health Policy and Plans : Promoting an Optimal Mix of Services in Developing Countries. International Journal of Mental Health, 2004, 33, 4-16.	0.5	28
141	†Restoring the person's life': a qualitative study to inform development of care for people with severe mental disorders in rural Ethiopia. Epidemiology and Psychiatric Sciences, 2017, 26, 43-52.	1.8	28
142	Days out of role due to mental and physical illness in the South African stress and health study. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 461-468.	1.6	27
143	Patterns of intimate partner violence among perinatal women with depression symptoms in Khayelitsha, South Africa: a longitudinal analysis. Global Mental Health (Cambridge, England), 2018, 5, e13.	1.0	27
144	Sustainable financing mechanisms for strengthening mental health systems in Nigeria. International Journal of Mental Health Systems, 2019, 13, 38.	1.1	27

#	Article	IF	CITATIONS
145	Impact of integrated district level mental health care on clinical and social outcomes of people with severe mental illness in rural Ethiopia: an intervention cohort study. Epidemiology and Psychiatric Sciences, 2020, 29, e45.	1.8	27
146	Scaling up interventions for depression in sub-Saharan Africa: lessons from Zimbabwe. Clobal Mental Health (Cambridge, England), 2016, 3, e13.	1.0	26
147	Bridging the gap: investigating challenges and way forward for intersectoral provision of psychosocial rehabilitation in South Africa. International Journal of Mental Health Systems, 2016, 10, 21.	1.1	26
148	Scaling up community-based services and improving quality of care in the state psychiatric hospitals: the way forward for Ghana. African Journal of Psychiatry, 2010, 13, 109-15.	0.1	25
149	Mental health in Africa: Findings from the Mental Health and Poverty Project. International Review of Psychiatry, 2010, 22, 547-549.	1.4	25
150	A process evaluation exploring the lay counsellor experience of delivering a task shared psycho-social intervention for perinatal depression in Khayelitsha, South Africa. BMC Psychiatry, 2017, 17, 236.	1.1	25
151	Collaborative care for the detection and management of depression among adults with hypertension in South Africa: study protocol for the PRIME-SA randomised controlled trial. Trials, 2018, 19, 192.	0.7	25
152	Associations Between Patterns of Alcohol Use and Viral Load Suppression Amongst Women Living with HIV in South Africa. AIDS and Behavior, 2021, 25, 3758-3769.	1.4	25
153	Strengthening mental health systems in low- and middle-income countries: recommendations from the Emerald programme. BJPsych Open, 2019, 5, e73.	0.3	25
154	Organising for self-advocacy in mental health: Experiences from seven African countries. African Journal of Psychiatry, 2013, 16, 187-95.	0.1	24
155	Socioeconomic predictors and consequences of depression among primary care attenders with non-communicable diseases in the Western Cape, South Africa: cohort study within a randomised trial. BMC Public Health, 2015, 15, 1194.	1.2	24
156	Moving towards universal health coverage for mental disorders in Ethiopia. International Journal of Mental Health Systems, 2019, 13, 11.	1.1	24
157	Course of perinatal depressive symptoms among South African women: associations with child outcomes at 18 and 36Âmonths. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 1111-1123.	1.6	24
158	Partnerships in a Global Mental Health Research Programme—the Example of PRIME. Global Social Welfare, 2019, 6, 159-175.	1.1	24
159	Collaboration With People With Lived Experience of Mental Illness to Reduce Stigma and Improve Primary Care Services. JAMA Network Open, 2021, 4, e2131475.	2.8	24
160	The psychosis treatment gap and its consequences in rural Ethiopia. BMC Psychiatry, 2019, 19, 325.	1.1	23
161	Catastrophic out-of-pocket payments for households of people with severe mental disorder: a comparative study in rural Ethiopia. International Journal of Mental Health Systems, 2019, 13, 39.	1.1	23
162	Integration of mental health counselling into chronic disease services at the primary health care level: Formative research on dedicated versus designated strategies in the Western Cape, South Africa. Journal of Health Services Research and Policy, 2021, 26, 172-179.	0.8	23

#	Article	IF	CITATIONS
163	The relationship between common mental disorders (CMDs), food insecurity and domestic violence in pregnant women during the COVID-19 lockdown in Cape Town, South Africa. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 37-46.	1.6	23
164	Global Priorities for Addressing the Burden of Mental, Neurological, and Substance Use Disorders. , 2016, , 1-27.		23
165	Xhosa-Speaking Schizophrenic Patients' Experience of Their Condition: Psychosis and <i>Amafufunyana</i> . South African Journal of Psychology, 1998, 28, 62-70.	1.0	22
166	Pathways to Inpatient Mental Health Care Among People With Schizophrenia Spectrum Disorders in South Africa. Psychiatric Services, 2010, 61, 235-240.	1.1	22
167	Building the capacity of policy-makers and planners to strengthen mental health systems in low- and middle-income countries: a systematic review. BMC Health Services Research, 2016, 16, 601.	0.9	22
168	Rethinking research on the social determinants of global mental health. Lancet Psychiatry,the, 2020, 7, 659-662.	3.7	22
169	Association of Task-Shared Psychological Interventions With Depression Outcomes in Low- and Middle-Income Countries. JAMA Psychiatry, 2022, 79, 430.	6.0	22
170	Household economic costs associated with mental, neurological and substance use disorders: a cross-sectional survey in six low- and middle-income countries. BJPsych Open, 2019, 5, e34.	0.3	21
171	A model for community mental health services in South Africa. Tropical Medicine and International Health, 2009, 14, 1040-1047.	1.0	20
172	Making assessment locally relevant: measuring functioning for maternal depression in Khayelitsha, Cape Town. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 797-806.	1.6	20
173	Sustainable financing options for mental health care in South Africa: findings from a situation analysis and key informant interviews. International Journal of Mental Health Systems, 2019, 13, 4.	1.1	20
174	The treatment gap for mental disorders in adults enrolled in HIV treatment programmes in South Africa: a cohort study using linked electronic health records. Epidemiology and Psychiatric Sciences, 2021, 30, e37.	1.8	20
175	Research-policy partnerships - experiences of the Mental Health and Poverty Project in Ghana, South Africa, Uganda and Zambia. Health Research Policy and Systems, 2012, 10, 30.	1.1	19
176	Cost-effectiveness of the Mental Health and Development model for schizophrenia-spectrum and bipolar disorders in rural Kenya. Psychological Medicine, 2015, 45, 2747-2756.	2.7	19
177	Human resource challenges facing Zambia's mental health care system and possible solutions: Results from a combined quantitative and qualitative study. International Review of Psychiatry, 2010, 22, 550-557.	1.4	18
178	Mental health problems and socioeconomic disadvantage: a controlled household study in rural Ethiopia. International Journal for Equity in Health, 2019, 18, 121.	1.5	18
179	Effectiveness of a task-sharing collaborative care model for identification and management of depressive symptoms in patients with hypertension attending public sector primary care clinics in South Africa: pragmatic parallel cluster randomised controlled trial Journal of Affective Disorders, 2021. 282. 112-121.	2.0	18
180	Increase of perceived frequency of neighborhood domestic violence is associated with increase of women's depression symptoms in a nationally representative longitudinal study in South Africa. Social Science and Medicine, 2015, 131, 89-97.	1.8	17

#	Article	IF	CITATIONS
181	Poverty, inequality and mental health in low- and middle-income countries: time to expand the research and policy agendas. Epidemiology and Psychiatric Sciences, 2015, 24, 97-99.	1.8	17
182	Developing mental health research in sub-Saharan Africa: capacity building in the AFFIRM project. Global Mental Health (Cambridge, England), 2016, 3, e33.	1.0	17
183	Evaluation of capacity-building strategies for mental health system strengthening in low- and middle-income countries for service users and caregivers, policymakers and planners, and researchers. BJPsych Open, 2019, 5, e67.	0.3	17
184	Major depressive disorder and its association with adherence to antiretroviral therapy and quality of life: cross-sectional survey of people living with HIV/AIDS in Northwest Ethiopia. BMC Psychiatry, 2020, 20, 462.	1.1	17
185	Bed/population ratios in South African public sector mental health services. Social Psychiatry and Psychiatric Epidemiology, 2002, 37, 346-349.	1.6	16
186	Reliability of self report questionnaires for epidemiological investigations of adolescent mental health in Cape Town, South Africa. Journal of Child and Adolescent Mental Health, 2011, 23, 119-128.	1.7	16
187	Building Research Capacity Across and Within Low- and Middle-Income Countries: The Collaborative Hubs for International Research on Mental Health. Academic Psychiatry, 2016, 40, 686-691.	0.4	16
188	Improving adherence in mental health service users with severe mental illness in South Africa: a pilot randomized controlled trial of a treatment partner and text message intervention vs. treatment as usual. BMC Research Notes, 2017, 10, 584.	0.6	16
189	The association between neighbourhood-level deprivation and depression: evidence from the south african national income dynamics study. BMC Psychiatry, 2017, 17, 395.	1.1	16
190	Socioeconomic position and depression in South African adults with long-term health conditions: a longitudinal study of causal pathways. Epidemiology and Psychiatric Sciences, 2019, 28, 199-209.	1.8	16
191	Evaluation of mhGAP training for primary healthcare workers in Mulanje, Malawi: a quasi-experimental and time series study. International Journal of Mental Health Systems, 2020, 14, 3.	1.1	16
192	Mental health research capacity building in sub-Saharan Africa: the African Mental Health Research Initiative. Global Mental Health (Cambridge, England), 2020, 7, e8.	1.0	16
193	Community/hospital indicators in South African public sector mental health services. Journal of Mental Health Policy and Economics, 2003, 6, 181-7.	0.6	16
194	Viewing Uganda's mental health system through a human rights lens. International Review of Psychiatry, 2010, 22, 578-588.	1.4	15
195	Putting Evidence into Practice: The PLoS Medicine Series on Global Mental Health Practice. PLoS Medicine, 2012, 9, e1001226.	3.9	15
196	Theory of change for complex mental health interventions: 10 lessons from the programme for improving mental healthcare. Global Mental Health (Cambridge, England), 2018, 5, e24.	1.0	15
197	A guide to systems-level, participatory, theory-informed implementation research in global health. BMJ Global Health, 2021, 6, e005365.	2.0	15
198	Challenges facing South Africa's mental health care system: stakeholders' perceptions of causes and potential solutions. International Journal of Culture and Mental Health, 2011, 4, 23-38.	0.6	14

#	Article	IF	CITATIONS
199	South African mental health care service user views on priorities for supporting recovery: implications for policy and service development. Disability and Rehabilitation, 2012, 34, 2272-2280.	0.9	14
200	Mental Health Services in South Africa: Scaling up and future directions. African Journal of Psychiatry, 2012, 15, 168-71.	0.1	14
201	Community-based psychosocial rehabilitation for schizophrenia service users in the north west province of South Africa: A formative study. Social Work in Mental Health, 2017, 15, 249-283.	0.7	14
202	Using qualitative comparative analysis and theory of change to unravel the effects of a mental health intervention on service utilisation in Nepal. BMJ Global Health, 2018, 3, e001023.	2.0	14
203	Prevalence, correlates and help-seeking behaviour for depressive symptoms in rural Uganda: a population-based survey. Global Mental Health (Cambridge, England), 2019, 6, e27.	1.0	14
204	Evaluation of Proactive Community Case Detection to Increase Help Seeking for Mental Health Care: A Pragmatic Randomized Controlled Trial. Psychiatric Services, 2020, 71, 810-815.	1.1	14
205	Psychology Training Directors' Reflections on Evidence-Based Practice in South Africa. South African Journal of Psychology, 2012, 42, 103-113.	1.0	13
206	Using a treatment partner and text messaging to improve adherence to psychotropic medication: A qualitative formative study of service users and caregivers in Cape Town, South Africa. African Journal of Psychiatry, 2013, 16, 364-70.	0.1	13
207	Perceptions of psychosocial disability amongst psychiatric service users and caregivers in South Africa. African Journal of Disability, 2014, 3, 146.	0.7	13
208	Improving quality of mental health care in low-resource settings: lessons from PRIME. World Psychiatry, 2018, 17, 47-48.	4.8	13
209	Potential strategies for sustainably financing mental health care in Uganda. International Journal of Mental Health Systems, 2018, 12, 74.	1.1	13
210	Association between perinatal depressive symptoms and suicidal risk among low-income South African women: a longitudinal study. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 1219-1230.	1.6	13
211	Evaluation of performance and perceived utility of mental healthcare indicators in routine health information systems in five low- and middle-income countries. BJPsych Open, 2019, 5, e70.	0.3	13
212	"We need more big trees as well as the grass roots― going beyond research capacity building to develop sustainable careers in mental health research in African countries. International Journal of Mental Health Systems, 2020, 14, 66.	1.1	13
213	Effects of COVID-19 on the economy and mental health of young people in South Africa: opportunities for strengthening social protection programmes by integrating mental health. South African Journal of Psychology, 2021, 51, 199-204.	1.0	13
214	Process evaluation of a district mental healthcare plan in Nepal: a mixed-methods case study. BJPsych Open, 2020, 6, e77.	0.3	13
215	A Descriptive Analysis of HIV Prevalence, HIV Service Uptake, and HIV-Related Risk Behaviour among Patients Attending a Mental Health Clinic in Rural Malawi. PLoS ONE, 2013, 8, e72171.	1.1	13
216	Improving the quality of mental health care. International Journal for Quality in Health Care, 2009, 21, 415-420.	0.9	12

#	Article	IF	CITATIONS
217	A Retrospective Evaluation of a Wilderness-Based Leadership Development Programme. South African Journal of Psychology, 2011, 41, 451-464.	1.0	12
218	Improving psychiatric education and research capacity in Zimbabwe. Medical Education, 2014, 48, 1132-1132.	1.1	12
219	Care for bipolar disorder in LMICs needs evidence from local settings. Lancet Psychiatry,the, 2015, 2, 772-773.	3.7	12
220	Experience of implementing new mental health indicators within information systems in six low- and middle-income countries. BJPsych Open, 2019, 5, e71.	0.3	12
221	Cash transfers and the mental health of young people: Evidence from South Africa's child support grant. Social Science and Medicine, 2022, 292, 114631.	1.8	12
222	Poverty and mental illness: Fact or fiction? A commentary on Das, Do, Friedman, McKenzie & Scott (65:3, 2007, 467–480). Social Science and Medicine, 2008, 66, 2061-2063.	1.8	11
223	Evaluation of the impacts of a district-level mental health care plan on contact coverage, detection and individual outcomes in rural Uganda: a mixed methods approach. International Journal of Mental Health Systems, 2019, 13, 63.	1.1	11
224	Assessing capability for implementing mental health counselling within primary care facilities in a middleâ€ncome country: A feasibility study. Journal of Psychiatric and Mental Health Nursing, 2019, 26, 163-174.	1.2	11
225	Change in treatment coverage and barriers to mental health care among adults with depression and alcohol use disorder: a repeat cross sectional community survey in Nepal. BMC Public Health, 2019, 19, 1350.	1.2	11
226	Towards racial equity in global mental health research. Lancet Psychiatry,the, 2021, 8, 553-555.	3.7	11
227	HeAlth System StrEngThening in four sub-Saharan African countries (ASSET) to achieve high-quality, evidence-informed surgical, maternal and newborn, and primary care: protocol for pre-implementation phase studies. Global Health Action, 2022, 15, 1987044.	0.7	11
228	Efficacy and cost-effectiveness of task-shared care for people with severe mental disorders in Ethiopia (TaSCS): a single-blind, randomised, controlled, phase 3 non-inferiority trial. Lancet Psychiatry,the, 2022, 9, 59-71.	3.7	11
229	South African Mental Health Process Indicators. Journal of Mental Health Policy and Economics, 2001, 4, 9-16.	0.6	11
230	Review of NGO performance research published in academic journals between 1996 and 2008. South African Journal of Science, 2012, 108, .	0.3	10
231	Key influences in the design and implementation of mental health information systems in Ghana and South Africa. Global Mental Health (Cambridge, England), 2016, 3, e11.	1.0	10
232	Effective methods for knowledge transfer to strengthen mental health systems in low- and middle-income countries. BJPsych Open, 2019, 5, e72.	0.3	10
233	Beyond the project: Building a strategic theory of change to address dementia care, treatment and support gaps across seven middle-income countries. Dementia, 2022, 21, 114-135.	1.0	10
234	Caregiving for mental health service users: A study exploring the perceptions of mental health service users and their caregivers in Cape Town, South Africa. International Journal of Social Psychiatry, 2016, 62, 512-521.	1.6	9

#	Article	IF	CITATIONS
235	Reflections on the next ten years of research, policy and implementation in global mental health. Epidemiology and Psychiatric Sciences, 2020, 29, e77.	1.8	9
236	Impact of integrated mental health care on food insecurity of households of people with severe mental illness in a rural African district: a communityâ€based, controlled before–after study. Tropical Medicine and International Health, 2020, 25, 414-423.	1.0	9
237	The impact of social, national and community-based health insurance on health care utilization for mental, neurological and substance-use disorders in low- and middle-income countries: a systematic review. Health Economics Review, 2020, 10, 11.	0.8	9
238	Mental health and human rights in South Africa: the hidden humanitarian crisis. South African Journal on Human Rights, 2016, 32, 403-405.	0.1	8
239	Adaptation of the WHO group interpersonal therapy for people living with HIV/AIDS in Northwest Ethiopia: A qualitative study. PLoS ONE, 2020, 15, e0238321.	1.1	8
240	Developing a task-sharing psychological intervention to treat mild to moderate symptoms of perinatal depression and anxiety in South Africa: a mixed-method formative study. International Journal of Mental Health Systems, 2021, 15, 23.	1.1	8
241	Implementation science protocol for a participatory, theory-informed implementation research programme in the context of health system strengthening in sub-Saharan Africa (ASSET-ImplementER). BMJ Open, 2021, 11, e048742.	0.8	8
242	Group problem solving therapy for perinatal depression in primary health care settings in rural Uganda: an intervention cohort study. BMC Pregnancy and Childbirth, 2021, 21, 584.	0.9	8
243	The relationship between multidimensional poverty, income poverty and youth depressive symptoms: cross-sectional evidence from Mexico, South Africa and Colombia. BMJ Global Health, 2022, 7, e006960.	2.0	8
244	Staff/bed and staff/patient ratios in South African public sector mental health services. South African Medical Journal, 2002, 92, 157-61.	0.2	8
245	Challenges faced by South African health services in implementing the Mental Health Care Act. South African Medical Journal, 2007, 97, 352-3.	0.2	8
246	Epidemiology of major depressive disorder in South Africa (1997–2015): a systematic review protocol. BMJ Open, 2016, 6, e011749.	0.8	7
247	Food insecurity and work impairment in people with severe mental disorders in a rural district of Ethiopia: a cross-sectional survey. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 1055-1066.	1.6	7
248	Adaptation and validation of a structured version of the Hamilton Depression Rating Scale for use by nonâ€clinicians in South Africa (AFFIRMâ€HDRS). Journal of Evaluation in Clinical Practice, 2020, 26, 1425-1435.	0.9	7
249	Staff/population ratios in South African public sector mental health services. South African Medical Journal, 2002, 92, 161-4.	0.2	7
250	Mental health law in Africa: analysis from a human rights perspective. Journal of Public Mental Health, 2013, 12, 10-20.	0.8	6
251	Health service costs and their association with functional impairment among adults receiving integrated mental health care in five low- and middle-income countries: the PRIME cohort study. Health Policy and Planning, 2020, 35, 567-576.	1.0	6
252	Acceptability and feasibility of peer-administered group interpersonal therapy for depression for people living with HIV/AIDS—a pilot study in Northwest Ethiopia. Pilot and Feasibility Studies, 2021, 7, 147	0.5	6

#	Article	IF	CITATIONS
253	Conditional cash transfers and adolescent mental health in Brazil: Evidence from the 2004 Pelotas Birth Cohort. Journal of Global Health, 2021, 11, 04066.	1.2	6
254	Implementation of a task-shared psychosocial intervention for perinatal depression in South Africa: A grounded theory process evaluation. SSM Mental Health, 2022, 2, 100056.	0.9	6
255	Implementation outcomes of a health systems strengthening intervention for perinatal women with common mental disorders and experiences of domestic violence in South Africa: Pilot feasibility and acceptability study. BMC Health Services Research, 2022, 22, 641.	0.9	6
256	Test–retest reliability of the Xhosa version of the Diagnostic Interview Schedule for Children. Child: Care, Health and Development, 2012, 38, 261-265.	0.8	5
257	The impact of antenatal mental distress on functioning and capabilities: views of health care providers and service users in Cape Town, South Africa. Disability and Rehabilitation, 2014, 36, 1092-1099.	0.9	5
258	Integrating a brief mental health intervention into primary care services for patients with HIV and diabetes in South Africa: study protocol for a trial-based economic evaluation. BMJ Open, 2019, 9, e026973.	0.8	5
259	Republished: Addressing the burden of mental, neurological, and substance use disorders: key messages from Disease Control Priorities, 3 rd edition. Indian Journal of Social Psychiatry, 2016, 32, 196.	0.3	5
260	A model for estimating mental health service needs in South Africa. South African Medical Journal, 2000, 90, 1019-24.	0.2	5
261	Mental health is integral to public health: a call to scale up evidence-based services and develop mental health research. South African Medical Journal, 2008, 98, 444, 446.	0.2	5
262	The impact of employment programs on common mental disorders: A systematic review. International Journal of Social Psychiatry, 2022, 68, 1315-1323.	1.6	5
263	Public sector antiretroviral treatment programme in South Africa: health care workers' attention to mental health problems. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2015, 27, 458-465.	0.6	4
264	The household economic costs associated with depression symptoms: A cross-sectional household study conducted in the North West province of South Africa. PLoS ONE, 2019, 14, e0224799.	1.1	4
265	The Impact of Participation in Research About Abuse and Intimate Partner Violence: An Investigation of Harms, Benefits, and Regrets in Young Adolescents in the Western Cape of South Africa. Journal of Interpersonal Violence, 2020, 35, 943-963.	1.3	4
266	Impact of integrated district level mental health care on clinical and functioning outcomes of people with depression and alcohol use disorder in Nepal: a non-randomised controlled study. BMC Psychiatry, 2020, 20, 451.	1.1	4
267	Economic burden of maternal depression among women with a low income in Cape Town, South Africa. BJPsych Open, 2020, 6, e36.	0.3	4
268	Primary-level and community worker interventions for the prevention of mental disorders and the promotion of well-being in low- and middle-income countries. The Cochrane Library, 0, , .	1.5	4
269	Examining the dynamics between young people's mental health, poverty and life chances in six low- and middle-income countries: protocol for the CHANCES-6 study. Social Psychiatry and Psychiatric Epidemiology, 2021, 56, 1687-1703.	1.6	4
270	Exploring effort–reward imbalance and professional quality of life among health workers in Cape Town, South Africa: a mixed-methods study. Global Health Research and Policy, 2022, 7, 7.	1.4	4

#	Article	IF	CITATIONS
271	Obstacles to creating an environment conducive to HIV prevention for young people. African Journal of AIDS Research, 2011, 10, 465-477.	0.3	3
272	Global mental health – Authors' reply. Lancet, The, 2019, 394, 119.	6.3	3
273	Fuzzy-set qualitative comparative analysis of implementation outcomes in an integrated mental healthcare trial in South Africa. Global Health Action, 2021, 14, 1940761.	0.7	3
274	The relationship between childhood trauma, socioeconomic status, and maternal depression among pregnant women in a South African birth cohort study. SSM - Population Health, 2021, 14, 100770.	1.3	3
275	Evaluation of an Advocacy Programme for Mental Health Care Users in South Africa: A Mixed Methods Study. Community Mental Health Journal, 2022, 58, 720-728.	1.1	3
276	Economic evaluations of psychological treatments for common mental disorders in low- and middle-income countries: protocol for a systematic review. Global Health Action, 2021, 14, 1972561.	0.7	3
277	Treatment Preferences for Pharmacological versus Psychological Interventions among Primary Care Providers in Nepal: Mixed Methods Analysis of a Pilot Cluster Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2022, 19, 2149.	1.2	3
278	Implementation strategy in collaboration with people with lived experience of mental illness to reduce stigma among primary care providers in Nepal (RESHAPE): protocol for a type 3 hybrid implementation effectiveness cluster randomized controlled trial. Implementation Science, 2022, 17, .	2.5	3
279	Death by maladministration: An important category of patient mortality. South African Medical Journal, 2017, 107, 280.	0.2	2
280	Psychotherapy for perinatal mental disorders in low- and middle-income countries. , 2019, , 301-319.		2
281	Food insecurity and common mental disorders in perinatal women living in low socio-economic settings in Cape Town, South Africa during the COVID-19 pandemic: a cohort study. Global Mental Health (Cambridge, England), 2022, 9, 49-60.	1.0	2
282	Mental health innovations in Africa: lessons from Ethiopia and Zimbabwe. Epidemiology and Psychiatric Sciences, 2017, 26, 339-341.	1.8	1
283	Predictors of receiving a diagnosis, referral and treatment of depression in people on antiretroviral therapy in South African primary care: a secondary analysis of data from a randomised trial. Tropical Medicine and International Health, 2020, 25, 1450-1466.	1.0	1
284	Quais são os princÃpios que devem nortear as polÃticas de saúde mental em paÃses de baixa e média rendas?. Revista Brasileira De Psiquiatria, 2010, 32, 347-348.	0.9	1
285	Health Care Platform Interventions. , 2016, , 201-218.		1
286	The Impact of Cash Transfers on Mental Health in Children and Young People in Low- and Middle-Income Countries: A Systematic Review and Meta-Analysis. SSRN Electronic Journal, 0, , .	0.4	1
287	Mental health policy implementation in Ghana and in Zambia. African Journal of Psychiatry, 2010, 13, 165-7.	0.1	1
288	Health systems strengthening interventions for perinatal common mental disorders and experiences of domestic violence in Cape Town, South Africa: protocol for a pilot implementation study. Pilot and Feasibility Studies, 2022, 8, 100.	0.5	1

#	Article	IF	CITATIONS
289	The 15th Biannual National Congress of the South African Society of Psychiatrists, 10-14 August 2008, Fancourt, George, W Cape. South African Journal of Psychiatry, 2008, 14, 18.	0.2	0
290	Child, Adolescent and Adult Psychiatric Disorders in Africa: Implications for Psychological Interventions. Journal of Psychology in Africa, 2009, 19, 483-489.	0.3	0
291	16th National Congress of the South African Society of Psychiatrists (SASOP). South African Journal of Psychiatry, 2010, 16, 29.	0.2	Ο
292	WHO Director-General candidates: where does mental health feature?. Lancet, The, 2017, 389, 34-35.	6.3	0
293	Balancing the Local and the Global: Commentary on â€~Globalizing Mental Health: Challenges and New Visions' Section. , 2017, , 429-441.		Ο
294	Prioritising Women's Mental Health for the Achievement of the SDGs in Africa. Sustainable Development Goals Series, 2020, , 123-133.	0.2	0