
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4866096/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Plasma levels of carboxylic acids are markers of early kidney dysfunction in young people with type 1 diabetes. Pediatric Nephrology, 2023, 38, 193-202.	0.9	3
2	Early microvascular complications in type 1 and type 2 diabetes: recent developments and updates. Pediatric Nephrology, 2022, 37, 79-93.	0.9	18
3	Effects of Metabolic Factors, Race-Ethnicity, and Sex on the Development of Nephropathy in Adolescents and Young Adults With Type 2 Diabetes: Results From the TODAY Study. Diabetes Care, 2022, 45, 1056-1064.	4.3	8
4	Kidney hemodynamic profile and systemic vascular function in adults with type 2 diabetes: Analysis of three clinical trials. Journal of Diabetes and Its Complications, 2022, 36, 108127.	1.2	2
5	Structural Lesions on Kidney Biopsy in Youth-Onset and Adult-Onset Type 2 Diabetes. Diabetes Care, 2022, 45, 436-443.	4.3	13
6	Relationship between biomarkers of tubular injury and intrarenal hemodynamic dysfunction in youth with type 1 diabetes. Pediatric Nephrology, 2022, 37, 3085-3092.	0.9	5
7	Minimal Change Disease Is Associated With Endothelial Glycocalyx Degradation and Endothelial Activation. Kidney International Reports, 2022, 7, 797-809.	0.4	11
8	The Role of Glucagon-Like Peptide 1 (GLP-1) Receptor Agonists in the Prevention and Treatment of Diabetic Kidney Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2022, 17, 905-907.	2.2	6
9	Dapagliflozin in young people with type 2 diabetes. Lancet Diabetes and Endocrinology,the, 2022, , .	5.5	4
10	Aminoaciduria and metabolic dysregulation during diabetic ketoacidosis: Results from the diabetic kidney alarm (DKA) study. Journal of Diabetes and Its Complications, 2022, 36, 108203.	1.2	4
11	Effects of dapagliflozin on volume status and systemic haemodynamics in patients with chronic kidney disease without diabetes: Results from <scp>DAPASALT</scp> and <scp>DIAMOND</scp> . Diabetes, Obesity and Metabolism, 2022, 24, 1578-1587.	2.2	11
12	The Evaluation of Coffee Therapy for Improvement of Renal Oxygenation (COFFEE) study: A Mechanistic Pilot and Feasibility Study Evaluating Coffee's Effects on Intrarenal Hemodynamic Function and Renal Energetics. Kidney International Reports, 2022, , .	0.4	1
13	Kidney oxygenation, perfusion and blood flow in people with and without type 1 diabetes. CKJ: Clinical Kidney Journal, 2022, 15, 2072-2080.	1.4	4
14	Effect of surgical versus medical therapy on estimated cardiovascular event risk among adolescents with type 2 diabetes and severe obesity. Surgery for Obesity and Related Diseases, 2021, 17, 23-33.	1.0	11
15	Results from the Effects of <scp>ME</scp> tformin on cardiovascula <scp>R</scp> function in <scp>A</scp> do <scp>L</scp> escents with type 1 Diabetes ( <scp>EMERALD</scp> ) study: A brief report of kidney and inflammatory outcomes. Diabetes, Obesity and Metabolism, 2021, 23, 844-849.	2.2	2
16	Renal haemodynamic and protective effects of renoactive drugs in type 2 diabetes: Interaction with SGLT2 inhibitors. Nephrology, 2021, 26, 377-390.	0.7	10
17	Impact of Obesity on Measures of Cardiovascular and Kidney Health in Youth With Type 1 Diabetes as Compared With Youth With Type 2 Diabetes. Diabetes Care, 2021, 44, 795-803.	4.3	11
18	Vasopressin associated with renal vascular resistance in adults with longstanding type 1 diabetes with and without diabetic kidney disease. Journal of Diabetes and Its Complications, 2021, 35, 107807.	1.2	8

#	Article	IF	CITATIONS
19	Importance of standardizing renal outcomes in clinical trials: illustration by recent sodium glucose cotransporter 2 inhibitor studies. Kidney International, 2021, 99, 768-770.	2.6	5
20	Hyperuricemia and chronic kidney disease: to treat or not to treat. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2021, 43, 572-579.	0.4	16
21	Sex-related differences in diabetic kidney disease: A review on the mechanisms and potential therapeutic implications. Journal of Diabetes and Its Complications, 2021, 35, 107841.	1.2	25
22	Serum copeptin and NT-proBNP is associated with central aortic stiffness and flow hemodynamics in adolescents with type 1 diabetes: A pilot study. Journal of Diabetes and Its Complications, 2021, 35, 107883.	1.2	4
23	Relationships between inflammation, hemodynamic function and RAAS in longstanding type 1 diabetes and diabetic kidney disease. Journal of Diabetes and Its Complications, 2021, 35, 107880.	1.2	8
24	Kidney hemodynamic function in men and postmenopausal women with type 2 diabetes and preserved kidney function. American Journal of Physiology - Renal Physiology, 2021, 320, F1152-F1158.	1.3	2
25	Endogenous Fructose Metabolism Could Explain the Warburg Effect and the Protection of SGLT2 Inhibitors in Chronic Kidney Disease. Frontiers in Immunology, 2021, 12, 694457.	2.2	17
26	Acute Kidney Injury in Pediatric Diabetic Kidney Disease. Frontiers in Pediatrics, 2021, 9, 668033.	0.9	10
27	Intraglomerular Dysfunction Predicts Kidney Failure in Type 2 Diabetes. Diabetes, 2021, 70, 2344-2352.	0.3	12
28	Long-Term Complications in Youth-Onset Type 2 Diabetes. New England Journal of Medicine, 2021, 385, 416-426.	13.9	234
29	A Pilot Study of the Safety and Efficacy of Alkali Therapy on Vascular Function in Kidney Transplant Recipients. Kidney International Reports, 2021, 6, 2323-2330.	0.4	2
30	Kidney Effects of Empagliflozin in People with Type 1 Diabetes. Clinical Journal of the American Society of Nephrology: CJASN, 2021, 16, 1715-1719.	2.2	13
31	Tubular injury in diabetic ketoacidosis: Results from the diabetic kidney alarm study. Pediatric Diabetes, 2021, 22, 1031-1039.	1.2	6
32	Mechanisms of Cardiorenal Protection of Glucagon-Like Peptide-1 Receptor Agonists. Advances in Chronic Kidney Disease, 2021, 28, 337-346.	0.6	3
33	Effect of Surgical Versus Medical Therapy on Diabetic Kidney Disease Over 5 Years in Severely Obese Adolescents With Type 2 Diabetes. Diabetes Care, 2020, 43, 187-195.	4.3	36
34	Insulin Sensitivity and Renal Hemodynamic Function in Metformin-Treated Adults With Type 2 Diabetes and Preserved Renal Function. Diabetes Care, 2020, 43, 228-234.	4.3	14
35	Fructose tolerance test in obese people with and without type 2 diabetes. Journal of Diabetes, 2020, 12, 197-204.	0.8	5
36	The New Biology of Diabetic Kidney Disease—Mechanisms and Therapeutic Implications. Endocrine Reviews, 2020, 41, 202-231.	8.9	77

#	Article	IF	CITATIONS
37	Do sodium-glucose cotransporter-2 inhibitors affect renal hemodynamics by different mechanisms in type 1 and type 2 diabetes?. Kidney International, 2020, 97, 31-33.	2.6	7
38	SGLT2 inhibition increases serum copeptin in young adults with type 1 diabetes. Diabetes and Metabolism, 2020, 46, 203-209.	1.4	13
39	Asymptomatic hyperuricaemia: a silent activator of the innate immune system. Nature Reviews Rheumatology, 2020, 16, 75-86.	3.5	150
40	Tubular Secretion Markers, Glomerular Filtration Rate, Effective Renal Plasma Flow, and Filtration Fraction in Healthy Adolescents. Kidney Medicine, 2020, 2, 670-672.	1.0	7
41	Frequency of Reduced Left Ventricular Contractile Efficiency and Discoordinated Myocardial Relaxation in Patients Aged 16 to 21 Years With Type 1 Diabetes Mellitus (from the Emerald Study). American Journal of Cardiology, 2020, 128, 45-53.	0.7	11
42	Relative Hypoxia and Early Diabetic Kidney Disease in Type 1 Diabetes. Diabetes, 2020, 69, 2700-2708.	0.3	34
43	Influence of Weight Loss on Obesityâ€Associated Complications After Metabolic and Bariatric Surgery in Adolescents. Obesity, 2020, 28, 2397-2404.	1.5	7
44	Nephroprotective effects of GLP-1 receptor agonists: where do we stand?. Journal of Nephrology, 2020, 33, 965-975.	0.9	26
45	Osmotic Nephrosis and Acute Kidney Injury Associated With SGLT2 Inhibitor Use: A Case Report. American Journal of Kidney Diseases, 2020, 76, 144-147.	2.1	21
46	The role of renal hypoxia in the pathogenesis ofÂdiabetic kidney disease: a promising target forÂnewer renoprotective agents including SGLT2Âinhibitors?. Kidney International, 2020, 98, 579-589.	2.6	111
47	Uric Acid and Hypertension: An Update With Recommendations. American Journal of Hypertension, 2020, 33, 583-594.	1.0	104
48	Bariatric surgery and kidney disease outcomes in severely obese youth. Seminars in Pediatric Surgery, 2020, 29, 150883.	0.5	7
49	Five-year kidney outcomes of bariatric surgery differ in severely obese adolescents and adults with and without type 2 diabetes. Kidney International, 2020, 97, 995-1005.	2.6	13
50	The Optimal Range of Serum Uric Acid for Cardiometabolic Diseases: A 5-Year Japanese Cohort Study. Journal of Clinical Medicine, 2020, 9, 942.	1.0	36
51	Role of sodium-glucose cotransporter 2 inhibition to mitigate diabetic kidney disease risk in type 1 diabetes. Nephrology Dialysis Transplantation, 2020, 35, i24-i32.	0.4	15
52	Insulin Resistance and the Kidney in Youth. Contemporary Endocrinology, 2020, , 221-235.	0.3	0
53	The Impact of Sotagliflozin on Renal Function, Albuminuria, Blood Pressure, and Hematocrit in Adults With Type 1 Diabetes. Diabetes Care, 2019, 42, 1921-1929.	4.3	47
54	Elevated copeptin, arterial stiffness, and elevated albumin excretion in adolescents with type 1 diabetes. Pediatric Diabetes, 2019, 20, 1110-1117.	1.2	10

#	Article	IF	CITATIONS
55	Serum uromodulin is associated with urinary albumin excretion in adolescents with type 1 diabetes. Journal of Diabetes and Its Complications, 2019, 33, 648-650.	1.2	10
56	cgmanalysis: An R package for descriptive analysis of continuous glucose monitor data. PLoS ONE, 2019, 14, e0216851.	1.1	48
57	Renal SGLT mRNA expression in human health and disease: a study in two cohorts. American Journal of Physiology - Renal Physiology, 2019, 317, F1224-F1230.	1.3	18
58	Plasma Copeptin and Risk of Lower-Extremity Amputation in Type 1 and Type 2 Diabetes. Diabetes Care, 2019, 42, 2290-2297.	4.3	15
59	Elevated plasma cyclic guanosine monophosphate may explain greater efferent arteriolar tone in adults with longstanding type 1 diabetes: A brief report. Journal of Diabetes and Its Complications, 2019, 33, 547-549.	1.2	1
60	Estimating GFR by Serum Creatinine, Cystatin C, and β2-Microglobulin in Older Adults: Results From the Canadian Study of Longevity in Type 1 Diabetes. Kidney International Reports, 2019, 4, 786-796.	0.4	12
61	Serum uromodulin inversely associates with aortic stiffness in youth with type 1 diabetes: A brief report from EMERALD study. Journal of Diabetes and Its Complications, 2019, 33, 434-436.	1.2	5
62	Risk factors for diabetic kidney disease in adults with longstanding type 1 diabetes: results from the Canadian Study of Longevity in Diabetes. Renal Failure, 2019, 41, 427-433.	0.8	4
63	Sodium glucose cotransporter (SGLT)â€2 inhibitors: Do we need them for glucoseâ€lowering, for cardiorenal protection or both?. Diabetes, Obesity and Metabolism, 2019, 21, 24-33.	2.2	17
64	Elevated Serum Uric Acid Is Associated With Greater Risk for Hypertension and Diabetic Kidney Diseases in Obese Adolescents With Type 2 Diabetes: An Observational Analysis From the Treatment Options for Type 2 Diabetes in Adolescents and Youth (TODAY) Study. Diabetes Care, 2019, 42, 1120-1128.	4.3	68
65	Renal Hemodynamic Function and RAAS Activation Over the Natural History of Type 1 Diabetes. American Journal of Kidney Diseases, 2019, 73, 786-796.	2.1	15
66	Association between uric acid, renal haemodynamics and arterial stiffness over the natural history of type 1 diabetes. Diabetes, Obesity and Metabolism, 2019, 21, 1388-1398.	2.2	12
67	Diabetic Nephropathy in Children and Adolescents. , 2019, , 45-64.		1
68	The relationships between markers of tubular injury and intrarenal haemodynamic function in adults with and without type 1 diabetes: Results from the Canadian Study of Longevity in Type 1 Diabetes. Diabetes, Obesity and Metabolism, 2019, 21, 575-583.	2.2	15
69	Retinopathy and RAAS Activation: Results From the Canadian Study of Longevity in Type 1 Diabetes. Diabetes Care, 2019, 42, 273-280.	4.3	16
70	Serum Uromodulin Predicts Less Coronary Artery Calcification and Diabetic Kidney Disease Over 12 Years in Adults With Type 1 Diabetes: The CACTI Study. Diabetes Care, 2019, 42, 297-302.	4.3	34
71	Copeptin and Estimated Insulin Sensitivity in Adults With and Without Type 1 Diabetes: The CACTI Study. Canadian Journal of Diabetes, 2019, 43, 34-39.	0.4	15
72	Macrovascular disease and risk factors in youth with type 1 diabetes: time to be more attentive to treatment?. Lancet Diabetes and Endocrinology,the, 2018, 6, 809-820.	5.5	51

#	Article	IF	CITATIONS
73	Measured GFR in Routine Clinical Practice—The Promise of Dried Blood Spots. Advances in Chronic Kidney Disease, 2018, 25, 76-83.	0.6	35
74	Role of bicarbonate supplementation on urine uric acid crystals and diabetic tubulopathy in adults with type 1 diabetes. Diabetes, Obesity and Metabolism, 2018, 20, 1776-1780.	2.2	13
75	Adiposity Impacts Intrarenal Hemodynamic Function in Adults With Long-standing Type 1 Diabetes With and Without Diabetic Nephropathy: Results From the Canadian Study of Longevity in Type 1 Diabetes. Diabetes Care, 2018, 41, 831-839.	4.3	13
76	Effect of immediate and prolonged GLPâ€1 receptor agonist administration on uric acid and kidney clearance: <i>Postâ€hoc</i> analyses of four clinical trials. Diabetes, Obesity and Metabolism, 2018, 20, 1235-1245.	2.2	23
77	Cardiac Biomarkers in Youth with Type 2 Diabetes Mellitus: Results from the TODAY Study. Journal of Pediatrics, 2018, 192, 86-92.e5.	0.9	12
78	Response by Lytvyn et al to Letter Regarding Article, "Sodium Glucose Cotransporter-2 Inhibition in Heart Failure: Potential Mechanisms, Clinical Applications, and Summary of Clinical Trials― Circulation, 2018, 137, 1984-1985.	1.6	1
79	Renal Hyperfiltration in Adolescents with Type 2 Diabetes: Physiology, Sex Differences, and Implications for Diabetic Kidney Disease. Current Diabetes Reports, 2018, 18, 22.	1.7	33
80	Plasma biomarkers improve prediction of diabetic kidney disease in adults with type 1 diabetes over a 12-year follow-up: CACTI study. Nephrology Dialysis Transplantation, 2018, 33, 1189-1196.	0.4	18
81	Insulin Sensitivity and Diabetic Kidney Disease in Children and Adolescents With Type 2 Diabetes: An Observational Analysis of Data From the TODAY ClinicalÂTrial. American Journal of Kidney Diseases, 2018, 71, 65-74.	2.1	60
82	Uric Acid Is a Strong Risk Marker for Developing Hypertension From Prehypertension. Hypertension, 2018, 71, 78-86.	1.3	159
83	Achieving ADA/ISPAD clinical guideline goals is associated with higher insulin sensitivity and cardiopulmonary fitness in adolescents with type 1 diabetes: Results from RESistance to InSulin in Type 1 ANd Type 2 diabetes (RESISTANT) and Effects of MEtform. Pediatric Diabetes, 2018, 19, 436-442.	1.2	10
84	Dapagliflozin in focal segmental glomerulosclerosis: a combined human-rodent pilot study. American Journal of Physiology - Renal Physiology, 2018, 314, F412-F422.	1.3	68
85	Metformin Improves Insulin Sensitivity and Vascular Health in Youth With Type 1 Diabetes Mellitus. Circulation, 2018, 138, 2895-2907.	1.6	94
86	Atherosclerosis and Microvascular Complications: Results From the Canadian Study of Longevity in Type 1 Diabetes. Diabetes Care, 2018, 41, 2570-2578.	4.3	37
87	Pathogenesis of Lipid Disorders in Insulin Resistance: a Brief Review. Current Diabetes Reports, 2018, 18, 127.	1.7	99
88	Acute Effect of Empagliflozin on Fractional Excretion of Sodium and eGFR in Youth With Type 2 Diabetes. Diabetes Care, 2018, 41, e129-e130.	4.3	27
89	Antihyperglycemic agents as novel natriuretic therapies in diabetic kidney disease. American Journal of Physiology - Renal Physiology, 2018, 315, F1406-F1415.	1.3	22
90	Hyperfiltration, urinary albumin excretion, and ambulatory blood pressure in adolescents with Type 1 diabetes mellitus. American Journal of Physiology - Renal Physiology, 2018, 314, F667-F674.	1.3	41

#	Article	IF	CITATIONS
91	Experimental heat stress nephropathy and liver injury are improved by allopurinol. American Journal of Physiology - Renal Physiology, 2018, 315, F726-F733.	1.3	36
92	Renin-angiotensin-aldosterone system activation in long-standing type 1 diabetes. JCI Insight, 2018, 3, .	2.3	38
93	Elevated Serum Neutrophil Gelatinase-Associated Lipocalin (NGAL) and Intrarenal Hemodynamic Dysfunction in Type 1 Diabetes (T1D). Diabetes, 2018, 67, .	0.3	1
94	Serum Uromodulin (SUMOD) Inversely Correlates with Aortic Stiffness in Type 1 Diabetes (T1D) Youth. Diabetes, 2018, 67, 431-P.	0.3	1
95	Plasma Uric Acid (PUA), Renal Hemodynamic Function, and Arterial Stiffness at the Extremes of T1D Duration-Adolescents vs. Adults with T1D for =50 Years. Diabetes, 2018, 67, 538-P.	0.3	0
96	The Relationships between Retinopathy and Other Vascular Complications in Adults with Long-Standing Diabetes—Results from the Canadian Study of Longevity in Type 1 Diabetes (T1D). Diabetes, 2018, 67, 600-P.	0.3	0
97	Estimating Glomerular Filtration Rate Calculated by Serum Creatinine Lacks Precision and Accuracy in Adults with Type 2 Diabetes with Preserved Renal Function. Diabetes, 2018, 67, 537-P.	0.3	10
98	The Acute Effect of Empagliflozin on Fractional Excretion of Sodium and eGFR in Youth with Type 2 Diabetes. Diabetes, 2018, 67, 1346-P.	0.3	0
99	Metformin Improves Insulin Resistance (IR) and Vascular Health in Youth with Type 1 Diabetes (T1D). Diabetes, 2018, 67, 234-OR.	0.3	1
100	Serum Uric Acid (SUA), Urinary Albumin Excretion (UAE), and Hypertension (HTN) in Adolescents with Type 2 Diabetes (T2D) in the TODAY Study. Diabetes, 2018, 67, 339-OR.	0.3	0
101	Renal Hemodynamic Function at the Extremes of T1D Duration-Adolescents vs. Adults with T1D for =50 Years. Diabetes, 2018, 67, .	0.3	0
102	Asymptomatic Hyperuricemia Without Comorbidities Predicts Cardiometabolic Diseases. Hypertension, 2017, 69, 1036-1044.	1.3	160
103	Influence of sex on hyperfiltration in patients with uncomplicated type 1 diabetes. American Journal of Physiology - Renal Physiology, 2017, 312, F599-F606.	1.3	22
104	Effects of exogenous desmopressin on a model of heat stress nephropathy in mice. American Journal of Physiology - Renal Physiology, 2017, 312, F418-F426.	1.3	31
105	Kidney Function Can Predict Pregnancy Outcomes. Clinical Journal of the American Society of Nephrology: CJASN, 2017, 12, 1029-1031.	2.2	7
106	Elevated Serum Uric Acid Level Predicts Rapid Decline in Kidney Function. American Journal of Nephrology, 2017, 45, 330-337.	1.4	57
107	Leptin is associated with cardiopulmonary fitness independent of body-mass index and insulin sensitivity in adolescents with type 1 diabetes: a brief report from the EMERALD study. Journal of Diabetes and Its Complications, 2017, 31, 850-853.	1.2	8
108	Albuminuria is associated with greater copeptin concentrations in men with type 1 diabetes: A brief report from the T1D exchange Biobank. Journal of Diabetes and Its Complications, 2017, 31, 387-389.	1.2	13

#	Article	IF	CITATIONS
109	Sodium Glucose Cotransporter-2 Inhibition in Heart Failure. Circulation, 2017, 136, 1643-1658.	1.6	340
110	"Metabolically Healthy―Obesity and Hyperuricemia Increase Risk for Hypertension and Diabetes: 5â€year Japanese Cohort Study. Obesity, 2017, 25, 1997-2008.	1.5	53
111	Predictors of early renal function decline in adults with TypeÂ1 diabetes: the Coronary Artery Calcification in Type 1 Diabetes and the Pittsburgh Epidemiology of Diabetes Complications studies. Diabetic Medicine, 2017, 34, 1532-1540.	1.2	11
112	Adiponectin is associated with early diabetic kidney disease in adults with type 1 diabetes: A Coronary Artery Calcification in Type 1 Diabetes (CACTI) Study. Journal of Diabetes and Its Complications, 2017, 31, 369-374.	1.2	19
113	Increased Serum Sodium and Serum Osmolarity Are Independent Risk Factors for Developing Chronic Kidney Disease; 5 Year Cohort Study. PLoS ONE, 2017, 12, e0169137.	1.1	49
114	Testosterone concentration and insulin sensitivity in young men with type 1 and type 2 diabetes. Pediatric Diabetes, 2016, 17, 184-190.	1.2	14
115	The Gomez equations and renal hemodynamic function in kidney disease research. American Journal of Physiology - Renal Physiology, 2016, 311, F967-F975.	1.3	35
116	Elevated copeptin is associated with atherosclerosis and diabetic kidney disease in adults with type 1 diabetes. Journal of Diabetes and Its Complications, 2016, 30, 1093-1096.	1.2	34
117	Cardiopulmonary Dysfunction and Adiponectin in Adolescents With Type 2 Diabetes. Journal of the American Heart Association, 2016, 5, e002804.	1.6	41
118	Youth with type 1 diabetes have worse strain and less pronounced sex differences in early echocardiographic markers of diabetic cardiomyopathy compared to their normoglycemic peers: A RESistance to InSulin in Type 1 ANd Type 2 diabetes (RESISTANT) Study. Journal of Diabetes and Its Complications, 2016, 30, 1103-1110.	1.2	31
119	Diabetic Kidney Disease in Adolescents With Type 2 Diabetes: New Insights and Potential Therapies. Current Diabetes Reports, 2016, 16, 11.	1.7	28
120	New and old agents in the management of diabetic nephropathy. Current Opinion in Nephrology and Hypertension, 2016, 25, 232-239.	1.0	31
121	Development and Validation of a Method to Estimate Insulin Sensitivity in Patients With and Without Type 1 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 686-695.	1.8	44
122	Estimated insulin sensitivity predicts incident micro- and macrovascular complications in adults with type 1 diabetes over 6 years: the coronary artery calcification in type 1 diabetes study. Journal of Diabetes and Its Complications, 2016, 30, 586-590.	1.2	47
123	Hyperfiltration and uricosuria in adolescents with type 1 diabetes. Pediatric Nephrology, 2016, 31, 787-793.	0.9	23
124	Measuring glomerular filtration rate by iohexol clearance on filter paper is feasible in adolescents with type 1 diabetes in the ambulatory setting. Acta Diabetologica, 2016, 53, 331-333.	1.2	8
125	Renal Function Is Associated With Peak Exercise Capacity in Adolescents With Type 1 Diabetes. Diabetes Care, 2015, 38, 126-131.	4.3	22
126	Association of apolipoprotein B, LDL-C and vascular stiffness in adolescents with type 1 diabetes. Acta Diabetologica, 2015, 52, 611-619.	1.2	12

#	Article	IF	CITATIONS
127	Relation of Combined Non–High-Density Lipoprotein Cholesterol and Apolipoprotein B With Atherosclerosis inÂAdults With Type 1 Diabetes Mellitus. American Journal of Cardiology, 2015, 116, 1057-1062.	0.7	16
128	Update on Estimation of Kidney Function in Diabetic Kidney Disease. Current Diabetes Reports, 2015, 15, 57.	1.7	40
129	Fructose and uric acid in diabetic nephropathy. Diabetologia, 2015, 58, 1993-2002.	2.9	97
130	Diabetes Complications in Childhood Diabetes: New Biomarkers and Technologies. Current Pediatrics Reports, 2015, 3, 177-186.	1.7	13
131	Rapid GFR decline is associated with renal hyperfiltration and impaired GFR in adults with Type 1 diabetes. Nephrology Dialysis Transplantation, 2015, 30, 1706-1711.	0.4	88
132	Achieving International Society for Pediatric and Adolescent Diabetes and American Diabetes Association clinical guidelines offers cardiorenal protection for youth with type 1 diabetes. Pediatric Diabetes, 2015, 16, 22-30.	1.2	27
133	Fat Mass Is Associated With Cystatin C and Estimated Glomerular Filtration Rate in Adolescents With Type 1 Diabetes. , 2015, 25, 454-455.		Ο
134	Estimated insulin sensitivity predicts regression of albuminuria in Type 1 diabetes. Diabetic Medicine, 2015, 32, 257-261.	1.2	17
135	Insulin sensitivity and complications in type 1 diabetes: New insights. World Journal of Diabetes, 2015, 6, 8.	1.3	43
136	Age-Related Consequences of Childhood Obesity. Gerontology, 2014, 60, 222-228.	1.4	334
137	Insulin Sensitivity Is an Important Determinant of Renal Health in Adolescents With Type 2 Diabetes. Diabetes Care, 2014, 37, 3033-3039.	4.3	41
138	Plasma triglycerides predict incident albuminuria and progression of coronary artery calcification in adults with type 1 diabetes: The Coronary Artery Calcification in Type 1 Diabetes Study. Journal of Clinical Lipidology, 2014, 8, 576-583.	0.6	31
139	Early diabetic nephropathy in type 1 diabetes. Current Opinion in Endocrinology, Diabetes and Obesity, 2014, 21, 279-286.	1.2	101
140	Serum uric acid and insulin sensitivity in adolescents and adults with and without type 1 diabetes. Journal of Diabetes and Its Complications, 2014, 28, 298-304.	1.2	30
141	Serum Uric Acid and Hypertension in Adults: A Paradoxical Relationship in Type 1 Diabetes. Journal of Clinical Hypertension, 2014, 16, 283-288.	1.0	18
142	ABC goal achievement predicts microvascular but not macrovascular complications over 6-years in adults with type 1 diabetes: The Coronary Artery Calcification in Type 1 Diabetes Study. Journal of Diabetes and Its Complications, 2014, 28, 762-766.	1.2	13
143	Serum uric acid predicts vascular complications in adults with type 1 diabetes: the coronary artery calcification in type 1 diabetes study. Acta Diabetologica, 2014, 51, 783-791.	1.2	50
144	Risks and Benefits of Statin Use in Young People with Type 1 Diabetes. Current Diabetes Reports, 2014, 14, 499.	1.7	11

#	Article	IF	CITATIONS
145	Fasting Blood Glucose-A Missing Variable for GFR-Estimation in Type 1 Diabetes?. PLoS ONE, 2014, 9, e96264.	1.1	11
146	Early Diabetic Nephropathy. Diabetes Care, 2013, 36, 3678-3683.	4.3	58