

Yun Hyeok Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4866639/publications.pdf>

Version: 2024-02-01

19
papers

426
citations

758635

12
h-index

794141

19
g-index

19
all docs

19
docs citations

19
times ranked

593
citing authors

#	ARTICLE	IF	CITATIONS
1	Sol-gel synthesized siloxane hybrid materials for display and optoelectronic applications. Journal of Sol-Gel Science and Technology, 2023, 107, 32-45.	1.1	9
2	Elongation improvement of transparent and flexible surface protective coating using polydimethylsiloxane-anchored epoxy-functionalized siloxane hybrid composite for reliable out-foldable displays. Composites Part B: Engineering, 2021, 225, 109313.	5.9	16
3	Self-Powered Flexible Full-Color Display via Dielectric-Tuned Hybrimer Triboelectric Nanogenerators. ACS Energy Letters, 2021, 6, 4097-4107.	8.8	15
4	Photo-Patternable Quantum Dots/Siloxane Composite with Long-Term Stability for Quantum Dot Color Filters. ACS Applied Materials & Interfaces, 2020, 12, 3961-3968.	4.0	34
5	Siloxane Hybrid Materials: Hierarchically Surface-Textured Ultrastable Hybrid Film for Large-Scale Triboelectric Nanogenerators (Adv. Funct. Mater. 49/2020). Advanced Functional Materials, 2020, 30, 2070327.	7.8	1
6	Long-Term Stable Microlens Array-Integrated Quantum Dot/Siloxane Film for Thin White Backlight Units. ACS Applied Nano Materials, 2020, 3, 10261-10269.	2.4	2
7	Hierarchically Surface-Textured Ultrastable Hybrid Film for Large-Scale Triboelectric Nanogenerators. Advanced Functional Materials, 2020, 30, 2005610.	7.8	28
8	Flexible but Mechanically Robust Hazy Quantum Dot/Glass Fiber Reinforced Film for Efficiently Luminescent Surface Light Source. Advanced Optical Materials, 2020, 8, 1902178.	3.6	9
9	Facile preparation of wear-resistant and anti-fingerprint hard coating with chemisorption of fluorosilane by simple wet coating. Journal of Sol-Gel Science and Technology, 2020, 95, 447-455.	1.1	11
10	Two-Step-Enhanced Stability of Quantum Dots via Silica and Siloxane Encapsulation for the Long-Term Operation of Light-Emitting Diodes. ACS Applied Materials & Interfaces, 2019, 11, 22801-22808.	4.0	25
11	Mechanically improved sol-gel derived methacrylate-siloxane hybrid materials with urethane linkage. Journal of Sol-Gel Science and Technology, 2019, 89, 111-119.	1.1	3
12	High-Performance and Simply-Synthesized Ladder-Like Structured Methacrylate Siloxane Hybrid Material for Flexible Hard Coating. Polymers, 2018, 10, 449.	2.0	28
13	Conducting Nanopaper: A Carbon-Free Cathode Platform for Li-O_2 Batteries. ACS Energy Letters, 2017, 2, 673-680.	8.8	30
14	Flexible Coatings: Flexible Hard Coating: Glass-Like Wear Resistant, Yet Plastic-Like Compliant, Transparent Protective Coating for Foldable Displays (Adv. Mater. 19/2017). Advanced Materials, 2017, 29, .	11.1	5
15	Invited Paper: Flexible Hard Coating (Flex9H [®]) for Foldable Display Cover Plastic Film. Digest of Technical Papers SID International Symposium, 2017, 48, 215-217.	0.1	15
16	Flexible Hard Coating: Glass-Like Wear Resistant, Yet Plastic-Like Compliant, Transparent Protective Coating for Foldable Displays. Advanced Materials, 2017, 29, 1700205.	11.1	107
17	Highly Conducting In_2O_3 Nanowire Network with Passivating ZrO_2 Thin Film for Solution-Processed Field Effect Transistors. Advanced Electronic Materials, 2016, 2, 1600218.	2.6	21
18	A highly adhesive siloxane LED encapsulant optimized for high thermal stability and optical efficiency. Journal of Materials Chemistry C, 2016, 4, 10791-10796.	2.7	16

#	ARTICLE	IF	CITATIONS
19	Thermally Stable Siloxane Hybrid Matrix with Low Dielectric Loss for Copper-Clad Laminates for High-Frequency Applications. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 8335-8340.	4.0	51