

David J Aitken

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4868184/publications.pdf>

Version: 2024-02-01

71
papers

1,264
citations

331670

21
h-index

434195

31
g-index

73
all docs

73
docs citations

73
times ranked

985
citing authors

#	ARTICLE	IF	CITATIONS
1	A case study of the MAC (masked acyl cyanide) oxyhomologation of <i>N,N</i> -dibenzyl- <i>L</i> -phenylalaninal with <i>anti</i> diastereoselectivity: preparation of (2 <i>S</i> ,3 <i>S</i>)-allophenylnorstatin esters. <i>Organic and Biomolecular Chemistry</i> , 2022, 20, 1769-1781.	2.8	5
2	Characterization of Asx Turn Types and Their Connate Relationship with $\hat{2}$ -Turns. <i>Chemistry - A European Journal</i> , 2022, , .	3.3	4
3	Characterization of Asx Turn Types and Their Connate Relationship with $\hat{2}$ -Turns. <i>Chemistry - A European Journal</i> , 2022, , e202200969.	3.3	0
4	A Brønsted acid catalyzed tandem reaction for the diastereoselective synthesis of cyclobuta-fused tetrahydroquinoline carboxylic esters. <i>Organic and Biomolecular Chemistry</i> , 2021, 19, 8912-8916.	2.8	4
5	A theoretical and experimental case study of the hydrogen bonding predilection of <i>S</i> -methylcysteine. <i>Amino Acids</i> , 2021, 53, 621-633.	2.7	4
6	A short synthesis of both enantiomers of 2-aminobicyclo[3.2.0]heptane-2,7-dicarboxylic acid. <i>Tetrahedron Letters</i> , 2021, 68, 152912.	1.4	2
7	Pyrrolidinyl peptide nucleic acids bearing hydroxy- ϵ -modified cyclobutane building blocks: Synthesis and binding properties. <i>Biopolymers</i> , 2021, 112, e23459.	2.4	4
8	$N\hat{H}\cdots X$ interactions stabilize intra-residue C5 hydrogen bonded conformations in heterocyclic $\hat{1}$ -amino acid derivatives. <i>Chemical Science</i> , 2021, 12, 14826-14832.	7.4	13
9	Ion Pair Supramolecular Structure Identified by ATR-FTIR Spectroscopy and Simulations in Explicit Solvent**. <i>ChemPhysChem</i> , 2021, 22, 2442-2455.	2.1	6
10	Synthesis of $\hat{1}$ -Aminocyclopropyl Ketones and 2-Substituted Benzoimidazoles from 2-Hydroxycyclobutanones and Aryl Amines. <i>Advanced Synthesis and Catalysis</i> , 2020, 362, 4159-4163.	4.3	5
11	Conformation control through concurrent $N\hat{H}\cdots S$ and $N\hat{H}\cdots O\hat{H}$ hydrogen bonding and hyperconjugation effects. <i>Chemical Science</i> , 2020, 11, 9191-9197.	7.4	20
12	Formation of Tetrahydrothiophenes via a Thia-Paternò-Büchi-Initiated Domino Photochemical Reaction. <i>Organic Letters</i> , 2020, 22, 8522-8527.	4.6	7
13	Local versus Global Control of Helical Folding in $\hat{2}$ -Peptide Segments Using Hydrazino Turns. <i>Journal of Organic Chemistry</i> , 2020, 85, 6165-6171.	3.2	8
14	Vibrational circular dichroism as a probe of solid-state organisation of derivatives of cyclic $\hat{2}$ -amino acids: <i>cis</i> - and <i>trans</i> -2-aminocyclobutane-1-carboxylic acid. <i>Chirality</i> , 2019, 31, 547-560.	2.6	21
15	Stereocontrolled Preparation of Diversely Trifunctionalized Cyclobutanes. <i>Journal of Organic Chemistry</i> , 2019, 84, 10518-10525.	3.2	8
16	Tandem Wittig Reaction- ϵ -Ring Contraction of Cyclobutanes: A Route to Functionalized Cyclopropanecarbaldehydes. <i>Organic Letters</i> , 2019, 21, 7755-7758.	4.6	15
17	Synthesis of $\hat{2}$ -sulfinyl cyclobutane carboxylic amides <i>via</i> a formal $\hat{1}$ to $\hat{2}$ sulphoxide migration process. <i>Organic and Biomolecular Chemistry</i> , 2019, 17, 6143-6147.	2.8	4
18	Reversal of Diastereoselectivity in a Masked Acyl Cyanide (MAC) Reaction: Synthesis of Protected <i>erythro</i> - $\hat{2}$ -Hydroxyaspartate Derivatives. <i>Organic Letters</i> , 2019, 21, 2378-2382.	4.6	8

#	ARTICLE	IF	CITATIONS
19	Identification of ion pairs in solution by IR spectroscopy: crucial contributions of gas phase data and simulations. <i>Physical Chemistry Chemical Physics</i> , 2019, 21, 12798-12805.	2.8	20
20	Brønsted acid Catalysed Synthesis of 3-(2-Alkoxyethyl)indoles from β -Arylamino-cyclobutanones and Alcohols. <i>Advanced Synthesis and Catalysis</i> , 2019, 361, 1908-1912.	4.3	7
21	Discoveries through Organocatalyzed, Brønsted Acid Catalyzed and Non-Catalyzed Transformations of 2-Hydroxycyclobutanone. <i>Vietnam Journal of Chemistry</i> , 2019, 57, 661-669.	0.8	1
22	A Selective Deprotection Strategy for the Construction of trans-2-Aminocyclopropanecarboxylic Acid Derived Peptides. <i>Organic Letters</i> , 2019, 21, 100-103.	4.6	6
23	Preparation of Cyclobutene Acetals and Tricyclic Oxetanes through Photochemical Tandem and Cascade Reactions. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 6592-6596.	13.8	25
24	Cooperative 5- and 10-membered ring interactions in the 10-helix folding of oxetin homo-oligomers. <i>Chemical Communications</i> , 2018, 54, 1968-1971.	4.1	4
25	Preparation of Cyclobutene Acetals and Tricyclic Oxetanes through Photochemical Tandem and Cascade Reactions. <i>Angewandte Chemie</i> , 2018, 130, 6702-6706.	2.0	10
26	A Photochemical Route to 3- and 4-Hydroxy Derivatives of 2-Aminocyclobutane-1-carboxylic Acid with an <i>all-cis</i> Geometry. <i>Journal of Organic Chemistry</i> , 2018, 83, 527-534.	3.2	21
27	Brønsted Acid Mediated Cascade Reaction To Access 3-(2-Bromoethyl)benzofurans. <i>Organic Letters</i> , 2018, 20, 7699-7702.	4.6	17
28	Acid-catalyzed synthesis of functionalized arylthio cyclopropane carbaldehydes and ketones. <i>Chemical Communications</i> , 2018, 54, 13547-13550.	4.1	16
29	Strategic C to N Replacement in β -Peptides: Atomic Level Control of Helical Folding. <i>Journal of Organic Chemistry</i> , 2018, 83, 8793-8800.	3.2	8
30	Studies on cyclization reactions of 3-amino-2,4-dihydroxybutanoic acid derivatives. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 1453-1462.	2.8	7
31	Conformational Effects through Hydrogen Bonding in a Constrained β -Peptide Template: From Intraresidue Seven-Membered Rings to a Gel-Forming Sheet Structure. <i>Journal of Organic Chemistry</i> , 2017, 82, 4819-4828.	3.2	19
32	β -Cyclodextrin-Mediated Enantioselective Photochemical Electrocyclization of 1,3-Dihydro-2H-azepin-2-one. <i>Journal of Organic Chemistry</i> , 2017, 82, 9832-9836.	3.2	10
33	Stereoselective and Regioselective Pinacol-type Rearrangement of a Fused Bicyclic Oxetanol Scaffold. <i>European Journal of Organic Chemistry</i> , 2017, 2017, 5896-5902.	2.4	4
34	Identification of insulin-sensitizing molecules acting by disrupting the interaction between the Insulin Receptor and Grb14. <i>Scientific Reports</i> , 2017, 7, 16901.	3.3	4
35	Acid-catalyzed reaction of 2-hydroxycyclobutanone with benzylic alcohols. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 10053-10063.	2.8	11
36	Synthesis of 2,2-bis(pyridin-2-yl amino)cyclobutanols and their conversion into 5-(pyridin-2-ylamino)dihydrofuran-2(3H)-ones. <i>Organic and Biomolecular Chemistry</i> , 2017, 15, 9779-9784.	2.8	11

#	ARTICLE	IF	CITATIONS
37	Synthetic Access to All Four Stereoisomers of Oxetin. <i>Journal of Organic Chemistry</i> , 2016, 81, 9983-9991.	3.2	17
38	An α -Helix-Mimicking β -Helix: Designed β -Foldamers as Selective Inhibitors of Protein-Protein Interactions. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 11096-11100.	13.8	55
39	13-Helix folding of a β -peptide manifold designed from a β -minimal-constraint-blueprint. <i>Chemical Communications</i> , 2016, 52, 7802-7805.	4.1	31
40	Deracemizing organocatalyzed Michael addition reactions of 2-(arylothio)cyclobutanones with β -nitrostyrenes. <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 3394-3403.	2.8	12
41	Catalytic Enantioselective Synthesis of α -(Benzylamino)cyclobutanones. <i>European Journal of Organic Chemistry</i> , 2015, 2015, 4358-4366.	2.4	29
42	Intrinsic Folding Proclivities in Cyclic β -Peptide Building Blocks: Configuration and Heteroatom Effects Analyzed by Conformer-Selective Spectroscopy and Quantum Chemistry. <i>Chemistry - A European Journal</i> , 2015, 21, 16479-16493.	3.3	29
43	Fine Tuning of β -Peptide Foldamers: a Single Atom Replacement Holds Back the Switch from an α -Helix to a β -Helix. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 10807-10810.	13.8	40
44	Conformational preferences in the β -peptide oligomers of cis-2-amino-1-fluorocyclobutane-1-carboxylic acid. <i>New Journal of Chemistry</i> , 2015, 39, 3270-3279.	2.8	25
45	Synthesis of functionalized tryptamines by Brønsted acid catalysed cascade reactions. <i>Chemical Communications</i> , 2015, 51, 15272-15275.	4.1	31
46	The discovery of 9/8-ribbons, β -peptides with curved shapes governed by a combined configuration-conformation code. <i>Chemical Communications</i> , 2015, 51, 16233-16236.	4.1	13
47	Direct Spectroscopic Evidence of Hyperconjugation Unveils the Conformational Landscape of Hydrazides. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 13756-13759.	13.8	27
48	Catalytic Enantioselective Synthesis of α -Arylamino-cyclobutanones. <i>Advanced Synthesis and Catalysis</i> , 2014, 356, 941-945.	4.3	46
49	Practical Syntheses of Both Enantiomers of the Conformationally Restricted GABA Analogue <i>cis</i> -(2-Aminocyclobutyl)acetic Acid. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 7148-7155.	2.4	17
50	Stereoselective intermolecular [2 + 2]-photocycloaddition reactions of maleic anhydride: stereocontrolled and regiocontrolled access to 1,2,3-trifunctionalized cyclobutanes. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 8212-8222.	2.8	17
51	Reactivity of 1-aminoazetidine-2-carboxylic acid during peptide forming procedures: observation of an unusual variant of the hydrazino turn. <i>Tetrahedron Letters</i> , 2013, 54, 802-805.	1.4	11
52	A unified synthesis of all stereoisomers of 2-(aminomethyl)cyclobutane-1-carboxylic acid. <i>Tetrahedron</i> , 2013, 69, 3571-3576.	1.9	19
53	Solution State Conformational Preferences of Dipeptides Derived from N-Aminoazetidinecarboxylic Acid: An Assessment of the Hydrazino Turn. <i>Journal of Organic Chemistry</i> , 2013, 78, 6031-6039.	3.2	16
54	Solvent-Free Stereoselective Organocatalyzed Aldol Reaction of 2-Hydroxycyclobutanone. <i>Synlett</i> , 2012, 23, 727-730.	1.8	6

#	ARTICLE	IF	CITATIONS
55	Pyrrolidinyl Peptide Nucleic Acid Homologues: Effect of Ring Size on Hybridization Properties. <i>Organic Letters</i> , 2012, 14, 1440-1443.	4.6	37
56	Very high stereoselectivity in organocatalyzed desymmetrizing aldol reactions of 3-substituted cyclobutanones. <i>Organic and Biomolecular Chemistry</i> , 2012, 10, 5045.	2.8	32
57	<i>N</i> -Aminoazetidinecarboxylic Acid: Direct Access to a Small-Ring Hydrazino Acid. <i>Journal of Organic Chemistry</i> , 2011, 76, 708-711.	3.2	25
58	A refined synthesis of enantiomerically pure 2-aminocyclobutanecarboxylic acids. <i>Amino Acids</i> , 2011, 41, 587-595.	2.7	31
59	Rapid access to cis-cyclobutane $\hat{1}^3$ -amino acids in enantiomerically pure form. <i>Tetrahedron Letters</i> , 2011, 52, 1253-1255.	1.4	22
60	The First Organocatalysed Direct Aldol Reaction of 2-Hydroxycyclobutanone. <i>Synlett</i> , 2011, 2011, 712-716.	1.8	3
61	endo-6-(Hydroxymethyl)bicyclo[3.1.0]hept-3-en-2-one esters and the photochemical challenge: [2+2] cycloaddition versus skeletal rearrangement. <i>Tetrahedron: Asymmetry</i> , 2010, 21, 1480-1485.	1.8	4
62	12-Helix Folding of Cyclobutane $\hat{1}^2$ -Amino Acid Oligomers. <i>Organic Letters</i> , 2010, 12, 3606-3609.	4.6	81
63	Synthesis of Functionalized Bicyclo[3.2.0]heptanes – a Study of the [2+2] Photocycloaddition Reactions of 4-Hydroxycyclopent-2-enone Derivatives. <i>European Journal of Organic Chemistry</i> , 2009, 2009, 5953-5962.	2.4	39
64	Expedient Preparation of All Isomers of 2-Aminocyclobutanecarboxylic Acid in Enantiomerically Pure Form. <i>Journal of Organic Chemistry</i> , 2009, 74, 3217-3220.	3.2	43
65	Total Synthesis of Cyclotheonamide...C using a Tandem Backbone Extension Coupling Methodology. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 6840-6842.	13.8	18
66	Efficient synthesis of 3-hydroxymethylated cis- and trans-cyclobutane $\hat{1}^2$ -amino acids using an intramolecular photocycloaddition strategy. <i>Tetrahedron</i> , 2008, 64, 1088-1093.	1.9	22
67	Photochemical behaviour of 5-formyl and 5-acetyl uracils in the presence of ethene. <i>Tetrahedron Letters</i> , 2008, 49, 1968-1970.	1.4	10
68	Synthesis of the constrained glutamate analogues (2 <i>S</i> ,1 <i>R</i>)- and (2 <i>S</i> ,1 <i>S</i> ,2 <i>S</i>)-2-(2-carboxycyclobutyl)glycines L-CBG-II and L-CBG-I by enzymatic transamination. <i>Tetrahedron Letters</i> , 2006, 47, 193-196.	1.4	28
69	A solution to the component instability problem in the preparation of peptides containing C2-substituted cis-cyclobutane $\hat{1}^2$ -aminoacids: synthesis of a stable rhodopeptin analogue. <i>Tetrahedron Letters</i> , 2006, 47, 5981-5984.	1.4	35
70	Studies on the stability of the cyclobutane $\hat{1}^2$ -aminoacid skeleton: a cautionary tale. <i>Tetrahedron Letters</i> , 2004, 45, 2359-2361.	1.4	21
71	Synthesis of peptides containing 2,3-methanoaspartic acid. <i>Tetrahedron Letters</i> , 1997, 38, 4065-4068.	1.4	26