

# Jeongwon Kim

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4869379/publications.pdf>

Version: 2024-02-01

157  
papers

8,974  
citations

36203

51  
h-index

48187

88  
g-index

163  
all docs

163  
docs citations

163  
times ranked

6775  
citing authors

#	ARTICLE	IF	CITATIONS
1	Promotion of the oxygen evolution reaction <i>via</i> the reconstructed active phase of perovskite oxide. <i>Journal of Materials Chemistry A</i> , 2022, 10, 2271-2279.	5.2	17
2	Progress and potential for symmetrical solid oxide electrolysis cells. <i>Matter</i> , 2022, 5, 482-514.	5.0	44
3	Utilization of an Isovalent Doping Strategy in Cobalt-Free Ferrites for Highly Active and Stable Solid Oxide Fuel Cell Cathodes. <i>ACS Applied Energy Materials</i> , 2022, 5, 3417-3425.	2.5	6
4	Performance comparison of composite cathode: Mixed ionic and electronic conductor and triple ionic and electronic conductor with BaZr <sub>0.1</sub> Ce <sub>0.7</sub> Y <sub>0.1</sub> Yb <sub>0.1</sub> O <sub>3-<math>\delta</math></sub> for highly efficient protonic ceramic fuel cells. <i>Journal of Power Sources</i> , 2022, 530, 231241.	4.0	11
5	Concurrent promotion of phase transition and bimetallic nanocatalyst exsolution in perovskite oxides driven by Pd doping to achieve highly active bifunctional fuel electrodes for reversible solid oxide electrochemical cells. <i>Applied Catalysis B: Environmental</i> , 2022, 314, 121517.	10.8	16
6	Precise Modulation of Triple-Phase Boundaries towards a Highly Functional Exsolved Catalyst for Dry Reforming of Methane under a Dilution-Free System. <i>Angewandte Chemie</i> , 2022, 134, .	1.6	2
7	Precise Modulation of Triple-Phase Boundaries towards a Highly Functional Exsolved Catalyst for Dry Reforming of Methane under a Dilution-Free System. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	7.2	12
8	Mechanistic insights into the phase transition and metal ex-solution phenomena of Pr <sub>0.5</sub> Ba <sub>0.5</sub> Mn <sub>0.85</sub> Co <sub>0.15</sub> O <sub>3-<math>\delta</math></sub> from simple to layered perovskite under reducing conditions and enhanced catalytic activity. <i>Energy and Environmental Science</i> , 2021, 14, 873-882.	15.6	37
9	A Bifunctional Hybrid Electrocatalyst for Oxygen Reduction and Oxygen Evolution Reactions: Nano-Co <sub>3</sub> O <sub>4</sub> -Deposited La <sub>0.5</sub> Sr <sub>0.5</sub> MnO <sub>3</sub> via Infiltration. <i>Molecules</i> , 2021, 26, 277.	1.7	5
10	A review on infiltration techniques for energy conversion and storage devices: from fundamentals to applications. <i>Sustainable Energy and Fuels</i> , 2021, 5, 5024-5037.	2.5	18
11	Electrokinetic Proton Transport in Triple (H <sup>+</sup> /O <sup>2+</sup> /e <sup>-</sup> ) Conducting Oxides as a Key Descriptor for Highly Efficient Protonic Ceramic Fuel Cells. <i>Advanced Science</i> , 2021, 8, e2004099.	5.6	27
12	Indirect surpassing CO <sub>2</sub> utilization in membrane-free CO <sub>2</sub> battery. <i>Nano Energy</i> , 2021, 82, 105741.	8.2	25
13	The first observation of Ni nanoparticle exsolution from YSZ and its application for dry reforming of methane. <i>Materials Reports Energy</i> , 2021, 1, 100021.	1.7	9
14	Enhancing Thermocatalytic Activities by Upshifting the d-Band Center of Exsolved Co-Ni-Fe Ternary Alloy Nanoparticles for the Dry Reforming of Methane. <i>Angewandte Chemie</i> , 2021, 133, 16048-16055.	1.6	11
15	Dysprosium doping effects on perovskite oxides for air and fuel electrodes of solid oxide cells. <i>Journal of Power Sources</i> , 2021, 497, 229873.	4.0	11
16	Enhancing Thermocatalytic Activities by Upshifting the d-Band Center of Exsolved Co-Ni-Fe Ternary Alloy Nanoparticles for the Dry Reforming of Methane. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 15912-15919.	7.2	65
17	Nanocomposites: A New Opportunity for Developing Highly Active and Durable Bifunctional Air Electrodes for Reversible Protonic Ceramic Cells. <i>Advanced Energy Materials</i> , 2021, 11, 2101899.	10.2	70
18	A rigorous electrochemical ammonia electrolysis protocol with <i>in operando</i> quantitative analysis. <i>Journal of Materials Chemistry A</i> , 2021, 9, 11571-11579.	5.2	29

#	ARTICLE	IF	CITATIONS
19	Electrochemical integration of amorphous NiFe (oxy)hydroxides on surface-activated carbon fibers for high-efficiency oxygen evolution in alkaline anion exchange membrane water electrolysis. <i>Journal of Materials Chemistry A</i> , 2021, 9, 14043-14051.	5.2	127
20	Promotion of oxygen reduction reaction on a double perovskite electrode by a water-induced surface modification. <i>Energy and Environmental Science</i> , 2021, 14, 1506-1516.	15.6	62
21	Unveiling the key factor for the phase reconstruction and exsolved metallic particle distribution in perovskites. <i>Nature Communications</i> , 2021, 12, 6814.	5.8	28
22	First-Principles Insight into the Effects of Intrinsic Oxygen Defects on Proton Conduction in Ruddlesden-Popper Oxides. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 11503-11510.	2.1	7
23	Effect of Zn Addition on Electrochemical Performance of Al-Air Battery. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , 2020, 7, 505-509.	2.7	11
24	Cobalt-Free $\text{Pr}_{0.5}\text{Ba}_{0.4}\text{Sr}_{0.1}\text{FeO}_{3\lambda}$ as a Highly Efficient Cathode for Commercial YSZ-Supported Solid Oxide Fuel Cell. <i>ChemElectroChem</i> , 2020, 7, 4378-4382.	1.7	10
25	$\text{Co}_3\text{O}_4$ Exsolved Defective Layered Perovskite Oxide for Energy Storage Systems. <i>ACS Energy Letters</i> , 2020, 5, 3828-3836.	8.8	25
26	Ca- and Ni-Doped $\text{Pr}_{0.5}\text{Ba}_{0.5}\text{FeO}_{3\lambda}$ as a Highly Active and Robust Cathode for High-Temperature Solid Oxide Fuel Cell. <i>Energy &amp; Fuels</i> , 2020, 34, 11458-11463.	2.5	11
27	Probing One-Dimensional Oxygen Vacancy Channels Driven by Cation-Anion Double Ordering in Perovskites. <i>Nano Letters</i> , 2020, 20, 8353-8359.	4.5	12
28	Highly active dry methane reforming catalysts with boosted in situ grown Ni-Fe nanoparticles on perovskite via atomic layer deposition. <i>Science Advances</i> , 2020, 6, eabb1573.	4.7	79
29	Identifying the electrocatalytic active sites of a Ru-based catalyst with high Faraday efficiency in $\text{CO}_2$ -saturated media for an aqueous Zn-CO <sub>2</sub> system. <i>Journal of Materials Chemistry A</i> , 2020, 8, 14927-14934.	5.2	16
30	Enhancing Bifunctional Electrocatalytic Activities via Metal d-Band Center Lift Induced by Oxygen Vacancy on the Subsurface of Perovskites. <i>ACS Catalysis</i> , 2020, 10, 4664-4670.	5.5	116
31	Self-reconstructed interlayer derived by in-situ Mn diffusion from $\text{La}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$ via atomic layer deposition for an efficient bi-functional electrocatalyst. <i>Nano Energy</i> , 2020, 71, 104564.	8.2	26
32	A highly efficient composite cathode for proton-conducting solid oxide fuel cells. <i>Journal of Power Sources</i> , 2020, 451, 227812.	4.0	54
33	Ni-Fe Bimetallic Nanocatalysts Produced by Topotactic Exsolution in Fe deposited $\text{PrBaMn}_{1.7}\text{Ni}_{0.3}\text{O}_{5\lambda}$ for Dry Reforming of Methane. <i>Journal of the Electrochemical Society</i> , 2020, 167, 064518.	1.3	18
34	Carbon Nanofibers Encapsulated Nickel-Molybdenum Nanoparticles as Hydrogen Evolution Catalysts for Aqueous Zn-CO <sub>2</sub> System. <i>ChemNanoMat</i> , 2020, 6, 937-946.	1.5	9
35	Review on exsolution and its driving forces in perovskites. <i>JPhys Energy</i> , 2020, 2, 032001.	2.3	75
36	Edge-selective decoration with ruthenium at graphitic nanoplatelets for efficient hydrogen production at universal pH. <i>Nano Energy</i> , 2020, 76, 105114.	8.2	25

#	ARTICLE	IF	CITATIONS
37	Effect of Deformation on Electrochemical Performance of Aluminum-Air Battery. Journal of the Electrochemical Society, 2020, 167, 100505.	1.3	4
38	In situ Observation of Oxygen Vacancy Order-Disorder Transition in NdBaCo <sub>2</sub> O <sub>5.5</sub> Layered Perovskite Oxide. Microscopy and Microanalysis, 2019, 25, 1872-1873.	0.2	0
39	A Nano-Structured SOFC Composite Cathode Prepared via Infiltration of La <sub>0.5</sub> Ba <sub>0.25</sub> Sr <sub>0.25</sub> Co <sub>0.8</sub> Fe <sub>0.2</sub> O <sub>3-<math>\delta</math></sub> into La <sub>0.9</sub> Sr <sub>0.1</sub> Ga <sub>0.8</sub> Mg <sub>0.2</sub> O <sub>3-<math>\delta</math></sub> for Extended Triple-Phase Boundary Area. Journal of the Electrochemical Society, 2019, 166, F805-F809.	1.3	9
40	Monolithic heteronanomat paper air cathodes toward origami-foldable/rechargeable Zn-Air batteries. Journal of Materials Chemistry A, 2019, 7, 24231-24238.	5.2	27
41	Insights Into the Effect of Nickel Doping on ZIF-Derived Oxygen Reduction Catalysts for Zinc-Air Batteries. ChemElectroChem, 2019, 6, 1213-1224.	1.7	11
42	Synergistic interaction of perovskite oxides and N-doped graphene in versatile electrocatalyst. Journal of Materials Chemistry A, 2019, 7, 2048-2054.	5.2	104
43	In-situ coalesced vacancies on MoSe <sub>2</sub> mimicking noble metal: Unprecedented Tafel reaction in hydrogen evolution. Nano Energy, 2019, 63, 103846.	8.2	41
44	Advanced Electrochemical Properties of PrBa <sub>0.5</sub> Sr <sub>0.5</sub> Co <sub>1.9</sub> Ni <sub>0.1</sub> O <sub>5+<math>\delta</math></sub> as a Bifunctional Catalyst for Rechargeable Zinc-Air Batteries. ChemElectroChem, 2019, 6, 3154-3159.	1.7	21
45	Highly Efficient CO <sub>2</sub> Utilization via Aqueous Zinc or Aluminum-CO <sub>2</sub> Systems for Hydrogen Gas Evolution and Electricity Production. Angewandte Chemie - International Edition, 2019, 58, 9506-9511.	7.2	33
46	Highly Efficient CO <sub>2</sub> Utilization via Aqueous Zinc or Aluminum-CO <sub>2</sub> Systems for Hydrogen Gas Evolution and Electricity Production. Angewandte Chemie, 2019, 131, 9606-9611.	1.6	6
47	Synergistic Coupling Derived Cobalt Oxide with Nitrogenated Holey Two-Dimensional Matrix as an Efficient Bifunctional Catalyst for Metal-Air Batteries. ACS Nano, 2019, 13, 5502-5512.	7.3	87
48	A Composite Catalyst Based on Perovskites for Overall Water Splitting in Alkaline Conditions. ChemElectroChem, 2019, 6, 1520-1524.	1.7	42
49	In-situ local phase-transitioned MoSe <sub>2</sub> in La <sub>0.5</sub> Sr <sub>0.5</sub> CoO <sub>3-<math>\delta</math></sub> heterostructure and stable overall water electrolysis over 1000 hours. Nature Communications, 2019, 10, 1723.	5.8	143
50	Cation-swapped homogeneous nanoparticles in perovskite oxides for high-power density. Nature Communications, 2019, 10, 697.	5.8	119
51	Investigation of the Fe doping effect on the B-site of the layered perovskite PrBa <sub>0.8</sub> Ca <sub>0.2</sub> Co <sub>2</sub> O <sub>5+<math>\delta</math></sub> for a promising cathode material of the intermediate-temperature solid oxide fuel cells. International Journal of Hydrogen Energy, 2019, 44, 1088-1095.	3.8	28
52	Robust fused aromatic pyrazine-based two-dimensional network for stably cocooning iron nanoparticles as an oxygen reduction electrocatalyst. Nano Energy, 2019, 56, 581-587.	8.2	35
53	Polypyrrole-Assisted Co <sub>3</sub> O <sub>4</sub> Anchored Carbon Fiber as a Binder-Free Electrode for Seawater Batteries. ChemElectroChem, 2019, 6, 136-140.	1.7	4
54	Nano-perovskite oxide prepared via inverse microemulsion mediated synthesis for catalyst of lithium-air batteries. Electrochimica Acta, 2018, 275, 248-255.	2.6	25

#	ARTICLE	IF	CITATIONS
55	Strategy for Enhancing Interfacial Effect of Bifunctional Electrocatalyst: Infiltration of Cobalt Nanooxide on Perovskite. <i>Advanced Materials Interfaces</i> , 2018, 5, 1800123.	1.9	18
56	Defect-Free Encapsulation of Fe <sup>0</sup> in 2D Fused Organic Networks as a Durable Oxygen Reduction Electrocatalyst. <i>Journal of the American Chemical Society</i> , 2018, 140, 1737-1742.	6.6	124
57	Hybrid-solid oxide electrolysis cell: A new strategy for efficient hydrogen production. <i>Nano Energy</i> , 2018, 44, 121-126.	8.2	209
58	Fe@C2N: A highly-efficient indirect-contact oxygen reduction catalyst. <i>Nano Energy</i> , 2018, 44, 304-310.	8.2	118
59	Scandium Doping Effect on a Layered Perovskite Cathode for Low-Temperature Solid Oxide Fuel Cells (LT-SOFCs). <i>Applied Sciences (Switzerland)</i> , 2018, 8, 2217.	1.3	19
60	Efficient CO <sub>2</sub> Utilization via a Hybrid Na-CO <sub>2</sub> System Based on CO <sub>2</sub> Dissolution. <i>IScience</i> , 2018, 9, 278-285.	1.9	40
61	Self-Transforming Configuration Based on Atmospheric-Adaptive Materials for Solid Oxide Cells. <i>Scientific Reports</i> , 2018, 8, 17149.	1.6	8
62	Influence of Cathode Porosity on High Performance Protonic Ceramic Fuel Cells with PrBa <sub>0.5</sub> Sr <sub>0.5</sub> Co <sub>1.5</sub> Fe <sub>0.5</sub> O <sub>5-<math>\delta</math></sub> Cathode. <i>Journal of the Electrochemical Society</i> , 2018, 165, F1098-F1102.	1.3	22
63	A Tailored Bifunctional Electrocatalyst: Boosting Oxygen Reduction/Evolution Catalysis via Electron Transfer Between N-Doped Graphene and Perovskite Oxides. <i>Small</i> , 2018, 14, e1802767.	5.2	85
64	A New Strategy for Outstanding Performance and Durability in Acidic Fuel Cells: A Small Amount Pt Anchored on Fe, N-Doped Graphene Nanoplatelets. <i>ChemElectroChem</i> , 2018, 5, 2857-2862.	1.7	18
65	Self-assembled alloy nanoparticles in a layered double perovskite as a fuel oxidation catalyst for solid oxide fuel cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 15947-15953.	5.2	77
66	Electrochemical Performance Analysis of Heat Treatment of Metal-Air Battery. <i>Journal of the Korean Society for Precision Engineering</i> , 2018, 35, 1137-1140.	0.1	0
67	Mixing effects of Cr <sub>2</sub> O <sub>3</sub> on PrBaMn <sub>2</sub> O <sub>5</sub> for increased redox cycling properties of Fe powder for a solid-oxide Fe-air rechargeable battery. <i>Journal of Materials Chemistry A</i> , 2017, 5, 364-371.	5.2	15
68	One-pot surface engineering of battery electrode materials with metallic SWCNT-enriched, ivy-like conductive nanonets. <i>Journal of Materials Chemistry A</i> , 2017, 5, 12103-12112.	5.2	7
69	Major Role of Surface Area in Perovskite Electrocatalysts for Alkaline Systems. <i>ChemElectroChem</i> , 2017, 4, 468-471.	1.7	10
70	Tailoring Ni-based catalyst by alloying with transition metals (M = Ni, Co, Cu, and Fe) for direct hydrocarbon utilization of energy conversion devices. <i>Electrochimica Acta</i> , 2017, 225, 399-406.	2.6	36
71	Polypyrrole-assisted oxygen electrocatalysis on perovskite oxides. <i>Energy and Environmental Science</i> , 2017, 10, 523-527.	15.6	60
72	A Highly Efficient and Robust Cation Ordered Perovskite Oxide as a Bifunctional Catalyst for Rechargeable Zinc-Air Batteries. <i>ACS Nano</i> , 2017, 11, 11594-11601.	7.3	219

#	ARTICLE	IF	CITATIONS
73	All-Atom Nanomat Lithium-Ion Batteries: A New Cell Architecture Platform for Ultrahigh Energy Density and Mechanical Flexibility. <i>Advanced Energy Materials</i> , 2017, 7, 1701099.	10.2	34
74	Self-Decorated MnO Nanoparticles on Double Perovskite Solid Oxide Fuel Cell Anode by <i>in Situ</i> Exsolution. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 9207-9213.	3.2	50
75	Porous Cobalt Phosphide Polyhedrons with Iron Doping as an Efficient Bifunctional Electrocatalyst. <i>Small</i> , 2017, 13, 1701167.	5.2	82
76	Exsolution trends and co-segregation aspects of self-grown catalyst nanoparticles in perovskites. <i>Nature Communications</i> , 2017, 8, 15967.	5.8	305
77	Structural, Electrical, and Electrochemical Characteristics of $\text{LnBa}_{0.5}\text{Sr}_{0.5}\text{Co}_{1.5}\text{Fe}_{0.5}\text{O}_{5+\delta}$ (Ln=Pr, Tj) <i>Journal of Materials Chemistry A</i> , 2017, 5, 1337-1343.	1.8	23
78	Perovskite as a Cathode Material: A Review of its Role in Solid-Oxide Fuel Cell Technology. <i>ChemElectroChem</i> , 2016, 3, 511-530.	1.7	197
79	In Situ Surface Modification of Ni-YSZ with $\text{BaZrO}_3$ for Enhancing the Sulfur Tolerance of Ni-YSZ Anode. <i>Journal of the Electrochemical Society</i> , 2016, 163, F1055-F1058.	1.3	7
80	Influence of Ca-doping in layered perovskite $\text{PrBaCo}_2\text{O}_{5+\delta}$ on the phase transition and cathodic performance of a solid oxide fuel cell. <i>Journal of Materials Chemistry A</i> , 2016, 4, 6479-6486.	5.2	64
81	Achieving High Efficiency and Eliminating Degradation in Solid Oxide Electrochemical Cells Using High Oxygen-Capacity Perovskite. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 12512-12515.	7.2	73
82	Molecularly designed, dual-doped mesoporous carbon/SWCNT nanoshields for lithium battery electrode materials. <i>Journal of Materials Chemistry A</i> , 2016, 4, 14996-15005.	5.2	1
83	$\text{Fe}@N$ -Graphene Nanoplatelet-Embedded Carbon Nanofibers as Efficient Electrocatalysts for Oxygen Reduction Reaction. <i>Advanced Science</i> , 2016, 3, 1500205.	5.6	47
84	An Efficient Oxygen Evolution Catalyst for Hybrid Lithium Air Batteries: Almond Stick Type Composite of Perovskite and Cobalt Oxide. <i>Journal of the Electrochemical Society</i> , 2016, 163, A1893-A1897.	1.3	19
85	Achieving High Efficiency and Eliminating Degradation in Solid Oxide Electrochemical Cells Using High Oxygen-Capacity Perovskite. <i>Angewandte Chemie</i> , 2016, 128, 12700-12703.	1.6	12
86	Investigation of a Layered Perovskite for IT-SOFC Cathodes: B-Site Fe-Doped $\text{YBa}_{0.5}\text{Sr}_{0.5}\text{Co}_2\text{O}_{5+\delta}$ <i>Journal of the Electrochemical Society</i> , 2016, 163, F1489-F1495.	1.3	10
87	Cloud-like graphene nanoplatelets on $\text{Nd}_{0.5}\text{Sr}_{0.5}\text{CoO}_3$ nanorods as an efficient bifunctional electrocatalyst for hybrid Li-air batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 2122-2127.	5.2	54
88	A robust symmetrical electrode with layered perovskite structure for direct hydrocarbon solid oxide fuel cells: $\text{PrBa}_{0.8}\text{Ca}_{0.2}\text{Mn}_2\text{O}_{5+\delta}$ . <i>Journal of Materials Chemistry A</i> , 2016, 4, 1747-1753.	5.2	93
89	Conductivity-Dependent Completion of Oxygen Reduction on Oxide Catalysts. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 15730-15733.	7.2	62
90	Nanostructured Double Perovskite Cathode With Low Sintering Temperature For Intermediate Temperature Solid Oxide Fuel Cells. <i>ChemSusChem</i> , 2015, 8, 3153-3158.	3.6	56

#	ARTICLE	IF	CITATIONS
91	Antimony-doped graphene nanoplatelets. <i>Nature Communications</i> , 2015, 6, 7123.	5.8	77
92	Measurement of Emf in Liquid Sodium Using a Gadolinia-Doped Ceria Solid Electrolyte. <i>Journal of the Electrochemical Society</i> , 2015, 162, B152-B158.	1.3	3
93	Mechanochemically driven iodination of activated charcoal for metal-free electrocatalyst for fuel cells and hybrid Li-air cells. <i>Carbon</i> , 2015, 93, 465-472.	5.4	12
94	Correlation between fast oxygen kinetics and enhanced performance in Fe doped layered perovskite cathodes for solid oxide fuel cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 15082-15090.	5.2	48
95	Effect of cathode geometry on the electrochemical performance of flat tubular segmented-in-series(SIS) solid oxide fuel cell. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 6207-6215.	3.8	15
96	The effect of calcium doping on the improvement of performance and durability in a layered perovskite cathode for intermediate-temperature solid oxide fuel cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 6088-6095.	5.2	77
97	Oxygen deficient layered double perovskite as an active cathode for CO <sub>2</sub> electrolysis using a solid oxide conductor. <i>Faraday Discussions</i> , 2015, 182, 227-239.	1.6	71
98	Catalytic Dynamics and Oxygen Diffusion in Doped PrBaCo <sub>2</sub> O <sub>5+<math>\delta</math></sub> Thin Films. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 24353-24359.	4.0	23
99	Solid oxide electrolysis: Concluding remarks. <i>Faraday Discussions</i> , 2015, 182, 519-528.	1.6	10
100	Honeycomb-Like Perovskite Oxide Electrocatalyst for a Hybrid Li-Air Battery. <i>Journal of the Electrochemical Society</i> , 2015, 162, A2651-A2655.	1.3	8
101	Layered oxygen-deficient double perovskite as an efficient and stable anode for direct hydrocarbon solid oxide fuel cells. <i>Nature Materials</i> , 2015, 14, 205-209.	13.3	605
102	Scale-Down and Sr-Doping Effects on La <sub>4</sub> Ni <sub>3</sub> O <sub>10</sub> - $\lambda$ -YSZ Nanocomposite Cathodes for IT-SOFCs. <i>Journal of the Electrochemical Society</i> , 2014, 161, F1468-F1473.	1.3	14
103	Electrochemical Properties of La <sub>4</sub> Ni <sub>3</sub> O <sub>10</sub> -GDC Composite Cathode by Facile Sol-gel Method for IT-SOFCs. <i>Journal of the Korean Ceramic Society</i> , 2014, 51, 265-270.	1.1	1
104	Effects of composite cathode on electrochemical and redox properties for intermediate-temperature solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 20812-20818.	3.8	18
105	Effect of Fe Doping on Layered GdBa <sub>0.5</sub> Sr <sub>0.5</sub> Co <sub>2</sub> Perovskite Cathodes for Intermediate Temperature Solid Oxide Fuel Cells. <i>Journal of the American Ceramic Society</i> , 2014, 97, 651-656.	1.9	41
106	Chemically Stable Perovskites as Cathode Materials for Solid Oxide Fuel Cells: La-Doped Ba <sub>0.5</sub> Sr <sub>0.5</sub> Co <sub>0.8</sub> Fe <sub>0.2</sub> O <sub>5+<math>\delta</math></sub> . <i>ChemSusChem</i> , 2014, 7, 1669-1675.	3.6	74
107	Tradeoff optimization of electrochemical performance and thermal expansion for Co-based cathode material for intermediate-temperature solid oxide fuel cells. <i>Electrochimica Acta</i> , 2014, 125, 683-690.	2.6	34
108	A collaborative study of sintering and composite effects for a PrBa <sub>0.5</sub> Sr <sub>0.5</sub> Co <sub>1.5</sub> Fe <sub>0.5</sub> O <sub>5+<math>\delta</math></sub> IT-SOFC cathode. <i>RSC Advances</i> , 2014, 4, 1775-1781.	1.7	50

#	ARTICLE	IF	CITATIONS
109	Growth of Thin-Film Layered Perovskite Cathodes by Pulsed Laser Deposition and their Electrochemical Studies in IT-SOFCs. <i>Journal of the Electrochemical Society</i> , 2014, 161, F698-F702.	1.3	9
110	Triple-Conducting Layered Perovskites as Cathode Materials for Proton-Conducting Solid Oxide Fuel Cells. <i>ChemSusChem</i> , 2014, 7, 2811-2815.	3.6	257
111	Development of Double-Perovskite Compounds as Cathode Materials for Low-Temperature Solid Oxide Fuel Cells. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 13064-13067.	7.2	176
112	Enhancing Sulfur Tolerance of a Ni-YSZ Anode through BaZr <sub>0.1</sub> Ce <sub>0.7</sub> Y <sub>0.1</sub> Yb <sub>0.1</sub> O <sub>3</sub> Infiltration. <i>Journal of the Electrochemical Society</i> , 2014, 161, F668-F673.	1.3	29
113	Highly Efficient Layer-by-Layer-Assisted Infiltration for High-Performance and Cost-Effective Fabrication of Nanoelectrodes. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 17352-17357.	4.0	16
114	Fabrication and operating characteristics of a flat tubular segmented-in-series solid oxide fuel cell unit bundle. <i>Energy</i> , 2014, 72, 215-221.	4.5	15
115	Decreasing interfacial losses with catalysts in La <sub>0.9</sub> Ca <sub>0.1</sub> FeO <sub>3</sub> membranes for syngas production. <i>Applied Catalysis A: General</i> , 2014, 486, 259-265.	2.2	23
116	Electrochemical properties of B-site Ni doped layered perovskite cathodes for IT-SOFCs. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 20791-20798.	3.8	22
117	Optimization of La <sub>1-x</sub> Sr <sub>x</sub> CoO <sub>3</sub> perovskite cathodes for intermediate temperature solid oxide fuel cells through the analysis of crystal structure and electrical properties. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 20806-20811.	3.8	58
118	Structural, electrical and electrochemical characteristics of La <sub>0.1</sub> Sr <sub>0.9</sub> Co <sub>1-x</sub> Nb <sub>x</sub> O <sub>3</sub> as a cathode material for intermediate temperature solid oxide fuel cells. <i>RSC Advances</i> , 2014, 4, 18710-18717.	1.7	25
119	Electrochemical properties of an ordered perovskite LaBaCo <sub>2</sub> O <sub>5</sub> +Ce <sub>0.9</sub> Gd <sub>0.1</sub> O <sub>2</sub> composite cathode with strontium doping for intermediate-temperature solid oxide fuel cells. <i>Electrochemistry Communications</i> , 2013, 34, 5-8.	2.3	27
120	Highly efficient and robust cathode materials for low-temperature solid oxide fuel cells: PrBa <sub>0.5</sub> Sr <sub>0.5</sub> Co <sub>2-x</sub> FexO <sub>5</sub> . <i>Scientific Reports</i> , 2013, 3, 2426.	1.6	285
121	High redox and performance stability of layered SmBa <sub>0.5</sub> Sr <sub>0.5</sub> Co <sub>1.5</sub> Cu <sub>0.5</sub> O <sub>5</sub> perovskite cathodes for intermediate-temperature solid oxide fuel cells. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 19906.	1.3	38
122	Composite cathodes composed of NdBa <sub>0.5</sub> Sr <sub>0.5</sub> Co <sub>2</sub> O <sub>5</sub> and Ce <sub>0.9</sub> Gd <sub>0.1</sub> O <sub>1.95</sub> for intermediate-temperature solid oxide fuel cells. <i>Journal of Materials Chemistry A</i> , 2013, 1, 515-519.	5.2	66
123	Comparative characterization of thermodynamic, electrical, and electrochemical properties of Sm <sub>0.5</sub> Sr <sub>0.5</sub> Co <sub>1-x</sub> Nb <sub>x</sub> O <sub>3</sub> (x=0, 0.05, and 0.1) as cathode materials in intermediate temperature solid oxide fuel cells. <i>Journal of Power Sources</i> , 2013, 226, 1-7.	4.0	28
124	Thermodynamic and electrical properties of Ba <sub>0.5</sub> Sr <sub>0.5</sub> Co <sub>0.8</sub> Fe <sub>0.2</sub> O <sub>3</sub> and La <sub>0.6</sub> Sr <sub>0.4</sub> Co <sub>0.2</sub> Fe <sub>0.8</sub> O <sub>3</sub> for intermediate-temperature solid oxide fuel cells. <i>Electrochimica Acta</i> , 2013, 89, 372-376.	2.6	73
125	Effect of Mn on the electrochemical properties of a layered perovskite NdBa <sub>0.5</sub> Sr <sub>0.5</sub> Co <sub>2-x</sub> Mn <sub>x</sub> O <sub>5</sub> (x= 0, 0.1, 0.25, 0.5, 0.75, 1.0) cathodes for intermediate-temperature solid oxide fuel cells. <i>Electrochimica Acta</i> , 2013, 100, 44-50.	1.1	14
126	Investigation of layered perovskite type NdBa <sub>1-x</sub> Sr <sub>x</sub> Co <sub>2</sub> O <sub>5</sub> (x= 0, 0.25, 0.5, 0.75, and 1.0) cathodes for intermediate-temperature solid oxide fuel cells. <i>Electrochimica Acta</i> , 2013, 100, 44-50.	2.6	60



#	ARTICLE	IF	CITATIONS
127	Etched Graphite with Internally Grown Si Nanowires from Pores as an Anode for High Density Li-Ion Batteries. <i>Nano Letters</i> , 2013, 13, 3403-3407.	4.5	120
128	Electrochemical Performance of YST Infiltrated and Fe Doped YST Infiltrated YSZ Anodes for IT-SOFC. <i>ECS Electrochemistry Letters</i> , 2013, 2, F45-F49.	1.9	12
129	Strontium Doping Effect on High-Performance PrBa <sub>1-x</sub> Sr <sub>x</sub> Co <sub>2</sub> O <sub>5+<math>\delta</math></sub> as a Cathode Material for IT-SOFCs. <i>ECS Electrochemistry Letters</i> , 2012, 1, F29-F32.	1.9	53
130	Oxidation/reduction behavior of La <sub>0.8</sub> Sr <sub>0.2</sub> Sc <sub>1-y</sub> Mn <sub>1+y</sub> O <sub>3<math>\pm</math></sub> (y= 0.2, 0.3, 0.4): Defect structure, thermodynamic and electrical properties. <i>Solid State Ionics</i> , 2012, 228, 25-31.	1.3	16
131	Electrical properties, thermodynamic behavior, and defect analysis of La <sub>n+1</sub> Ni <sub>n</sub> O <sub>3n+1</sub> infiltrated into YSZ scaffolds as cathodes for intermediate-temperature SOFCs. <i>RSC Advances</i> , 2012, 2, 4648.	1.7	27
132	Optimization of Sr content in layered SmBa <sub>1-x</sub> Sr <sub>x</sub> Co <sub>2</sub> O <sub>5+<math>\delta</math></sub> perovskite cathodes for intermediate-temperature solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 18381-18388.	3.8	77
133	Chemical compatibility, redox behavior, and electrochemical performance of Nd <sub>1-x</sub> Sr <sub>x</sub> CoO <sub>3</sub> cathodes based on Ce <sub>1.9</sub> Gd <sub>0.1</sub> O <sub>1.95</sub> for intermediate-temperature solid oxide fuel cells. <i>Electrochimica Acta</i> , 2012, 81, 217-223.	2.6	31
134	The electrochemical and thermodynamic characterization of PrBaCo <sub>2-x</sub> Fe <sub>x</sub> O <sub>5+<math>\delta</math></sub> (x= 0, 0.5, 1) infiltrated into yttria-stabilized zirconia scaffold as cathodes for solid oxide fuel cells. <i>Journal of Power Sources</i> , 2012, 201, 10-17.	4.0	68
135	Electrochemical investigation of strontium doping effect on high performance Pr <sub>1-x</sub> Sr <sub>x</sub> CoO <sub>3</sub> (x= 0.1,) <i>Tj ETQq1 1 0.784314 rgBT / Sources</i> , 2012, 210, 172-177.	4.0	40
136	Thermodynamic and Electrical Properties of Layered Perovskite NdBaCo <sub>2-x</sub> Fe <sub>x</sub> O <sub>5+<math>\delta</math></sub> YSZ (x=0, 1) Composites for Intermediate Temperature SOFC Cathodes. <i>Journal of the Electrochemical Society</i> , 2011, 158, B632.	1.3	25
137	High Performance SOFC Cathode Prepared by Infiltration of La <sub>n</sub> Ni <sub>n</sub> O <sub>3n+1</sub> (n=1, 2, and 3) in Porous YSZ. <i>Journal of the Electrochemical Society</i> , 2011, 158, B995.	1.3	74
138	Thermodynamic Properties, Defect Analysis, and Electrical Conductivity of the La <sub>0.8</sub> Sr <sub>0.2</sub> Sc <sub>x</sub> Mn <sub>1-x</sub> O <sub>3<math>\pm</math></sub> Infiltrated into YSZ Scaffolds. <i>Journal of the Electrochemical Society</i> , 2011, 158, B1373.	1.3	11
139	Electrochemical behavior of Ba <sub>0.5</sub> Sr <sub>0.5</sub> Co <sub>0.2-x</sub> Zn <sub>x</sub> Fe <sub>0.8</sub> O <sub>3<math>\pm</math></sub> (x=0-0.2) perovskite oxides for the cathode of solid oxide fuel cells. <i>International Journal of Hydrogen Energy</i> , 2011, 36, 6184-6193.	3.8	30
140	Thermodynamic and electrical characteristics of NdBaCo <sub>2</sub> O <sub>5+<math>\delta</math></sub> at various oxidation and reduction states. <i>Journal of Materials Chemistry</i> , 2011, 21, 439-443.	6.7	49
141	Assessment of perovskite-type La <sub>0.8</sub> Sr <sub>0.2</sub> Sc <sub>1-y</sub> Mn <sub>1+y</sub> O <sub>3<math>\pm</math></sub> oxides as anodes for intermediate-temperature solid oxide fuel cells using hydrocarbon fuels. <i>Journal of Power Sources</i> , 2011, 196, 3083-3088.	4.0	35
142	Dopants to enhance SOFC cathodes based on Sr-doped LaFeO <sub>3</sub> and LaMnO <sub>3</sub> . <i>Journal of Power Sources</i> , 2010, 195, 720-728.	4.0	97
143	Ammonium hexavanadate nanorods prepared by homogeneous precipitation using urea as cathodes for lithium batteries. <i>Solid State Ionics</i> , 2010, 181, 311-314.	1.3	24
144	Electrochemical Properties of Nanocrystalline La <sub>0.5</sub> Sr <sub>0.5</sub> CoO <sub>3</sub> Thin Films. <i>Chemistry of Materials</i> , 2010, 22, 776-782.	3.2	52

#	ARTICLE	IF	CITATIONS
145	Investigation of the Structural and Catalytic Requirements for High-Performance SOFC Anodes Formed by Infiltration of LSCM. <i>Electrochemical and Solid-State Letters</i> , 2009, 12, B48.	2.2	139
146	Activation and Ripening of Impregnated Manganese Containing Perovskite SOFC Electrodes under Redox Cycling. <i>Chemistry of Materials</i> , 2009, 21, 1077-1084.	3.2	58
147	SOFC Anodes Based on Infiltration of $\text{La}_{0.3}\text{Sr}_{0.7}\text{TiO}_3$ . <i>Journal of the Electrochemical Society</i> , 2008, 155, B1179.	1.3	118
148	Engineering Composite Oxide SOFC Anodes for Efficient Oxidation of Methane. <i>Electrochemical and Solid-State Letters</i> , 2008, 11, B16.	2.2	129
149	Enhanced reducibility of ceria-YSZ composites in solid oxide electrodes. <i>Journal of Materials Chemistry</i> , 2008, 18, 2386.	6.7	33
150	SOFC Anodes Based on LST-YSZ Composites and on $\text{Y}_{0.04}\text{Ce}_{0.48}\text{Zr}_{0.48}\text{O}_2$ . <i>Journal of the Electrochemical Society</i> , 2008, 155, B360.	1.3	53
151	Efficient Reduction of $\text{CO}_2$ in a Solid Oxide Electrolyzer. <i>Electrochemical and Solid-State Letters</i> , 2008, 11, B167.	2.2	199
152	Epitaxial behavior and transport properties of $\text{PrBaCo}_2\text{O}_5$ thin films on (001) $\text{SrTiO}_3$ . <i>Applied Physics Letters</i> , 2007, 90, 212111.	1.5	39
153	Rapid oxygen ion diffusion and surface exchange kinetics in $\text{PrBaCo}_2\text{O}_{5+x}$ with a perovskite related structure and ordered A cations. <i>Journal of Materials Chemistry</i> , 2007, 17, 2500.	6.7	515
154	Impedance studies of dense polycrystalline thin films of $\text{La}_2\text{NiO}_{4+x}$ . <i>Journal of Materials Chemistry</i> , 2007, 17, 1316.	6.7	32
155	Oxygen exchange kinetics of epitaxial $\text{PrBaCo}_2\text{O}_{5+\delta}$ thin films. <i>Applied Physics Letters</i> , 2006, 88, 024103.	1.5	114
156	Measurement of oxygen transport kinetics in epitaxial $\text{La}_2\text{NiO}_{4+\delta}$ thin films by electrical conductivity relaxation. <i>Solid State Ionics</i> , 2006, 177, 1461-1467.	1.3	70
157	Electrochemical Characterization of $\text{La}_{2-x}\text{Pr}_x\text{NiO}_{4+x}$ for Application as Cathodes in Intermediate Temperature SOFCs. <i>Materials Research Society Symposia Proceedings</i> , 2006, 972, 1.	0.1	1