

James D Lock

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4870356/james-d-lock-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|-------------------------|----------------|----------------|
| 184 papers | 6,286 citations | 46 h-index | 73 g-index |
| 207 ext. papers | 7,424 ext. citations | 4.3 avg, IF | 6.3 L-index |

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 184 | Applying online parental guided self-help family-based treatment for adolescent anorexia nervosa: A comparison to family-based treatment delivered by videoconferencing.. <i>Clinical Child Psychology and Psychiatry</i> , 2022 , 13591045221078709 | 2 | 1 |
| 183 | Parent and clinician perspectives on virtual guided self-help family-based treatment (GSH-FBT) for adolescents with anorexia nervosa.. <i>Eating and Weight Disorders</i> , 2022 , 1 | 3.6 | |
| 182 | Adapting and adopting highly specialized pediatric eating disorder treatment to virtual care: a protocol for an implementation study in the COVID-19 context. <i>Implementation Science Communications</i> , 2021 , 2, 38 | 2.2 | 2 |
| 181 | To meat or not to meat: disordered eating and vegetarian status in university students. <i>Eating and Weight Disorders</i> , 2021 , 1 | 3.6 | 0 |
| 180 | Understanding outcomes in family-based treatment for adolescent anorexia nervosa: a network approach. <i>Psychological Medicine</i> , 2021 , 1-12 | 6.9 | 3 |
| 179 | Gender-based clinical differences in evidence-based treatment for adolescent anorexia nervosa: analysis of aggregated randomized controlled trials. <i>Eating and Weight Disorders</i> , 2021 , 1 | 3.6 | 3 |
| 178 | Family-based treatment for children and adolescents with eating disorders: a mixed-methods evaluation of a blended evidence-based implementation approach. <i>Translational Behavioral Medicine</i> , 2021 , 11, 64-73 | 3.2 | 4 |
| 177 | Eating behavior and reasons for exercise among competitive collegiate male athletes. <i>Eating and Weight Disorders</i> , 2021 , 26, 75-83 | 3.6 | 12 |
| 176 | Assessing fidelity to family-based treatment: an exploratory examination of expert, therapist, parent, and peer ratings. <i>Journal of Eating Disorders</i> , 2021 , 9, 12 | 4.1 | 2 |
| 175 | Feasibility of conducting a randomized controlled trial comparing family-based treatment via videoconferencing and online guided self-help family-based treatment for adolescent anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2021 , 54, 1998-2008 | 6.3 | 3 |
| 174 | Expressed emotion and long-term outcome among adolescents with anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2021 , 54, 2019-2024 | 6.3 | 1 |
| 173 | Family-based treatment via videoconference: Clinical recommendations for treatment providers during COVID-19 and beyond. <i>International Journal of Eating Disorders</i> , 2020 , 53, 1142-1154 | 6.3 | 54 |
| 172 | Family-Based Treatment for a Preadolescent With Avoidant/Restrictive Food Intake Disorder With Sensory Sensitivity: A Case Report. <i>Frontiers in Psychiatry</i> , 2020 , 11, 350 | 5 | 5 |
| 171 | Investigating Early Response to Treatment in a Multi-Site Study for Adolescent Bulimia Nervosa. <i>Frontiers in Psychiatry</i> , 2020 , 11, 92 | 5 | 5 |
| 170 | Confirming the Efficacy of an Adaptive Component to Family-Based Treatment for Adolescent Anorexia Nervosa: Study Protocol for a Randomized Controlled Trial. <i>Frontiers in Psychiatry</i> , 2020 , 11, 41 | 5 | 2 |
| 169 | Remission in adolescents with bulimia nervosa: Empirical evaluation of current conceptual models. <i>European Eating Disorders Review</i> , 2020 , 28, 445-453 | 5.3 | 0 |
| 168 | Is online training in family-based treatment for anorexia nervosa feasible and can it improve fidelity to key components affecting outcome?. <i>Journal of Behavioral and Cognitive Therapy</i> , 2020 , 30, 75-82 | 1.6 | 4 |

| | | | |
|-----|--|-----|----|
| 167 | Developing consensus on the definition of remission and recovery for research. <i>International Journal of Eating Disorders</i> , 2020 , 53, 1204-1208 | 6.3 | 11 |
| 166 | Interventions to Empower Adults with Eating Disorders and Their Partners around the Transition to Parenthood. <i>Family Process</i> , 2020 , 59, 1407-1422 | 3.9 | 7 |
| 165 | Exploring Differences in the Role of Hospitalization on Weight Gain Based on Treatment Type From Randomized Clinical Trials for Adolescent Anorexia Nervosa. <i>Frontiers in Psychiatry</i> , 2020 , 11, 609675 | 5 | 1 |
| 164 | Parent-based prevention after parental weight loss surgery: a pilot case-series trial. <i>Surgery for Obesity and Related Diseases</i> , 2020 , 16, 1321-1327 | 3 | 0 |
| 163 | Telehealth transition in a comprehensive care unit for eating disorders: Challenges and long-term benefits. <i>International Journal of Eating Disorders</i> , 2020 , 53, 1774-1779 | 6.3 | 19 |
| 162 | Brain-Responsive Neurostimulation for Loss of Control Eating: Early Feasibility Study. <i>Neurosurgery</i> , 2020 , 87, 1277-1288 | 3.2 | 7 |
| 161 | Perfectionism, anorexia nervosa, and family treatment: How perfectionism changes throughout treatment and predicts outcomes. <i>International Journal of Eating Disorders</i> , 2020 , 53, 2055-2060 | 6.3 | 2 |
| 160 | Performance and brain activity during the Wisconsin Card Sorting Test in adolescents with obsessive-compulsive disorder and adolescents with weight-restored anorexia nervosa. <i>European Child and Adolescent Psychiatry</i> , 2020 , 29, 217-226 | 5.5 | 9 |
| 159 | Therapist adherence to family-based treatment for adolescents with anorexia nervosa: A multi-site exploratory study. <i>European Eating Disorders Review</i> , 2020 , 28, 55-65 | 5.3 | 8 |
| 158 | Superior response inhibition to high-calorie foods in adolescents with anorexia nervosa. <i>Behaviour Research and Therapy</i> , 2020 , 124, 103441 | 5.2 | 7 |
| 157 | Updates on Treatments for Adolescent Anorexia Nervosa. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2019 , 28, 523-535 | 3.3 | 13 |
| 156 | Set-shifting in adolescents with weight-restored anorexia nervosa and their unaffected family members. <i>Journal of Psychiatric Research</i> , 2019 , 112, 71-76 | 5.2 | 7 |
| 155 | Feasibility of conducting a randomized clinical trial using family-based treatment for avoidant/restrictive food intake disorder. <i>International Journal of Eating Disorders</i> , 2019 , 52, 746-751 | 6.3 | 12 |
| 154 | A test of the DSM-5 severity specifier for bulimia nervosa in adolescents: Can we anticipate clinical treatment outcomes?. <i>International Journal of Eating Disorders</i> , 2019 , 52, 586-590 | 6.3 | 1 |
| 153 | Rituals and preoccupations associated with bulimia nervosa in adolescents: Does motivation to change matter?. <i>European Eating Disorders Review</i> , 2019 , 27, 323-328 | 5.3 | 2 |
| 152 | Toward A Greater Understanding of the Ways Family-Based Treatment Addresses the Full Range of Psychopathology of Adolescent Anorexia Nervosa. <i>Frontiers in Psychiatry</i> , 2019 , 10, 968 | 5 | 3 |
| 151 | Family-Based Treatment for Anorexia Nervosa Symptoms in High-Risk Youth: A Partially-Randomized Preference-Design Study. <i>Frontiers in Psychiatry</i> , 2019 , 10, 985 | 5 | 2 |
| 150 | Comparing a Tailored Self-Help Mobile App With a Standard Self-Monitoring App for the Treatment of Eating Disorder Symptoms: Randomized Controlled Trial. <i>JMIR Mental Health</i> , 2019 , 6, e14972 | 6 | 15 |

| | | | |
|-----|--|-----|----|
| 149 | Identifying and responding to child maltreatment when delivering family-based treatment-A qualitative study. <i>International Journal of Eating Disorders</i> , 2019 , 52, 292-298 | 6.3 | 6 |
| 148 | A Protocol for Integrating Neuroscience Into Studies of Family-Based Treatment for Anorexia Nervosa: An Approach to Research and Potential Benefits for Clinical Care. <i>Frontiers in Psychiatry</i> , 2019 , 10, 919 | 5 | 1 |
| 147 | Applying family-based treatment (FBT) to three clinical presentations of avoidant/restrictive food intake disorder: Similarities and differences from FBT for anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2019 , 52, 439-446 | 6.3 | 24 |
| 146 | Family-based treatment: Where are we and where should we be going to improve recovery in child and adolescent eating disorders. <i>International Journal of Eating Disorders</i> , 2019 , 52, 481-487 | 6.3 | 58 |
| 145 | When meta-analyses get it wrong: response to treatment outcomes for anorexia nervosa: a systematic review and meta-analysis of randomized controlled trials <i>Psychological Medicine</i> , 2019 , 49, 697-698 | 6.9 | 10 |
| 144 | Comorbid depressive symptoms and self-esteem improve after either cognitive-behavioural therapy or family-based treatment for adolescent bulimia nervosa. <i>European Eating Disorders Review</i> , 2018 , 26, 253-258 | 5.3 | 7 |
| 143 | The Utility and Acceptability of a Self-Help Smartphone Application for Eating Disorder Behaviors. <i>Journal of Technology in Behavioral Science</i> , 2018 , 3, 161-164 | 2.3 | 9 |
| 142 | Subgrouping the users of a specialized app for eating disorders. <i>Eating Disorders</i> , 2018 , 26, 361-372 | 3.9 | 10 |
| 141 | Are parental self-efficacy and family flexibility mediators of treatment for anorexia nervosa?. <i>International Journal of Eating Disorders</i> , 2018 , 51, 275-280 | 6.3 | 16 |
| 140 | Using bivariate latent basis growth curve analysis to better understand treatment outcome in youth with anorexia nervosa. <i>European Eating Disorders Review</i> , 2018 , 26, 483-488 | 5.3 | 4 |
| 139 | Attention networks in adolescent anorexia nervosa. <i>European Child and Adolescent Psychiatry</i> , 2018 , 27, 343-351 | 5.5 | 7 |
| 138 | The Utility and Acceptability of a Self-Help Smartphone Application for Eating Disorder Behaviors. <i>Journal of Technology in Behavioral Science</i> , 2018 , 3, 161-164 | 2.3 | 2 |
| 137 | Efficacy of a Parent-Based, Indicated Prevention for Anorexia Nervosa: Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2018 , 20, e296 | 7.6 | 9 |
| 136 | Feasibility Study Combining Art Therapy or Cognitive Remediation Therapy with Family-based Treatment for Adolescent Anorexia Nervosa. <i>European Eating Disorders Review</i> , 2018 , 26, 62-68 | 5.3 | 26 |
| 135 | Family therapy for eating disorders in youth: current confusions, advances, and new directions. <i>Current Opinion in Psychiatry</i> , 2018 , 31, 431-435 | 4.9 | 18 |
| 134 | Themes arising during implementation consultation with teams applying family-based treatment: a qualitative study. <i>Journal of Eating Disorders</i> , 2018 , 6, 32 | 4.1 | 12 |
| 133 | Family Profiles of Expressed Emotion in Adolescent Patients With Anorexia Nervosa and Their Parents. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2017 , 46, 428-436 | 5.4 | 14 |
| 132 | Clinician perspective on parental empowerment in family-based treatment for adolescent anorexia nervosa. <i>Journal of Family Therapy</i> , 2017 , 39, 537-562 | 2.9 | 11 |

| | | | |
|-----|---|-----|----|
| 131 | Psychological symptoms among parents of adolescents with anorexia nervosa: a descriptive examination of their presence and role in treatment outcome. <i>Journal of Family Therapy</i> , 2017 , 39, 514-538 | 2.9 | 10 |
| 130 | A qualitative analysis of male eating disorder symptoms. <i>Eating Disorders</i> , 2017 , 25, 297-309 | 3.9 | 11 |
| 129 | Parental guided self-help family based treatment for adolescents with anorexia nervosa: A feasibility study. <i>International Journal of Eating Disorders</i> , 2017 , 50, 1104-1108 | 6.3 | 22 |
| 128 | Weak central coherence in weight-restored adolescent anorexia nervosa: Characteristics and remediation. <i>International Journal of Eating Disorders</i> , 2017 , 50, 924-932 | 6.3 | 11 |
| 127 | Emperor's New. <i>Academic Psychiatry</i> , 2017 , 41, 761 | 1.1 | |
| 126 | Where Did He Go?. <i>Academic Psychiatry</i> , 2017 , 41, 777 | 1.1 | |
| 125 | Using Technology to Improve Treatment Outcomes for Children and Adolescents with Eating Disorders. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2017 , 26, 33-42 | 3.3 | 5 |
| 124 | Some Questions Pondered on Health and Humanities: Prospects, Opportunities and Challenges. <i>Academic Psychiatry</i> , 2017 , 41, 707-710 | 1.1 | 1 |
| 123 | Practice Parameter for the Assessment and Treatment of Children and Adolescents With Eating Disorders. <i>Focus (American Psychiatric Publishing)</i> , 2016 , 14, 75-89 | 1.1 | 4 |
| 122 | Patterns of expressed emotion in adolescent eating disorders. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2016 , 57, 1407-1413 | 7.9 | 7 |
| 121 | Outcomes of an inpatient refeeding protocol in youth with Anorexia Nervosa and atypical Anorexia Nervosa at Children's Hospitals and Clinics of Minnesota. <i>Journal of Eating Disorders</i> , 2016 , 4, 35 | 4.1 | 16 |
| 120 | The importance of loss of control while eating in adolescents with purging disorder. <i>International Journal of Eating Disorders</i> , 2016 , 49, 801-4 | 6.3 | 15 |
| 119 | Does family-based treatment reduce the need for hospitalization in adolescent anorexia nervosa?. <i>International Journal of Eating Disorders</i> , 2016 , 49, 891-4 | 6.3 | 19 |
| 118 | The interactions of mothers with eating disorders with their toddlers: identifying broader risk factors. <i>Attachment and Human Development</i> , 2016 , 18, 418-28 | 2.8 | 8 |
| 117 | Parent-based prevention program for the children of mothers with eating disorders: Feasibility and preliminary outcomes. <i>Eating Disorders</i> , 2016 , 24, 312-25 | 3.9 | 13 |
| 116 | Maternal eating disorder history and toddlers's neurodevelopmental outcomes: A brief report. <i>Eating Disorders</i> , 2016 , 24, 198-205 | 3.9 | 4 |
| 115 | Cognitive remediation therapy and cognitive behavioral therapy with an older adult with anorexia nervosa: A brief case report. <i>Psychotherapy</i> , 2016 , 53, 232-40 | 2.5 | 1 |
| 114 | Expressed Emotion, Family Functioning, and Treatment Outcome for Adolescents with Anorexia Nervosa. <i>European Eating Disorders Review</i> , 2016 , 24, 43-51 | 5.3 | 53 |

| | | | |
|-----|--|-----|-----|
| 113 | An Update on Evidence-Based Psychosocial Treatments for Eating Disorders in Children and Adolescents. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2015 , 44, 707-21 | 5.4 | 152 |
| 112 | Child feeding perceptions among mothers with eating disorders. <i>Appetite</i> , 2015 , 95, 67-73 | 4.5 | 15 |
| 111 | Family functioning in two treatments for adolescent anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2015 , 48, 81-90 | 6.3 | 32 |
| 110 | Family-based Treatment of Child and Adolescent Eating Disorders. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2015 , 24, 617-29 | 3.3 | 24 |
| 109 | The effect of driven exercise on treatment outcomes for adolescents with anorexia and bulimia nervosa. <i>International Journal of Eating Disorders</i> , 2015 , 48, 392-6 | 6.3 | 22 |
| 108 | Decreasing body dissatisfaction using a brief conditioning intervention. <i>Behaviour Research and Therapy</i> , 2015 , 69, 93-9 | 5.2 | 19 |
| 107 | Practice parameter for the assessment and treatment of children and adolescents with eating disorders. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 412-25 | 7.2 | 72 |
| 106 | Implementing highly specialized and evidence-based pediatric eating disorder treatment: protocol for a mixed methods evaluation. <i>Implementation Science</i> , 2015 , 10, 40 | 8.4 | 2 |
| 105 | Family-based treatment with transition age youth with anorexia nervosa: a qualitative summary of application in clinical practice. <i>Journal of Eating Disorders</i> , 2015 , 3, 1 | 4.1 | 77 |
| 104 | Can adaptive treatment improve outcomes in family-based therapy for adolescents with anorexia nervosa? Feasibility and treatment effects of a multi-site treatment study. <i>Behaviour Research and Therapy</i> , 2015 , 73, 90-5 | 5.2 | 80 |
| 103 | Randomized Clinical Trial of Family-Based Treatment and Cognitive-Behavioral Therapy for Adolescent Bulimia Nervosa. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 886-94.e2 | 7.2 | 103 |
| 102 | Development and evaluation of a treatment fidelity instrument for family-based treatment of adolescent anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2015 , 48, 91-9 | 6.3 | 18 |
| 101 | Overvaluation of shape and weight in adolescents with anorexia nervosa: does shape concern or weight concern matter more for treatment outcome?. <i>Journal of Eating Disorders</i> , 2015 , 3, 49 | 4.1 | 4 |
| 100 | Central coherence in adolescents with bulimia nervosa spectrum eating disorders. <i>International Journal of Eating Disorders</i> , 2015 , 48, 487-93 | 6.3 | 15 |
| 99 | An exploratory examination of patient and parental self-efficacy as predictors of weight gain in adolescents with anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2015 , 48, 883-8 | 6.3 | 46 |
| 98 | Development of a smartphone application for eating disorder self-monitoring. <i>International Journal of Eating Disorders</i> , 2015 , 48, 972-82 | 6.3 | 76 |
| 97 | Parent-therapist alliance in Family-Based Treatment for adolescents with anorexia nervosa. <i>European Eating Disorders Review</i> , 2014 , 22, 53-8 | 5.3 | 21 |
| 96 | Relapse from remission at two- to four-year follow-up in two treatments for adolescent anorexia nervosa. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014 , 53, 1162-7 | 7.2 | 63 |

| | | | |
|----|---|------|-----|
| 95 | Predicting clinical outcome using brain activation associated with set-shifting and central coherence skills in Anorexia Nervosa. <i>Journal of Psychiatric Research</i> , 2014 , 57, 26-33 | 5.2 | 21 |
| 94 | How smartphone applications may be implemented in the treatment of eating disorders: case reports and case series data. <i>Advances in Eating Disorders (Abingdon, England)</i> , 2014 , 2, 217-232 | | 6 |
| 93 | Proposition: family-based treatment is overvalued Position: opposed. <i>Advances in Eating Disorders (Abingdon, England)</i> , 2014 , 2, 284-295 | | 1 |
| 92 | Key Factors in Diagnosing and Treating Adolescent Eating Disorders. <i>Focus (American Psychiatric Publishing)</i> , 2014 , 12, 394-400 | 1.1 | |
| 91 | Potential risk factors and early symptoms of anorexia nervosa: prevalence in 11-16-year-old girls. <i>Advances in Eating Disorders (Abingdon, England)</i> , 2014 , 2, 19-30 | | 1 |
| 90 | Early weight gain predicts outcome in two treatments for adolescent anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2014 , 47, 124-9 | 6.3 | 117 |
| 89 | Comparison of 2 family therapies for adolescent anorexia nervosa: a randomized parallel trial. <i>JAMA Psychiatry</i> , 2014 , 71, 1279-86 | 14.5 | 165 |
| 88 | Family-based treatment is overvalued: reply to Strober. <i>Advances in Eating Disorders (Abingdon, England)</i> , 2014 , 2, 297-299 | | 2 |
| 87 | Is weight gain really a catalyst for broader recovery?: The impact of weight gain on psychological symptoms in the treatment of adolescent anorexia nervosa. <i>Behaviour Research and Therapy</i> , 2014 , 56, 1-6 | 5.2 | 61 |
| 86 | Patients Characteristics and the quality of the therapeutic alliance in family-based treatment and individual therapy for adolescents with anorexia nervosa. <i>Journal of Family Therapy</i> , 2013 , 35, 29-52 | 2.9 | 9 |
| 85 | Do in-vivo behaviors predict early response in family-based treatment for anorexia nervosa?. <i>Behaviour Research and Therapy</i> , 2013 , 51, 762-6 | 5.2 | 19 |
| 84 | Do end of treatment assessments predict outcome at follow-up in eating disorders?. <i>International Journal of Eating Disorders</i> , 2013 , 46, 771-8 | 6.3 | 57 |
| 83 | Is outpatient cognitive remediation therapy feasible to use in randomized clinical trials for anorexia nervosa?. <i>International Journal of Eating Disorders</i> , 2013 , 46, 567-75 | 6.3 | 68 |
| 82 | Factor structure of the Eating Disorder Examination Questionnaire (EDE-Q) in male and female college athletes. <i>Body Image</i> , 2013 , 10, 399-405 | 7.4 | 46 |
| 81 | The role of the pediatrician in family-based treatment for adolescent eating disorders: opportunities and challenges. <i>Journal of Adolescent Health</i> , 2013 , 53, 433-40 | 5.8 | 27 |
| 80 | A review of attention biases in women with eating disorders. <i>Cognition and Emotion</i> , 2013 , 27, 820-38 | 2.3 | 87 |
| 79 | Therapeutic alliance in two treatments for adolescent anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2013 , 46, 34-8 | 6.3 | 25 |
| 78 | Are adolescent treatment studies of eating disorders utilizing clinically relevant samples? A comparison of RCT and clinic treatment-seeking youth with eating disorders. <i>European Eating Disorders Review</i> , 2013 , 21, 420-4 | 5.3 | 7 |

| | | | |
|----|--|------|-----|
| 77 | Cultural variability in Expressed Emotion among families of adolescents with anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2012 , 45, 142-5 | 6.3 | 9 |
| 76 | The Eating Disorders Examination in adolescent males with anorexia nervosa: how does it compare to adolescent females?. <i>International Journal of Eating Disorders</i> , 2012 , 45, 110-4 | 6.3 | 82 |
| 75 | Challenges in conducting a multi-site randomized clinical trial comparing treatments for adolescent anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2012 , 45, 202-13 | 6.3 | 30 |
| 74 | Recruitment and retention in an adolescent anorexia nervosa treatment trial. <i>International Journal of Eating Disorders</i> , 2012 , 45, 812-5 | 6.3 | 10 |
| 73 | Moderators and mediators of remission in family-based treatment and adolescent focused therapy for anorexia nervosa. <i>Behaviour Research and Therapy</i> , 2012 , 50, 85-92 | 5.2 | 149 |
| 72 | Set-shifting among adolescents with anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2012 , 45, 909-12 | 6.3 | 41 |
| 71 | Family-based early intervention for anorexia nervosa. <i>European Eating Disorders Review</i> , 2012 , 20, e137-43 | 5.3 | 19 |
| 70 | Transdiagnostic Theory and Application of Family-Based Treatment for Youth with Eating Disorders. <i>Cognitive and Behavioral Practice</i> , 2012 , 19, 17-30 | 2.3 | 33 |
| 69 | Evaluation of family treatment models for eating disorders. <i>Current Opinion in Psychiatry</i> , 2011 , 24, 274-9 | 4.9 | 56 |
| 68 | Eating disorders in youth: diagnostic variability and predictive validity. <i>International Journal of Eating Disorders</i> , 2011 , 44, 692-702 | 6.3 | 6 |
| 67 | Parental expressed emotion of adolescents with anorexia nervosa: outcome in family-based treatment. <i>International Journal of Eating Disorders</i> , 2011 , 44, 731-4 | 6.3 | 53 |
| 66 | Cognitive remediation therapy for eating disorders: development, refinement and future directions. <i>Current Topics in Behavioral Neurosciences</i> , 2011 , 6, 269-87 | 3.4 | 33 |
| 65 | Aberrant brain activation during a response inhibition task in adolescent eating disorder subtypes. <i>American Journal of Psychiatry</i> , 2011 , 168, 55-64 | 11.9 | 120 |
| 64 | Anorexia nervosa. <i>Clinical Evidence</i> , 2011 , 2011, | | 8 |
| 63 | Family Treatment for Eating Disorders in Youth and Adolescents. <i>Psychiatric Annals</i> , 2011 , 41, 547-551 | 0.5 | 1 |
| 62 | Feasibility, acceptability, and effectiveness of family-based treatment for adolescent anorexia nervosa: an observational study conducted in Brazil. <i>Revista Brasileira De Psiquiatria</i> , 2010 , 32, 169-72 | 2.6 | 21 |
| 61 | Controversies and Questions in Current Evaluation, Treatment, and Research Related to Child and Adolescent Eating Disorders 2010 , 50-72 | | |
| 60 | Randomized clinical trial comparing family-based treatment with adolescent-focused individual therapy for adolescents with anorexia nervosa. <i>Archives of General Psychiatry</i> , 2010 , 67, 1025-32 | | 543 |

| | | | |
|----|--|-----|-----|
| 59 | Are diagnostic criteria for eating disorders markers of medical severity?. <i>Pediatrics</i> , 2010 , 125, e1193-2017.4 | 1.4 | 85 |
| 58 | Family-based treatment for adolescents with anorexia nervosa: a dissemination study. <i>Eating Disorders</i> , 2010 , 18, 199-209 | 3.9 | 61 |
| 57 | Academy for Eating Disorders position paper: the role of the family in eating disorders. <i>International Journal of Eating Disorders</i> , 2010 , 43, 1-5 | 6.3 | 144 |
| 56 | Adolescent Focused Psychotherapy for Adolescents with Anorexia Nervosa. <i>Journal of Contemporary Psychotherapy</i> , 2010 , 40, 31-39 | 2.3 | 38 |
| 55 | Treatment of Adolescent Eating Disorders: Progress and Challenges 2010 , 51, 207-216 | | 31 |
| 54 | Trying to fit square pegs in round holes: eating disorders in males. <i>Journal of Adolescent Health</i> , 2009 , 44, 99-100 | 5.8 | 9 |
| 53 | Is there a relationship between parental self-reported psychopathology and symptom severity in adolescents with anorexia nervosa?. <i>Eating Disorders</i> , 2009 , 17, 63-71 | 3.9 | 15 |
| 52 | Advances in psychotherapy for children and adolescents with eating disorders. <i>American Journal of Psychotherapy</i> , 2009 , 63, 287-303 | 1.3 | 15 |
| 51 | Anorexia nervosa. <i>Clinical Evidence</i> , 2009 , 2009, | | 6 |
| 50 | Exploring possible mechanisms of change in family-based treatment for adolescent bulimia nervosa. <i>Journal of Family Therapy</i> , 2008 , 30, 260-271 | 2.9 | 17 |
| 49 | Predictors and moderators of outcome in family-based treatment for adolescent bulimia nervosa. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2008 , 47, 464-470 | 7.2 | 57 |
| 48 | Costs of remission and recovery using family therapy for adolescent anorexia nervosa: a descriptive report. <i>Eating Disorders</i> , 2008 , 16, 322-30 | 3.9 | 40 |
| 47 | Open trial of family-based treatment for full and partial anorexia nervosa in adolescence: evidence of successful dissemination. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2007 , 46, 792-800 | 7.2 | 71 |
| 46 | Anorexia nervosa in Asian-American adolescents: do they differ from their non-Asian peers. <i>International Journal of Eating Disorders</i> , 2007 , 40, 227-31 | 6.3 | 28 |
| 45 | Dialectical Behavior Therapy Modified for Adolescent Binge Eating Disorder: A Case Report. <i>Cognitive and Behavioral Practice</i> , 2007 , 14, 157-167 | 2.3 | 46 |
| 44 | Evidenced-based Treatments for Children and Adolescents with Eating Disorders: Family Therapy and Family-facilitated Cognitive-Behavioral Therapy. <i>Journal of Contemporary Psychotherapy</i> , 2007 , 37, 145-155 | 2.3 | 10 |
| 43 | Using Cognitive-Behavioral Therapy to Treat Adolescent-Onset Bulimia Nervosa: A Case Study. <i>Clinical Case Studies</i> , 2007 , 6, 508-524 | 0.6 | 4 |
| 42 | A review of medication use for children and adolescents with eating disorders. <i>Journal of the Canadian Academy of Child and Adolescent Psychiatry</i> , 2007 , 16, 173-6 | 0.7 | 21 |

| | | | |
|----|---|-----|-----|
| 41 | New and emerging treatment options for adolescent bulimia nervosa. <i>Therapy: Open Access in Clinical Medicine</i> , 2007 , 4, 841-849 | | |
| 40 | What is remission in adolescent anorexia nervosa? A review of various conceptualizations and quantitative analysis. <i>International Journal of Eating Disorders</i> , 2006 , 39, 175-83 | 6.3 | 101 |
| 39 | Denial and minimization in adolescents with anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2006 , 39, 212-6 | 6.3 | 79 |
| 38 | Cognitive-behavioral therapy for adolescents with binge eating syndromes: a case series. <i>International Journal of Eating Disorders</i> , 2006 , 39, 252-5 | 6.3 | 18 |
| 37 | Do supplementary items on the eating disorder examination improve the assessment of adolescents with anorexia nervosa?. <i>International Journal of Eating Disorders</i> , 2006 , 39, 426-33 | 6.3 | 3 |
| 36 | Role of therapeutic alliance in family therapy for adolescent anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2006 , 39, 677-84 | 6.3 | 94 |
| 35 | What is recovery in adolescent anorexia nervosa?. <i>International Journal of Eating Disorders</i> , 2006 , 39, 550-5 | 6.3 | 151 |
| 34 | Predictors of dropout and remission in family therapy for adolescent anorexia nervosa in a randomized clinical trial. <i>International Journal of Eating Disorders</i> , 2006 , 39, 639-47 | 6.3 | 115 |
| 33 | Is family therapy useful for treating children with anorexia nervosa? Results of a case series. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006 , 45, 1323-1328 | 7.2 | 46 |
| 32 | Comparison of long-term outcomes in adolescents with anorexia nervosa treated with family therapy. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2006 , 45, 666-672 | 7.2 | 134 |
| 31 | How do children with eating disorders differ from adolescents with eating disorders at initial evaluation?. <i>Journal of Adolescent Health</i> , 2006 , 39, 800-5 | 5.8 | 92 |
| 30 | Sexual Development and the Treatment of Sexual Disorders in Children and Adolescents 2006 , 343-360 | | |
| 29 | Traitement de l'anorexie mentale de la jeune fille de la Lorraine et de la Californie. <i>Adolescence</i> , 2006 , 56, 405 | 0.3 | 0 |
| 28 | Suicidality in adolescents being treated with antidepressant medications and the black box label: position paper of the Society for Adolescent Medicine. <i>Journal of Adolescent Health</i> , 2005 , 36, 92-3 | 5.8 | 16 |
| 27 | A comparison of short- and long-term family therapy for adolescent anorexia nervosa. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2005 , 44, 632-9 | 7.2 | 318 |
| 26 | The dearth of psychological treatment studies for anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2005 , 37, 79-91 | 6.3 | 78 |
| 25 | Family-based treatment of eating disorders. <i>International Journal of Eating Disorders</i> , 2005 , 37 Suppl, S64-7; discussion S87-9 | 6.3 | 85 |
| 24 | Adjusting cognitive behavior therapy for adolescents with bulimia nervosa: results of case series. <i>American Journal of Psychotherapy</i> , 2005 , 59, 267-81 | 1.3 | 47 |

| | | | |
|----|---|-----|-----|
| 23 | Effective interventions for adolescents with anorexia nervosa. <i>Journal of Mental Health</i> , 2005 , 14, 599-610 | 2.4 | 24 |
| 22 | Is manualized family-based treatment for adolescent anorexia nervosa acceptable to patients? Patient satisfaction at the end of treatment. <i>Journal of Family Therapy</i> , 2004 , 26, 66-82 | 2.9 | 51 |
| 21 | Family-based therapy for adolescents with bulimia nervosa. <i>American Journal of Psychotherapy</i> , 2003 , 57, 237-51 | 1.3 | 44 |
| 20 | What predicts maintenance of weight for adolescents medically hospitalized for anorexia nervosa?. <i>Eating Disorders</i> , 2003 , 11, 1-7 | 3.9 | 43 |
| 19 | Assessment of eating disorders in adolescents with anorexia nervosa: self-report questionnaire versus interview. <i>International Journal of Eating Disorders</i> , 2003 , 33, 45-54 | 6.3 | 68 |
| 18 | A health service perspective on anorexia nervosa. <i>Eating Disorders</i> , 2003 , 11, 197-207 | 3.9 | 6 |
| 17 | Children and adolescents with eating disorders: the state of the art. <i>Pediatrics</i> , 2003 , 111, e98-108 | 7.4 | 122 |
| 16 | Assessing guilt in adolescents with anorexia nervosa. <i>American Journal of Psychotherapy</i> , 2002 , 56, 378-90 | 3.3 | 23 |
| 15 | Violence and Sexual Minority Youth. <i>Journal of School Violence</i> , 2002 , 1, 77-89 | 2.5 | 15 |
| 14 | Treating adolescents with eating disorders in the family context. Empirical and theoretical considerations. <i>Child and Adolescent Psychiatric Clinics of North America</i> , 2002 , 11, 331-42 | 3.3 | 29 |
| 13 | Review: Offering Domestic Partnership Health Benefits: An Economic Concern?. <i>Journal of the Gay and Lesbian Medical Association</i> , 2001 , 5, 95-100 | | 2 |
| 12 | Associated health risks of adolescents with disordered eating: how different are they from their peers? Results from a high school survey. <i>Child Psychiatry and Human Development</i> , 2001 , 31, 249-65 | 3.3 | 40 |
| 11 | Evidence-based family psychotherapy interventions 2001 , 238-247 | | |
| 10 | Relationships Between Sexual Orientation and Coping Styles of Gay, Lesbian, and Bisexual Adolescents from a Community High School. <i>Journal of the Gay and Lesbian Medical Association</i> , 1999 , 3, 77-82 | | 17 |
| 9 | How Clinical Pathways Can Be Useful: An Example of a Clinical Pathway for the Treatment of Anorexia Nervosa in Adolescents. <i>Clinical Child Psychology and Psychiatry</i> , 1999 , 4, 331-340 | 2 | 22 |
| 8 | Strategies for Reducing Homophobia During Medical Training. <i>Journal of the Gay and Lesbian Medical Association</i> , 1998 , 2, 167-174 | | 12 |
| 7 | Origins of homophobia in males. Psychosexual vulnerabilities and defense development. <i>American Journal of Psychotherapy</i> , 1998 , 52, 425-36 | 1.3 | 18 |
| 6 | A Review of the Medical Consequences of Homophobia with Suggestions for Resolution. <i>Journal of the Gay and Lesbian Medical Association</i> , 1997 , 1, 25-39 | | 56 |

| | | |
|---|---|----|
| 5 | Some aspects of medical hermeneutics: the role of dialectic and narrative. <i>Theoretical Medicine and Bioethics</i> , 1990 , 11, 41-9 | 20 |
| 4 | Parents with Eating Disorders | 2 |
| 3 | Sexual Development and the Treatment of Sexual Disorders in Children and Adolescents325-342 | |
| 2 | Teens with Anorexia Nervosa: a Family-Based Approach to Treatment242-268 | 6 |
| 1 | Perspectives on the Measurement of Outcome887-900 | 1 |