

# Mike T John

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4870643/publications.pdf>

Version: 2024-02-01

153  
papers

10,134  
citations

36271

51  
h-index

37183

96  
g-index

155  
all docs

155  
docs citations

155  
times ranked

6267  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Diagnostic Criteria for Temporomandibular Disorders (DC/TMD) for Clinical and Research Applications: Recommendations of the International RDC/TMD Consortium Network* and Orofacial Pain Special Interest Group. Journal of Oral and Facial Pain and Headache, 2014, 28, 6-27. | 0.7 | 2,581     |
| 2  | Research diagnostic criteria for temporomandibular disorders (RDC/TMD): development of image analysis criteria and examiner reliability for image analysis. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2009, 107, 844-860.                      | 1.6 | 475       |
| 3  | The German version of the Oral Health Impact Profile - translation and psychometric properties. European Journal of Oral Sciences, 2002, 110, 425-433.   | 0.7 | 258       |
| 4  | Systematic review and meta-analysis on the nonsurgical treatment of chronic periodontitis by means of scaling and root planing with or without adjuncts. Journal of the American Dental Association, 2015, 146, 508-524.e5.  | 0.7 | 199       |
| 5  | German short forms of the Oral Health Impact Profile. Community Dentistry and Oral Epidemiology, 2006, 34, 277-288.  | 0.9 | 191       |
| 6  | Demographic factors, denture status and oral health-related quality of life. Community Dentistry and Oral Epidemiology, 2004, 32, 125-132.   | 0.9 | 172       |
| 7  | Cone-beam Computed Tomography Evaluation of Maxillary Sinusitis. Journal of Endodontics, 2011, 37, 753-757.  | 1.4 | 170       |
| 8  | Impact of periodontitis on oral health-related quality of life. Journal of Dentistry, 2013, 41, 370-376.   | 1.7 | 167       |
| 9  | Reliability of clinical temporomandibular disorder diagnoses. Pain, 2005, 118, 61-69.  | 2.0 | 163       |
| 10 | Japanese version of the Oral Health Impact Profile (OHIP-J). Journal of Oral Rehabilitation, 2007, 34, 159-168.  | 1.3 | 160       |
| 11 | Dimensions of Oral-health-related Quality of Life. Journal of Dental Research, 2004, 83, 956-960.  | 2.5 | 155       |
| 12 | Oral health-related quality of life in Germany. European Journal of Oral Sciences, 2003, 111, 483-491.   | 0.7 | 149       |
| 13 | Oral health-related quality of life in patients treated with fixed, removable, and complete dentures 1 month and 6 to 12 months after treatment. International Journal of Prosthodontics, 2004, 17, 503-11.  | 0.7 | 142       |
| 14 | Evidence-based clinical practice guideline on the nonsurgical treatment of chronic periodontitis by means of scaling and root planing with or without adjuncts. Journal of the American Dental Association, 2015, 146, 525-535.  | 0.7 | 138       |
| 15 | Frequency of Persistent Tooth Pain after Root Canal Therapy: A Systematic Review and Meta-Analysis. Journal of Endodontics, 2010, 36, 224-230.   | 1.4 | 137       |
| 16 | Confirmatory factor analysis of the Oral Health Impact Profile. Journal of Oral Rehabilitation, 2014, 41, 644-652.   | 1.3 | 137       |
| 17 | Widespread pain as a risk factor for dysfunctional temporomandibular disorder pain. Pain, 2003, 102, 257-263.  | 2.0 | 126       |
| 18 | Exploratory factor analysis of the Oral Health Impact Profile. Journal of Oral Rehabilitation, 2014, 41, 635-643.  | 1.3 | 125       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | The Research Diagnostic Criteria for Temporomandibular Disorders. I: overview and methodology for assessment of validity. <i>Journal of Orofacial Pain</i> , 2010, 24, 7-24.  | 1.7 | 125       |
| 20 | The Research Diagnostic Criteria for Temporomandibular Disorders. V: methods used to establish and validate revised Axis I diagnostic algorithms. <i>Journal of Orofacial Pain</i> , 2010, 24, 63-78.                         | 1.7 | 120       |
| 21 | Functional and psychosocial impact related to specific temporomandibular disorder diagnoses. <i>Journal of Dentistry</i> , 2007, 35, 643-650.   | 1.7 | 107       |
| 22 | Oral health-related quality of life in patients seeking care for dentin hypersensitivity. <i>Journal of Oral Rehabilitation</i> , 2009, 36, 45-51.  | 1.3 | 107       |
| 23 | Oral health-related quality of life in patients with temporomandibular disorders. <i>Journal of Orofacial Pain</i> , 2007, 21, 46-54.   | 1.7 | 107       |
| 24 | Oral health-related quality of life in patients with dental anxiety. <i>Community Dentistry and Oral Epidemiology</i> , 2007, 35, 357-363.  | 0.9 | 106       |
| 25 | Temporomandibular Joint Disorders™ Impact on Pain, Function, and Disability. <i>Journal of Dental Research</i> , 2015, 94, 79S-86S.   | 2.5 | 105       |
| 26 | Frequency of Nonodontogenic Pain after Endodontic Therapy: A Systematic Review and Meta-Analysis. <i>Journal of Endodontics</i> , 2010, 36, 1494-1498.  | 1.4 | 99        |
| 27 | Health Outcomes Reported by Dental Patients. <i>Journal of Evidence-based Dental Practice</i> , 2018, 18, 332-335.  | 0.7 | 99        |
| 28 | An Approach to Define Clinical Significance in Prosthodontics. <i>Journal of Prosthodontics</i> , 2009, 18, 455-460.  | 1.7 | 97        |
| 29 | The Dutch version of the Oral Health Impact Profile (OHIP-NL): Translation, reliability and construct validity. <i>BMC Oral Health</i> , 2008, 8, 11.   | 0.8 | 90        |
| 30 | What is the impact of acute and chronic orofacial pain on quality of life?. <i>Journal of Dentistry</i> , 2015, 43, 1203-1210.  | 1.7 | 87        |
| 31 | Patient-Reported Outcome Measures for Adult Dental Patients: A Systematic Review. <i>Journal of Evidence-based Dental Practice</i> , 2019, 19, 53-70.   | 0.7 | 76        |
| 32 | Influence of headache frequency on clinical signs and symptoms of TMD in subjects with temple headache and TMD pain. <i>Pain</i> , 2011, 152, 765-771.  | 2.0 | 75        |
| 33 | Patterns of impaired oral health-related quality of life dimensions. <i>Journal of Oral Rehabilitation</i> , 2016, 43, 519-527.   | 1.3 | 69        |
| 34 | Diagnostic criteria for headache attributed to temporomandibular disorders. <i>Cephalalgia</i> , 2012, 32, 683-692.   | 1.8 | 66        |
| 35 | Mandibular jaw movement capacity in 10?17-yr-old children and adolescents: normative values and the influence of gender, age, and temporomandibular disorders. <i>European Journal of Oral Sciences</i> , 2006, 114, 465-470. | 0.7 | 65        |
| 36 | Association between perceived oral and general health. <i>Journal of Dentistry</i> , 2013, 41, 581-589.   | 1.7 | 65        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Does Removable Partial Denture Quality Affect Individuals' Oral Health?. <i>Journal of Dental Research</i> , 2008, 87, 736-739.  | 2.5 | 63        |
| 38 | Comparison of perceived oral health in patients with temporomandibular disorders and dental anxiety using oral health-related quality of life profiles. <i>Quality of Life Research</i> , 2008, 17, 857-866.                 | 1.5 | 62        |
| 39 | Association between perceived chewing ability and oral health-related quality of life in partially dentate patients. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 118.  | 1.0 | 62        |
| 40 | Validation of the English-language version of 5-item Oral Health Impact Profile. <i>Journal of Prosthodontic Research</i> , 2016, 60, 85-91.   | 1.1 | 62        |
| 41 | Development of an Orofacial Esthetic Scale in prosthodontic patients. <i>International Journal of Prosthodontics</i> , 2010, 23, 249-56.   | 0.7 | 61        |
| 42 | No association between incisal tooth wear and temporomandibular disorders. <i>Journal of Prosthetic Dentistry</i> , 2002, 87, 197-203.   | 1.1 | 60        |
| 43 | The Hungarian version of the Oral Health Impact Profile. <i>European Journal of Oral Sciences</i> , 2006, 114, 197-203.  | 0.7 | 58        |
| 44 | Sleep quality in temporomandibular disorder cases. <i>Sleep Medicine</i> , 2016, 25, 105-112.  | 0.8 | 58        |
| 45 | A cross-national comparison of income gradients in oral health quality of life in four welfare states: application of the Korpi and Palme typology. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 569-574. | 2.0 | 57        |
| 46 | Factor analyses of the Oral Health Impact Profile – Overview and studied population. <i>Journal of Prosthodontic Research</i> , 2014, 58, 26-34.   | 1.1 | 57        |
| 47 | Translating the research diagnostic criteria for temporomandibular disorders into German: evaluation of content and process. <i>Journal of Orofacial Pain</i> , 2006, 20, 43-52.   | 1.7 | 57        |
| 48 | Association between generalized joint hypermobility and signs and diagnoses of temporomandibular disorders. <i>European Journal of Oral Sciences</i> , 2008, 116, 525-530.   | 0.7 | 56        |
| 49 | Research Diagnostic Criteria for Temporomandibular Disorders: A Calibration and Reliability Study. <i>Cranio - Journal of Craniomandibular Practice</i> , 2005, 23, 212-218.   | 0.6 | 55        |
| 50 | Psychosocial profiles of diagnostic subgroups of temporomandibular disorder patients. <i>European Journal of Oral Sciences</i> , 2008, 116, 237-244.   | 0.7 | 55        |
| 51 | Feasibility of oral health-related quality of life assessment in prosthodontic patients using abbreviated Oral Health Impact Profile questionnaires. <i>Journal of Oral Rehabilitation</i> , 2008, 35, 224-228.              | 1.3 | 55        |
| 52 | A network meta-analysis of interproximal oral hygiene methods in the reduction of clinical indices of inflammation. <i>Journal of Periodontology</i> , 2018, 89, 558-570.  | 1.7 | 55        |
| 53 | Integration of oral health-related quality of life instruments. <i>Journal of Dentistry</i> , 2016, 53, 38-43.   | 1.7 | 51        |
| 54 | Problems reported by patients before and after prosthodontic treatment. <i>International Journal of Prosthodontics</i> , 2005, 18, 124-31.   | 0.7 | 51        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | An Arabic version of the Oral Health Impact Profile: translation and psychometric properties. <i>International Dental Journal</i> , 2007, 57, 84-92.  | 1.0 | 49        |
| 56 | Recalibration improves inter-examiner reliability of TMD examination. <i>Acta Odontologica Scandinavica</i> , 2006, 64, 146-152.  | 0.9 | 48        |
| 57 | Association of temporomandibular disorder pain with awake and sleep bruxism in adults. <i>Journal of Orofacial Orthopedics</i> , 2015, 76, 305-317.   | 0.5 | 48        |
| 58 | The Research Diagnostic Criteria For Temporomandibular Disorders. II: reliability of Axis I diagnoses and selected clinical measures. <i>Journal of Orofacial Pain</i> , 2010, 24, 25-34.                                   | 1.7 | 47        |
| 59 | Exploration of dimensionality and psychometric properties of the Pittsburgh Sleep Quality Index in cases with temporomandibular disorders. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 10.                       | 1.0 | 46        |
| 60 | Patterns of missing occlusal units and oral health-related quality of life in SDA patients. <i>Journal of Oral Rehabilitation</i> , 2008, 35, 621-628.  | 1.3 | 42        |
| 61 | Network meta-analysis of studies included in the Clinical Practice Guideline on the nonsurgical treatment of chronic periodontitis. <i>Journal of Clinical Periodontology</i> , 2017, 44, 603-611.                          | 2.3 | 42        |
| 62 | Reliability and validity of the Orofacial Esthetic Scale in prosthodontic patients. <i>International Journal of Prosthodontics</i> , 2010, 23, 257-62.  | 0.7 | 42        |
| 63 | Exploring dimensions of oral health-related quality of life using experts' opinions. <i>Quality of Life Research</i> , 2007, 16, 697-704.   | 1.5 | 41        |
| 64 | The German version of the Child Perceptions Questionnaire (CPQ-G11-14): translation process, reliability, and validity in the general population. <i>Clinical Oral Investigations</i> , 2012, 16, 165-171.                  | 1.4 | 40        |
| 65 | Reliability of a Questionnaire Assessing Experiences of Adolescents in Orthodontic Treatment. <i>Angle Orthodontist</i> , 2007, 77, 311-317.  | 1.1 | 39        |
| 66 | Association between anterior tooth wear and temporomandibular disorder pain in a German population. <i>Journal of Prosthetic Dentistry</i> , 2007, 97, 305-309.   | 1.1 | 38        |
| 67 | Use of the Research Diagnostic Criteria for Temporomandibular Disorders for multinational research: translation efforts and reliability assessments in The Netherlands. <i>Journal of Orofacial Pain</i> , 2005, 19, 301-8. | 1.7 | 38        |
| 68 | The relationship between missing occlusal units and oral health-related quality of life in patients with shortened dental arches. <i>International Journal of Prosthodontics</i> , 2008, 21, 72-4.                          | 0.7 | 38        |
| 69 | Temporomandibular Disorder Pain Is Related to the General Disposition to be Anxious. <i>Journal of Oral and Facial Pain and Headache</i> , 2018, 28, 322-330.   | 0.7 | 36        |
| 70 | Why Patients Visit Dentists – A Study in all World Health Organization Regions. <i>Journal of Evidence-based Dental Practice</i> , 2020, 20, 101459.  | 0.7 | 36        |
| 71 | Foundations of oral health-related quality of life. <i>Journal of Oral Rehabilitation</i> , 2021, 48, 355-359.  | 1.3 | 36        |
| 72 | Influence of administration method on oral health-related quality of life assessment using the Oral Health Impact Profile. <i>European Journal of Oral Sciences</i> , 2011, 119, 73-78.                                     | 0.7 | 35        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | The course of prosthodontic patients' oral health-related quality of life over a period of 2 years. <i>Journal of Dentistry</i> , 2015, 43, 261-268.   | 1.7 | 33        |
| 74 | Interaction Between Awake and Sleep Bruxism Is Associated with Increased Presence of Painful Temporomandibular Disorder. <i>Journal of Oral and Facial Pain and Headache</i> , 2017, 31, 299-305.          | 0.7 | 33        |
| 75 | RECOMMENDATIONS FOR USE AND SCORING OF ORAL HEALTH IMPACT PROFILE VERSIONS. <i>Journal of Evidence-based Dental Practice</i> , 2022, 22, 101619.   | 0.7 | 33        |
| 76 | Validating an alternate version of the chewing function questionnaire in partially dentate patients. <i>BMC Oral Health</i> , 2009, 9, 9.  | 0.8 | 30        |
| 77 | Craniofacial and intraoral phenotype of Robinow syndrome forms. <i>Clinical Genetics</i> , 2011, 80, 15-24.  | 1.0 | 27        |
| 78 | The Oral Health Impact Profile: ranking of items for temporomandibular disorders. <i>European Journal of Oral Sciences</i> , 2011, 119, 169-174.   | 0.7 | 27        |
| 79 | Differential Diagnoses for Persistent Pain after Root Canal Treatment: A Study in the National Dental Practice-based Research Network. <i>Journal of Endodontics</i> , 2015, 41, 457-463.                  | 1.4 | 27        |
| 80 | Validation of the Orofacial Esthetic Scale in the general population. <i>Health and Quality of Life Outcomes</i> , 2012, 10, 135.  | 1.0 | 25        |
| 81 | Interpreting one oral health impact profile point. <i>Health and Quality of Life Outcomes</i> , 2013, 11, 12.  | 1.0 | 25        |
| 82 | Overbite and Overjet are not Related to Self-report of Temporomandibular Disorder Symptoms. <i>Journal of Dental Research</i> , 2002, 81, 164-169.   | 2.5 | 24        |
| 83 | A 7-day recall period for a clinical application of the oral health impact profile questionnaire. <i>Clinical Oral Investigations</i> , 2016, 20, 91-99.   | 1.4 | 24        |
| 84 | No significant retest effects in oral health-related quality of life assessment using the Oral Health Impact Profile. <i>Acta Odontologica Scandinavica</i> , 2008, 66, 135-138.                           | 0.9 | 23        |
| 85 | Association of overjet and overbite with esthetic impairments of oral health-related quality of life. <i>Journal of Orofacial Orthopedics</i> , 2015, 76, 405-420.   | 0.5 | 23        |
| 86 | Impact of shortened dental arch on oral health-related quality of life over a period of 10 years – A randomized controlled trial. <i>Journal of Dentistry</i> , 2019, 80, 55-62.                           | 1.7 | 23        |
| 87 | Nonmalignant Oral Disease--Specific Dental Patient-Reported Outcome Measures for Adult Patients: A Systematic Review. <i>Journal of Evidence-based Dental Practice</i> , 2021, 21, 101529.                 | 0.7 | 23        |
| 88 | Multifactorial modeling of temporomandibular anatomic and orthopedic relationships in normal versus undifferentiated disk displacement joints. <i>Journal of Prosthetic Dentistry</i> , 2002, 87, 289-297. | 1.1 | 21        |
| 89 | Reliability of the Beighton Hypermobility Index to Determinate the General Joint Laxity Performed by Dentists. <i>Journal of Orofacial Orthopedics</i> , 2007, 68, 342-352.                                | 0.5 | 21        |
| 90 | Improved perceived general health is observed with prosthodontic treatment. <i>Journal of Dentistry</i> , 2011, 39, 326-331.   | 1.7 | 21        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | The German version of the child perceptions questionnaire on oral health-related quality of life (CPQ-G11â€“14). <i>Journal of Orofacial Orthopedics</i> , 2011, 72, 223-233.   | 0.5 | 21        |
| 92  | Impact of response shift on the assessment of treatment effects using the Oral Health Impact Profile. <i>European Journal of Oral Sciences</i> , 2012, 120, 520-525.  | 0.7 | 21        |
| 93  | Incisal tooth wear and self-reported TMD pain in children and adolescents. <i>International Journal of Prosthodontics</i> , 2004, 17, 205-10.   | 0.7 | 21        |
| 94  | Dental patients' functional, pain-related, aesthetic, and psychosocial impact of oral conditions on quality of lifeâ€“Project overview, data collection, quality assessment, and publication bias. <i>Journal of Oral Rehabilitation</i> , 2021, 48, 246-255. | 1.3 | 20        |
| 95  | Association between factors related to the time of wearing complete dentures and oral health-related quality of life in patients who maintained a recall. <i>International Journal of Prosthodontics</i> , 2007, 20, 31-6.                                    | 0.7 | 20        |
| 96  | Multifactorial comparison of disk displacement with and without reduction to normals according to temporomandibular joint hard tissue anatomic relationships. <i>Journal of Prosthetic Dentistry</i> , 2002, 87, 298-310.                                     | 1.1 | 19        |
| 97  | Validation of the response format of the Oral Health Impact Profile. <i>European Journal of Oral Sciences</i> , 2011, 119, 489-496.   | 0.7 | 19        |
| 98  | Development, validity and reliability of the Orofacial Esthetic Scale â€“ Spanish version. <i>Journal of Prosthodontic Research</i> , 2018, 62, 456-461.  | 1.1 | 19        |
| 99  | Relationship between overbite/overjet and clicking or crepitus of the temporomandibular joint. <i>Journal of Orofacial Pain</i> , 2005, 19, 218-25.   | 1.7 | 19        |
| 100 | Stress-related adaptive versus maladaptive coping and temporomandibular disorder pain. <i>Journal of Orofacial Pain</i> , 2012, 26, 181-90.   | 1.7 | 19        |
| 101 | Depression as a Risk Factor for Denture Dissatisfaction. <i>Journal of Dental Research</i> , 2007, 86, 852-856.   | 2.5 | 18        |
| 102 | Oral health-related quality of life in patients treated with fixed, removable, and complete dentures 1 month and 6 to 12 months after treatment. <i>Journal of Prosthetic Dentistry</i> , 2005, 93, 466.  | 1.1 | 17        |
| 103 | The German 19-item version of the Child Oral Health Impact Profile: translation and psychometric properties. <i>Clinical Oral Investigations</i> , 2016, 20, 301-313.   | 1.4 | 17        |
| 104 | Diagnostic accuracy of parents' ratings of their child's oral health-related quality of life. <i>Quality of Life Research</i> , 2017, 26, 881-891.  | 1.5 | 17        |
| 105 | Mapping Oral Disease Impact with a Common Metric (MOM)â€“Project summary and recommendations. <i>Journal of Oral Rehabilitation</i> , 2021, 48, 305-307.  | 1.3 | 17        |
| 106 | Sensitivity to change of oral and general health-related quality of life during prosthodontic treatment. <i>European Journal of Oral Sciences</i> , 2014, 122, 70-77.   | 0.7 | 14        |
| 107 | Location of prosthodontic treatment and oral health-related quality of life â€“ An exploratory study. <i>Journal of Prosthodontic Research</i> , 2015, 59, 34-41.   | 1.1 | 14        |
| 108 | Longitudinal measurement invariance in prospective oral health-related quality of life assessment. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 88.   | 1.0 | 14        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Impaired oral health-related quality of life in Hungary. <i>Acta Odontologica Scandinavica</i> , 2011, 69, 108-117.   | 0.9 | 13        |
| 110 | The Spanish Language 5-Item Oral Health Impact Profile. <i>International Dental Journal</i> , 2020, 70, 127-135.  | 1.0 | 12        |
| 111 | Bayesian Network Meta-analysis of Multiple Outcomes in Dental Research. <i>Journal of Evidence-based Dental Practice</i> , 2020, 20, 101403.  | 0.7 | 12        |
| 112 | Influence of temple headache frequency on physical functioning and emotional functioning in subjects with temporomandibular disorder pain. <i>Journal of Orofacial Pain</i> , 2012, 26, 83-90.  | 1.7 | 12        |
| 113 | Development and psychometric properties of the Portuguese version of the Orofacial Esthetic Scale: OES-Pt. <i>PeerJ</i> , 2020, 8, e8814.   | 0.9 | 11        |
| 114 | Including the patient's oral health perspective in evidence-based decision-making. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , 2021, 64, 959-966.  | 7.2 | 10        |
| 115 | Association between Oral Health-Related and Health-Related Quality of Life. <i>Zdravstveno Varstvo</i> , 2020, 59, 65-74.   | 0.6 | 10        |
| 116 | Cruise Medicine: The Dental Perspective on Health Care for Passengers During a World Cruise. <i>Journal of Travel Medicine</i> , 2008, 15, 19-24.   | 1.4 | 9         |
| 117 | Prevalence and normative values for jaw functional limitations in the general population in Sweden. <i>Oral Diseases</i> , 2019, 25, 580-587.   | 1.5 | 9         |
| 118 | The short-term effect of prosthodontic treatment on self-reported oral health status: the use of a single-item questionnaire. <i>International Journal of Prosthodontics</i> , 2007, 20, 507-13.  | 0.7 | 9         |
| 119 | Evaluation of a magnetic resonance-compatible dentoalveolar tactile stimulus device. <i>BMC Neuroscience</i> , 2010, 11, 142.   | 0.8 | 8         |
| 120 | Examining the Sensitivity and Specificity of 2 Screening Instruments: Odontogenic or Temporomandibular Disorder Pain?. <i>Journal of Endodontics</i> , 2017, 43, 36-45.   | 1.4 | 8         |
| 121 | Measuring patients' orofacial appearance. <i>Journal of the American Dental Association</i> , 2019, 150, 278-286.   | 0.7 | 8         |
| 122 | Electric toothbrush application is a reliable and valid test for differentiating temporomandibular disorders pain patients from controls. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 94.  | 0.8 | 7         |
| 123 | STANDARDIZATION OF DENTAL PATIENT-REPORTED OUTCOMES MEASUREMENT USING OHIP-5 – VALIDATION OF RECOMMENDATIONS FOR USE AND SCORING OF ORAL HEALTH IMPACT PROFILE VERSIONS. <i>Journal of Evidence-based Dental Practice</i> , 2022, 22, 101645. | 0.7 | 7         |
| 124 | Confirmation of the unidimensional structure of the Oral Health Literacy Adults Questionnaire. <i>International Dental Journal</i> , 2019, 69, 207-213.   | 1.0 | 6         |
| 125 | Pediatric patients' reasons for visiting dentists in all WHO regions. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 165.   | 1.0 | 6         |
| 126 | Commonalities among dental patient-reported outcomes (dPROs) – A Delphi consensus study. <i>PLoS ONE</i> , 2022, 17, e0268750.  | 1.1 | 6         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Oral health-related quality of life is substantially impaired in patients who seek referral to a periodontal specialty practice. <i>Journal of Evidence-based Dental Practice</i> , 2005, 5, 82-83.  | 0.7 | 5         |
| 128 | Improving TMD classification using the Delphi technique. <i>Journal of Oral Rehabilitation</i> , 2010, 37, 766-770.  | 1.3 | 5         |
| 129 | Oral health in the Japan self-defense forces - a representative survey. <i>BMC Oral Health</i> , 2011, 11, 14.   | 0.8 | 5         |
| 130 | Assessment of differential item functioning across English and Spanish versions of the Orofacial Esthetic Scale. <i>Journal of Oral Rehabilitation</i> , 2021, 48, 73-80.  | 1.3 | 5         |
| 131 | IMPACT OF SHORTENED DENTAL ARCH ON ORAL HEALTH-RELATED QUALITY OF LIFE. <i>Journal of Evidence-based Dental Practice</i> , 2021, 21, 101622.   | 0.7 | 5         |
| 132 | Prosthetic status is related to quality of life. <i>Journal of Evidence-based Dental Practice</i> , 2006, 6, 222-223.  | 0.7 | 4         |
| 133 | Item and scale properties of the Oral Health Literacy Adults Questionnaire assessed by item response theory. <i>Journal of Public Health Dentistry</i> , 2021, 81, 214-223.  | 0.5 | 4         |
| 134 | Development of a one-item version of the Orofacial Esthetic Scale. <i>Clinical Oral Investigations</i> , 2022, 26, 713-718.  | 1.4 | 4         |
| 135 | Mapping oral disease impact with a single metric –Special Issue introduction. <i>Journal of Oral Rehabilitation</i> , 2021, 48, 207-209.   | 1.3 | 4         |
| 136 | Oral health-related quality of life is often poor among patients seeking third molar surgery. <i>Journal of Evidence-based Dental Practice</i> , 2005, 5, 158-159.   | 0.7 | 3         |
| 137 | Dental Anxiety Is Considerably Associated With Pain Experience During Dental Procedures. <i>Journal of Evidence-based Dental Practice</i> , 2013, 13, 29-30.   | 0.7 | 3         |
| 138 | Exploration of dimensionality and psychometric properties of the Pittsburgh Sleep Quality Index in cases with temporomandibular disorders. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 10.  | 1.0 | 3         |
| 139 | Augmenting beta regression for periodontal proportion data via the SAS NLMIXED procedure. <i>Journal of Applied Probability and Statistics</i> , 2017, 12, 49-66.  | 0.0 | 3         |
| 140 | Mood psychopathology is possibly associated with bruxism. <i>Journal of Evidence-based Dental Practice</i> , 2006, 6, 189-190.   | 0.7 | 2         |
| 141 | There Is no Conclusive Evidence for a Relationship Between the Structure of the Lower Face and Temporomandibular Disorders. <i>Journal of Evidence-based Dental Practice</i> , 2007, 7, 73-74.   | 0.7 | 2         |
| 142 | Splint Therapy Over a Time Period of 3 Months Does Not Provide Additional Benefit for TMD Pain Relief Over Dentist-Prescribed Self-Care Alone. <i>Journal of Evidence-based Dental Practice</i> , 2007, 7, 160-161.                                  | 0.7 | 2         |
| 143 | Dentists Should Participate in the Management of Patients with Obstructive Sleep Apnea and Socially Disruptive Snoring – Findings From a Survey of Scottish Sleep Specialists. <i>Journal of Evidence-based Dental Practice</i> , 2010, 10, 107-108. | 0.7 | 2         |
| 144 | Whiplash is Likely to be Associated with Temporomandibular Disorder Symptoms, but the Magnitude of this Association is not Known. <i>Journal of Evidence-based Dental Practice</i> , 2011, 11, 127-128.  | 0.7 | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Insufficient diagnostic accuracy of a single-item questionnaire to detect psychosocial distress in temporomandibular disorder patients. <i>Clinical Oral Investigations</i> , 2013, 17, 1937-1945.                           | 1.4 | 2         |
| 146 | Frequency of four-dimensional oral health problems across dental fields – A comparative survey of Slovenian and international dentists. <i>Zdravstveno Varstvo</i> , 2021, 60, 210-220.                                      | 0.6 | 2         |
| 147 | Mandibular Advancement Appliances Improve Some Aspects of Health-Related Quality of Life in Patients with Sleep-Disordered Breathing. <i>Journal of Evidence-based Dental Practice</i> , 2007, 7, 170-171.                   | 0.7 | 1         |
| 148 | Is assessment of oral health-related quality of life burdensome? An item nonresponse analysis of the oral health impact profile. <i>BMC Oral Health</i> , 2021, 21, 605.   | 0.8 | 1         |
| 149 | Complementary and Alternative Medicine may be Effective for Reducing TMD Pain. <i>Journal of Evidence-based Dental Practice</i> , 2009, 9, 18-20.  | 0.7 | 0         |
| 150 | Patients Treated by Surgery for Oral and Oropharyngeal Squamous Cell Carcinoma Report Similar Appearance Issues at Follow-Up as the General Population. <i>Journal of Evidence-based Dental Practice</i> , 2009, 9, 244-246. | 0.7 | 0         |
| 151 | Individuals Sustaining Snowboarding and Skiing Accidents have Different Maxillofacial Injury Profiles. <i>Journal of Evidence-based Dental Practice</i> , 2010, 10, 259-260.   | 0.7 | 0         |
| 152 | Response to Letter to the Editor, “Temporomandibular Joint Disorders”™ Impact, Research Models, and Implications for Regenerative Approaches. <i>Journal of Dental Research</i> , 2015, 94, 864-864.                         | 2.5 | 0         |
| 153 | Should the frequency, severity, or both response scales be used for multi-item dental patient-reported outcome measures?. <i>PeerJ</i> , 2022, 10, e12717.   | 0.9 | 0         |