

Mike T John

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4870643/publications.pdf>

Version: 2024-02-01

153
papers

10,134
citations

36271

51
h-index

37183

96
g-index

155
all docs

155
docs citations

155
times ranked

6267
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of a one-item version of the Orofacial Esthetic Scale. <i>Clinical Oral Investigations</i> , 2022, 26, 713-718.	1.4	4
2	RECOMMENDATIONS FOR USE AND SCORING OF ORAL HEALTH IMPACT PROFILE VERSIONS. <i>Journal of Evidence-based Dental Practice</i> , 2022, 22, 101619.	0.7	33
3	STANDARDIZATION OF DENTAL PATIENT-REPORTED OUTCOMES MEASUREMENT USING OHIP-5 – VALIDATION OF RECOMMENDATIONS FOR USE AND SCORING OF ORAL HEALTH IMPACT PROFILE VERSIONS. <i>Journal of Evidence-based Dental Practice</i> , 2022, 22, 101645.	0.7	7
4	Should the frequency, severity, or both response scales be used for multi-item dental patient-reported outcome measures?. <i>PeerJ</i> , 2022, 10, e12717.	0.9	0
5	Commonalities among dental patient-reported outcomes (dPROs) – A Delphi consensus study. <i>PLoS ONE</i> , 2022, 17, e0268750.	1.1	6
6	Item and scale properties of the Oral Health Literacy Adults Questionnaire assessed by item response theory. <i>Journal of Public Health Dentistry</i> , 2021, 81, 214-223.	0.5	4
7	Dental patients' functional, pain-related, aesthetic, and psychosocial impact of oral conditions on quality of life – Project overview, data collection, quality assessment, and publication bias. <i>Journal of Oral Rehabilitation</i> , 2021, 48, 246-255.	1.3	20
8	Foundations of oral health-related quality of life. <i>Journal of Oral Rehabilitation</i> , 2021, 48, 355-359.	1.3	36
9	Assessment of differential item functioning across English and Spanish versions of the Orofacial Esthetic Scale. <i>Journal of Oral Rehabilitation</i> , 2021, 48, 73-80.	1.3	5
10	Mapping Oral Disease Impact with a Common Metric (MOM) – Project summary and recommendations. <i>Journal of Oral Rehabilitation</i> , 2021, 48, 305-307.	1.3	17
11	Nonmalignant Oral Disease-Specific Dental Patient-Reported Outcome Measures for Adult Patients: A Systematic Review. <i>Journal of Evidence-based Dental Practice</i> , 2021, 21, 101529.	0.7	23
12	Pediatric patients' reasons for visiting dentists in all WHO regions. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 165.	1.0	6
13	Including the patient's oral health perspective in evidence-based decision-making. <i>Bundesgesundheitsblatt - Gesundheitsforschung - Gesundheitsschutz</i> , 2021, 64, 959-966.	7.2	10
14	IMPACT OF SHORTENED DENTAL ARCH ON ORAL HEALTH-RELATED QUALITY OF LIFE. <i>Journal of Evidence-based Dental Practice</i> , 2021, 21, 101622.	0.7	5
15	Mapping oral disease impact with a single metric – Special Issue introduction. <i>Journal of Oral Rehabilitation</i> , 2021, 48, 207-209.	1.3	4
16	Frequency of four-dimensional oral health problems across dental fields – A comparative survey of Slovenian and international dentists. <i>Zdravstveno Varstvo</i> , 2021, 60, 210-220.	0.6	2
17	Is assessment of oral health-related quality of life burdensome? An item nonresponse analysis of the oral health impact profile. <i>BMC Oral Health</i> , 2021, 21, 605.	0.8	1
18	The Spanish Language 5-Item Oral Health Impact Profile. <i>International Dental Journal</i> , 2020, 70, 127-135.	1.0	12

#	ARTICLE	IF	CITATIONS
19	Why Patients Visit Dentists â€” A Study in all World Health Organization Regions. Journal of Evidence-based Dental Practice, 2020, 20, 101459.	0.7	36
20	Bayesian Network Meta-analysis of Multiple Outcomes in Dental Research. Journal of Evidence-based Dental Practice, 2020, 20, 101403.	0.7	12
21	Association between Oral Health-Related and Health-Related Quality of Life. Zdravstveno Varstvo, 2020, 59, 65-74.	0.6	10
22	Development and psychometric properties of the Portuguese version of the Orofacial Esthetic Scale: OES-Pt. PeerJ, 2020, 8, e8814.	0.9	11
23	Prevalence and normative values for jaw functional limitations in the general population in Sweden. Oral Diseases, 2019, 25, 580-587.	1.5	9
24	Measuring patients' orofacial appearance. Journal of the American Dental Association, 2019, 150, 278-286.	0.7	8
25	Confirmation of the unidimensional structure of the Oral Health Literacy Adults Questionnaire. International Dental Journal, 2019, 69, 207-213.	1.0	6
26	Impact of shortened dental arch on oral health-related quality of life over a period of 10 years â€” A randomized controlled trial. Journal of Dentistry, 2019, 80, 55-62.	1.7	23
27	Patient-Reported Outcome Measures for Adult Dental Patients: A Systematic Review. Journal of Evidence-based Dental Practice, 2019, 19, 53-70.	0.7	76
28	A network meta-analysis of interproximal oral hygiene methods in the reduction of clinical indices of inflammation. Journal of Periodontology, 2018, 89, 558-570.	1.7	55
29	Temporomandibular Disorder Pain Is Related to the General Disposition to be Anxious. Journal of Oral and Facial Pain and Headache, 2018, 28, 322-330.	0.7	36
30	Health Outcomes Reported by Dental Patients. Journal of Evidence-based Dental Practice, 2018, 18, 332-335.	0.7	99
31	Development, validity and reliability of the Orofacial Esthetic Scale â€” Spanish version. Journal of Prosthodontic Research, 2018, 62, 456-461.	1.1	19
32	Network meta-analysis of studies included in the Clinical Practice Guideline on the nonsurgical treatment of chronic periodontitis. Journal of Clinical Periodontology, 2017, 44, 603-611.	2.3	42
33	Examining the Sensitivity and Specificity of 2 Screening Instruments: Odontogenic or Temporomandibular Disorder Pain?. Journal of Endodontics, 2017, 43, 36-45.	1.4	8
34	Diagnostic accuracy of parentsâ€™ ratings of their childâ€™s oral health-related quality of life. Quality of Life Research, 2017, 26, 881-891.	1.5	17
35	Interaction Between Awake and Sleep Bruxism Is Associated with Increased Presence of Painful Temporomandibular Disorder. Journal of Oral and Facial Pain and Headache, 2017, 31, 299-305.	0.7	33
36	Augmenting beta regression for periodontal proportion data via the SAS NLMIXED procedure. Journal of Applied Probability and Statistics, 2017, 12, 49-66.	0.0	3

#	ARTICLE	IF	CITATIONS
37	Patterns of impaired oral health-related quality of life dimensions. <i>Journal of Oral Rehabilitation</i> , 2016, 43, 519-527.	1.3	69
38	Integration of oral health-related quality of life instruments. <i>Journal of Dentistry</i> , 2016, 53, 38-43.	1.7	51
39	Longitudinal measurement invariance in prospective oral health-related quality of life assessment. <i>Health and Quality of Life Outcomes</i> , 2016, 14, 88.	1.0	14
40	Sleep quality in temporomandibular disorder cases. <i>Sleep Medicine</i> , 2016, 25, 105-112.	0.8	58
41	A 7-day recall period for a clinical application of the oral health impact profile questionnaire. <i>Clinical Oral Investigations</i> , 2016, 20, 91-99.	1.4	24
42	Validation of the English-language version of 5-item Oral Health Impact Profile. <i>Journal of Prosthodontic Research</i> , 2016, 60, 85-91.	1.1	62
43	The German 19-item version of the Child Oral Health Impact Profile: translation and psychometric properties. <i>Clinical Oral Investigations</i> , 2016, 20, 301-313.	1.4	17
44	Response to Letter to the Editor, "Temporomandibular Joint Disorders™ Impact, Research Models, and Implications for Regenerative Approaches". <i>Journal of Dental Research</i> , 2015, 94, 864-864.	2.5	0
45	Temporomandibular Joint Disorders™ Impact on Pain, Function, and Disability. <i>Journal of Dental Research</i> , 2015, 94, 79S-86S.	2.5	105
46	Location of prosthodontic treatment and oral health-related quality of life – An exploratory study. <i>Journal of Prosthodontic Research</i> , 2015, 59, 34-41.	1.1	14
47	What is the impact of acute and chronic orofacial pain on quality of life?. <i>Journal of Dentistry</i> , 2015, 43, 1203-1210.	1.7	87
48	Association of temporomandibular disorder pain with awake and sleep bruxism in adults. <i>Journal of Orofacial Orthopedics</i> , 2015, 76, 305-317.	0.5	48
49	Systematic review and meta-analysis on the nonsurgical treatment of chronic periodontitis by means of scaling and root planing with or without adjuncts. <i>Journal of the American Dental Association</i> , 2015, 146, 508-524.e5.	0.7	199
50	Evidence-based clinical practice guideline on the nonsurgical treatment of chronic periodontitis by means of scaling and root planing with or without adjuncts. <i>Journal of the American Dental Association</i> , 2015, 146, 525-535.	0.7	138
51	Differential Diagnoses for Persistent Pain after Root Canal Treatment: A Study in the National Dental Practice-based Research Network. <i>Journal of Endodontics</i> , 2015, 41, 457-463.	1.4	27
52	Association of overjet and overbite with esthetic impairments of oral health-related quality of life. <i>Journal of Orofacial Orthopedics</i> , 2015, 76, 405-420.	0.5	23
53	The course of prosthodontic patients™ oral health-related quality of life over a period of 2 years. <i>Journal of Dentistry</i> , 2015, 43, 261-268.	1.7	33
54	Sensitivity to change of oral and general health-related quality of life during prosthodontic treatment. <i>European Journal of Oral Sciences</i> , 2014, 122, 70-77.	0.7	14

#	ARTICLE	IF	CITATIONS
55	Confirmatory factor analysis of the Oral Health Impact Profile. Journal of Oral Rehabilitation, 2014, 41, 644-652.	1.3	137
56	Factor analyses of the Oral Health Impact Profile – Overview and studied population. Journal of Prosthodontic Research, 2014, 58, 26-34.	1.1	57
57	Exploration of dimensionality and psychometric properties of the Pittsburgh Sleep Quality Index in cases with temporomandibular disorders. Health and Quality of Life Outcomes, 2014, 12, 10.	1.0	46
58	Exploratory factor analysis of the Oral Health Impact Profile. Journal of Oral Rehabilitation, 2014, 41, 635-643.	1.3	125
59	Diagnostic Criteria for Temporomandibular Disorders (DC/TMD) for Clinical and Research Applications: Recommendations of the International RDC/TMD Consortium Network* and Orofacial Pain Special Interest Group. Journal of Oral and Facial Pain and Headache, 2014, 28, 6-27.	0.7	2,581
60	Exploration of dimensionality and psychometric properties of the Pittsburgh Sleep Quality Index in cases with temporomandibular disorders. Health and Quality of Life Outcomes, 2014, 12, 10.	1.0	3
61	Interpreting one oral health impact profile point. Health and Quality of Life Outcomes, 2013, 11, 12.	1.0	25
62	Association between perceived oral and general health. Journal of Dentistry, 2013, 41, 581-589.	1.7	65
63	Insufficient diagnostic accuracy of a single-item questionnaire to detect psychosocial distress in temporomandibular disorder patients. Clinical Oral Investigations, 2013, 17, 1937-1945.	1.4	2
64	Impact of periodontitis on oral health-related quality of life. Journal of Dentistry, 2013, 41, 370-376.	1.7	167
65	Dental Anxiety Is Considerably Associated With Pain Experience During Dental Procedures. Journal of Evidence-based Dental Practice, 2013, 13, 29-30.	0.7	3
66	Validation of the Orofacial Esthetic Scale in the general population. Health and Quality of Life Outcomes, 2012, 10, 135.	1.0	25
67	Impact of response shift on the assessment of treatment effects using the Oral Health Impact Profile. European Journal of Oral Sciences, 2012, 120, 520-525.	0.7	21
68	Diagnostic criteria for headache attributed to temporomandibular disorders. Cephalalgia, 2012, 32, 683-692.	1.8	66
69	The German version of the Child Perceptions Questionnaire (CPQ-G11-14): translation process, reliability, and validity in the general population. Clinical Oral Investigations, 2012, 16, 165-171.	1.4	40
70	Influence of temple headache frequency on physical functioning and emotional functioning in subjects with temporomandibular disorder pain. Journal of Orofacial Pain, 2012, 26, 83-90.	1.7	12
71	Stress-related adaptive versus maladaptive coping and temporomandibular disorder pain. Journal of Orofacial Pain, 2012, 26, 181-90.	1.7	19
72	Impaired oral health-related quality of life in Hungary. Acta Odontologica Scandinavica, 2011, 69, 108-117.	0.9	13

#	ARTICLE	IF	CITATIONS
73	Cone-beam Computed Tomography Evaluation of Maxillary Sinusitis. Journal of Endodontics, 2011, 37, 753-757.	1.4	170
74	Improved perceived general health is observed with prosthodontic treatment. Journal of Dentistry, 2011, 39, 326-331.	1.7	21
75	Whiplash is Likely to be Associated with Temporomandibular Disorder Symptoms, but the Magnitude of this Association is not Known. Journal of Evidence-based Dental Practice, 2011, 11, 127-128.	0.7	2
76	Craniofacial and intraoral phenotype of Robinow syndrome forms. Clinical Genetics, 2011, 80, 15-24.	1.0	27
77	Influence of administration method on oral health-related quality of life assessment using the Oral Health Impact Profile. European Journal of Oral Sciences, 2011, 119, 73-78.	0.7	35
78	The Oral Health Impact Profile: ranking of items for temporomandibular disorders. European Journal of Oral Sciences, 2011, 119, 169-174.	0.7	27
79	Validation of the response format of the Oral Health Impact Profile. European Journal of Oral Sciences, 2011, 119, 489-496.	0.7	19
80	Influence of headache frequency on clinical signs and symptoms of TMD in subjects with temple headache and TMD pain. Pain, 2011, 152, 765-771.	2.0	75
81	The German version of the child perceptions questionnaire on oral health-related quality of life (CPQ-G11-14). Journal of Orofacial Orthopedics, 2011, 72, 223-233.	0.5	21
82	Oral health in the Japan self-defense forces - a representative survey. BMC Oral Health, 2011, 11, 14.	0.8	5
83	Evaluation of a magnetic resonance-compatible dentoalveolar tactile stimulus device. BMC Neuroscience, 2010, 11, 142.	0.8	8
84	Improving TMD classification using the Delphi technique. Journal of Oral Rehabilitation, 2010, 37, 766-770.	1.3	5
85	Association between perceived chewing ability and oral health-related quality of life in partially dentate patients. Health and Quality of Life Outcomes, 2010, 8, 118.	1.0	62
86	Frequency of Persistent Tooth Pain after Root Canal Therapy: A Systematic Review and Meta-Analysis. Journal of Endodontics, 2010, 36, 224-230.	1.4	137
87	Frequency of Nonodontogenic Pain after Endodontic Therapy: A Systematic Review and Meta-Analysis. Journal of Endodontics, 2010, 36, 1494-1498.	1.4	99
88	Dentists Should Participate in the Management of Patients with Obstructive Sleep Apnea and Socially Disruptive Snoring—Findings From a Survey of Scottish Sleep Specialists. Journal of Evidence-based Dental Practice, 2010, 10, 107-108.	0.7	2
89	Individuals Sustaining Snowboarding and Skiing Accidents have Different Maxillofacial Injury Profiles. Journal of Evidence-based Dental Practice, 2010, 10, 259-260.	0.7	0
90	The Research Diagnostic Criteria For Temporomandibular Disorders. II: reliability of Axis I diagnoses and selected clinical measures. Journal of Orofacial Pain, 2010, 24, 25-34.	1.7	47

#	ARTICLE	IF	CITATIONS
91	The Research Diagnostic Criteria for Temporomandibular Disorders. V: methods used to establish and validate revised Axis I diagnostic algorithms. <i>Journal of Orofacial Pain</i> , 2010, 24, 63-78.	1.7	120
92	The Research Diagnostic Criteria for Temporomandibular Disorders. I: overview and methodology for assessment of validity. <i>Journal of Orofacial Pain</i> , 2010, 24, 7-24.	1.7	125
93	Development of an Orofacial Esthetic Scale in prosthodontic patients. <i>International Journal of Prosthodontics</i> , 2010, 23, 249-56.	0.7	61
94	Reliability and validity of the Orofacial Esthetic Scale in prosthodontic patients. <i>International Journal of Prosthodontics</i> , 2010, 23, 257-62.	0.7	42
95	A cross-national comparison of income gradients in oral health quality of life in four welfare states: application of the Korpi and Palme typology. <i>Journal of Epidemiology and Community Health</i> , 2009, 63, 569-574.	2.0	57
96	Electric toothbrush application is a reliable and valid test for differentiating temporomandibular disorders pain patients from controls. <i>BMC Musculoskeletal Disorders</i> , 2009, 10, 94.	0.8	7
97	Validating an alternate version of the chewing function questionnaire in partially dentate patients. <i>BMC Oral Health</i> , 2009, 9, 9.	0.8	30
98	Oral health-related quality of life in patients seeking care for dentin hypersensitivity. <i>Journal of Oral Rehabilitation</i> , 2009, 36, 45-51.	1.3	107
99	An Approach to Define Clinical Significance in Prosthodontics. <i>Journal of Prosthodontics</i> , 2009, 18, 455-460.	1.7	97
100	Research diagnostic criteria for temporomandibular disorders (RDC/TMD): development of image analysis criteria and examiner reliability for image analysis. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 2009, 107, 844-860.	1.6	475
101	Complementary and Alternative Medicine may be Effective for Reducing TMD Pain. <i>Journal of Evidence-based Dental Practice</i> , 2009, 9, 18-20.	0.7	0
102	Patients Treated by Surgery for Oral and Oropharyngeal Squamous Cell Carcinoma Report Similar Appearance Issues at Follow-Up as the General Population. <i>Journal of Evidence-based Dental Practice</i> , 2009, 9, 244-246.	0.7	0
103	Comparison of perceived oral health in patients with temporomandibular disorders and dental anxiety using oral health-related quality of life profiles. <i>Quality of Life Research</i> , 2008, 17, 857-866.	1.5	62
104	The Dutch version of the Oral Health Impact Profile (OHIP-NL): Translation, reliability and construct validity. <i>BMC Oral Health</i> , 2008, 8, 11.	0.8	90
105	Psychosocial profiles of diagnostic subgroups of temporomandibular disorder patients. <i>European Journal of Oral Sciences</i> , 2008, 116, 237-244.	0.7	55
106	Association between generalized joint hypermobility and signs and diagnoses of temporomandibular disorders. <i>European Journal of Oral Sciences</i> , 2008, 116, 525-530.	0.7	56
107	Cruise Medicine: The Dental Perspective on Health Care for Passengers During a World Cruise. <i>Journal of Travel Medicine</i> , 2008, 15, 19-24.	1.4	9
108	Feasibility of oral health-related quality of life assessment in prosthodontic patients using abbreviated Oral Health Impact Profile questionnaires. <i>Journal of Oral Rehabilitation</i> , 2008, 35, 224-228.	1.3	55

#	ARTICLE	IF	CITATIONS
109	Patterns of missing occlusal units and oral health-related quality of life in SDA patients. <i>Journal of Oral Rehabilitation</i> , 2008, 35, 621-628.	1.3	42
110	Does Removable Partial Denture Quality Affect Individuals'™ Oral Health?. <i>Journal of Dental Research</i> , 2008, 87, 736-739.	2.5	63
111	No significant retest effects in oral health-related quality of life assessment using the Oral Health Impact Profile. <i>Acta Odontologica Scandinavica</i> , 2008, 66, 135-138.	0.9	23
112	The relationship between missing occlusal units and oral health-related quality of life in patients with shortened dental arches. <i>International Journal of Prosthodontics</i> , 2008, 21, 72-4.	0.7	38
113	Depression as a Risk Factor for Denture Dissatisfaction. <i>Journal of Dental Research</i> , 2007, 86, 852-856.	2.5	18
114	Reliability of a Questionnaire Assessing Experiences of Adolescents in Orthodontic Treatment. <i>Angle Orthodontist</i> , 2007, 77, 311-317.	1.1	39
115	There Is no Conclusive Evidence for a Relationship Between the Structure of the Lower Face and Temporomandibular Disorders. <i>Journal of Evidence-based Dental Practice</i> , 2007, 7, 73-74.	0.7	2
116	Mandibular Advancement Appliances Improve Some Aspects of Health-Related Quality of Life in Patients with Sleep-Disordered Breathing. <i>Journal of Evidence-based Dental Practice</i> , 2007, 7, 170-171.	0.7	1
117	Splint Therapy Over a Time Period of 3 Months Does Not Provide Additional Benefit for TMD Pain Relief Over Dentist-Prescribed Self-Care Alone. <i>Journal of Evidence-based Dental Practice</i> , 2007, 7, 160-161.	0.7	2
118	Functional and psychosocial impact related to specific temporomandibular disorder diagnoses. <i>Journal of Dentistry</i> , 2007, 35, 643-650.	1.7	107
119	An Arabic version of the Oral Health Impact Profile: translation and psychometric properties. <i>International Dental Journal</i> , 2007, 57, 84-92.	1.0	49
120	Japanese version of the Oral Health Impact Profile (OHIP-J). <i>Journal of Oral Rehabilitation</i> , 2007, 34, 159-168.	1.3	160
121	Oral health-related quality of life in patients with dental anxiety. <i>Community Dentistry and Oral Epidemiology</i> , 2007, 35, 357-363.	0.9	106
122	Association between anterior tooth wear and temporomandibular disorder pain in a German population. <i>Journal of Prosthetic Dentistry</i> , 2007, 97, 305-309.	1.1	38
123	Reliability of the Beighton Hypermobility Index to Determinate the General Joint Laxity Performed by Dentists. <i>Journal of Orofacial Orthopedics</i> , 2007, 68, 342-352.	0.5	21
124	Exploring dimensions of oral health-related quality of life using experts'™ opinions. <i>Quality of Life Research</i> , 2007, 16, 697-704.	1.5	41
125	Oral health-related quality of life in patients with temporomandibular disorders. <i>Journal of Orofacial Pain</i> , 2007, 21, 46-54.	1.7	107
126	Association between factors related to the time of wearing complete dentures and oral health-related quality of life in patients who maintained a recall. <i>International Journal of Prosthodontics</i> , 2007, 20, 31-6.	0.7	20

#	ARTICLE	IF	CITATIONS
127	The short-term effect of prosthodontic treatment on self-reported oral health status: the use of a single-item questionnaire. <i>International Journal of Prosthodontics</i> , 2007, 20, 507-13.	0.7	9
128	Recalibration improves inter-examiner reliability of TMD examination. <i>Acta Odontologica Scandinavica</i> , 2006, 64, 146-152.	0.9	48
129	Mood psychopathology is possibly associated with bruxism. <i>Journal of Evidence-based Dental Practice</i> , 2006, 6, 189-190.	0.7	2
130	Prosthetic status is related to quality of life. <i>Journal of Evidence-based Dental Practice</i> , 2006, 6, 222-223.	0.7	4
131	German short forms of the Oral Health Impact Profile. <i>Community Dentistry and Oral Epidemiology</i> , 2006, 34, 277-288.	0.9	191
132	The Hungarian version of the Oral Health Impact Profile. <i>European Journal of Oral Sciences</i> , 2006, 114, 197-203.	0.7	58
133	Mandibular jaw movement capacity in 10-17-yr-old children and adolescents: normative values and the influence of gender, age, and temporomandibular disorders. <i>European Journal of Oral Sciences</i> , 2006, 114, 465-470.	0.7	65
134	Translating the research diagnostic criteria for temporomandibular disorders into German: evaluation of content and process. <i>Journal of Orofacial Pain</i> , 2006, 20, 43-52.	1.7	57
135	Research Diagnostic Criteria for Temporomandibular Disorders: A Calibration and Reliability Study. <i>Cranio - Journal of Craniomandibular Practice</i> , 2005, 23, 212-218.	0.6	55
136	Oral health-related quality of life in patients treated with fixed, removable, and complete dentures 1 month and 6 to 12 months after treatment. <i>Journal of Prosthetic Dentistry</i> , 2005, 93, 466.	1.1	17
137	Oral health-related quality of life is substantially impaired in patients who seek referral to a periodontal specialty practice. <i>Journal of Evidence-based Dental Practice</i> , 2005, 5, 82-83.	0.7	5
138	Oral health-related quality of life is often poor among patients seeking third molar surgery. <i>Journal of Evidence-based Dental Practice</i> , 2005, 5, 158-159.	0.7	3
139	Reliability of clinical temporomandibular disorder diagnoses. <i>Pain</i> , 2005, 118, 61-69.	2.0	163
140	Problems reported by patients before and after prosthodontic treatment. <i>International Journal of Prosthodontics</i> , 2005, 18, 124-31.	0.7	51
141	Relationship between overbite/overjet and clicking or crepitus of the temporomandibular joint. <i>Journal of Orofacial Pain</i> , 2005, 19, 218-25.	1.7	19
142	Use of the Research Diagnostic Criteria for Temporomandibular Disorders for multinational research: translation efforts and reliability assessments in The Netherlands. <i>Journal of Orofacial Pain</i> , 2005, 19, 301-8.	1.7	38
143	Demographic factors, denture status and oral health-related quality of life. <i>Community Dentistry and Oral Epidemiology</i> , 2004, 32, 125-132.	0.9	172
144	Dimensions of Oral-health-related Quality of Life. <i>Journal of Dental Research</i> , 2004, 83, 956-960.	2.5	155

#	ARTICLE	IF	CITATIONS
145	Incisal tooth wear and self-reported TMD pain in children and adolescents. International Journal of Prosthodontics, 2004, 17, 205-10.	0.7	21
146	Oral health-related quality of life in patients treated with fixed, removable, and complete dentures 1 month and 6 to 12 months after treatment. International Journal of Prosthodontics, 2004, 17, 503-11.	0.7	142
147	Oral health-related quality of life in Germany. European Journal of Oral Sciences, 2003, 111, 483-491.	0.7	149
148	Widespread pain as a risk factor for dysfunctional temporomandibular disorder pain. Pain, 2003, 102, 257-263.	2.0	126
149	Overbite and Overjet are not Related to Self-report of Temporomandibular Disorder Symptoms. Journal of Dental Research, 2002, 81, 164-169.	2.5	24
150	No association between incisal tooth wear and temporomandibular disorders. Journal of Prosthetic Dentistry, 2002, 87, 197-203.	1.1	60
151	Multifactorial modeling of temporomandibular anatomic and orthopedic relationships in normal versus undifferentiated disk displacement joints. Journal of Prosthetic Dentistry, 2002, 87, 289-297.	1.1	21
152	Multifactorial comparison of disk displacement with and without reduction to normals according to temporomandibular joint hard tissue anatomic relationships. Journal of Prosthetic Dentistry, 2002, 87, 298-310.	1.1	19
153	The German version of the Oral Health Impact Profile - translation and psychometric properties. European Journal of Oral Sciences, 2002, 110, 425-433.	0.7	258