

# Steen Larsen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4870989/publications.pdf>

Version: 2024-02-01

63  
papers

2,451  
citations

279798

23  
h-index

214800

47  
g-index

67  
all docs

67  
docs citations

67  
times ranked

4208  
citing authors

#	ARTICLE	IF	CITATIONS
1	Biomarkers of mitochondrial content in skeletal muscle of healthy young human subjects. <i>Journal of Physiology</i> , 2012, 590, 3349-3360.	2.9	920
2	Simvastatin Effects on Skeletal Muscle. <i>Journal of the American College of Cardiology</i> , 2013, 61, 44-53.	2.8	156
3	Evidence of Extrapaneatic Glucagon Secretion in Man. <i>Diabetes</i> , 2016, 65, 585-597.	0.6	136
4	Nicotinamide riboside does not alter mitochondrial respiration, content or morphology in skeletal muscle from obese and insulin-resistant men. <i>Journal of Physiology</i> , 2020, 598, 731-754.	2.9	97
5	Decreased mitochondrial oxidative phosphorylation capacity in the human heart with left ventricular systolic dysfunction. <i>European Journal of Heart Failure</i> , 2013, 15, 150-157.	7.1	59
6	Aerobic and resistance exercise training reverses age-dependent decline in NAD <sup>+</sup> salvage capacity in human skeletal muscle. <i>Physiological Reports</i> , 2019, 7, e14139.	1.7	59
7	High-intensity interval training changes mitochondrial respiratory capacity differently in adipose tissue and skeletal muscle. <i>Physiological Reports</i> , 2018, 6, e13857.	1.7	46
8	Two Weeks of Metformin Treatment Enhances Mitochondrial Respiration in Skeletal Muscle of AMPK Kinase Dead but Not Wild Type Mice. <i>PLoS ONE</i> , 2013, 8, e53533.	2.5	43
9	Effects of one-legged high-intensity interval training on insulin-mediated skeletal muscle glucose homeostasis in patients with type 2 diabetes. <i>Acta Physiologica</i> , 2019, 226, e13245.	3.8	40
10	Potentially avoidable perinatal deaths in Denmark and Sweden 1991. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1996, 75, 820-825.	2.8	38
11	Perturbations of NAD <sup>+</sup> salvage systems impact mitochondrial function and energy homeostasis in mouse myoblasts and intact skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2018, 314, E377-E395.	3.5	36
12	Mitochondrial adaptations to high intensity interval training in older females and males. <i>European Journal of Sport Science</i> , 2020, 20, 135-145.	2.7	35
13	Quadriceps exercise intolerance in patients with chronic obstructive pulmonary disease: the potential role of altered skeletal muscle mitochondrial respiration. <i>Journal of Applied Physiology</i> , 2015, 119, 882-888.	2.5	33
14	Mitochondrial function in liver cells is resistant to perturbations in NAD <sup>+</sup> salvage capacity. <i>Journal of Biological Chemistry</i> , 2019, 294, 13304-13326.	3.4	33
15	The best approach: Homogenization or manual permeabilization of human skeletal muscle fibers for respirometry?. <i>Analytical Biochemistry</i> , 2014, 446, 64-68.	2.4	32
16	Determinants of maximal whole-body fat oxidation in elite cross-country skiers: Role of skeletal muscle mitochondria. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 2494-2504.	2.9	32
17	Inducible deletion of skeletal muscle AMPK $\beta$ reveals that AMPK is required for nucleotide balance but dispensable for muscle glucose uptake and fat oxidation during exercise. <i>Molecular Metabolism</i> , 2020, 40, 101028.	6.5	32
18	Determination of the exercise intensity that elicits maximal fat oxidation in individuals with obesity. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 405-412.	1.9	31

#	ARTICLE	IF	CITATIONS
19	Menstrual cycle phase does not affect whole body peak fat oxidation rate during a graded exercise test. <i>Journal of Applied Physiology</i> , 2020, 128, 681-687.	2.5	31
20	Exercise training improves mitochondrial respiration and is associated with an altered intramuscular phospholipid signature in women with obesity. <i>Diabetologia</i> , 2021, 64, 1642-1659.	6.3	30
21	Statin Treatment Decreases Mitochondrial Respiration But Muscle Coenzyme Q10 Levels Are Unaltered: The LIFESTAT Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 2501-2508.	3.6	29
22	Exercise training results in depot-specific adaptations to adipose tissue mitochondrial function. <i>Scientific Reports</i> , 2020, 10, 3785.	3.3	29
23	Nampt controls skeletal muscle development by maintaining Ca <sup>2+</sup> homeostasis and mitochondrial integrity. <i>Molecular Metabolism</i> , 2021, 53, 101271.	6.5	27
24	Increased intrinsic mitochondrial function in humans with mitochondrial haplogroup H. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2014, 1837, 226-231.	1.0	26
25	Four days of bed rest increases intrinsic mitochondrial respiratory capacity in young healthy males. <i>Physiological Reports</i> , 2018, 6, e13793.	1.7	25
26	Thyroid hormone receptor $\beta$ in skeletal muscle is essential for T <sub>3</sub> -mediated increase in energy expenditure. <i>FASEB Journal</i> , 2020, 34, 15480-15491.	0.5	25
27	ETNK1 mutations induce a mutator phenotype that can be reverted with phosphoethanolamine. <i>Nature Communications</i> , 2020, 11, 5938.	12.8	22
28	Actovegin, a non-prohibited drug increases oxidative capacity in human skeletal muscle. <i>European Journal of Sport Science</i> , 2016, 16, 801-807.	2.7	21
29	Muscle-Saturated Bioactive Lipids Are Increased with Aging and Influenced by High-Intensity Interval Training. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1240.	4.1	20
30	Hepatocyte-specific perturbation of NAD <sup>+</sup> biosynthetic pathways in mice induces reversible nonalcoholic steatohepatitis-like phenotypes. <i>Journal of Biological Chemistry</i> , 2021, 297, 101388.	3.4	20
31	The effects of 2 weeks of statin treatment on mitochondrial respiratory capacity in middle-aged males: the LIFESTAT study. <i>European Journal of Clinical Pharmacology</i> , 2017, 73, 679-687.	1.9	18
32	Simvastatin-Induced Insulin Resistance May Be Linked to Decreased Lipid Uptake and Lipid Synthesis in Human Skeletal Muscle: the LIFESTAT Study. <i>Journal of Diabetes Research</i> , 2018, 2018, 1-7.	2.3	18
33	Plasma free fatty acid concentration is closely tied to whole body peak fat oxidation rate during repeated exercise. <i>Journal of Applied Physiology</i> , 2019, 126, 1563-1571.	2.5	18
34	Variation in mitochondrial respiratory capacity and myosin heavy chain composition in repeated muscle biopsies. <i>Analytical Biochemistry</i> , 2018, 556, 119-124.	2.4	17
35	Effects of exercise training on mitochondrial function in patients with type 2 diabetes. <i>World Journal of Diabetes</i> , 2014, 5, 482.	3.5	15
36	Aerobic Exercise Performance and Muscle Strength in Statin Users—The LIFESTAT Study. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 1429-1437.	0.4	15

#	ARTICLE	IF	CITATIONS
37	LIFESTAT "Living with statins: An interdisciplinary project on the use of statins as a cholesterol-lowering treatment and for cardiovascular risk reduction. <i>Scandinavian Journal of Public Health</i> , 2016, 44, 534-539.	2.3	14
38	Peak Fat Oxidation is not Independently Related to Ironman Performance in Women. <i>International Journal of Sports Medicine</i> , 2018, 39, 916-923.	1.7	14
39	Inflammatory biomarkers in patients in Simvastatin treatment: No effect of co-enzyme Q10 supplementation. <i>Cytokine</i> , 2019, 113, 393-399.	3.2	14
40	Simvastatin improves mitochondrial respiration in peripheral blood cells. <i>Scientific Reports</i> , 2020, 10, 17012.	3.3	14
41	Extreme duration exercise affects old and younger men differently. <i>Acta Physiologica</i> , 2022, 235, e13816.	3.8	14
42	Influence of NAFLD and bariatric surgery on hepatic and adipose tissue mitochondrial biogenesis and respiration. <i>Nature Communications</i> , 2022, 13, .	12.8	14
43	Absent Exercise-Induced Improvements in Fat Oxidation in Women With Polycystic Ovary Syndrome After High-Intensity Interval Training. <i>Frontiers in Physiology</i> , 2021, 12, 649794.	2.8	13
44	Angiotensin-Converting Enzyme 2 (SARS-CoV-2 receptor) expression in human skeletal muscle. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 2249-2258.	2.9	12
45	Intravenous nicotinamide riboside elevates mouse skeletal muscle NAD+ without impacting respiratory capacity or insulin sensitivity. <i>IScience</i> , 2022, 25, 103863.	4.1	12
46	Glucose homeostasis in statin users" The LIFESTAT study. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3110.	4.0	9
47	The training induced increase in whole-body peak fat oxidation rate may be attenuated with aging. <i>European Journal of Sport Science</i> , 2021, 21, 69-76.	2.7	6
48	Six weeks of high intensity cycle training reduces H2O2 emission and increases antioxidant protein levels in obese adults with risk factors for type 2 diabetes. <i>Free Radical Biology and Medicine</i> , 2021, 173, 1-6.	2.9	6
49	The relationship between peak fat oxidation and prolonged double-poling endurance exercise performance. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 2044-2056.	2.9	5
50	Atorvastatin impairs liver mitochondrial function in obese Göttingen Minipigs but heart and skeletal muscle are not affected. <i>Scientific Reports</i> , 2021, 11, 2167.	3.3	5
51	Peak Fat Oxidation Rate Is Closely Associated With Plasma Free Fatty Acid Concentrations in Women; Similar to Men. <i>Frontiers in Physiology</i> , 2021, 12, 696261.	2.8	5
52	The Response of Mitochondrial Respiration and Quantity in Skeletal Muscle and Adipose Tissue to Exercise in Humans with Prediabetes. <i>Cells</i> , 2021, 10, 3013.	4.1	5
53	Is there plasticity in mitochondrial cristae density with endurance training?. <i>Journal of Physiology</i> , 2017, 595, 2985-2985.	2.9	4
54	Effect of 6 weeks of very low-volume high-intensity interval training on oral glucose-stimulated incretin hormone response. <i>European Journal of Sport Science</i> , 2022, 22, 381-389.	2.7	4

#	ARTICLE	IF	CITATIONS
55	Influence of exercise amount and intensity on long-term weight loss maintenance and skeletal muscle mitochondrial ROS production in humans. <i>Applied Physiology, Nutrition and Metabolism</i> , 2019, 44, 958-964.	1.9	3
56	Depleted Myocardial Coenzyme Q10 in Cavalier King Charles Spaniels with Congestive Heart Failure Due to Myxomatous Mitral Valve Disease. <i>Antioxidants</i> , 2021, 10, 161.	5.1	3
57	The effect of 8 weeks of physical training on muscle performance and maximal fat oxidation rates in patients treated with simvastatin and coenzyme Q10 supplementation. <i>Journal of Physiology</i> , 2022, 600, 569-581.	2.9	3
58	Reliability and variation in mitochondrial respiration in human adipose tissue. <i>Adipocyte</i> , 2021, 10, 605-611.	2.8	2
59	Metabolomic Profile of Skeletal Muscle and Its Change Under a Mixed-Mode Exercise Intervention in Progressively Dysglycemic Subjects. <i>Frontiers in Endocrinology</i> , 2021, 12, 778442.	3.5	2
60	Difference in systolic blood pressure between arm and ankle region in children 0–15 years old. <i>Clinical Physiology</i> , 1983, 3, 281-287.	0.7	1
61	Acute erythropoietin injection increases muscle mitochondrial respiratory capacity in young men: a double-blinded randomized crossover trial. <i>Journal of Applied Physiology</i> , 2021, 131, 1340-1347.	2.5	1
62	Reply. <i>Journal of the American College of Cardiology</i> , 2013, 61, 2393.	2.8	0
63	Reply. <i>Journal of the American College of Cardiology</i> , 2013, 62, 257-258.	2.8	0