

# Yeriel Estrada

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4872048/publications.pdf>

Version: 2024-02-01

31  
papers

2,997  
citations

293460

24  
h-index

466096

32  
g-index

32  
all docs

32  
docs citations

32  
times ranked

3591  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ritlecitinib and brepocitinib demonstrate significant improvement in scalp alopecia areata biomarkers. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 149, 1318-1328.	1.5	30
2	The Polarity and Specificity of Antiviral T Lymphocyte Responses Determine Susceptibility to SARS-CoV-2 Infection in Patients with Cancer and Healthy Individuals. <i>Cancer Discovery</i> , 2022, 12, 958-983.	7.7	10
3	A phase 2a randomized vehicle-controlled multi-center study of the safety and efficacy of delgocitinib in subjects with moderate-to-severe alopecia areata. <i>Archives of Dermatological Research</i> , 2022, , .	1.1	15
4	Transcriptomic Analysis of the Major Orphan Ichthyosis Subtypes Reveals Shared Immune and Barrier Signatures. <i>Journal of Investigative Dermatology</i> , 2022, 142, 2363-2374.e18.	0.3	11
5	Phase 2 randomized, double-blind study of IL-17 targeting with secukinumab in atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 394-397.	1.5	69
6	Mild atopic dermatitis lacks systemic inflammation and shows reduced nonlesional skin abnormalities. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 1369-1380.	1.5	66
7	Tape strips detect distinct immune and barrier profiles in atopic dermatitis and psoriasis. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 199-212.	1.5	113
8	Tape-strips provide a minimally invasive approach to track therapeutic response to topical corticosteroids in atopic dermatitis patients. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 576-579.e3.	2.0	13
9	Vascular inflammation in moderate-to-severe atopic dermatitis is associated with enhanced Th2 response. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 3107-3121.	2.7	23
10	Transcriptomic Profiling of Tape-Strips From Moderate to Severe Atopic Dermatitis Patients Treated With Dupilumab. <i>Dermatitis</i> , 2021, 32, S71-S80.	0.8	16
11	Evolution of pathologic T-cell subsets in patients with atopic dermatitis from infancy to adulthood. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 215-228.	1.5	70
12	Tape-Strip Proteomic Profiling of Atopic Dermatitis on Dupilumab Identifies Minimally Invasive Biomarkers. <i>Frontiers in Immunology</i> , 2020, 11, 1768.	2.2	58
13	Frontal fibrosing alopecia shows robust T helper 1 and Janus kinase 3 skewing. <i>British Journal of Dermatology</i> , 2020, 183, 1083-1093.	1.4	40
14	Single-cell transcriptome analysis of human skin identifies novel fibroblast subpopulation and enrichment of immune subsets in atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 1615-1628.	1.5	280
15	Use of Tape Strips to Detect Immune and Barrier Abnormalities in the Skin of Children With Early-Onset Atopic Dermatitis. <i>JAMA Dermatology</i> , 2019, 155, 1358.	2.0	113
16	The blood proteomic signature of early-onset pediatric atopic dermatitis shows systemic inflammation and is distinct from adult long-standing disease. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 510-519.	0.6	76
17	Atopic dermatitis in African American patients is TH2/TH22-skewed with TH1/TH17 attenuation. <i>Annals of Allergy, Asthma and Immunology</i> , 2019, 122, 99-110.e6.	0.5	150
18	Baseline IL-22 expression in patients with atopic dermatitis stratifies tissue responses to fezakinumab. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 142-154.	1.5	135

#	ARTICLE	IF	CITATIONS
19	Dupilumab progressively improves systemic and cutaneous abnormalities in patients with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 155-172.	1.5	436
20	Blood endotyping distinguishes the profile of vitiligo from that of other inflammatory and autoimmune skin diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 143, 2095-2107.	1.5	33
21	Serum from Asian patients with atopic dermatitis is characterized by TH2/TH22 activation, which is highly correlated with nonlesional skin measures. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 324-328.e11.	1.5	52
22	Efficacy and safety of fezakinumab (an IL-22 monoclonal antibody) in adults with moderate-to-severe atopic dermatitis inadequately controlled by conventional treatments: A randomized, double-blind, phase 2a trial. <i>Journal of the American Academy of Dermatology</i> , 2018, 78, 872-881.e6.	0.6	265
23	The Major Orphan Forms of Ichthyosis Are Characterized by Systemic T-Cell Activation and Th-17/Tc-17/Th-22/Tc-22 Polarization in Blood. <i>Journal of Investigative Dermatology</i> , 2018, 138, 2157-2167.	0.3	43
24	Effect of short-term liver X receptor activation on epidermal barrier features in mild to moderate atopic dermatitis. <i>Annals of Allergy, Asthma and Immunology</i> , 2018, 120, 631-640.e11.	0.5	26
25	An integrated model of alopecia areata biomarkers highlights both TH1 and TH2 upregulation. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 1631-1634.e13.	1.5	38
26	Alterations in B-cell subsets in pediatric patients with early atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 134-144.e9.	1.5	43
27	The atopic dermatitis blood signature is characterized by increases in inflammatory and cardiovascular risk proteins. <i>Scientific Reports</i> , 2017, 7, 8707.	1.6	188
28	Diverse activation and differentiation of multiple B-cell subsets in patients with atopic dermatitis but not in patients with psoriasis. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 118-129.e5.	1.5	96
29	NR2F1 controls tumour cell dormancy via SOX9- and RAR $\beta$ -driven quiescence programmes. <i>Nature Communications</i> , 2015, 6, 6170.	5.8	246
30	Early pediatric atopic dermatitis shows only a cutaneous lymphocyte antigen (CLA)+ TH2/TH1 cell imbalance, whereas adults acquire CLA+ TH22/TC22 cell subsets. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 941-951.e3.	1.5	175
31	Positive crosstalk between ERK and p38 in melanoma stimulates migration and in vivo proliferation. <i>Pigment Cell and Melanoma Research</i> , 2009, 22, 66-76.	1.5	62