## Xiaoding Wei

## List of Publications by Citations

Source: https://exaly.com/author-pdf/4872440/xiaoding-wei-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 59
 17,169
 25
 64

 papers
 h-index
 g-index

 64
 19,118
 9.7
 6.76

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
59	Measurement of the elastic properties and intrinsic strength of monolayer graphene. <i>Science</i> , <b>2008</b> , 321, 385-8	33.3	14811
58	Nonlinear elastic behavior of two-dimensional molybdenum disulfide. <i>Physical Review B</i> , <b>2013</b> , 87,	3.3	312
57	Nonlinear elastic behavior of graphene: Ab initio calculations to continuum description. <i>Physical Review B</i> , <b>2009</b> , 80,	3.3	303
56	Elastic and frictional properties of graphene. <i>Physica Status Solidi (B): Basic Research</i> , <b>2009</b> , 246, 2562-2	25 <b>6</b> .73	285
55	Optimal length scales emerging from shear load transfer in natural materials: application to carbon-based nanocomposite design. <i>ACS Nano</i> , <b>2012</b> , 6, 2333-44	16.7	149
54	Microfabrication and mechanical properties of nanoporous gold at the nanoscale. <i>Scripta Materialia</i> , <b>2007</b> , 56, 437-440	5.6	111
53	Recoverable Slippage Mechanism in Multilayer Graphene Leads to Repeatable Energy Dissipation. <i>ACS Nano</i> , <b>2016</b> , 10, 1820-8	16.7	89
52	Machine-washable and breathable pressure sensors based on triboelectric nanogenerators enabled by textile technologies. <i>Nano Energy</i> , <b>2020</b> , 70, 104528	17.1	84
51	Plasticity and ductility in graphene oxide through a mechanochemically induced damage tolerance mechanism. <i>Nature Communications</i> , <b>2015</b> , 6, 8029	17.4	72
50	Failure mechanisms in composite panels subjected to underwater impulsive loads. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2011</b> , 59, 1623-1646	5	70
49	Three-dimensional numerical modeling of composite panels subjected to underwater blast. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2013</b> , 61, 1319-1336	5	64
48	Highly compressible and anisotropic lamellar ceramic sponges with superior thermal insulation and acoustic absorption performances. <i>Nature Communications</i> , <b>2020</b> , 11, 3732	17.4	64
47	Key factors limiting carbon nanotube yarn strength: exploring processing-structure-property relationships. <i>ACS Nano</i> , <b>2014</b> , 8, 11454-66	16.7	56
46	Engineering the Mechanical Properties of Monolayer Graphene Oxide at the Atomic Level. <i>Journal of Physical Chemistry Letters</i> , <b>2016</b> , 7, 2702-7	6.4	50
45	Experimental validation of multiscale modeling of indentation of suspended circular graphene membranes. <i>International Journal of Solids and Structures</i> , <b>2012</b> , 49, 3201-3209	3.1	41
44	A new rate-dependent unidirectional composite model [Application to panels subjected to underwater blast. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2013</b> , 61, 1305-1318	5	40
43	Atomistic Investigation of Load Transfer Between DWNT Bundles <b>C</b> rosslinked by PMMA Oligomers. <i>Advanced Functional Materials</i> , <b>2013</b> , 23, 1883-1892	15.6	40

42	Carbon-carbon contacts for robust nanoelectromechanical switches. Advanced Materials, 2012, 24, 246	3-284	33
41	Robust carbon-nanotube-based nano-electromechanical devices: understanding and eliminating prevalent failure modes using alternative electrode materials. <i>Small</i> , <b>2011</b> , 7, 79-86	11	33
40	Kirigami-Inspired Deformable 3D Structures Conformable to Curved Biological Surface. <i>Advanced Science</i> , <b>2018</b> , 5, 1801070	13.6	33
39	In situ scanning electron microscope peeling to quantify surface energy between multiwalled carbon nanotubes and graphene. <i>ACS Nano</i> , <b>2014</b> , 8, 124-38	16.7	31
38	Plastic deformation in nanoscale gold single crystals and open-celled nanoporous gold. <i>Modelling and Simulation in Materials Science and Engineering</i> , <b>2007</b> , 15, S181-S192	2	31
37	Design and identification of high performance steel alloys for structures subjected to underwater impulsive loading. <i>International Journal of Solids and Structures</i> , <b>2012</b> , 49, 1573-1587	3.1	30
36	Substrate stiffness regulates extracellular matrix deposition by alveolar epithelial cells. <i>Research and Reports in Biology</i> , <b>2011</b> , 2011, 1-12		30
35	Statistical shear lag model - unraveling the size effect in hierarchical composites. <i>Acta Biomaterialia</i> , <b>2015</b> , 18, 206-12	10.8	28
34	Plane-strain bulge test for nanocrystalline copper thin films. Scripta Materialia, 2007, 57, 541-544	5.6	25
33	Molecular-Level Engineering of Adhesion in Carbon Nanomaterial Interfaces. <i>Nano Letters</i> , <b>2015</b> , 15, 4504-16	11.5	21
32	Robust ultraclean atomically thin membranes for atomic-resolution electron microscopy. <i>Nature Communications</i> , <b>2020</b> , 11, 541	17.4	21
31	Publisher's Note: Nonlinear elastic behavior of two-dimensional molybdenum disulfide [Phys. Rev. B 87, 035423 (2013)]. <i>Physical Review B</i> , <b>2013</b> , 87,	3.3	21
30	Residual plastic strain recovery driven by grain boundary diffusion in nanocrystalline thin films. <i>Acta Materialia</i> , <b>2011</b> , 59, 3937-3945	8.4	20
29	A new Monte Carlo model for predicting the mechanical properties of fiber yarns. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2015</b> , 84, 325-335	5	18
28	Atomically Thin Polymer Layer Enhances Toughness of Graphene Oxide Monolayers. <i>Matter</i> , <b>2019</b> , 1, 369-388	12.7	16
27	Ultrasensitive triboelectric nanogenerator for weak ambient energy with rational unipolar stacking structure and low-loss power management. <i>Nano Energy</i> , <b>2017</b> , 41, 351-358	17.1	16
26	Dynamic shear-lag model for understanding the role of matrix in energy dissipation in fiber-reinforced composites. <i>Acta Biomaterialia</i> , <b>2018</b> , 74, 270-279	10.8	13
25	Thermal-responsive, super-strong, ultrathin firewalls for quenching thermal runaway in high-energy battery modules. <i>Energy Storage Materials</i> , <b>2021</b> , 40, 329-336	19.4	13

24	Deformation and fracture behavior of electrocodeposited alumina nanoparticle/copper composite films. <i>Journal of Materials Science</i> , <b>2007</b> , 42, 5256-5263	4.3	11
23	Unraveling crack stability and strain localization in staggered composites by fracture analysis on the shear-lag model. <i>Composites Science and Technology</i> , <b>2018</b> , 156, 262-268	8.6	10
22	A new three-dimensional progressive damage model for fiber-reinforced polymer laminates and its applications to large open-hole panels. <i>Composites Science and Technology</i> , <b>2019</b> , 182, 107757	8.6	9
21	A new continuum model for viscoplasticity in metallic glasses based on thermodynamics and its application to creep tests. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2021</b> , 146, 104216	5	7
20	Optimizing mechanical properties of bio-inspired composites through functionally graded matrix and microstructure design. <i>Composite Structures</i> , <b>2018</b> , 206, 621-627	5.3	6
19	Optimization of Damping Properties of Staggered Composites Through Microstructure Design. <i>Journal of Applied Mechanics, Transactions ASME</i> , <b>2018</b> , 85,	2.7	5
18	Growth of Ultraflat Graphene with Greatly Enhanced Mechanical Properties. Nano Letters, 2020, 20, 67	98-680	<b>)6</b> 5
17	Zone-Folded Longitudinal Acoustic Phonons Driving Self-Trapped State Emission in Colloidal CdSe Nanoplatelet Superlattices. <i>Nano Letters</i> , <b>2021</b> , 21, 4137-4144	11.5	5
16	Observation of plastic deformation in freestanding single crystal Au nanowires. <i>Applied Physics Letters</i> , <b>2006</b> , 89, 111916	3.4	4
15	Achieving outstanding damping performance through bio-inspired sutural tessellations. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2020</b> , 142, 104010	5	4
14	Design the wave attenuation property of nacreous composites. <i>Extreme Mechanics Letters</i> , <b>2020</b> , 40, 100875	3.9	3
13	A multiscale analytical framework for mode I crack in staggered composites. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2020</b> , 145, 104157	5	3
12	A general property-structure relationship from crack stability analysis on hybrid staggered composites with elasto-plastic matrices. <i>Composite Structures</i> , <b>2020</b> , 240, 112071	5.3	2
11	Atomically Thin Bilayer Janus Membranes for Cryo-electron Microscopy. ACS Nano, <b>2021</b> , 15, 16562-16.	5716. <sub>7</sub>	2
10	Enhancing strength and ductility via crystalline-amorphous nanoarchitectures in TiZr-based alloys <i>Science Advances</i> , <b>2022</b> , 8, eabm2884	14.3	2
9	Modeling Intrinsic Wrinkles in Graphene and Their Effects on the Mechanical Properties. <i>Jom</i> , <b>2020</b> , 72, 3987-3992	2.1	1
8	A universal fracture analysis framework for staggered composites composed of tablets with different wavy topologies. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2021</b> , 151, 104387	5	1
7	Size effects in layered composites Defect tolerance and strength optimization. <i>Composites Science and Technology</i> , <b>2018</b> , 165, 154-160	8.6	1

## LIST OF PUBLICATIONS

6	Enhancing the impact performance of reinforced composites through fiber hybridization hybrid dynamic shear-lag model. <i>Extreme Mechanics Letters</i> , <b>2021</b> , 47, 101352	3.9	1
5	Correlations between the hierarchical spatial heterogeneity and the mechanical properties of metallic glasses. <i>International Journal of Mechanical Sciences</i> , <b>2021</b> , 204, 106570	5.5	1
4	A multiscale model for the prediction of ballistic performance of fiber-reinforced composites. <i>International Journal of Impact Engineering</i> , <b>2021</b> , 154, 103889	4	1
3	Experimental and Theoretical Studies of Fiber-Reinforced Composite Panels Subjected to Underwater Blast Loading <b>2014</b> , 91-122		1
2	Carbon Nanotubes: Atomistic Investigation of Load Transfer Between DWNT Bundles <b>T</b> rosslinked by PMMA Oligomers (Adv. Funct. Mater. 15/2013). <i>Advanced Functional Materials</i> , <b>2013</b> , 23, 1976-1976	15.6	
1	Finite deformation continuum model for mechanically induced phase transition in transition metal dichalcogenide monolayers. <i>Journal of the Mechanics and Physics of Solids</i> , <b>2022</b> , 166, 104955	5	