Rosa Terracciano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4873193/publications.pdf

Version: 2024-02-01

28 papers 1,219 citations

430874 18 h-index 28 g-index

28 all docs

28 docs citations

28 times ranked

1938 citing authors

#	Article	IF	CITATIONS
1	Effect of a novel functional tomato sauce (OsteoCol) from vine-ripened tomatoes on serum lipids in individuals with common hypercholesterolemia: tomato sauce and hypercholesterolemia. Journal of Translational Medicine, 2021, 19, 19.	4.4	8
2	Gingival Crevicular Fluid Peptidome Profiling in Healthy and in Periodontal Diseases. International Journal of Molecular Sciences, 2020, 21, 5270.	4.1	17
3	Hexagonal Mesoporous Silica as a Rapid, Efficient and Versatile Tool for MALDI-TOF MS Sample Preparation in Clinical Peptidomics Analysis: A Pilot Study. Molecules, 2019, 24, 2311.	3.8	8
4	TLR4 triggered complex inflammation in human pancreatic islets. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2019, 1865, 86-97.	3.8	29
5	An Analytical Method for Assessing Optimal Storage Conditions of Gingival Crevicular Fluid and Disclosing a Peptide Biomarker Signature of Gingivitis by MALDIâ€₹OF MS. Proteomics - Clinical Applications, 2018, 12, e1800005.	1.6	12
6	Objective and self-evaluation voice analysis after transoral laser cordectomy and radiotherapy in T1a-T1b glottic cancer. Lasers in Medical Science, 2018, 33, 141-147.	2.1	14
7	Rapid Detection and Identification of Antimicrobial Peptide Fingerprints of Nasal Fluid by Mesoporous Silica Particles and MALDI-TOF/TOF Mass Spectrometry: From the Analytical Approach to the Diagnostic Applicability in Precision Medicine. International Journal of Molecular Sciences, 2018, 19, 4005.	4.1	10
8	Benralizumab in the treatment of severe asthma: design, development and potential place in therapy. Drug Design, Development and Therapy, 2018, Volume 12, 619-628.	4.3	46
9	A rapid differential display analysis of nasal swab fingerprints to distinguish allergic from nonâ€allergic rhinitis subjects by mesoporous silica particles and MALDIâ€₹OF mass spectrometry. Proteomics, 2017, 17, 1600215.	2.2	8
10	Influence of storage conditions on MALDIâ€TOF MS profiling of gingival crevicular fluid: Implications on the role of S100A8 and S100A9 for clinical and proteomic based diagnostic investigations. Proteomics, 2016, 16, 1033-1045.	2.2	21
11	Targeted proteomic approach in prostatic tissue: a panel of potential biomarkers for cancer detection. Oncoscience, 2016, 3, 220-241.	2.2	34
12	Asthma and COPD proteomics: Current approaches and future directions. Proteomics - Clinical Applications, 2015, 9, 203-220.	1.6	44
13	Application of Proteomics and Peptidomics to COPD. BioMed Research International, 2014, 2014, 1-8.	1.9	31
14	Assessment of pre-analytical and analytical variables affecting peptidome profiling of gingival crevicular fluid by MALDI-TOF mass spectrometry. Clinica Chimica Acta, 2014, 437, 120-128.	1.1	18
15	Association between low bone mineral density and increased α-defensin in salivary fluid among postmenopausal women. Menopause, 2013, 20, 1275-1279.	2.0	2
16	The Proteomics Big Challenge for Biomarkers and New Drug-Targets Discovery. International Journal of Molecular Sciences, 2012, 13, 13926-13948.	4.1	56
17	Simultaneous extraction and rapid visualization of peptidomic and lipidomic body fluids fingerprints using mesoporous aluminosilicate and <scp>MALDI</scp> â€ <scp>TOF MS</scp> . Proteomics, 2012, 12, 3286-3294.	2.2	19
18	Mesopore-assisted profiling strategies in clinical proteomics for drug/target discovery. Drug Discovery Today, 2012, 17, 143-152.	6.4	18

#	Article	IF	CITATION
19	In Mesopore Protein Digestion: A New Forthcoming Strategy in Proteomics. Molecules, 2011, 16, 5938-5962.	3.8	20
20	Peptidome profiling of induced sputum by mesoporous silica beads and MALDIâ€₹OF MS for nonâ€invasive biomarker discovery of chronic inflammatory lung diseases. Proteomics, 2011, 11, 3402-3414.	2.2	49
21	Smart Trypsin Adsorption into <i>N</i> â€(2â€Aminoethyl)â€3â€aminopropylâ€Modified Mesoporous Silica for Ultra Fast Protein Digestion. Chemistry - A European Journal, 2010, 16, 8998-9001.	3.3	28
22	Enhancing plasma peptide MALDI-TOF-MS profiling by mesoporous silica assisted crystallization. Talanta, 2010, 80, 1532-1538.	5.5	26
23	Derivatized Mesoporous Silica Beads for MALDI-TOF MS Profiling of Human Plasma and Urine. Bioconjugate Chemistry, 2009, 20, 913-923.	3.6	34
24	Liposomal delivery improves the growth-inhibitory and apoptotic activity of low doses of gemcitabine in multiple myeloma cancer cells. Nanomedicine: Nanotechnology, Biology, and Medicine, 2008, 4, 155-166.	3.3	52
25	Nanoporous Surfaces as Harvesting Agents for Mass Spectrometric Analysis of Peptides in Human Plasma. Journal of Proteome Research, 2006, 5, 1261-1266.	3.7	71
26	Selective binding and enrichment for low-molecular weight biomarker molecules in human plasma after exposure to nanoporous silica particles. Proteomics, 2006, 6, 3243-3250.	2.2	84
27	Nanotechnologies for biomolecular detection and medical diagnostics. Current Opinion in Chemical Biology, 2006, 10, 11-19.	6.1	448
28	New conformationally homogeneous ?-turn antagonists of the human B2 kinin receptor. Journal of Peptide Science, 2001, 7, 270-283.	1.4	12