

Vincent Rigalleau

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4873412/publications.pdf>

Version: 2024-02-01

63
papers

679
citations

623188

14
h-index

580395

25
g-index

64
all docs

64
docs citations

64
times ranked

1066
citing authors

#	ARTICLE	IF	CITATIONS
1	Comment on Ipp and Kumar. A Clinical Conundrum: Intensifying Glucose Control in the Presence of Advanced Diabetic Retinopathy. <i>Diabetes Care</i> 2021;44:2192â€“2193. <i>Diabetes Care</i> , 2022, 45, e39-e39.	4.3	1
2	Comment on Sjöholm et al. Association of Bariatric Surgery With Cancer Incidence in Patients With Obesity and Diabetes: Long-term Results From the Swedish Obese Subjects Study. <i>Diabetes Care</i> 2022;45:444â€“450. <i>Diabetes Care</i> , 2022, 45, e72-e72.	4.3	1
3	Phenotypic and genotypic characterization of familial hypercholesterolemia in French adult and pediatric populations. <i>Journal of Clinical Lipidology</i> , 2022, 16, 298-305.	0.6	0
4	Comment on Gange et al. Incidence of Proliferative Diabetic Retinopathy and Other Neovascular Sequelae at 5 Years Following Diagnosis of Type 2 Diabetes. <i>Diabetes Care</i> 2021;44:2518â€“2526. <i>Diabetes Care</i> , 2022, 45, e60-e60.	4.3	1
5	Strengthening a Study of Diabetes Progression After Statins Use. <i>JAMA Internal Medicine</i> , 2022, 182, 458.	2.6	0
6	Diabetic retinopathy is also an important marker of cardiovascular risk in type 2 diabetes, with practical implications. <i>Diabetic Medicine</i> , 2022, , e14845.	1.2	0
7	Differential prognostic burden of cardiovascular disease and lower-limb amputation on the risk of all-cause death in people with long-standing type 1 diabetes. <i>Cardiovascular Diabetology</i> , 2022, 21, 71.	2.7	2
8	Comment on Koska et al. Advanced Glycation End Products Predict Loss of Renal Function and High-Risk Chronic Kidney Disease in Type 2 Diabetes. <i>Diabetes Care</i> 2022;44:684â€“691. <i>Diabetes Care</i> , 2022, 45, e110-e110.	4.3	2
9	Remission of necrobiosis lipidica diabetorum with a JAK1/2 inhibitor: A case report. <i>Diabetes and Metabolism</i> , 2021, 47, 101143.	1.4	6
10	For diabetic type 1 patients, the skin autofluorescence predicts ulcers and amputations. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 107808.	1.2	5
11	Lung cancer and diabetes: A role for advanced glycation endâ€“products?. <i>European Journal of Clinical Investigation</i> , 2021, 51, e13389.	1.7	0
12	Mortality in patients with diabetic foot ulcer: Diabetic neuropathy is not innocent. A commentary on: Amadou C et al. Five-year mortality in patients with diabetic foot ulcer during 2009â€“2010 was lower than expected. <i>Diabetes Metab.</i> 2019. DOI: 10.1016/j.diabet.2019.04.010. <i>Diabetes and Metabolism</i> , 2021, 47, 101121.	1.4	1
13	Can the skin autofluorescence predict retinopathy in diabetes?. <i>Diabetic Medicine</i> , 2021, 38, e14499.	1.2	1
14	Predictors of hospital discharge and mortality in patients with diabetes and COVID-19: updated results from the nationwide CORONADO study. <i>Diabetologia</i> , 2021, 64, 778-794.	2.9	120
15	Diabetic retinopathy in well-controlled type 2 diabetes: Role of glycaemic memory. <i>Diabetes and Metabolism</i> , 2021, 47, 101156.	1.4	4
16	Skin autofluorescence predicts cancer in subjects with type 2 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e001312.	1.2	5
17	Comment on Cundy et al. Early Worsening of Diabetic Nephropathy in Type 2 Diabetes After Rapid Improvement in Chronic Severe Hyperglycemia. <i>Diabetes Care</i> 2021;44:e55â€“e56. <i>Diabetes Care</i> , 2021, 44, e110-e111.	4.3	3
18	Simple Carbohydrate Intake and Higher Risk for Physical Frailty Over 15 Years in Community-Dwelling Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, , .	1.7	6

#	ARTICLE	IF	CITATIONS
19	Skin autofluorescence predicts mortality in type 1 diabetes. <i>Diabetes and Metabolism</i> , 2021, 48, 101273.	1.4	2
20	RE: "ALBUMINURIA, KIDNEY FUNCTION, AND CANCER RISK IN THE COMMUNITY". <i>American Journal of Epidemiology</i> , 2021, 190, 949-950.	1.6	1
21	Why might pumps fail in pregnant women with Type 1 diabetes?. <i>Diabetic Medicine</i> , 2020, 37, 159-160.	1.2	0
22	Serum fructosamine predicts macrosomia in well-controlled hyperglycaemic pregnant women: An observational cross-sectional study. <i>Diabetes and Metabolism</i> , 2020, 46, 219-222.	1.4	4
23	Markers of glycation and neonatal hypoglycaemia in gestational diabetes mellitus. <i>Diabetic Medicine</i> , 2020, 37, 160-162.	1.2	0
24	Skin autofluorescence, a marker of glucose memory in type 2 diabetes. <i>Metabolism Open</i> , 2020, 7, 100038.	1.4	9
25	Re: "Timing of Gestational Diabetes Diagnosis by Maternal Obesity Status: Impact on Gestational Weight Gain in a Diverse Population" by Hillier et al.. <i>Journal of Women's Health</i> , 2020, 29, 1234-1234.	1.5	0
26	Relationship Between Diabetic Retinopathy Stages and Risk of Major Lower-Extremity Arterial Disease in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2020, 43, 2751-2759.	4.3	10
27	Previous dramatic reduction of HbA1c and retinopathy in Type 2 Diabetes. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107604.	1.2	5
28	Response to Comment on Foussard et al. Skin Autofluorescence of Pregnant Women With Diabetes Predicts the Macrosomia of Their Children. <i>Diabetes</i> 2019;68:1663-1669. <i>Diabetes</i> , 2020, 69, e5-e6.	0.3	0
29	Continuous subcutaneous insulin infusion and neuropathy in older people. <i>Diabetic Medicine</i> , 2020, 37, 1208-1209.	1.2	0
30	Trends in the Use of Eye Care Services in Adults Treated for Diabetes between 2008 and 2017 in France: A Nationwide Study. <i>Ophthalmic Research</i> , 2020, 63, 452-459.	1.0	9
31	Comment on Evron et al. Changes in Screening Practices for Prediabetes and Diabetes Since the Recommendation for Hemoglobin A1c Testing. <i>Diabetes Care</i> 2019;42:576-584. <i>Diabetes Care</i> , 2019, 42, e102-e102.	4.3	0
32	Skin Autofluorescence of Pregnant Women With Diabetes Predicts the Macrosomia of Their Children. <i>Diabetes</i> , 2019, 68, 1663-1669.	0.3	7
33	Comment on Pongrac Barlovic et al. The Association of Severe Diabetic Retinopathy With Cardiovascular Outcomes in Long-standing Type 1 Diabetes: A Longitudinal Follow-up. <i>Diabetes Care</i> 2018;41:2487-2494. <i>Diabetes Care</i> , 2019, 42, e48-e48.	4.3	2
34	Comment on Law et al. Suboptimal Nocturnal Glucose Control Is Associated With Large for Gestational Age in Treated Gestational Diabetes Mellitus. <i>Diabetes Care</i> 2019;42:810-815. <i>Diabetes Care</i> , 2019, 42, e122-e122.	4.3	2
35	L'autofluorescence des produits de glycation avancée (AGEs) et son utilisation comme marqueur de métabolique et prédicteur de complications. <i>Medicine Des Maladies Metaboliques</i> , 2019, 13, 602-606.	0.1	2
36	Predictors of early renal function decline in Type 1 diabetes: retinopathy. <i>Diabetic Medicine</i> , 2018, 35, 281-283.	1.2	4

#	ARTICLE	IF	CITATIONS
37	Comment on Andersen et al. Risk-Factor Trajectories Preceding Diabetic Polyneuropathy: ADDITION-Denmark. <i>Diabetes Care</i> 2018;41:1955-1962. <i>Diabetes Care</i> , 2018, 41, e147-e147.	4.3	1
38	Longitudinal trends in HbA1c in diabetes: Stable means can hide meaningful long-term changes. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e3065.	1.7	2
39	Comment on Kelly et al. Subclinical First Trimester Renal Abnormalities Are Associated With Preeclampsia in Normoalbuminuric Women With Type 1 Diabetes. <i>Diabetes Care</i> 2018;41:120-127. <i>Diabetes Care</i> , 2018, 41, e101-e101.	4.3	1
40	Comment on Gordin et al. Differential Association of Microvascular Attributions With Cardiovascular Disease in Patients With Long Duration of Type 1 Diabetes. <i>Diabetes Care</i> 2018;41:815-822. <i>Diabetes Care</i> , 2018, 41, e127-e127.	4.3	2
41	Skin autofluorescence predicts major adverse cardiovascular events in patients with type 1 diabetes: a 7-year follow-up study. <i>Cardiovascular Diabetology</i> , 2018, 17, 82.	2.7	25
42	Skin autofluorescence and peripheral neuropathy four years later in type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2832.	1.7	21
43	Skin autofluorescence, renal insufficiency and retinopathy in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 619-623.	1.2	16
44	High body mass index in rheumatoid arthritis: why we should promote physical activity. <i>Arthritis Research and Therapy</i> , 2017, 19, 2.	1.6	3
45	Skin autofluorescence in acute kidney injury. <i>Critical Care</i> , 2017, 21, 24.	2.5	11
46	A parental history of diabetes is associated with a high risk of retinopathy in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2017, 43, 557-559.	1.4	4
47	Progression of skin autofluorescence of AGEs over 4 years in patients with type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2917.	1.7	17
48	Normoalbuminuric chronic kidney disease in type 1 diabetes: is it real and is it serious?. <i>Diabetologia</i> , 2017, 60, 2121-2122.	2.9	1
49	Neuropathies diabétiques périphériques : compléter notre trousse à outils. <i>Medecine Des Maladies Metaboliques</i> , 2017, 11, 125-130.	0.1	0
50	Urinary Sodium Concentration Is an Independent Predictor of All-Cause and Cardiovascular Mortality in a Type 2 Diabetes Cohort Population. <i>Journal of Diabetes Research</i> , 2017, 2017, 1-10.	1.0	12
51	Skin autofluorescence predicts cardio-renal outcome in type 1 diabetes: a longitudinal study. <i>Cardiovascular Diabetology</i> , 2016, 15, 127.	2.7	26
52	The evaluation of off-loading using a new removable ORTHOSis in DIABetic foot (ORTHODIAB) randomized controlled trial: study design and rationale. <i>Journal of Foot and Ankle Research</i> , 2016, 9, 34.	0.7	8
53	Autofluorescence of Skin Advanced Glycation End Products: Marker of Metabolic Memory in Elderly Population. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 841-846.	1.7	38
54	Acute Kidney Injury Predicts Major Adverse Outcomes in Diabetes: Synergic Impact With Low Glomerular Filtration Rate and Albuminuria. <i>Diabetes Care</i> , 2015, 38, 2333-2340.	4.3	49

#	ARTICLE	IF	CITATIONS
55	Association of advanced glycation end products and chronic kidney disease with macroangiopathy in type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 270-274.	1.2	27
56	Early changes in respiratory quotient and resting energy expenditure predict later weight changes in patients treated for poorly controlled type 2 diabetes. <i>Diabetes and Metabolism</i> , 2014, 40, 299-304.	1.4	7
57	Mesurer la dépense Énergétique en pratique clinique. <i>Medecine Des Maladies Metaboliques</i> , 2013, 7, 525-532.	0.1	1
58	Skin autofluorescence is associated with past glycaemic control and complications in type 1 diabetes mellitus. <i>Diabetes and Metabolism</i> , 2013, 39, 349-354.	1.4	46
59	Hepatic Steatosis, Carbohydrate Intake, and Food Quotient in Patients with NAFLD. <i>International Journal of Endocrinology</i> , 2013, 2013, 1-4.	0.6	18
60	Estimation of renal function in patients with diabetes. <i>Diabetes and Metabolism</i> , 2011, 37, 359-366.	1.4	33
61	Large kidneys predict poor renal outcome in subjects with diabetes and chronic kidney disease. <i>BMC Nephrology</i> , 2010, 11, 3.	0.8	47
62	Glucose flux in controlled hyperglycaemia before and after oral glucose ingestion in men with mild type 2 diabetes. <i>Diabetes and Metabolism</i> , 2010, 36, 234-239.	1.4	2
63	Glucose Control Influences Glomerular Filtration Rate and Its Prediction in Diabetic Subjects. <i>Diabetes Care</i> , 2006, 29, 1491-1495.	4.3	45