

Yan Li

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/487390/yan-li-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

140
papers

5,164
citations

35
h-index

68
g-index

148
ext. papers

5,685
ext. citations

5.2
avg, IF

5.59
L-index

#	Paper	IF	Citations
140	Key factors for successful cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy to treat diffuse malignant peritoneal mesothelioma: results from specialized peritoneal cancer center in China.. <i>International Journal of Hyperthermia</i> , 2022 , 39, 706-712	3.7	0
139	NPM2 in malignant peritoneal mesothelioma: from basic tumor biology to clinical medicine.. <i>World Journal of Surgical Oncology</i> , 2022 , 20, 141	3.4	0
138	Cytoreductive surgery and hyperthermic intraperitoneal chemotherapy for peritoneal metastasis from breast cancer: a preliminary report of 4 cases. <i>Gland Surgery</i> , 2021 , 10, 1315-1324	2.2	
137	Intra-operative hyperthermic intraperitoneal chemotherapy for prevention and treatment of peritoneal metastases from gastric cancer: a narrative review. <i>Journal of Gastrointestinal Oncology</i> , 2021 , 12, S70-S78	2.8	1
136	Prognostic significance of CEA, Ki67 and p53 in pseudomyxoma peritonei of appendiceal origin. <i>Journal of International Medical Research</i> , 2021 , 49, 3000605211022297	1.4	2
135	Cytoreductive Surgery plus Hyperthermic Intraperitoneal Chemotherapy Improves Survival with Acceptable Safety for Advanced Ovarian Cancer: A Clinical Study of 100 Patients. <i>BioMed Research International</i> , 2021 , 2021, 5533134	3	3
134	Clinicopathological features of desmoplastic small round cell tumors: clinical series and literature review. <i>World Journal of Surgical Oncology</i> , 2021 , 19, 193	3.4	2
133	Peritoneal cancer index (PCI) based patient selecting strategy for complete cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy in gastric cancer with peritoneal metastasis: A single-center retrospective analysis of 125 patients. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 1411-1419	3.6	3
132	Risk factors of pleural effusion after cytoreductive surgery and hyperthermic intraperitoneal chemotherapy in late-stage and recurrent ovarian cancer. <i>Annals of Palliative Medicine</i> , 2021 , 10, 385-391 ^{1.7}		
131	Establishment and histopathological study of patient-derived xenograft models and primary cell lines of epithelioid malignant peritoneal mesothelioma. <i>Experimental Animals</i> , 2021 , 70, 225-235	1.8	1
130	Consensuses and controversies on pseudomyxoma peritonei: a review of the published consensus statements and guidelines. <i>Orphanet Journal of Rare Diseases</i> , 2021 , 16, 85	4.2	3
129	Clinicopathological characteristics of primary peritoneal epithelioid mesothelioma of clear cell type: A case report. <i>Medicine (United States)</i> , 2021 , 100, e25264	1.8	0
128	Long term survival of cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy in advanced epithelial ovarian cancer.. <i>Translational Cancer Research</i> , 2021 , 10, 3705-3715	0.3	
127	Clinicopathological analysis of primary carcinoid tumour of the ovary arising in mature cystic teratomas. <i>Journal of International Medical Research</i> , 2021 , 49, 3000605211034666	1.4	0
126	Tumor-stroma ratio as a new prognosticator for pseudomyxoma peritonei: a comprehensive clinicopathological and immunohistochemical study.. <i>Diagnostic Pathology</i> , 2021 , 16, 116	3	0
125	Study on the hepatocellular carcinoma model with metastasis. <i>Genes and Diseases</i> , 2020 , 7, 336-350	6.6	4
124	Perioperative safety after cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy for pseudomyxoma peritonei from appendiceal origin: Experience on 254 patients from a single center. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 600-606	3.6	8

123	Ten years Disease-free survival of advanced epithelial ovarian cancer treated by cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy: A case report and literature review. <i>Medicine (United States)</i> , 2020 , 99, e23404	1.8	
122	Pathological prognostic factors of pseudomyxoma peritonei: comprehensive clinicopathological analysis of 155 cases. <i>Human Pathology</i> , 2020 , 97, 9-18	3.7	11
121	Establishment of patient-derived xenograft model of peritoneal mucinous carcinomatosis with signet ring cells and in vivo study on the efficacy and toxicity of intraperitoneal injection of 5-fluorouracil. <i>Cancer Medicine</i> , 2020 , 9, 1104-1114	4.8	4
120	CRS + HIPEC combined with IP + IV chemotherapy for gastric signet-ring cell carcinoma: Case report of long-term survival. <i>Medicine (United States)</i> , 2020 , 99, e22647	1.8	2
119	Apatinib Mesylate Inhibits the Proliferation and Metastasis of Epithelioid Malignant Peritoneal Mesothelioma and. <i>Frontiers in Oncology</i> , 2020 , 10, 585079	5.3	4
118	The biological basis and function of GNAS mutation in pseudomyxoma peritonei: a review. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 2179-2188	4.9	4
117	Clinicopathological Characteristics of Pseudomyxoma Peritonei Originated from Ovaries. <i>Cancer Management and Research</i> , 2020 , 12, 7569-7578	3.6	6
116	Oncolytic Ad co-expressing decorin and Wnt decoy receptor overcomes chemoresistance of desmoplastic tumor through degradation of ECM and inhibition of EMT. <i>Cancer Letters</i> , 2019 , 459, 15-29	9.9	8
115	Peritoneal Carcinomatosis Diagnosis and Treatment in China: Focusing on Training and Collaboration. <i>Indian Journal of Surgical Oncology</i> , 2019 , 10, 12-18	0.7	1
114	Prevention of Venous Thromboembolism After Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy: Development of a Physiotherapy Program. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2019 , 25, 1076029619890415	3.3	3
113	Lysyl oxidase activates cancer stromal cells and promotes gastric cancer progression: quantum dot-based identification of biomarkers in cancer stromal cells. <i>International Journal of Nanomedicine</i> , 2018 , 13, 161-174	7.3	18
112	The tumor-stromal ratio as a strong prognosticator for advanced gastric cancer patients: proposal of a new TSNM staging system. <i>Journal of Gastroenterology</i> , 2018 , 53, 606-617	6.9	23
111	Experimental evidence of good efficacy and reduced toxicity with peptide-doxorubicin to treat gastric cancer. <i>Oncotarget</i> , 2018 , 9, 1957-1968	3.3	1
110	The prognosis role of AJCC/UICC 8 edition staging system in gastric cancer, a retrospective analysis. <i>American Journal of Translational Research (discontinued)</i> , 2018 , 10, 292-303	3	42
109	Stromal fibroblast activation protein alpha promotes gastric cancer progression via epithelial-mesenchymal transition through Wnt/ β catenin pathway. <i>BMC Cancer</i> , 2018 , 18, 1099	4.8	25
108	Current status and future prospects of clinical trials on CRS + HIPEC for gastric cancer peritoneal metastases. <i>International Journal of Hyperthermia</i> , 2017 , 33, 562-570	3.7	27
107	VCPA, a novel synthetic derivative of Etopopheryl succinate, sensitizes human gastric cancer to doxorubicin-induced apoptosis via ROS-dependent mitochondrial dysfunction. <i>Cancer Letters</i> , 2017 , 393, 22-32	9.9	25
106	Long-term survival of high-grade primary peritoneal papillary serous adenocarcinoma: a case report and literature review. <i>World Journal of Surgical Oncology</i> , 2017 , 15, 76	3.4	4

105	Photodynamic Detection of Peritoneal Metastases Using 5-Aminolevulinic Acid (ALA). <i>Cancers</i> , 2017 , 9,	6.6	10
104	Treatment of hypermyoglobinemia after CRS + HIPEC for patients with peritoneal carcinomatosis: A retrospective comparative study. <i>Medicine (United States)</i> , 2017 , 96, e8573	1.8	3
103	Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy improves survival for peritoneal carcinomatosis from colorectal cancer: a systematic review and meta-analysis of current evidence. <i>Oncotarget</i> , 2017 , 8, 55657-55683	3.3	71
102	Distribution pattern of tumor associated macrophages predicts the prognosis of gastric cancer. <i>Oncotarget</i> , 2017 , 8, 92757-92769	3.3	25
101	Quantum Dots for Cancer Diagnosis 2016 , 207-226		1
100	Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy with lobaplatin and docetaxel improves survival for patients with peritoneal carcinomatosis from abdominal and pelvic malignancies. <i>World Journal of Surgical Oncology</i> , 2016 , 14, 246	3.4	5
99	Quantum dot-based molecular imaging of cancer cell growth using a clone formation assay. <i>Molecular Medicine Reports</i> , 2016 , 14, 3007-12	2.9	11
98	A Comparative Performance Analysis of Multispectral and RGB Imaging on HER2 Status Evaluation for the Prediction of Breast Cancer Prognosis. <i>Translational Oncology</i> , 2016 , 9, 521-530	4.9	4
97	Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy with lobaplatin and docetaxel to treat synchronous peritoneal carcinomatosis from gastric cancer: Results from a Chinese center. <i>European Journal of Surgical Oncology</i> , 2016 , 42, 1024-34	3.6	19
96	Assessment of Hyperthermic Intraperitoneal Chemotherapy to Eradicate Intraperitoneal Free Cancer Cells. <i>Translational Oncology</i> , 2016 , 9, 18-24	4.9	6
95	Simultaneous determination of doxorubicin and its dipeptide prodrug in mice plasma by HPLC with fluorescence detection. <i>Journal of Pharmaceutical Analysis</i> , 2016 , 6, 199-202	14	17
94	Selenium-substituted hydroxyapatite nanoparticles and their in vivo antitumor effect on hepatocellular carcinoma. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016 , 140, 297-306	6	65
93	Application of multispectral imaging in quantitative immunohistochemistry study of breast cancer: a comparative study. <i>Tumor Biology</i> , 2016 , 37, 5013-24	2.9	12
92	Chinese expert consensus on cytoreductive surgery and hyperthermic intraperitoneal chemotherapy for peritoneal malignancies. <i>World Journal of Gastroenterology</i> , 2016 , 22, 6906-16	5.6	38
91	Intraperitoneal free cancer cells in gastric cancer: pathology of peritoneal carcinomatosis and rationale for intraperitoneal chemotherapy/hyperthermic intraperitoneal chemotherapy in gastric cancer. <i>Translational Gastroenterology and Hepatology</i> , 2016 , 1, 69	5.2	12
90	Quantum dots-based double imaging combined with organic dye imaging to establish an automatic computerized method for cancer Ki67 measurement. <i>Scientific Reports</i> , 2016 , 6, 20564	4.9	19
89	Milky spots: omental functional units and hotbeds for peritoneal cancer metastasis. <i>Tumor Biology</i> , 2016 , 37, 5715-26	2.9	45
88	Cytoreductive Surgery plus Hyperthermic Intraperitoneal Chemotherapy to Treat Advanced/Recurrent Epithelial Ovarian Cancer: Results from a Retrospective Study on Prospectively Established Database. <i>Translational Oncology</i> , 2016 , 9, 130-138	4.9	23

87	Cytoreductive surgery combined with hyperthermic intraperitoneal chemotherapy for the treatment of primary peritoneal serous carcinoma: Results of a Chinese retrospective study. <i>International Journal of Hyperthermia</i> , 2016 , 32, 289-97	3.7	7
86	Reply to: Re: Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy with lobaplatin and docetaxel to treat synchronous peritoneal carcinomatosis from gastric cancer: Results from a Chinese center, <i>Eur J Surg Oncol</i> (2016). <i>European Journal of Surgical Oncology</i> , 2016 , 42, 1762-1766	3.6	2
85	Prognostic significance of tumor-associated macrophages density in gastric cancer: a systemic review and meta-analysis. <i>Minerva Medica</i> , 2016 , 107, 314-21	2.2	10
84	New breast cancer prognostic factors identified by computer-aided image analysis of HE stained histopathology images. <i>Scientific Reports</i> , 2015 , 5, 10690	4.9	43
83	Quantum dots-based tissue and in vivo imaging in breast cancer researches: current status and future perspectives. <i>Breast Cancer Research and Treatment</i> , 2015 , 151, 7-17	4.4	41
82	Segmentation of Hematoxylin-Eosin stained breast cancer histopathological images based on pixel-wise SVM classifier. <i>Science China Information Sciences</i> , 2015 , 58, 1-13	3.4	20
81	Trichostatin A and Tamoxifen inhibit breast cancer cell growth by miR-204 and ER β reducing AKT/mTOR pathway. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 467, 242-7	3.4	22
80	HCV core protein promotes hepatocyte proliferation and chemoresistance by inhibiting NR4A1. <i>Biochemical and Biophysical Research Communications</i> , 2015 , 466, 592-8	3.4	13
79	Quantum dot-based multispectral fluorescent imaging to quantitatively study co-expressions of Ki67 and HER2 in breast cancer. <i>Experimental and Molecular Pathology</i> , 2015 , 99, 133-8	4.4	11
78	Oral gastrografen radiography for the evaluation of the functional impact of peritoneal carcinomatosis: Correlation with clinicopathological findings. <i>Molecular and Clinical Oncology</i> , 2015 , 3, 979-986	1.6	2
77	Quantum dot-based multiplexed imaging in malignant ascites: a new model for malignant ascites classification. <i>International Journal of Nanomedicine</i> , 2015 , 10, 1759-68	7.3	8
76	Analysis of cancer marker in tissues with Hadamard transform fluorescence spectral microscopic imaging. <i>Journal of Fluorescence</i> , 2015 , 25, 397-402	2.4	3
75	Quantum dots-based quantitative and in situ multiple imaging on ki67 and cytokeratin to improve ki67 assessment in breast cancer. <i>PLoS ONE</i> , 2015 , 10, e0122734	3.7	25
74	15-PGDH expression as a predictive factor response to neoadjuvant chemotherapy in advanced gastric cancer. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 6910-8	1.4	8
73	Morphological study and comprehensive cellular constituents of milky spots in the human omentum. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 12877-84	1.4	9
72	Tumor invasion unit in gastric cancer revealed by QDs-based in situ molecular imaging and multispectral analysis. <i>Biomaterials</i> , 2014 , 35, 4125-32	15.6	14
71	Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy improves survival of patients with peritoneal carcinomatosis from colorectal cancer: a case-control study from a Chinese center. <i>Journal of Surgical Oncology</i> , 2014 , 109, 730-9	2.8	31
70	Peritoneal cancer treatment. <i>Expert Opinion on Pharmacotherapy</i> , 2014 , 15, 623-36	4	35

69	Anti-cancer effects of novel doxorubicin prodrug PDOX in MCF-7 breast cancer cells. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2014 , 34, 521-528		4
68	Long term follow up and retrospective study on 533 gastric cancer cases. <i>BMC Surgery</i> , 2014 , 14, 29	2.3	15
67	Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy improves survival for patients with peritoneal carcinomatosis from colorectal cancer: a phase II study from a Chinese center. <i>PLoS ONE</i> , 2014 , 9, e108509	3.7	28
66	Subtype classification for prediction of prognosis of breast cancer from a biomarker panel: correlations and indications. <i>International Journal of Nanomedicine</i> , 2014 , 9, 1039-48	7.3	12
65	Impact of neoadjuvant chemotherapy on lymphocytes and co-inhibitory B7-H4 molecule in gastric cancer: low B7-H4 expression associates with favorable prognosis. <i>Tumor Biology</i> , 2014 , 35, 11837-43	2.9	21
64	Two-step segmentation of Hematoxylin-Eosin stained histopathological images for prognosis of breast cancer 2014 ,		9
63	Cytoreductive surgery under aminolevulinic acid-mediated photodynamic diagnosis plus hyperthermic intraperitoneal chemotherapy in patients with peritoneal carcinomatosis from ovarian cancer and primary peritoneal carcinoma: results of a phase I trial. <i>Annals of Surgical Oncology</i> , 2014 , 21, 4256-62	3.1	27
62	Quantum dot-based immunofluorescent imaging of Ki67 and identification of prognostic value in HER2-positive (non-luminal) breast cancer. <i>International Journal of Nanomedicine</i> , 2014 , 9, 1339-46	7.3	25
61	Synthesis, identification and in vivo studies of tumor-targeting agent peptide doxorubicin (PDOX) to treat peritoneal carcinomatosis of gastric cancer with similar efficacy but reduced toxicity. <i>Molecular Cancer</i> , 2014 , 13, 44	42.1	8
60	Collagen as a double-edged sword in tumor progression. <i>Tumor Biology</i> , 2014 , 35, 2871-82	2.9	321
59	A clinical database of breast cancer patients reveals distinctive clinico-pathological characteristics: a study from central China. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014 , 15, 1621-6	1.7	12
58	Report on the 9(th) International Congress on Peritoneal Surface Malignancies. <i>Cancer Biology and Medicine</i> , 2014 , 11, 281-4	5.2	21
57	Combined features based on MT1-MMP expression, CD11b + immunocytes density and LNR predict clinical outcomes of gastric cancer. <i>Journal of Translational Medicine</i> , 2013 , 11, 153	8.5	25
56	In vitro invasive pattern of hepatocellular carcinoma cell line HCCLM9 based on three-dimensional cell culture and quantum dots molecular imaging. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2013 , 33, 520-524		7
55	Quantum dots-based in situ molecular imaging of dynamic changes of collagen IV during cancer invasion. <i>Biomaterials</i> , 2013 , 34, 8708-17	15.6	39
54	Targeting therapy of hepatocellular carcinoma with doxorubicin prodrug PDOX increases anti-metastatic effect and reduces toxicity: a preclinical study. <i>Journal of Translational Medicine</i> , 2013 , 11, 192	8.5	25
53	Rapid identification of Staphylococcus aureus directly from positive blood culture media using quantum dots as fluorescence probes. <i>Apmis</i> , 2013 , 121, 348-52	3.4	3
52	Recognition and capture of metastatic hepatocellular carcinoma cells using aptamer-conjugated quantum dots and magnetic particles. <i>Biomaterials</i> , 2013 , 34, 3816-27	15.6	54

51	Coevolution of the tumor microenvironment revealed by quantum dot-based multiplexed imaging of hepatocellular carcinoma. <i>Future Oncology</i> , 2013 , 9, 1029-37	3.6	10
50	Lymph node ratio is a better prognosticator than lymph node status for gastric cancer: A retrospective study of 138 cases. <i>Oncology Letters</i> , 2013 , 6, 1693-1700	2.6	15
49	Evaluation of the staging systems for gastric cancer. <i>Journal of Surgical Oncology</i> , 2013 , 108, 93-105	2.8	19
48	Cathepsin B-cleavable doxorubicin prodrugs for targeted cancer therapy (Review). <i>International Journal of Oncology</i> , 2013 , 42, 373-83	4.4	103
47	Anticancer effects of Ac-Phe-Lys-PABC-doxorubicin via mitochondria-centered apoptosis involving reactive oxidative stress and the ERK1/2 signaling pathway in MGC-803 cells. <i>Oncology Reports</i> , 2013 , 30, 1681-6	3.5	9
46	Computer-based image studies on tumor nests mathematical features of breast cancer and their clinical prognostic value. <i>PLoS ONE</i> , 2013 , 8, e82314	3.7	24
45	Quantum-dots based simultaneous detection of multiple biomarkers of tumor stromal features to predict clinical outcomes in gastric cancer. <i>Biomaterials</i> , 2012 , 33, 5742-52	15.6	40
44	In vivo cancer targeting and imaging-guided surgery with near infrared-emitting quantum dot bioconjugates. <i>Theranostics</i> , 2012 , 2, 769-76	12.1	53
43	Tapping the potential of quantum dots for personalized oncology: current status and future perspectives. <i>Nanomedicine</i> , 2012 , 7, 411-28	5.6	45
42	Cathepsin B cleavable novel prodrug Ac-Phe-Lys-PABC-ADM enhances efficacy at reduced toxicity in treating gastric cancer peritoneal carcinomatosis: an experimental study. <i>Cancer</i> , 2012 , 118, 2986-96	6.4	47
41	Carbohydrate antigen 242 highly consists with carbohydrate antigen 19-9 in diagnosis and prognosis of colorectal cancer: study on 185 cases. <i>Medical Oncology</i> , 2012 , 29, 1030-6	3.7	11
40	Surgical results of patients with peritoneal carcinomatosis treated with cytoreductive surgery using a new technique named aqua dissection. <i>Gastroenterology Research and Practice</i> , 2012 , 2012, 521487	2	18
39	Quantum dots for cancer research: current status, remaining issues, and future perspectives. <i>Cancer Biology and Medicine</i> , 2012 , 9, 151-63	5.2	89
38	Hepatocellular carcinoma: insight from animal models. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2011 , 9, 32-43	24.2	91
37	Quantum dots-based double-color imaging of HER2 positive breast cancer invasion. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 409, 577-82	3.4	39
36	Quantum dot-based quantitative immunofluorescence detection and spectrum analysis of epidermal growth factor receptor in breast cancer tissue arrays. <i>International Journal of Nanomedicine</i> , 2011 , 6, 2265-73	7.3	22
35	Quantum dots-based molecular classification of breast cancer by quantitative spectroanalysis of hormone receptors and HER2. <i>Biomaterials</i> , 2011 , 32, 7592-9	15.6	49
34	Cytoreductive surgery and hyperthermic intraperitoneal chemotherapy improves survival of patients with peritoneal carcinomatosis from gastric cancer: final results of a phase III randomized clinical trial. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1575-81	3.1	419

33	Preoperative serum carbohydrate antigen 125 level is an independent negative prognostic marker for overall survival in colorectal cancer. <i>Medical Oncology</i> , 2011 , 28, 789-95	3.7	9
32	Metastatic factors for Krukenberg tumor: a clinical study on 102 cases. <i>Medical Oncology</i> , 2011 , 28, 1514-9	3.7	18
31	Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy improves survival of gastric cancer with peritoneal carcinomatosis: evidence from an experimental study. <i>Journal of Translational Medicine</i> , 2011 , 9, 53	8.5	27
30	Patterns of cancer invasion revealed by QDs-based quantitative multiplexed imaging of tumor microenvironment. <i>Biomaterials</i> , 2011 , 32, 2907-17	15.6	73
29	High Ki-67 expression is a poor prognostic indicator of 5-year recurrence free survival in patients with invasive breast cancer. <i>Asian Pacific Journal of Cancer Prevention</i> , 2011 , 12, 3101-5	1.7	11
28	Quantum-dot-based immunofluorescent imaging of HER2 and ER provides new insights into breast cancer heterogeneity. <i>Nanotechnology</i> , 2010 , 21, 095101	3.4	48
27	Co-evolution of cancer microenvironment reveals distinctive patterns of gastric cancer invasion: laboratory evidence and clinical significance. <i>Journal of Translational Medicine</i> , 2010 , 8, 101	8.5	32
26	Evaluation of the bioconjugation efficiency of different quantum dots as probes for immunostaining tumor-marker proteins. <i>Applied Spectroscopy</i> , 2010 , 64, 847-52	3.1	10
25	Coronin-1C is a novel biomarker for hepatocellular carcinoma invasive progression identified by proteomics analysis and clinical validation. <i>Journal of Experimental and Clinical Cancer Research</i> , 2010 , 29, 17	12.8	39
24	Application of Quantum Dots-Based Biotechnology in Cancer Diagnosis: Current Status and Future Perspectives. <i>Journal of Nanomaterials</i> , 2010 , 2010, 1-11	3.2	315
23	The quantitative detection of total HER2 load by quantum dots and the identification of a new subtype of breast cancer with different 5-year prognosis. <i>Biomaterials</i> , 2010 , 31, 8818-25	15.6	53
22	Establishment and identification of a rabbit model of peritoneal carcinomatosis from gastric cancer. <i>BMC Cancer</i> , 2010 , 10, 124	4.8	18
21	Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy to treat gastric cancer with ascites and/or peritoneal carcinomatosis: Results from a Chinese center. <i>Journal of Surgical Oncology</i> , 2010 , 101, 457-64	2.8	76
20	Experimental models of hepatocellular carcinoma: developments and evolution. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009 , 135, 969-81	4.9	31
19	Quantum dots-based immunofluorescence technology for the quantitative determination of HER2 expression in breast cancer. <i>Biomaterials</i> , 2009 , 30, 2912-8	15.6	148
18	Cytoreductive surgery plus hyperthermic intraperitoneal chemotherapy improves survival in selected patients with peritoneal carcinomatosis from abdominal and pelvic malignancies: results of 21 cases. <i>Annals of Surgical Oncology</i> , 2009 , 16, 345-51	3.1	30
17	Application of C12 multi-tumor marker protein chip in the diagnosis of gastrointestinal cancer: results of 329 surgical patients and suggestions for improvement. <i>Hepato-Gastroenterology</i> , 2009 , 56, 1388-94		8
16	Carcinoembryonic antigen level is related to tumor invasion into the serosa of the stomach: study on 166 cases and suggestion for new therapy. <i>Hepato-Gastroenterology</i> , 2009 , 56, 1750-4		14

15	Current status and future strategies of cytoreductive surgery plus intraperitoneal hyperthermic chemotherapy for peritoneal carcinomatosis. <i>World Journal of Gastroenterology</i> , 2008 , 14, 1159-66	5.6	65
14	Intraperitoneal chemotherapy with hydroxycamptothecin reduces peritoneal carcinomatosis: results of an experimental study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008 , 134, 37-44	4.9	10
13	Advances in the application of quantum dots in tumor markers investigation. <i>Chinese-German Journal of Clinical Oncology</i> , 2008 , 7, 179-184		6
12	The biocompatibility of quantum dot probes used for the targeted imaging of hepatocellular carcinoma metastasis. <i>Biomaterials</i> , 2008 , 29, 4170-6	15.6	134
11	Evaluation of tumor markers biochip C12 system in the diagnosis of gastric cancer and the strategies for improvement: analysis of 100 cases. <i>Hepato-Gastroenterology</i> , 2008 , 55, 991-7		4
10	Design, syntheses, and antitumor activity of novel chromone and aurone derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2007 , 15, 5191-7	3.4	80
9	Fluorescence analysis with quantum dot probes for hepatoma under one- and two-photon excitation. <i>Journal of Fluorescence</i> , 2007 , 17, 243-7	2.4	35
8	Chitosan nanoparticle as gene therapy vector via gastrointestinal mucosa administration: results of an in vitro and in vivo study. <i>Life Sciences</i> , 2007 , 80, 388-96	6.8	102
7	Serum CYFRA 21-1 level reflects hepatocellular carcinoma metastasis: study in nude mice model and clinical patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2006 , 132, 515-20	4.9	21
6	From proteomic analysis to clinical significance: overexpression of cytokeratin 19 correlates with hepatocellular carcinoma metastasis. <i>Molecular and Cellular Proteomics</i> , 2004 , 3, 73-81	7.6	163
5	A decade's studies on metastasis of hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004 , 130, 187-96	4.9	376
4	Stepwise metastatic human hepatocellular carcinoma cell model system with multiple metastatic potentials established through consecutive in vivo selection and studies on metastatic characteristics. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004 , 130, 460-8	4.9	179
3	Contributions of lung tissue extracts to invasion and migration of human hepatocellular carcinoma cells with various metastatic potentials. <i>Journal of Cancer Research and Clinical Oncology</i> , 2003 , 129, 556-64	4.9	16
2	Metastatic human hepatocellular carcinoma models in nude mice and cell line with metastatic potential. <i>World Journal of Gastroenterology</i> , 2001 , 7, 597-601	5.6	35
1	Establishment of cell clones with different metastatic potential from the metastatic hepatocellular carcinoma cell line MHCC97. <i>World Journal of Gastroenterology</i> , 2001 , 7, 630-6	5.6	291