

Ji-Soo Jang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/487426/ji-soo-jang-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80
papers

3,522
citations

35
h-index

58
g-index

88
ext. papers

4,489
ext. citations

12.7
avg, IF

5.94
L-index

#	Paper	IF	Citations
80	Heterogeneous Sensitization of Metal-Organic Framework Driven Metal@Metal Oxide Complex Catalysts on an Oxide Nanofiber Scaffold Toward Superior Gas Sensors. <i>Journal of the American Chemical Society</i> , 2016 , 138, 13431-13437	16.4	268
79	Metal-Organic Frameworks for Chemiresistive Sensors. <i>CheM</i> , 2019 , 5, 1938-1963	16.2	216
78	Nanoscale PdO Catalyst Functionalized CoO Hollow Nanocages Using MOF Templates for Selective Detection of Acetone Molecules in Exhaled Breath. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 8201-8210	9.5	182
77	Mesoporous WO ₃ Nanofibers with Protein-Templated Nanoscale Catalysts for Detection of Trace Biomarkers in Exhaled Breath. <i>ACS Nano</i> , 2016 , 10, 5891-9	16.7	173
76	Innovative Nanosensor for Disease Diagnosis. <i>Accounts of Chemical Research</i> , 2017 , 50, 1587-1596	24.3	143
75	Metal-Organic Framework Templated Catalysts: Dual Sensitization of PdO-ZnO Composite on Hollow SnO Nanotubes for Selective Acetone Sensors. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 18069-18077	9.5	127
74	Accelerating Palladium Nanowire H Sensors Using Engineered Nanofiltration. <i>ACS Nano</i> , 2017 , 11, 9276-9285	12.85	123
73	Thin-walled SnO ₂ Nanotubes functionalized with Pt and Au catalysts via the protein templating route and their selective detection of acetone and hydrogen sulfide molecules. <i>Nanoscale</i> , 2015 , 7, 16417-26	7.7	116
72	Rational Design of Highly Porous SnO ₂ Nanotubes Functionalized with Biomimetic Nanocatalysts for Direct Observation of Simulated Diabetes. <i>Advanced Functional Materials</i> , 2016 , 26, 4740-4748	15.6	115
71	Metal Organic Framework-Templated Chemiresistor: Sensing Type Transition from P-to-N Using Hollow Metal Oxide Polyhedron via Galvanic Replacement. <i>Journal of the American Chemical Society</i> , 2017 , 139, 11868-11876	16.4	101
70	Highly sensitive and selective acetone sensing performance of WO ₃ nanofibers functionalized by Rh ₂ O ₃ nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2016 , 224, 185-192	8.5	88
69	Exceptional High-Performance of Pt-Based Bimetallic Catalysts for Exclusive Detection of Exhaled Biomarkers. <i>Advanced Materials</i> , 2017 , 29, 1700737	24	84
68	Low-Thermal-Budget Doping: Low-Thermal-Budget Doping of 2D Materials in Ambient Air Exemplified by Synthesis of Boron-Doped Reduced Graphene Oxide (Adv. Sci. 7/2020). <i>Advanced Science</i> , 2020 , 7, 2070039	13.6	78
67	Catalyst-decorated hollow WO ₃ nanotubes using layer-by-layer self-assembly on polymeric nanofiber templates and their application in exhaled breath sensor. <i>Sensors and Actuators B: Chemical</i> , 2016 , 223, 301-310	8.5	78
66	Metal-Organic Framework Templated Synthesis of Ultrasmall Catalyst Loaded ZnO/ZnCoO Hollow Spheres for Enhanced Gas Sensing Properties. <i>Scientific Reports</i> , 2017 , 7, 45074	4.9	74
65	Nanoscale PtO Catalysts-Loaded SnO Multichannel Nanofibers toward Highly Sensitive Acetone Sensor. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 2016-2025	9.5	73
64	Nitrogen-Doped Single Graphene Fiber with Platinum Water Dissociation Catalyst for Wearable Humidity Sensor. <i>Small</i> , 2018 , 14, e1703934	11	72

63	Bimodally Porous WO Microbelts Functionalized with Pt Catalysts for Selective HS Sensors. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 20643-20651	9.5	63
62	WO3 Nanofiber-Based Biomarker Detectors Enabled by Protein-Encapsulated Catalyst Self-Assembled on Polystyrene Colloid Templates. <i>Small</i> , 2016 , 12, 911-20	11	62
61	Hollow Pd-Ag Composite Nanowires for Fast Responding and Transparent Hydrogen Sensors. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 39464-39474	9.5	58
60	Continuous Meter-Scale Synthesis of Weavable Tunicate Cellulose/Carbon Nanotube Fibers for High-Performance Wearable Sensors. <i>ACS Nano</i> , 2019 , 13, 9332-9341	16.7	54
59	Few-Layered WS ₂ Nanoplates Confined in Co, N-Doped Hollow Carbon Nanocages: Abundant WS ₂ Edges for Highly Sensitive Gas Sensors. <i>Advanced Functional Materials</i> , 2018 , 28, 1802575	15.6	53
58	Silver Nanowire Embedded Colorless Polyimide Heater for Wearable Chemical Sensors: Improved Reversible Reaction Kinetics of Optically Reduced Graphene Oxide. <i>Small</i> , 2016 , 12, 5826-5835	11	52
57	Hierarchical Metal-Organic Framework-Assembled Membrane Filter for Efficient Removal of Particulate Matter. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 19957-19963	9.5	52
56	Metal Chelation Assisted In Situ Migration and Functionalization of Catalysts on Peapod-Like Hollow SnO toward a Superior Chemical Sensor. <i>Small</i> , 2016 , 12, 5989-5997	11	47
55	Three-Dimensional Nanofibrous Air Electrode Assembled With Carbon Nanotubes-Bridged Hollow FeO Nanoparticles for High-Performance Lithium-Oxygen Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 6531-6540	9.5	46
54	Electrospun Nanostructures for High Performance Chemiresistive and Optical Sensors. <i>Macromolecular Materials and Engineering</i> , 2017 , 302, 1600569	3.9	43
53	Hierarchically interconnected porosity control of catalyst-loaded WO ₃ nanofiber scaffold: Superior acetone sensing layers for exhaled breath analysis. <i>Sensors and Actuators B: Chemical</i> , 2018 , 259, 616-625	8.5	43
52	Chitosan-templated Pt nanocatalyst loaded mesoporous SnO nanofibers: a superior chemiresistor toward acetone molecules. <i>Nanoscale</i> , 2018 , 10, 13713-13721	7.7	42
51	Rational design of Sn-based multicomponent anodes for high performance lithium-ion batteries: SnO ₂ @TiO ₂ @reduced graphene oxide nanotubes. <i>RSC Advances</i> , 2016 , 6, 2920-2925	3.7	41
50	WO ₃ nanofibers functionalized by protein-templated RuO ₂ nanoparticles as highly sensitive exhaled breath gas sensing layers. <i>Sensors and Actuators B: Chemical</i> , 2017 , 241, 1276-1282	8.5	39
49	In Situ Coupling of Multidimensional MOFs for Heterogeneous Metal-Oxide Architectures: Toward Sensitive Chemiresistors. <i>ACS Central Science</i> , 2018 , 4, 929-937	16.8	38
48	A General Synthesis of Crumpled Metal Oxide Nanosheets as Superior Chemiresistive Sensing Layers. <i>Advanced Functional Materials</i> , 2019 , 29, 1903128	15.6	37
47	Facile synthetic method of catalyst-loaded ZnO nanofibers composite sensor arrays using bio-inspired protein cages for pattern recognition of exhaled breath. <i>Sensors and Actuators B: Chemical</i> , 2017 , 243, 166-175	8.5	36
46	Nanoparticle Ex-solution for Supported Catalysts: Materials Design, Mechanism and Future Perspectives. <i>ACS Nano</i> , 2021 , 15, 81-110	16.7	36

45	Optically Sintered 2D RuO ₂ Nanosheets: Temperature-Controlled NO ₂ Reaction. <i>Advanced Functional Materials</i> , 2017 , 27, 1606026	15.6	35
44	High-Resolution, Fast, and Shape-Conformable Hydrogen Sensor Platform: Polymer Nanofiber Yarn Coupled with Nanograined Pd@Pt. <i>ACS Nano</i> , 2019 , 13, 6071-6082	16.7	35
43	Single-Atom Pt Stabilized on One-Dimensional Nanostructure Support Carbon Nitride/SnO Heterojunction Trapping. <i>ACS Nano</i> , 2020 , 14, 11394-11405	16.7	35
42	Heterogeneous, Porous 2D Oxide Sheets via Rapid Galvanic Replacement: Toward Superior HCHO Sensing Application. <i>Advanced Functional Materials</i> , 2019 , 29, 1903012	15.6	30
41	Bioinspired Cocatalysts Decorated WO Nanotube Toward Unparalleled Hydrogen Sulfide Chemiresistor. <i>ACS Sensors</i> , 2018 , 3, 1164-1173	9.2	28
40	Catalytic Metal Nanoparticles Embedded in Conductive Metal-Organic Frameworks for Chemiresistors: Highly Active and Conductive Porous Materials. <i>Advanced Science</i> , 2019 , 6, 1900250	13.6	26
39	Graphene oxide templating: facile synthesis of morphology engineered crumpled SnO ₂ nanofibers for superior chemiresistors. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 13825-13834	13	24
38	Hydrogen Sensors Based on MoS Hollow Architectures Assembled by Pickering Emulsion. <i>ACS Nano</i> , 2020 , 14, 9652-9661	16.7	24
37	2D layer assembly of Pt-ZnO nanoparticles on reduced graphene oxide for flexible NO ₂ sensors. <i>Sensors and Actuators B: Chemical</i> , 2021 , 331, 129371	8.5	23
36	Perovskite La _{0.75} Sr _{0.25} Cr _{0.5} Mn _{0.5} O ₃ Sensitized SnO ₂ fiber-in-tube scaffold: highly selective and sensitive formaldehyde sensing. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 10543-10551	13	22
35	Colorimetric Dye-Loaded Nanofiber Yarn: Eye-Readable and Weavable Gas Sensing Platform. <i>ACS Nano</i> , 2020 ,	16.7	19
34	Surface Activity-Tuned Metal Oxide Chemiresistor: Toward Direct and Quantitative Halitosis Diagnosis. <i>ACS Nano</i> , 2021 , 15, 14207-14217	16.7	19
33	All-carbon fiber-based chemical sensor: Improved reversible NO ₂ reaction kinetics. <i>Sensors and Actuators B: Chemical</i> , 2019 , 290, 293-301	8.5	18
32	Pore-Size-Tuned Graphene Oxide Membrane as a Selective Molecular Sieving Layer: Toward Ultrasensitive Chemiresistors. <i>Analytical Chemistry</i> , 2020 , 92, 957-965	7.8	18
31	2D Materials Decorated with Ultrathin and Porous Graphene Oxide for High Stability and Selective Surface Activity. <i>Advanced Materials</i> , 2020 , 32, e2002723	24	18
30	Polyelemental Nanoparticles as Catalysts for a Li-O Battery. <i>ACS Nano</i> , 2021 , 15, 4235-4244	16.7	18
29	Heterogeneous Metal Oxide-Graphene Thorn-Bush Single Fiber as a Freestanding Chemiresistor. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 10208-10217	9.5	17
28	Pt nanoparticles functionalized tungsten oxynitride hybrid chemiresistor: Low-temperature NO ₂ sensing. <i>Sensors and Actuators B: Chemical</i> , 2018 , 273, 1269-1277	8.5	16

27	Glass-Fabric Reinforced Ag Nanowire/Siloxane Composite Heater Substrate: Sub-10 nm Metal@Metal Oxide Nanosheet for Sensitive Flexible Sensing Platform. <i>Small</i> , 2018 , 14, e1802260	11	16
26	Janus Graphene Liquid Crystalline Fiber with Tunable Properties Enabled by Ultrafast Flash Reduction. <i>Small</i> , 2019 , 15, e1901529	11	15
25	Dopant-Driven Positive Reinforcement in Ex-Solution Process: New Strategy to Develop Highly Capable and Durable Catalytic Materials. <i>Advanced Materials</i> , 2020 , 32, e2003983	24	13
24	Focused Electric-Field Polymer Writing: Toward Ultralarge, Multistimuli-Responsive Membranes. <i>ACS Nano</i> , 2020 , 14, 12173-12183	16.7	13
23	An Impedance-Transduced Chemiresistor with a Porous Carbon Channel for Rapid, Nonenzymatic, Glucose Sensing. <i>Analytical Chemistry</i> , 2018 , 90, 9338-9346	7.8	11
22	Elaborate Manipulation for Sub-10 nm Hollow Catalyst Sensitized Heterogeneous Oxide Nanofibers for Room Temperature Chemical Sensors. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 24821-24829	9.5	9
21	Bio-inspired heterogeneous sensitization of bimetal oxides on SnO scaffolds for unparalleled formaldehyde detection. <i>Chemical Communications</i> , 2019 , 55, 3622-3625	5.8	8
20	Universal Synthesis of Porous Inorganic Nanosheets via Graphene-Cellulose Templating Route. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 34100-34108	9.5	7
19	Confinement of Ultrasmall Bimetallic Nanoparticles in Conductive Metal-Organic Frameworks via Site-Specific Nucleation. <i>Advanced Materials</i> , 2021 , 33, e2101216	24	6
18	Synergistic Integration of Chemo-Resistive and SERS Sensing for Label-Free Multiplex Gas Detection. <i>Advanced Materials</i> , 2021 , 33, e2105199	24	4
17	Low-Thermal-Budget Doping of 2D Materials in Ambient Air Exemplified by Synthesis of Boron-Doped Reduced Graphene Oxide. <i>Advanced Science</i> , 2020 , 7, 1903318	13.6	3
16	Flash-thermochemical engineering of phase and surface activity on metal oxides. <i>ChemM</i> , 2022 ,	16.2	2
15	Oxide/ZIF-8 Hybrid Nanofiber Yarns: Heightened Surface Activity for Exceptional Chemiresistive Sensing.. <i>Advanced Materials</i> , 2022 , e2105869	24	2
14	Sacrificial Template-Assisted Synthesis of Inorganic Nanosheets with High-Loading Single-Atom Catalysts: A General Approach. <i>Advanced Functional Materials</i> , 2110485	15.6	2
13	Selective and sensitive environmental gas sensors enabled by membrane overlayers. <i>Trends in Chemistry</i> , 2021 , 3, 547-560	14.8	2
12	Supercharging a MnO Nanowire: An Amine-Altered Morphology Retains Capacity at High Rates and Mass Loadings. <i>Langmuir</i> , 2017 , 33, 9324-9332	4	1
11	Protein-Encapsulated Catalysts: WO ₃ Nanofiber-Based Biomarker Detectors Enabled by Protein-Encapsulated Catalyst Self-Assembled on Polystyrene Colloid Templates (Small 7/2016). <i>Small</i> , 2016 , 12, 964-964	11	1
10	Chemiresistors: Catalytic Metal Nanoparticles Embedded in Conductive Metal-Organic Frameworks for Chemiresistors: Highly Active and Conductive Porous Materials (Adv. Sci. 21/2019). <i>Advanced Science</i> , 2019 , 6, 1970126	13.6	1

9	Effect of metal/metal oxide catalysts on graphene fiber for improved NO ₂ sensing. <i>Sensors and Actuators B: Chemical</i> , 2021 , 344, 130231	8.5	1
8	D-space-controlled graphene oxide hybrid membrane-loaded SnO ₂ nanosheets for selective H ₂ detection. <i>Journal of Sensor Science and Technology</i> , 2021 , 30, 376-380	0.3	1
7	Catalytic Materials: Dopant-Driven Positive Reinforcement in Ex-Solution Process: New Strategy to Develop Highly Capable and Durable Catalytic Materials (Adv. Mater. 46/2020). <i>Advanced Materials</i> , 2020 , 32, 2070342	24	0
6	Gas Sensors: Few-Layered WS ₂ Nanoplates Confined in Co, N-Doped Hollow Carbon Nanocages: Abundant WS ₂ Edges for Highly Sensitive Gas Sensors (Adv. Funct. Mater. 36/2018). <i>Advanced Functional Materials</i> , 2018 , 28, 1870254	15.6	0
5	Confinement of Ultrasmall Bimetallic Nanoparticles in Conductive Metal-Organic Frameworks via Site-Specific Nucleation (Adv. Mater. 38/2021). <i>Advanced Materials</i> , 2021 , 33, 2170302	24	0
4	Thermal shock-stabilized metal catalysts on oxide hemitubes: Toward ultrasensitive chemiresistors. <i>Applied Surface Science</i> , 2022 , 595, 153460	6.7	0
3	2D Oxide Sensors: Heterogeneous, Porous 2D Oxide Sheets via Rapid Galvanic Replacement: Toward Superior HCHO Sensing Application (Adv. Funct. Mater. 42/2019). <i>Advanced Functional Materials</i> , 2019 , 29, 1970290	15.6	
2	Synergistic Integration of Chemo-Resistive and SERS Sensing for Label-Free Multiplex Gas Detection (Adv. Mater. 44/2021). <i>Advanced Materials</i> , 2021 , 33, 2170350	24	
1	Bio-inspired Cr ₂ O ₃ and Co ₃ O ₄ Nanoparticles Loaded Electrospun WO ₃ Nanofiber Chemical Sensor for Early Diagnosis of Halitosis. <i>Journal of Sensor Science and Technology</i> , 2016 , 25, 223-228	0.3	