

Zhe Han

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4874442/publications.pdf>

Version: 2024-02-01

53
papers

2,856
citations

257450

24
h-index

182427

51
g-index

61
all docs

61
docs citations

61
times ranked

3664
citing authors

#	ARTICLE	IF	CITATIONS
1	MicroRNA1 influences cardiac differentiation in <i>Drosophila</i> and regulates Notch signaling. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 18986-18991.	7.1	411
2	ADCK4 mutations promote steroid-resistant nephrotic syndrome through CoQ10 biosynthesis disruption. Journal of Clinical Investigation, 2013, 123, 5179-5189.	8.2	275
3	ARHGDI2 mutations cause nephrotic syndrome via defective RHO GTPase signaling. Journal of Clinical Investigation, 2013, 123, 3243-3253.	8.2	196
4	KANK deficiency leads to podocyte dysfunction and nephrotic syndrome. Journal of Clinical Investigation, 2015, 125, 2375-2384.	8.2	159
5	Hand is a direct target of Tinman and GATA factors during <i>Drosophila</i> cardiogenesis and hematopoiesis. Development (Cambridge), 2005, 132, 3525-3536.	2.5	131
6	Hand, an evolutionarily conserved bHLH transcription factor required for <i>Drosophila</i> cardiogenesis and hematopoiesis. Development (Cambridge), 2006, 133, 1175-1182.	2.5	104
7	Cubilin and Amnionless Mediate Protein Reabsorption in <i>Drosophila</i> Nephrocytes. Journal of the American Society of Nephrology: JASN, 2013, 24, 209-216.	6.1	98
8	An In Vivo Functional Analysis System for Renal Gene Discovery in <i>Drosophila</i> Pericardial Nephrocytes. Journal of the American Society of Nephrology: JASN, 2013, 24, 191-197.	6.1	92
9	Characterization of SARS-CoV-2 proteins reveals Orf6 pathogenicity, subcellular localization, host interactions and attenuation by Selnexor. Cell and Bioscience, 2021, 11, 58.	4.8	92
10	Myogenic cell fates are antagonized by Notch only in asymmetric lineages of the <i>Drosophila</i> heart, with or without cell division. Development (Cambridge), 2003, 130, 3039-3051.	2.5	89
11	The Mevalonate Pathway Controls Heart Formation in <i>Drosophila</i> by Isoprenylation of C ₁ . Science, 2006, 313, 1301-1303.	12.6	83
12	Single-cell RNA sequencing identifies novel cell types in <i>Drosophila</i> blood. Journal of Genetics and Genomics, 2020, 47, 175-186.	3.9	73
13	A myocardin-related transcription factor regulates activity of serum response factor in <i>Drosophila</i> . Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 12567-12572.	7.1	68
14	APOL1-G1 in Nephrocytes Induces Hypertrophy and Accelerates Cell Death. Journal of the American Society of Nephrology: JASN, 2017, 28, 1106-1116.	6.1	66
15	A transgenic resource for conditional competitive inhibition of conserved <i>Drosophila</i> microRNAs. Nature Communications, 2015, 6, 7279.	12.8	63
16	Epigenetic mechanisms underlying maternal diabetes-associated risk of congenital heart disease. JCI Insight, 2017, 2, .	5.0	59
17	APOL1 risk allele RNA contributes to renal toxicity by activating protein kinase R. Communications Biology, 2018, 1, 188.	4.4	59
18	Transcriptional Integration of Competence Modulated by Mutual Repression Generates Cell-Type Specificity within the Cardiogenic Mesoderm. Developmental Biology, 2002, 252, 225-240.	2.0	57

#	ARTICLE	IF	CITATIONS
19	Heterotrimeric G Proteins Regulate a Noncanonical Function of Septate Junction Proteins to Maintain Cardiac Integrity in <i>Drosophila</i> . <i>Developmental Cell</i> , 2008, 15, 704-713.	7.0	50
20	miR-92b regulates Mef2 levels through a negative-feedback circuit during <i>Drosophila</i> muscle development. <i>Development (Cambridge)</i> , 2012, 139, 3543-3552.	2.5	49
21	High throughput in vivo functional validation of candidate congenital heart disease genes in <i>Drosophila</i> . <i>ELife</i> , 2017, 6, .	6.0	41
22	Comprehensive functional analysis of Rab GTPases in <i>Drosophila</i> nephrocytes. <i>Cell and Tissue Research</i> , 2017, 368, 615-627.	2.9	40
23	Embryonic even-skipped dependent muscle and heart cell fates are required for normal adult activity, heart function, and lifespan. <i>Circulation Research</i> , 2005, 97, 1108-1114.	4.5	37
24	The Him gene reveals a balance of inputs controlling muscle differentiation in <i>Drosophila</i> . <i>Current Biology</i> , 2007, 17, 1409-1413.	3.9	33
25	Inactivating histone deacetylase HDA promotes longevity by mobilizing trehalose metabolism. <i>Nature Communications</i> , 2021, 12, 1981.	12.8	29
26	A <i>Drosophila</i> model system to assess the function of human monogenic podocyte mutations that cause nephrotic syndrome. <i>Human Molecular Genetics</i> , 2017, 26, 768-780.	2.9	26
27	Transmembrane TNF-1 α facilitates HIV-1 infection of podocytes cultured from children with HIV-associated nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 862-875.	6.1	22
28	Zika virus non-structural protein NS4A restricts eye growth in <i>Drosophila</i> through regulation of JAK/STAT signaling. <i>DMM Disease Models and Mechanisms</i> , 2020, 13, .	2.4	22
29	Mutations in NUP160 are implicated in steroid-resistant nephrotic syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2019, 30, 840-853.	6.1	21
30	Understanding individual SARS-CoV-2 proteins for targeted drug development against COVID-19. <i>Molecular and Cellular Biology</i> , 2021, 41, e0018521.	2.3	21
31	Master regulator genes and their impact on major diseases. <i>PeerJ</i> , 2020, 8, e9952.	2.0	19
32	Molecular mechanisms of heart failure: insights from <i>Drosophila</i> . <i>Heart Failure Reviews</i> , 2017, 22, 91-98.	3.9	18
33	The E3 ubiquitin ligase Nedd4/Nedd4L is directly regulated by microRNA 1. <i>Development (Cambridge)</i> , 2017, 144, 866-875.	2.5	18
34	Functional analysis of SARS-CoV-2 proteins in <i>Drosophila</i> identifies Orf6-induced pathogenic effects with Selinexor as an effective treatment. <i>Cell and Bioscience</i> , 2021, 11, 59.	4.8	18
35	Palisade is required in the <i>Drosophila</i> ovary for assembly and function of the protective vitelline membrane. <i>Developmental Biology</i> , 2008, 319, 359-369.	2.0	17
36	Novel frameshift variant in MYL2 reveals molecular differences between dominant and recessive forms of hypertrophic cardiomyopathy. <i>PLoS Genetics</i> , 2020, 16, e1008639.	3.5	16

#	ARTICLE	IF	CITATIONS
37	Exome Sequencing and Congenital Heart Disease in Sub-Saharan Africa. <i>Circulation Genomic and Precision Medicine</i> , 2021, 14, e003108.	3.6	16
38	A Personalized Model of COQ2 Nephropathy Rescued by the Wild-Type COQ2 Allele or Dietary Coenzyme Q10 Supplementation. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2607-2617.	6.1	15
39	Wnt4 is required for ostia development in the <i>Drosophila</i> heart. <i>Developmental Biology</i> , 2016, 413, 188-198.	2.0	13
40	Slit diaphragm maintenance requires dynamic clathrin-mediated endocytosis facilitated by AP-2, Lap, Aux and Hsc70-4 in nephrocytes. <i>Cell and Bioscience</i> , 2021, 11, 83.	4.8	13
41	Exocyst Genes Are Essential for Recycling Membrane Proteins and Maintaining Slit Diaphragm in <i>Drosophila</i> Nephrocytes. <i>Journal of the American Society of Nephrology: JASN</i> , 2020, 31, 1024-1034.	6.1	12
42	<i>Drosophila</i> , a powerful model to study virus-host interactions and pathogenicity in the fight against SARS-CoV-2. <i>Cell and Bioscience</i> , 2021, 11, 110.	4.8	12
43	Heterozygosity for a Pathogenic Variant in SLC12A3 That Causes Autosomal Recessive Gitelman Syndrome Is Associated with Lower Serum Potassium. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 756-765.	6.1	11
44	Gia/Mth15 is an aorta specific GPCR required for <i>Drosophila</i> heart tube morphology and normal pericardial cell positioning. <i>Developmental Biology</i> , 2016, 414, 100-107.	2.0	10
45	Validating Candidate Congenital Heart Disease Genes in <i>Drosophila</i> . <i>Bio-protocol</i> , 2017, 7, .	0.4	10
46	Spatial specificity of mesodermal even-skipped expression relies on multiple repressor sites. <i>Developmental Biology</i> , 2008, 313, 876-886.	2.0	9
47	Pharmacological or genetic inhibition of hypoxia signaling attenuates oncogenic RAS-induced cancer phenotypes. <i>DMM Disease Models and Mechanisms</i> , 2022, 15, .	2.4	6
48	Autophagy inhibition rescues structural and functional defects caused by the loss of mitochondrial chaperone <i>Hsc70-5</i> in <i>Drosophila</i> . <i>Autophagy</i> , 2021, 17, 3160-3174.	9.1	5
49	Forward genetic screen in human podocytes identifies diphthamide biosynthesis genes as regulators of adhesion. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 317, F1593-F1604.	2.7	4
50	Phosphorylation of slit diaphragm proteins NEPHRIN and NEPH1 upon binding of HGF promotes podocyte repair. <i>Journal of Biological Chemistry</i> , 2021, 297, 101079.	3.4	4
51	Lpt, trr, and Hcf regulate histone mono- and dimethylation that are essential for <i>Drosophila</i> heart development. <i>Developmental Biology</i> , 2022, 490, 53-65.	2.0	4
52	Using <i>Drosophila</i> Nephrocytes to Understand the Formation and Maintenance of the Podocyte Slit Diaphragm. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 837828.	3.7	3
53	The E3 ubiquitin ligase Nedd4/Nedd4L is directly regulated by microRNA 1. <i>Journal of Cell Science</i> , 2017, 130, e1.2-e1.2.	2.0	0