

Enric Álvarez Martínez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4875728/publications.pdf>

Version: 2024-02-01

43
papers

2,185
citations

201658

27
h-index

254170

43
g-index

43
all docs

43
docs citations

43
times ranked

2834
citing authors

#	ARTICLE	IF	CITATIONS
1	Randomised, double-blind, placebo-controlled trial of pindolol in combination with fluoxetine antidepressant treatment. <i>Lancet, The</i> , 1997, 349, 1594-1597.	13.7	304
2	A double-blind, randomized, placebo-controlled, active reference study of Lu AA21004 in patients with major depressive disorder. <i>International Journal of Neuropsychopharmacology</i> , 2012, 15, 589-600.	2.1	181
3	Ventromedial prefrontal spectroscopic abnormalities over the course of depression: A comparison among first episode, remitted recurrent and chronic patients. <i>Journal of Psychiatric Research</i> , 2011, 45, 427-434.	3.1	115
4	Microstructural white-matter abnormalities associated with treatment resistance, severity and duration of illness in major depression. <i>Psychological Medicine</i> , 2014, 44, 1171-1182.	4.5	110
5	Resting-state functional connectivity alterations in the default network of schizophrenia patients with persistent auditory verbal hallucinations. <i>Schizophrenia Research</i> , 2015, 161, 261-268.	2.0	106
6	Decreased plasma serotonin in melancholic patients: A study with clomipramine. <i>Biological Psychiatry</i> , 1987, 22, 1429-1438.	1.3	81
7	A short duration of untreated illness (DUI) improves response outcomes in first-depressive episodes. <i>Journal of Affective Disorders</i> , 2010, 120, 221-225.	4.1	80
8	Recovery from schizophrenia: Results from a 1-year follow-up observational study of patients in symptomatic remission. <i>Schizophrenia Research</i> , 2009, 115, 58-66.	2.0	75
9	SPECT mapping of cerebral activity changes induced by repetitive transcranial magnetic stimulation in depressed patients. A pilot study. <i>Psychiatry Research - Neuroimaging</i> , 2001, 106, 151-160.	1.8	70
10	Effects of acute and chronic treatment with fluvoxamine on extracellular and platelet serotonin in the blood of major depressive patients. Relationship to clinical improvement. <i>Journal of Affective Disorders</i> , 1992, 25, 243-249.	4.1	69
11	Augmentation of Fluoxetine's Antidepressant Action by Pindolol: Analysis of Clinical, Pharmacokinetic, and Methodologic Factors. <i>Journal of Clinical Psychopharmacology</i> , 2001, 21, 36-45.	1.4	60
12	Meta-analysis of drop-out rates in randomised clinical trials, comparing typical and atypical antipsychotics in the treatment of schizophrenia. <i>European Psychiatry</i> , 2006, 21, 11-20.	0.2	52
13	Serotonin transporter linked promoter (polymorphism) in the serotonin transporter gene may be associated with antidepressant-induced mania in bipolar disorder. <i>Psychiatric Genetics</i> , 2006, 16, 25-29.	1.1	51
14	Remission in schizophrenia: Results from a 1-year follow-up observational study. <i>Schizophrenia Research</i> , 2009, 108, 214-222.	2.0	50
15	Enhanced binding of [³ H] (α) adrenaline to platelets of depressed patients with melancholia: Effect of long-term clomipramine treatment. <i>Acta Psychiatrica Scandinavica</i> , 1987, 75, 150-157.	4.5	46
16	Is grey literature essential for a better control of publication bias in psychiatry? An example from three meta-analyses of schizophrenia. <i>European Psychiatry</i> , 2005, 20, 550-553.	0.2	46
17	Regulation of Platelet α_2A -Adrenoceptors, Gi Proteins and Receptor Kinases in Major Depression: Effects of Mirtazapine Treatment. <i>Neuropsychopharmacology</i> , 2004, 29, 580-588.	5.4	44
18	Increased plasma free serotonin but unchanged platelet serotonin in bipolar patients treated chronically with lithium. <i>Psychopharmacology</i> , 1989, 99, 328-332.	3.1	43

#	ARTICLE	IF	CITATIONS
19	Serotonin transporter occupancy induced by paroxetine in patients with major depression disorder: a 123I-ADAM SPECT study. <i>Psychopharmacology</i> , 2006, 189, 145-153.	3.1	43
20	Association of CYP2D6 ultrarapid metabolizer genotype with deficient patient satisfaction regarding methadone maintenance treatment. <i>Drug and Alcohol Dependence</i> , 2007, 89, 190-194.	3.2	43
21	Altered amplitude of low frequency fluctuations in schizophrenia patients with persistent auditory verbal hallucinations. <i>Schizophrenia Research</i> , 2017, 189, 97-103.	2.0	43
22	Preclinical and clinical characterization of the selective 5-HT _{1A} receptor antagonist DUâ€125530 for antidepressant treatment. <i>British Journal of Pharmacology</i> , 2012, 167, 1021-1034.	5.4	40
23	Striatal D2 receptor binding as a marker of prognosis and outcome in untreated first-episode psychosis. <i>NeuroImage</i> , 2006, 29, 662-666.	4.2	38
24	Injectable Atypical Antipsychotics for Agitation in Borderline Personality Disorder. <i>Pharmacopsychiatry</i> , 2006, 39, 117-118.	3.3	31
25	Relationship Between Blood Serotonergic Variables, Melancholic Traits, and Response to Antidepressant Treatments. <i>Journal of Clinical Psychopharmacology</i> , 1998, 18, 222-230.	1.4	31
26	Predicting outcome of lithium added to antidepressants in resistant depression. <i>Journal of Affective Disorders</i> , 1997, 42, 179-186.	4.1	30
27	One-year, randomized, open trial comparing olanzapine, quetiapine, risperidone and ziprasidone effectiveness in antipsychotic-naïve patients with a first-episode psychosis. <i>Psychiatry Research</i> , 2012, 200, 693-701.	3.3	29
28	Effects of the antidepressant drug tianeptine on plasma and platelet serotonin of depressive patients and healthy controls. <i>Journal of Affective Disorders</i> , 1993, 29, 227-234.	4.1	28
29	Reduced platelet G protein-coupled receptor kinase 2 in major depressive disorder: Antidepressant treatment-induced upregulation of GRK2 protein discriminates between responder and non-responder patients. <i>European Neuropsychopharmacology</i> , 2010, 20, 721-730.	0.7	28
30	Pindolol augmentation enhances response outcomes in first depressive episodes. <i>European Neuropsychopharmacology</i> , 2009, 19, 516-519.	0.7	24
31	Urinary phenylacetic acid excretion in depressive patients. <i>Acta Psychiatrica Scandinavica</i> , 1988, 78, 208-210.	4.5	21
32	Cognitive functioning after deep brain stimulation in subcallosal cingulate gyrus for treatment-resistant depression: An exploratory study. <i>Psychiatry Research</i> , 2015, 225, 341-346.	3.3	21
33	Immediate cerebral metabolic changes induced by discontinuation of deep brain stimulation of subcallosal cingulate gyrus in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2015, 173, 159-162.	4.1	20
34	Striatal dopaminergic D2 receptor occupancy and clinical efficacy in psychosis exacerbation: a 123I-IBZM study with ziprasidone and haloperidol. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2005, 29, 91-96.	4.8	19
35	Dopamine D2 receptor occupancy by risperidone: Implications for the timing and magnitude of clinical response. <i>Psychiatry Research - Neuroimaging</i> , 2006, 148, 175-183.	1.8	19
36	Depressive Relapse After Initial Response to Subcallosal Cingulate Gyrus-Deep Brain Stimulation in a Patient with a Treatment-Resistant Depression: Electroconvulsive Therapy as a Feasible Strategy. <i>Biological Psychiatry</i> , 2009, 66, e11-e12.	1.3	19

#	ARTICLE	IF	CITATIONS
37	Regional differences in treatment response and three year course of schizophrenia across the world. <i>Journal of Psychiatric Research</i> , 2012, 46, 856-864.	3.1	16
38	The Spanish version of the Quick Inventory of Depressive Symptomatology-Self-Report (QIDS-SR16): A psychometric analysis in a clinical sample. <i>Journal of Affective Disorders</i> , 2014, 169, 189-196.	4.1	13
39	Preliminary evidence of striatal D2 receptor density as a possible biological marker of prognosis in naive schizophrenic patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2003, 27, 767-770.	4.8	12
40	Clinical and serotonergic predictors of non-effective acute remitting psychosis in patients with a first episode psychosis. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 71-77.	4.5	10
41	Which Nontraditional Outcomes Should Be Measured in Healthcare Decision-Making in Schizophrenia? A Systematic Review. <i>Perspectives in Psychiatric Care</i> , 2012, 48, 198-207.	1.9	8
42	A psychometric analysis of the Clinically Useful Depression Outcome Scale (CUDOS) in Spanish patients. <i>Journal of Affective Disorders</i> , 2013, 151, 920-923.	4.1	8
43	Letter to the Editor: Deep brain stimulation for schizophrenia. <i>Journal of Neurosurgery</i> , 2016, 125, 229-230.	1.6	8