## Arun Kumar

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4875782/publications.pdf

Version: 2024-02-01

399 papers 15,750 citations

18436 62 h-index 100 g-index

402 all docs

 $\begin{array}{c} 402 \\ \\ docs \, citations \end{array}$ 

402 times ranked 9144 citing authors

#	Article	IF	CITATIONS
1	The production of isolated photons in PbPb and pp collisions at $\$$ sqrt $\{s_{NN}\}$ \$\\$ = 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
2	Bose-Einstein correlations of charged hadrons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
3	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	1.3	21
4	Search for electroweak production of a vector-like T quark using fully hadronic final states. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
5	Search for a heavy pseudoscalar Higgs boson decaying into a 125 GeV Higgs boson and a Z boson in final states with two tau and two light leptons at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
6	Measurement of properties of \$\$ {mathrm{B}}_{{mathrm{s}}}^0 \$\$a†' $1^{1}/4+1^{1}/4$ a^' decays and search for B0a†' $1^{1}/4+1$ with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	j¼â^' 1.6	41
7	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\hat{a} \le  \hat{a}  = 13$ TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	0.5	27
8	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
9	Measurement of the cross section for $\$ mathrm{t}overline{mathrm{t}} \$\$ production with additional jets and b jets in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	5
10	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	41
11	Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	37
12	Calibration of the CMS hadron calorimeters using proton-proton collision data at $\hat{a}$ - $\hat{s}$ s = 13 TeV. Journal of Instrumentation, 2020, 15, P05002-P05002.	0.5	3
13	Study of central exclusive "Equation missing" No EquationSource Format="TEX", only image production in proton-proton collisions at $\$$ sqrt $\{s\} = 5.02\$$ and 13TeV. European Physical Journal C, 2020, 80, 718.	1.4	7
14	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	25
15	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	1.6	21
16	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	66
17	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $$$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	20
18	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $\$$ sqrt{s} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	2

#	Article	IF	CITATIONS
19	Search for new neutral Higgs bosons through the \$\$ mathrm{H}0 mathrm{ZA}0 {ell}^{+}{ell}^{-}mathrm{b}overline{mathrm{b}} \$\$ process in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	27
20	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{}^{}\$\$ lepton in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	1.4	22
21	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $\$\$ $ sqrt $\{mathrm\{s\}\}$ $\$\$ = 13$ TeV and constraints on anomalous quartic couplings. Journal of High Energy Physics, 2020, 2020, 1.	1.6	20
22	Determination of the strong coupling constant $\hat{l}\pm S(mZ)$ from measurements of inclusive $W\hat{A}\pm$ and Z boson production cross sections in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 7 and 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	6
23	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $\$$ sqrt $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	7
24	Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.	1.4	11
25	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	1
26	Evidence for \$\$ext {W}ext {W}\$\$ production from double-parton interactions in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 1.	1.4	10
27	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	1.4	78
28	Searches for physics beyond the standard model with the $M_{mathrm {T2}}$ variable in hadronic final states with and without disappearing tracks in protonâ $\in$ proton collisions at $s=13,ext {V}$ . European Physical Journal C, 2020, 80, 3.	1.4	70
29	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	1.4	198
30	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $14$ , and el, in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	15
31	A search for the standard model Higgs boson decaying to charm quarks. Journal of High Energy Physics, 2020, 2020, 1.	1.6	20
32	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	25
33	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
34	A multi-dimensional search for new heavy resonances decaying to boosted $\$ w \{\}{\}\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\\$\	1.4	31
35	Measurement of the top quark pair production cross section in dilepton final states containing one Ï,, lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	2
36	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	26

#	Article	IF	Citations
37	Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
38	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	1.4	5
39	Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 370.	1.4	22
40	Measurement of $\frac{t}{ar{hbox \{t}}}$ normalised multi-differential cross sections in $\frac{p}{ext \{p\}}$ ss collisions at $\frac{1}{s}=13$ , ext $\frac{p}$ ss, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C, 2020, 80, 1.	1.4	33
41	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two $\ddot{\text{l}}$ , leptons and two jets in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	33
42	Search for a W′ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
43	Search for top quark partners with charge $5/3$ in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
44	Inclusive search for supersymmetry in pp collisions at $\$\$ $ sqrt $\{s\}=13 \$\$ $ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.	1.6	3
45	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	17
46	Search for excited leptons in $\hat{a}$ , " $\hat{a}$ ," final states in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	3
47	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	1.6	24
48	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	1.4	9
49	Measurement of exclusive $\{\{\{uprho _{}^{}\}\}_{}^{}\}\{\{left( \{770\}ight) \}\{\}_{}^{}\}\}$	1.4	33
50	Measurement of exclusive $\mbox{mathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$	1.4	35
51	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at $\$$ sqrt $\{s\}=13$ ,ext $\{Te\}$ ext $\{V\}$ $\$$ 5. European Physical Journal C, 2019, 79, 564.	1.4	50
52	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
53	Measurement of the top quark mass in the all-jets final state at $\$$ sqrt $\{s\}=13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	1.4	40
54	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$ , ext $f(x) = 13$ ,	1.4	8

#	Article	IF	CITATIONS
55	Search for charged Higgs bosons in the H± → τ±ντ decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	54
56	Search for resonant production of second-generation sleptons with same-sign dimuon events in proton $\hat{s} \in \text{Proton}$ collisions at $\frac{s}{s} = 13$ , ext $\text{TeV}$ $s = 13$ TeV. European Physical Journal C, 2019, 79, 305.	1.4	4
57	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
58	Search for a low-mass $\ddot{\ }$ , $\hat{\ }$ , $\hat{\ }$ , $\hat{\ }$ resonance in association with a bottom quark in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	9
59	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV via Higgs boson decays to $I$ , leptons. Journal of High Energy Physics, 2019, 2019, 1.	1.6	7
60	Search for the pair production of light top squarks in the $e\hat{A}\pm\hat{l}/4\hat{a}$ final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
61	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	1.4	355
62	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in protonâ€"proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	1,4	11
63	Measurements of the pp $\hat{a}$ 'WZ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
64	Measurement of the $f$ mathrm $f$ overline mathrm $f$ or $f$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	1.4	68
65	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$sqrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	1.4	12
66	Search for nonresonant Higgs boson pair production in the \$\$ mathrm $\{b\}$ overline $\{mathrm\{b\}\}$ mathrm $\{b\}$ sfinal state at \$\$ sqrt $\{s\}$ \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	11
67	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	1.4	29
68	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
69	Search for vector-like quarks in events with two oppositely charged leptons and jets in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	1.4	48
70	Search for single production of vector-like quarks decaying to a top quark and a $\mbox{smathrm } \{W\} $ \$\ W boson in protona\( \mathre{\mathre{C}} \mathre{C} \mathr	1.4	34
71	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	1.4	11
72	Search for rare decays of $\$$ mathrm {Z} $\$$ Z and Higgs bosons to $\$$ {mathrm {J}/psi } $\$$ J / $\ddot{\Gamma}$ and a photon in proton-proton collisions at $\$$ sqrt{s} $\$$ s = 13 $\$$ ,ext {TeV} $\$$ TeV. European Physical Journal C, 2019, 79, 94.	1.4	20

#	Article	IF	CITATIONS
73	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
74	Measurements of $\$$ mathrm{t}overline{mathrm{t}} $\$$ differential cross sections in proton-proton collisions at $\$$ sqrt{mathrm{s}}=13 $\$$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
75	Search for \$\$ mathrm{t}overline{mathrm{t}}mathrm{H} \$\$ production in the \$\$ mathrm{H}o mathrm{b}overline{mathrm{b}} \$\$ decay channel with leptonic \$\$ mathrm{t}overline{mathrm{t}} \$\$ decays in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
76	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
77	Measurement of inclusive and differential Higgs boson production cross sections in the diphoton decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
78	Search for resonant $\$$ mathrm $\{t\}$ overline $\{mathrm\{t\}\}$ $\$$ production in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	23
79	Search for production of Higgs boson pairs in the four b quark final state using large-area jets in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
80	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	12
81	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	40
82	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.	1.4	18
83	Search for resonances decaying to a pair of Higgs bosons in the b\$\$ overline{mathrm{b}} \$\$q\$\$ overline{mathrm{q}} \$\$'â,,"ν final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	10
84	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $p^{p}=0$ collisions at $f(s)=0$ European Physical Journal C, 2019, 79, 969.	1.4	6
85	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	18
86	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	11
87	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 893.	1.4	12
88	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	54
89	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
90	Search for supersymmetry using Higgs boson to diphoton decays at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	4

#	Article	IF	CITATIONS
91	Measurements of differential Z boson production cross sections in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
92	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $$$ sqrt $\{s\}$ $$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
93	Study of the $\$ {mathrm{B}}^{+}o mathrm{J}/uppsi overline{Lambda}mathrm{p} \$\$ decay in proton-proton collisions at \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	3
94	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at $$\$qrt{s}=7$ , ext {TeV}\$. European Physical Journal C, 2018, 78, 242.	1.4	10
95	Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 \$\$$ sqrt{s_{mathrm{NN}}}= $5.02 \$\$$ and $8.16 \text{ TeV}$ . Journal of High Energy Physics, $2018$ , $2018$ , $1$ .	1.6	8
96	Search for resonant and nonresonant Higgs boson pair production in the b b $\hat{A}^ \hat{a}$ , " $\hat{1}^1/2\hat{a}$ , " $\hat{1}^1/2\hat{a}$ ," $\hat{1}^1/2\hat{a}$	1.6	36
97	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in protonâ $\in$ "proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	1.4	27
98	Measurements of the $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ ightarrow mathrm $\{Z\}$ mathrm $\{Z\}$ p p ât' Z Z production cross section and the $\mbox{mathrm} \{Z\}$ ightarrow 4ell $ \{Z\}$ a $ \{Z\}$ varieties, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	1.4	52
99	Measurement of associated Z + charm production in proton $\hat{a} \in \text{``proton collisions at $$sqrt{s} = 8$$ s = 8 $$,ext {TeV}$$ TeV. European Physical Journal C, 2018, 78, 287.$	1.4	16
100	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	1.6	5
101	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	0
102	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s = 13 $ \$\$ sqrt{ $s$ }=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	5
103	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13~$ sqrt $\{s\}=13~$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	6
104	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	57
105	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	63
106	Measurement of differential cross sections in the kinematic angular variable $\ddot{i}$ * for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
107	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
108	Measurement of normalized differential $\mbox{mathrm{t}}\$ mathrm{t} verline{mathrm{t}} \$\$ cross sections in the dilepton channel from pp collisions at \$\$ $\mbox{sqrt{s}}=13 \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18

#	Article	IF	Citations
109	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
110	Search for ZZ resonances in the $2\hat{a}$ , " $2\hat{l}$ ½ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
111	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the all-jet final state in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
112	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at $$$ sqrt $\{s\}$ =8 $$$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
113	Measurement of the groomed jet mass in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{NN}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
114	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
115	Search for natural and split supersymmetry in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	1.6	43
116	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
117	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two $\ddot{l}$ , leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	34
118	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at $\$$ sqrt $\{s\}$ =8 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	26
119	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
120	Charged-particle nuclear modification factors in XeXe collisions at $\$$ sqrt $\{s_{NN}\}\$ = 5.44 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
121	Measurement of the top quark mass with lepton+jets final states using $\$$ mathrm {p} $\$\$$ mathrm {p} $\$$ collisions at $\$$ qrt{s}=13,ext {TeV} $\$$ . European Physical Journal C, 2018, 78, 891.	1.4	34
122	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	18
123	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	57
124	Event shape variables measured using multijet final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	4
125	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	23
126	Search for narrow and broad dijet resonances in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.	1.6	82

#	Article	IF	CITATIONS
127	Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
128	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
129	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	14
130	Search for supersymmetry in events with a $\ddot{l}$ , lepton pair and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	21
131	Search for the decay of a Higgs boson in the $\hat{a}$ , $\hat{a}$ , $\hat{a}$ , $\hat{a}$ channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
132	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i, lepton at $\$$ quark $\{Te\}$ ext $\{V\}$ $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	1.4	46
133	Measurement of differential cross sections for $f(z)$ to boson production in association with jets in proton-proton collisions at $f(z)$ to journal C, 2018, 78, 965.	1.4	39
134	Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 $\hat{a}$ — ( 5840 ) 0 and \$\${mathrm {B}}		

#	Article	IF	Citations
145	Search for additional neutral MSSM Higgs bosons in the $\ddot{l}$ , $\ddot{l}$ , final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	73
146	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
147	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	34
148	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
149	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	35
150	Search for beyond the standard model Higgs bosons decaying into a \$\$ mathrm{b}overline{mathrm{b}} $$$ pair in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	21
151	Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	1.4	58
152	Measurement of prompt and nonprompt charmonium suppression in $\$$ ext {PbPb} $\$$ \$\$ collisions at 5.02 $\$$ 9, ext {Te}ext {V} $\$$ \$. European Physical Journal C, 2018, 78, 509.	1.4	83
153	Search for lepton flavour violating decays of the Higgs boson to $\hat{l}$ / $\hat{l}$ , and $\hat{e}$ , in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
154	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying $\ddot{l}_{\rm w}$ leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
155	Electroweak production of two jets in association with a Z boson in proton–proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	1.4	17
156	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
157	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
158	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
159	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $$$ sqrt ${s}=13$ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	23
160	Search for a singly produced third-generation scalar leptoquark decaying to a $\ddot{i}$ , lepton and a bottom quark in proton-proton collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
161	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $$$ sqrt ${s}=13$ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
162	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	62

#	Article	IF	CITATIONS
163	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
164	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\$\$$ sqrt $\{s\}=13$ $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	86
165	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	42
166	Jet properties in PbPb and pp collisions at $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
167	Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
168	Search for standard model production of four top quarks with same-sign and multilepton final states in protonâ $\in$ "proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	1.4	44
169	Measurement of b hadron lifetimes in pp collisions at $\$$ sqrt $\{s\} = 8$ \$ s = 8 \$\$,ext $\{Te\}$ ext $\{V\}$ \$ TeV. European Physical Journal C, 2018, 78, 457.	1.4	15
170	Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13,ext {TeV})., 2018, 78, 1.		3
171	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}}\$\$ t t $\mbox{\^A}^-$ production cross section in lepton+jets final states in pp collisions at 8 \$\$,ext {TeV}\$\$ TeV and ratio of 8 to $7\mbox{\^A}$ \$\$,ext {TeV}\$\$ TeV cross sections. European Physical Journal C, 2017, 77, 15.	1.4	34
172	Measurement of the $\frac{t}{\operatorname{E}}$ mathrm{t} verline{mathrm{t}} \$\$ t t $\hat{A}^-$ production cross section using events in the \$\$mathrm {e}mu \$\$ e $\frac{1}{4}$ final state in pp collisions at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2017, 77, 172.	1.4	40
173	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	54
174	Search for electroweak production of charginos in final states with two $\ddot{l}$ , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
175	Measurement of the production cross section of a WÂboson in association with two b jets in pp collisions at $\$$ sqrt $\{s\} = 8$ , mathrm $\{\{TeV\}\}\}$ $\$$ s = 8 TeV. European Physical Journal C, 2017, 77, 92.	1.4	16
176	Measurement of the WZ production cross section in pp collisions at $\$$ sqrt $\{s\}$ = 7\$\$ s = 7 and 8 \$\$,ext $\{TeV\}$ \$\$ TeV and search for anomalous triple gauge couplings at $\$$ sqrt $\{s\}$ = 8,ext $\{TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 236.	1.4	37
177	Measurement of prompt and nonprompt $\mbox{mathrm{J}/{psi}}$ production in $\mbox{mathrm {p}mathrm {p}}$ p p and $\mbox{mathrm {p}mathrm {Pb}}$ p Pb collisions at $\mbox{sqrt{s_{mathrm {NN}}}} = 5.02$ ,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	1.4	53
178	A search for new phenomena in pp collisions at $\$$ sqrt $\{s\} = 13$ ,ext $\{TeV\}$ $\$$ s = 13 TeV in final states with missing transverse momentum and at least one jet using the $\$$ alpha $_{\text{mathrm }}$ $\{T\}$ $\$$ \$ $\hat{l}$ ± T variable. European Physical Journal C, 2017, 77, 294.	1.4	29
179	Search for new physics in the monophoton final state in proton-proton collisions at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
180	Measurement of double-differential cross sections for top quark pair production in pp collisions at $\$\$qrt{s} = 8\$\$ s = 8\$\$,ext {TeV}\$\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.$	1.4	52

#	Article	IF	CITATIONS
181	Measurement of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ where $f(t)=0$ we collisions at $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ where $f(t)=0$ is a sum of the jet mass in highly boosted $f(t)=0$ is a sum of the j	1.4	23
182	Charged-particle nuclear modification factors in PbPb and pPb collisions at s N N = $5.02 \$$ sqrt $s_{mathrm{N}}=5.02 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	103
183	Search for t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
184	Search for associated production of dark matter with a Higgs boson decaying to b b $\hat{A}^-$ \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
185	Observation of Y(1S) pair production in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	48
186	Search for anomalous Wtb couplings and flavour-changing neutral currents in t-channel single top quark production in pp collisions at $s = 7 $ \$\$ sqrt $\{s\}=7 $ \$\$ and 8 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	35
187	Search for single production of vector-like quarks decaying to a Z boson and a top or a bottom quark in proton-proton collisions at $s=13 $ \$\$ $sqrt{s}=13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
188	Measurement of the semileptonic t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ + $\hat{I}^3$ production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
189	Measurements of the pp $\hat{a}$ †' $\hat{W}^{\hat{3}\hat{3}}$ and pp $\hat{a}$ †' $\hat{Z}^{\hat{3}\hat{3}}$ cross sections and limits on anomalous quartic gauge coupling at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	<sup>S</sup> 1.6	10
190	Search for new phenomena with the \$\$M_{mathrm {T2}}\$\$ M T 2 variable in the all-hadronic final state produced in proton–proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.	1.4	98
191	Measurements of differential production cross sections for a Z boson in association with jets in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
192	Search for heavy resonances decaying to tau lepton pairs in proton-proton collisions at $s=13 $ \$ sqrt{ $s$ }=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
193	Search for electroweak production of a vector-like quark decaying to a top quark and a Higgs boson using boosted topologies in fully hadronic final states. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
194	Measurement of the transverse momentum spectra of weak vector bosons produced in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
195	Suppression and azimuthal anisotropy of prompt and nonprompt $\$\$\{mathrm\{J\}\}\process{orange}$ in PbPb collisions at $\$\$qrt\{\{s_{ext}\{NN\}\}\}\}\process{orange}$ = 2.76 \\$, mathrm{TeV}\\$\$ TeV. European Physical Journal C, 2017, 77, 252.	1.4	82
196	Searches for pair production of third-generation squarks in $\frac{s}{13} = 13 $ , ext {TeV}\$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	1.4	32
197	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ and $s=8$ s = 8 ATeV. European Physical Journal C, 2017, 77, 354.	1.4	23
198	Searches for invisible decays of the Higgs boson in pp collisions at s $\$\$$ sqrt $\{s\}$ $\$\$$ = 7, 8, and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	95

#	Article	IF	CITATIONS
199	Search for massive resonances decaying into WW, WZ or ZZ bosons in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
200	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	1.4	38
201	Measurement of electroweak-induced production of $\hat{Wl^3}$ with two jets in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
202	Searches for W $\hat{a}$ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
203	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
204	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
205	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
206	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $$$ sqrt ${s}=13$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	27
207	Search for top squark pair production in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
208	Search for top quark decays via Higgs-boson-mediated flavor-changing neutral currents in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
209	Measurement of the t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section using events with one lepton and at least one jet in pp collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
210	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	5
211	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in protonâ $\in$ proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2017, 77, 578.	1.4	57
212	Search for top quark partners with charge $5/3$ in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
213	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
214	Measurements of jet charge with dijet events in pp collisions at $s = 8 $ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
215	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s = 8 $ sqrt $\{s\} = 8 $ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	21
216	Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 $ \$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	15

#	Article	IF	Citations
217	Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	62
218	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	41
219	Search for new phenomena with multiple charged leptons in proton–proton collisions at \$\$sqrt{s}= 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 1.	1.4	2
220	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\} = 13$ \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 636.	1.4	38
221	Search for high-mass $Z\hat{1}^3$ resonances in e+eâ^ $\hat{1}^3$ and $\hat{1}^1/4 + \hat{1}^1/4$ â^ $\hat{1}^3$ final states in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	7
222	Search for heavy neutrinos or third-generation leptoquarks in final states with two hadronically decaying $\ddot{l}$ , leptons and two jets in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
223	Search for CP violation in t t $\hat{A}^-$ \$\$ toverline{t} \$\$ production and decay in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	4
224	Measurement of the triple-differential dijet cross section in proton-proton collisions at $\$$ sqrt $\{s\}$ =8,ext $\{TeV\}$ $\$$ \$ s = 8 $TeV$ and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	1.4	23
225	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	10
226	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
227	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	101
228	Measurements of the associated production of a Z boson and b jets in pp collisions at $\$\{qrt\{s\}\} = 8$ , ext $TeV\}$ \$\$ s = 8 TeV. European Physical Journal C, 2017, 77, 751.	1.4	30
229	Measurement of the transverse momentum spectrum of the Higgs boson produced in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using H â†' WW decays. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
230	Search for dark matter and unparticles in events with a Z boson and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
231	Decomposing transverse momentum balance contributions for quenched jets in PbPb collisions at s N N = 2.76 $\$$ sqrt{s_{mathrm{N};mathrm{N}}}=2.76 $\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	18
232	Measurement of the double-differential inclusive jet cross section in proton $\hat{a}\in \text{``proton collisions at $}$ sqrt $\{s\} = 13$ ,ext $\{\text{TeV}\}$ \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 451.	1.4	55
233	Measurement of the $\{\{\text{mathrm}\{W\}\}^{+}\}$ mathrm $\{W\}^{-}\}$ \$\ W + W - cross section in pp collisions at \$\\$\sqrt{s} = 8\\$\ s = 8 TeVand limits on anomalous gauge couplings. European Physical Journal C, 2016, 76, 401.	1.4	74
234	Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks. European Physical Journal C, 2016, 76, 371.	1.4	33

#	Article	IF	CITATIONS
235	Search for Higgs boson off-shell production in proton-proton collisions at 7 and 8 TeV and derivation of constraints on its total decay width. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
236	Search for lepton flavour violating decays of heavy resonances and quantum black holes to an \$\$mathrm {e}mu \$\$ e μ pair in proton–proton collisions at \$\$sqrt{s}=8~ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 317.	1.4	16
237	Measurement of electroweak production of a W boson and two forward jets in proton-proton collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
238	Measurement of transverse momentum relative to dijet systems in PbPb and pp collisions at s N N = $2.76$ \$\$ sqrt{s_{mathrm{NN}}}= $2.76$ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
239	Search for anomalous single top quark production in association with a photon in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	27
240	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $s=8$ \$\$ sqrt{ $s$ }=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	7
241	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
242	Forwardâ€"backward asymmetry of Drellâ€"Yan lepton pairs in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,mathrm{TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 325.	1.4	25
243	Search for new physics in same-sign dilepton events in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2016, 76, 439.	1.4	64
244	Measurement of dijet azimuthal decorrelation in ppÂcollisions at $\$$ sqrt $\{s\}$ =8,mathrm $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 536.	1.4	16
245	Search for dark matter particles in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV using the razor variables. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
246	Search for s channel single top quark production in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
247	Measurement of inclusive jet production and nuclear modifications in pPb collisions at $\$ \sqrt{s_{MN}} = 5.02$ , mathrm $TeV \$ s NN. European Physical Journal C, 2016, 76, 372.	1.4	29
248	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
249	Measurement of the t t $\hat{A}^-$ \$\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in the ell/4 channel in proton-proton collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	41
250	Search for new physics with the M T2 variable in all-jets final states produced in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
251	Search for dark matter in proton-proton collisions at 8 TeV with missing transverse momentum and vector boson tagged jets. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
252	Evidence for exclusive $\hat{1}^3\hat{1}^3$ $\hat{1}^4$ W + W $\hat{1}^3$ production and constraints on anomalous quartic gauge couplings in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	42

#	Article	IF	Citations
253	Search for supersymmetry in pp collisions at $s=13$ \$\$ $sqrt{s}=13$ \$\$ TeV in the single-lepton final state using the sum of masses of large-radius jets. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
254	Search for direct pair production of supersymmetric top quarks decaying to all-hadronic final states in pp collisions at $\$$ qrt $\{s\} = 8$ ; ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 460.	1.4	18
255	Azimuthal decorrelation of jets widely separated in rapidity in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
256	Phenomenological MSSM interpretation of CMS searches in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	12
257	Measurement of the mass of the top quark in decays with a J/ $\hat{l}$ meson in pp collisions at 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	6
258	Measurement of the inclusive jet cross section in pp collisions at $\$\$qrt\{s\} = 2.76$ , ext $\{TeV\}$ s = 2.76 TeV. European Physical Journal C, 2016, 76, 1.	1.4	26
259	Measurement of $\$ mathrm {t}overline{mathrm {t}}\$\$ t t Â^ production with additional jet activity, including \$\$mathrm {b}\$\$ b quark jets, in the dilepton decay channel using pp collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2016, 76, 379.	1.4	34
260	Measurement of the differential cross section and charge asymmetry for inclusive $\mbox{mathrm } \{p\}$ mathrm $\{p\}$ mathrm $\{w\}^{p} + x$ p p $\hat{a}^{*}$ W $\hat{A}^{*} + x$ production at $\{q\}^{*} = 8$ s = 8 TeV. European Physical Journal C, 2016, 76, 469.	1.4	83
261	Observation of top quark pairs produced in association with a vector boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	23
262	Search for Wâ $\in$ 2 → tb in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	3
263	Correlations between jets and charged particles in PbPb and pp collisions at s N N = $2.76 \$\$$ sqrt $\{s_{nathrm{NN}}\}=2.76 \$\$$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	29
264	Search for the production of an excited bottom quark decaying to tW in proton-proton collisions at $s = 8 $ \$ sqrt $s$ =8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	5
265	Search for excited leptons in proton-proton collisions at s = $8 $ \$\$ sqrt{s}= $8 $ \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
266	Measurement of the $\mathrm{mathrm}\{t\}$ overline $\mathrm{mathrm}\{t\}$ \$\frac{1}{2}\$ \$\tau t \tilde{A}^-\$ production cross section in the all-jets final state in pp collisions at \$\sqrt{s}=8\\$ s = 8 \$ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 128.	1.4	41
267	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	1.4	499
268	Search for massive WH resonances decaying into the \$\$ell u mathrm{b} overline{mathrm{b}} \$\$ $\hat{a}$ ," $\hat{l}$ /2 b b $\hat{A}$ final state at \$\$sqrt{s}=8\$\$ s = 8 \$\$~ext {TeV}\$\$ TeV. European Physical Journal C, 2016, 76, 237.	1.4	30
269	Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton-proton collisions at $s = 8 $ sqrt $\{s\}=8 $ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
270	Measurement of top quark polarisation in t-channel single top quark production. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15

#	Article	IF	CITATIONS
271	Search for heavy Majorana neutrinos in e $\hat{A}\pm e\hat{A}\pm +$ jets and e $\hat{A}\pm \hat{l}$ $\hat{l}$ 4 $\hat{A}\pm +$ jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	35
272	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $\ddot{l}$ , leptons in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
273	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in pp collisions at $\$$ sqrt $\{s\}=8$ ,ext $\{TeV\}$ $\$$ s = 8 TeV. European Physical Journal C, 2016, 76, 13.	1.4	62
274	Search for new physics in final states with two opposite-sign, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
275	Search for physics beyond the standard model in events with two leptons, jets, and missing transverse momentum in pp collisions at s $$$ sqrt ${s}$ $$$ = 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
276	Search for third-generation scalar leptoquarks in the tï,, channel in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
277	Searches for supersymmetry using the M T2 variable in hadronic events produced in pp collisions at 8 TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	34
278	Searches for third-generation squark production in fully hadronic final states in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	37
279	Search for the production of dark matter in association with top-quark pairs in the single-lepton final state in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
280	Search for a charged Higgs boson in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	81
281	Search for supersymmetry in the vector-boson fusion topology in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	12
282	Search for a light charged Higgs boson decaying to c s $\hat{A}^-$ \$\$ mathrm{c}overline{mathrm{s}} \$\$ in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1-37.	1.6	44
283	Search for vector-like T quarks decaying to top quarks and Higgs bosons in the all-hadronic channel using jet substructure. Journal of High Energy Physics, 2015, 2015, 1.	1.6	24
284	Search for neutral color-octet weak-triplet scalar particles in proton-proton collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	1
285	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	1.6	92
286	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 212.	1.4	541
287	Measurement of the $Z\hat{I}^3$ production cross section in pp collisions at 8 TeV and search for anomalous triple gauge boson couplings. Journal of High Energy Physics, 2015, 2015, 1.	1.6	11
288	Measurement of the inclusive 3-jet production differential cross section in proton–proton collisions at 7 TeVÂand determination of the strong coupling constant in the TeVÂrange. European Physical Journal C, 2015, 75, 186.	1.4	68

#	Article	IF	CITATIONS
289	Measurement of the differential cross section for top quark pair production in pp collisions at $s=8$ , ext $TeV$ $s=8$ TeV. European Physical Journal C, 2015, 75, 542.	1.4	191
290	Measurements of the $\$$ mathrm{Z}\$\$ Z $\$$ mathrm{Z}\$\$ Z production cross sections in the $\$$ 2mathrm{I} 2u $\$$ 5 2 l 2 Î $\checkmark$ 2 channel in protonâ $\in$ "proton collisions at $\$$ 5qrt{s} = 7\$\$ s = 7 and $\$$ 8~. European Physical Journal C, 2015, 75, 511.	1.4	32
291	Comparison of the $Z \hat{1}^3 \hat{1}^3-+$ jets to $\hat{1}^3+$ jets cross sections in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	6
292	Search for neutral MSSM Higgs bosons decaying into a pair of bottom quarks. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
293	Search for a standard model Higgs boson produced in association with a top-quark pair and decaying to bottom quarks using a matrix element method. European Physical Journal C, 2015, 75, 251.	1.4	73
294	Measurement of electroweak production of two jets in association with a Z boson in protonâ $\in$ proton collisions at $s=0$ European Physical Journal C, 2015, 75, 66.	1.4	31
295	Measurements of differential and double-differential Drellâ€"Yan cross sections in protonâ€"proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 147.	1.4	88
296	Search for decays of stopped long-lived particles produced in proton–proton collisions at \$\$sqrt{s}= 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2015, 75, 151.	1.4	44
297	Measurement of the W boson helicity in events with a single reconstructed top quark in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.  Measurement of the ratio of the production cross sections times branching fractions of B c ±  → Jſ¨i€	1.6 DZ	26
298	and B± → J/l̈rk ± and â,¬ B c ± → J / l̈r l̃€ ± l̃€ ± l̃€ â·" / â,¬ B c ± → J / l̈r l̃€ ± \$\$ mathrm{mathcal{B}}left({mathrm{B}}_{mathrm{c}}^{mathrm{J}/psi {pi}^{pm} {pm} Tj ETQq0 0 0 0		rlock 10 Tf 50 17
299	2015, 1. Search for disappearing tracks in proton-proton collisions at $s = 8 $ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	46
300	Study of Z production in PbPb and pp collisions at s N N = $2.76 \$\$ $ sqrt $\{s_{NN}\}\}=2.76 \$\$ $ TeV in the dimuon and dielectron decay channels. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
301	Search for physics beyond the standard model in dilepton mass spectra in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	78
302	Measurement of the underlying event activity using charged-particle jets in proton-proton collisions at $s=2.76$ \$\$ sqrt{s}=2.76 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	10
303	Search for dark matter, extra dimensions, and unparticles in monojet events in protona $\in$ "proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,{mathrm{TeV}},\$\$ TeV. European Physical Journal C, 2015, 75, 235.	1.4	320
304	Constraints on parton distribution functions and extraction of the strong coupling constant from the inclusive jet cross section in pp collisions at $\$\$qrt{s} = 7\$$ s = 7 $\$,ext$ {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 288.	1.4	54
305	Nuclear effects on the transverse momentum spectra of charged particles in pPb collisions at $\frac{s_{months}}{100000000000000000000000000000000000$	1.4	58
306	Distributions of topological observables in inclusive three- and four-jet events in pp collisions at $s=7$ s = 7 s,ext {TeV}\$ TeV. European Physical Journal C, 2015, 75, 302.	1.4	6

#	Article	IF	CITATIONS
307	Constraints on the pMSSM, AMSB model and on other models from the search for long-lived charged particles in proton $a \in \text{``proton collisions at $$sqrt{s} = 8,ext {TeV} $$ s = 8 TeV. European Physical Journal C, 2015, 75, 325.}$	1.4	43
308	Search for heavy neutrinos and \$\$mathrm {W}\$\$ W bosons with right-handed couplings in proton–proton collisions at \$\$sqrt{s} = 8,ext {TeV} \$\$ s = 8 TeV. European Physical Journal C, 2014, 74, 3149.	1.4	179
309	Measurement of top quark–antiquark pair production in association with a W or Z boson in pp collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 3060.	1.4	43
310	Measurement of differential cross sections for the production of a pair of isolated photons in pp collisions at $\$$ sqrt $\{s\}$ =7,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 3129.	1.4	65
311	Search for neutral MSSM Higgs bosons decaying to a pair of tau leptons in pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	1.6	81
312	Measurement of pseudorapidity distributions of charged particles in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV by the CMS and TOTEM experiments. European Physical Journal C, 2014, 74, 1.	1.4	49
313	Searches for electroweak production of charginos, neutralinos, and sleptons decaying to leptons and W, Z, and Higgs bosons in pp collisions at 8ÂTeV. European Physical Journal C, 2014, 74, 3036.	1.4	241
314	Measurement of prompt J/ $\Gamma$ pair production in pp collisions at s \$\$ sqrt{s} \$\$ = 7 Tev. Journal of High Energy Physics, 2014, 2014, 1.	1.6	61
315	Observation of the diphoton decay of the Higgs boson and measurement of its properties. European Physical Journal C, 2014, 74, 3076.	1.4	342
316	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	1.6	51
317	Study of hadronic event-shape variables in multijet final states in pp collisions at $s = 7 $ \$\$ sqrt $s$ = 7 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	3
318	Search for standard model production of four top quarks in the lepton + jets channel in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	17
319	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	43
320	Measurement of Higgs boson production and properties in the WW decay channel with leptonic final states. Journal of High Energy Physics, 2014, 2014, 1.	1.6	169
321	Measurement of the $\$ toverline{t} $\$ production cross section in the dilepton channel in pp collisions at $\$ sqrt{s} $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	52
322	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $q=1$ sqrt{{ $q=1$ Sqrt{ $q=1$ S	1.6	77
323	Measurement of associated W + charm production in pp collisions at  sqrt = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	55
324	Search for new physics in events with same-sign dileptons and jets in pp collisions at sqrts = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	48

#	Article	IF	CITATIONS
325	Studies of dijet transverse momentum balance and pseudorapidity distributions in pPb collisions at $\frac{s_{mathrm{NN}}} = 5.02$ s NN = 5.02 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2014, 74, 1.	1.4	<b>7</b> 5
326	Measurement of WZ and ZZ production in pp collisions at $\$$ sqrt $\{s\} = 8$ ,ext $\{TeV\}$ $\$$ s = 8 TeV in final states with b-tagged jets. European Physical Journal C, 2014, 74, 2973.	1.4	23
327	Search for invisible decays of Higgs bosons in the vector boson fusion and associated ZH production modes. European Physical Journal C, 2014, 74, 2980.	1.4	171
328	Measurement of jet multiplicity distributions in $\frac{t}{\text{TeV}} = 7$ TeV. European Physical Journal C, 2014, 74, 3014.	1.4	16
329	Study of double parton scattering using W + 2-jet events in proton-proton collisions at sqrts = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
330	Event activity dependence of \$ Y \$ (nS) production in \$ $qrt{\{s_{NN}\}}$ \$ = 5.02 TeV pPb and \$ $qrt{s}$ \$ = 2.76 TeV pp collisions. Journal of High Energy Physics, 2014, 2014, 1.	1.6	56
331	Measurements of the $\mbox{mathrm{t}}$ overline{mathrm{t}} \$ charge asymmetry using the dilepton decay channel in pp collisions at \$ sqrt{s} \$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	20
332	Evidence for the 125 GeV Higgs boson decaying to a pair of $\ddot{\text{l}}$ , leptons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	123
333	Search for $W\hat{a}\in \hat{a}$ $\hat{a}$ $\hat{a}$ to decays in the lepton + jets final state in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	26
334	Measurement of the triple-differential cross section for photon $+$ jets production in proton-proton collisions at sqrts= 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	31
335	Search for new physics in the multijet and missing transverse momentum final state in proton-proton collisions at $\$ sqrt $\{s\}$ $\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	100
336	Measurement of the t-channel single-top-quark production cross section and of the $ Vtb $ CKM matrix element in pp collisions at \$ sqrt{s} \$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	70
337	Measurement of the production cross sections for a Z boson and one or more b jets in pp collisions at s $$$ sqrt ${s}$ $$$ = 7 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	39
338	Search for pair production of excited top quarks in the lepton + jets final state. Journal of High Energy Physics, 2014, 2014, 1.	1.6	4
339	Search for massive resonances in dijet systems containing jets tagged as W or Z boson decays in pp collisions at s $\$$ sqrt $\{s\}$ $\$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	85
340	Search for massive resonances decaying into pairs of boosted bosons in semi-leptonic final states at s \$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	69
341	Measurement of the top-quark mass in all-jets $\frac{1}{2}$ whose $\frac{1}{2}$ where $\frac{1}{2}$ is $\frac{1}{2}$ where $\frac{1}{2}$ is $\frac{1}{2}$ in percentage of the top-quark mass in all-jets $\frac{1}{2}$ in $\frac{1}{2}$	1.4	35
342	Study of the production of charged pions, kaons, and protons in pPb collisions at $\$$ sqrt $\{s_{NN}\} = $ \$\$ s N N = 5.02 $\$$ , ext $TeV$ \$\$ TeV. European Physical Journal C, 2014, 74, 2847.	1.4	85

#	Article	IF	Citations
343	Probing color coherence effects in pp collisions at $\$$ sqrt $\{s\}$ =7,ext $\{TeV\}$ $\$$ s = 7 TeV. European Physical Journal C, 2014, 74, 2901.	1.4	17
344	Measurement of the (toverline{t}) production cross section in the dilepton channel in pp collisions at (sqrt{s}) = 8 TeV., 2014, 2014, 1.		3
345	Search for the associated production of the Higgs boson with a top-quark pair., 2014, 2014, 1.		6
346	Search for microscopic black holes in pp collisions at $q=0$ \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	44
347	Measurement of the \$ Lambda_{mathrm{b}}^0 \$ lifetime in pp collisions at \$ $qrt{s}=7 $ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	17
348	Searches for long-lived charged particles in pp collisions at $\$ sqrt{s} $\$ =7 and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	118
349	Study of exclusive two-photon production of W+W $\hat{a}$ in pp collisions at \$ sqrt{s}=7 \$ TeV and constraints on anomalous quartic gauge couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	75
350	Observation of a new boson with mass near 125 GeV in pp collisions at $\$ \sqrt{s}=7 \$$ and 8 TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	320
351	Search for the standard model Higgs boson produced in association with a top-quark pair in pp collisions at the LHC. Journal of High Energy Physics, 2013, 2013, 1.	1.6	39
352	Studies of jet mass in dijet and $W/Z$ + jet events. Journal of High Energy Physics, 2013, 2013, 1.	1.6	58
353	Measurement of the \$ mathrm{t}overline{mathrm $\{t\}$ } \$ production cross section in the all-jet final state in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
354	Measurement of the X(3872) production cross section via decays to J/i i€ + i€ â in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	73
355	Study of the underlying event at forward rapidity in pp collisions at \$ sqrt{s}=0.9,2.76,;mathrm{and};7;mathrm{TeV} \$. Journal of High Energy Physics, 2013, 2013, 1.	1.6	50
356	Search for new physics in events with photons, jets, and missing transverse energy in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	15
357	Search for new physics in events with same-sign dileptons and b jets in pp collisions at $q=0$ sqrt $q=0$ . Journal of High Energy Physics, 2013, 2013, 1.	1.6	33
358	Search in leptonic channels for heavy resonances decaying to long-lived neutral particles. Journal of High Energy Physics, 2013, 2013, 1.	1.6	32
359	Search for exotic resonances decaying into WZ/ZZ in pp collisions at $q=0$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	20
360	Search for supersymmetry in pp collisions at \$sqrt{s} =7\$ TeV in events with a single lepton, jets, and missing transverse momentum. European Physical Journal C, 2013, 73, 2404.	1.4	20

#	Article	IF	CITATIONS
361	Search for a standard-model-like Higgs boson with a mass in the range 145 to 1000 GeV at the LHC. European Physical Journal C, 2013, 73, 2469.	1.4	68
362	Measurement of the production cross section for \$ mathrm{Z}gamma o u overline{u}gamma \$ in pp collisions at \$ sqrt{s} = 7 \$ TeV and limits on $ZZ^{\hat{1}3}$ and $Z^{\hat{1}3}^{\hat{1}3}$ triple gauge boson couplings. Journal of High Energy Physics, 2013, 2013, 1.	1.6	14
363	Measurement of the W-boson helicity in top-quark decays from $\mbox{mathrm{t}}$ overline{mathrm{t}} production in lepton+jets events in pp collisions at $\mbox{sqrt{s}=7 }$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	30
364	Search for supersymmetry in hadronic final states with missing transverse energy using the variables $\hat{l}_{\pm}$ T and b-quark multiplicity in pp collisions at $\frac{1}{2} = 8 \text{ mathrm} $ TeV $\frac{1}{2} = 8 \text{ mathrm}$ TeV $\frac{1}{2} = 8 \text{ mathrm}$	1.4	147
365	Measurement of the hadronic activity in events with a Z and two jets and extraction of the cross section for the electroweak production of a Z with two jets in pp collisions at $\$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2013, 2013, 1.	1.6	16
366	Measurement of masses in the $mathrm{t}$ overline{mathrm{t}}\$ system by kinematic endpoints in pp collisions at $q=0.013, 73, 2494$ .	1.4	55
367	Search for physics beyond the standard model in events with Ï,, leptons, jets, and large transverse momentum imbalance in pp collisions at \$sqrt{s}=7 mathrm{TeV}\$. European Physical Journal C, 2013, 73, 2493.	1.4	22
368	Measurement of the $mathrm{t}ar{mathrm{t}}$ production cross section in the $\ddot{l}$ ,+jets channel in pp collisions at $q=1$ mbox $le l$ . European Physical Journal C, 2013, 73, 1.	1.4	24
369	Jet and underlying event properties as a function of charged-particle multiplicity in proton–proton collisions at \$sqrt {s}= 7 ext{TeV}\$. European Physical Journal C, 2013, 73, 2674.	1.4	32
370			

22

#	Article	IF	Citations
379	Measurement of differential top-quark-pair production cross sections in pp collisions at $q=0$ mathrm{TeV}\$. European Physical Journal C, 2013, 73, 1.	1.4	125
380	Search for new physics in events with same-sign dileptons and b jets in pp collisions at ( sqrt{s}=8 ) TeV. , 2013, 2013, 1.		2
381	Search for stopped long-lived particles produced in pp collisions at sqrt s = ext7TeV} \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	17
382	Measurement of the underlying event activity in pp collisions at $\$$ sqrt $\$$ = 0.9 $\$$ and 7 TeV with the novel jet-area/median approach. Journal of High Energy Physics, 2012, 2012, 1.	1.6	13
383	Search for dark matter and large extra dimensions in monojet events in pp collisions at  sqrt  sqrt  =	1.6	168
384	Search for a fermiophobic Higgs boson in pp collisions at  sqrt  sqrt  = 7  TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	15
385	Search for supersymmetry in hadronic final states using M T2 in pp collisions at $\$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	95
386	Measurement of the $\mbox{mathrm}\{t\}$ overline{mathrm $\{t\}$ } production cross section in the dilepton channel in pp collisions at $\mbox{sqrt}\{s\}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	69
387	Search for exclusive or semi-exclusive $\hat{1}^3\hat{1}^3$ production and observation of exclusive and semi-exclusive e+e $\hat{a}^2$ production in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	51
388	Search for the standard model Higgs boson produced in association with W and Z bosons in pp collisions at $\$ sqrt $\{s\}=7$ \$TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	7
389	Search for electroweak production of charginos and neutralinos using leptonic final states in pp collisions at \$ sqrt{s}=7 \$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	41
390	Search for new physics with long-lived particles decaying to photons and missing energy in pp collisions at $\ \sqrt{s}=7 \ TeV$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	11
391	Search for resonant $\mbox{mathrm}\{t\}$ overline{mathrm $\{t\}$ } production in lepton+jets events in pp collisions at $\mbox{sqrt}\{s\}=7\mbox{ TeV}$ . Journal of High Energy Physics, 2012, 2012, 1.	1.6	26
392	Observation of Z decays to four leptons with the CMS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.	1.6	34
393	Measurement of the single-top-quark t-channel cross section in pp collisions at $\$ sqrt{s}=7 $\$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	83
394	Search for third-generation leptoquarks and scalar bottom quarks in pp collisions at \$ sqrt{s}=7;TeV \$. Journal of High Energy Physics, 2012, 2012, 1.	1.6	14
395	Measurement of the top-quark mass in $\mbox{mathrm}\{t\}$ verline{mathrm $\{t\}\}$ events with lepton+jets final states in pp collisions at $\mbox{sqrt}\{s\}=7$ TeV. Journal of High Energy Physics, 2012, 2012, 1.	1.6	38
396	Study of the inclusive production of charged pions, kaons, and protons in pp collisions at $q=0.9, 2.76, mbox{and }7-mbox{TeV}$ . European Physical Journal C, 2012, 72, 1.	1.4	154

#	Article	IF	CITATIONS
397	A search for a doubly-charged Higgs boson in pp collisions at $q=7 \mod TeV$ . European Physical Journal C, 2012, 72, 1.	1.4	129
398	Measurement of the top-quark mass in $\mathrm{TeV}$ states in pp collisions at $\mathrm{TeV}$ . European Physical Journal C, 2012, 72, 1.	1.4	42
399			