Xin-Ping Zhang

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4876135/xin-ping-zhang-publications-by-year.pdf

Version: 2024-04-05

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89	1,053	18	29
papers	citations	h-index	g-index
155	1,383 ext. citations	3.5	4.32
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
89	The effects of the decreasing joint size on interfacial microstructure and shear behavior of micro-scale BGA structure Cu/SnB.0AgD.5Cu/Cu joints under coupled electromechanical loads. <i>Journal of Materials Science: Materials in Electronics</i> , 2022 , 33, 1464-1479	2.1	1
88	Investigation of the Interaction Effect between the Microstructure Evolution and the Thermo-mechanical Behavior of Cu-filled Through Silicon Via. <i>IEEE Transactions on Device and Materials Reliability</i> , 2022 , 1-1	1.6	1
87	Ingenious Method for Rapid Fabrication of a Highly Conductive Hybrid Film of Printed Cu Nanoparticle Layers Plated by Ag Nanoplates on a PET Substrate at Room Temperature. <i>ACS</i> Applied Electronic Materials, 2021 , 3, 4640-4648	4	1
86	A Three-Dimensional Printable Liquid Metal-Like Ag Nanoparticle Ink for Making a Super-Stretchable and Highly Cyclic Durable Strain Sensor. <i>ACS Applied Materials & Diterfaces</i> , 2021 , 13, 18021-18032	9.5	5
85	Effects of pore size and porosity on cytocompatibility and osteogenic differentiation of porous titanium. <i>Journal of Materials Science: Materials in Medicine</i> , 2021 , 32, 72	4.5	4
84	Superior strength and strengthening mechanism of die attachment joints by using bimodal-sized Cu nanoparticle paste capable of low-temperature pressureless sintering. <i>Journal of Materials Science: Materials in Electronics</i> , 2021 , 32, 3391-3401	2.1	2
83	Quantitative FIB/SEM three-dimensional characterization of a unique Ni4Ti3 network in a porous Ni50.8Ti49.2 alloy undergoing a two-step martensitic transformation. <i>Materials Characterization</i> , 2020 , 169, 110595	3.9	1
82	Hierarchical phase separation behavior in a Ni-Si-Fe alloy. Acta Materialia, 2020, 195, 327-340	8.4	2
81	Study of accelerated shear creep behavior and fracture process of micro-scale ball grid array (BGA) structure Cu/SnB.0AgD.5Cu/Cu joints under coupled electro-thermo-mechanical loads. <i>Journal of Materials Science: Materials in Electronics</i> , 2020 , 31, 15575-15588	2.1	4
80	Unique interfacial reaction and so-induced change in mechanical performance of SnB.0AgD.5Cu/Cu solder joints formed during undercooled and eutectic liquid soldering processes. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 4770-4781	2.1	1
79	Two-step constrained aging treatment enabled superior two-way shape memory effect and elevated R-phase transformation temperatures in a rapidly solidified Ni51Ti49 alloy. <i>Journal of Alloys and Compounds</i> , 2019 , 785, 1180-1188	5.7	4
78	Study of the Influence of Elastic Anisotropy of Cu on Thermo-Mechanical Behavior and Cu Protrusion of Through Silicon Vias Using Combined Phase Field and Finite Element Methods. <i>IEEE</i> <i>Transactions on Device and Materials Reliability</i> , 2019 , 19, 322-332	1.6	5
77	Microstructural evolution and change in macroscopic physical properties of microscale flip chip Cu/Sn58Bi/Cu joints under the coupling effect of electric current stressing and elastic stress. <i>Journal of Materials Research</i> , 2019 , 34, 2775-2788	2.5	3
76	Current density dependent shear performance and fracture behavior of micro-scale BGA structure Cu/SnB.0AgD.5Cu/Cu joints under coupled electromechanical loads. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 15184-15197	2.1	9
75	Effects of size distributions of copper nanoparticles on the pressureless bonding performance of the copper paste for die attachment 2019 ,		1
74	Phase field simulation of microstructural evolution and thermomigration-induced phase segregation in Cu/Sn58Bi/Cu interconnects under isothermal aging and temperature gradient. <i>Microelectronics Reliability</i> , 2019 , 92, 1-11	1.2	9
73	Effects of acid-alkali treatment on bioactivity and osteoinduction of porous titanium: An in vitro study. <i>Materials Science and Engineering C</i> , 2019 , 94, 200-210	8.3	19

72	An abnormal two-way shape memory effect in a rapidly solidified Ni51Ti49 alloy induced by low temperature constrained aging. <i>Scripta Materialia</i> , 2018 , 149, 117-120	5.6	4
71	Reversible Negative Thermal Expansion Response and Phase Transformation Behavior of a Ti-Rich Ti54Ni46 Alloy Prepared by Rapid Solidification. <i>Minerals, Metals and Materials Series</i> , 2018 , 189-193	0.3	1
70	Functional Stability of the Ni51Ti49 Two-Way Shape Memory Alloy as Artificial Anal Sphincter During Thermo-Mechanical Cycling. <i>Minerals, Metals and Materials Series</i> , 2018 , 201-205	0.3	1
69	Size effects on the interfacial reaction and microstructural evolution of Sn-ball/Sn3.0Ag0.5Cu-paste/Cu joints in board-level hybrid BGA interconnection at critical reflowing temperature. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 7651-7660	2.1	6
68	Anisotropic Negative Thermal Expansion Behavior of the As-Fabricated Ti-Rich and Equiatomic TiNi Alloys Induced by Preferential Grain Orientation. <i>Shape Memory and Superelasticity</i> , 2018 , 4, 218-22	2 3 .8	3
67	2018,		1
66	Joule heating dominated fracture behavior change in micro-scale Cu/Sn-3.0Ag-0.5Cu/Cu(Ni) joints under electro-thermal coupled loads. <i>Microelectronics Reliability</i> , 2018 , 82, 224-227	1.2	10
65	Effects of Sb addition on the microstructure and mechanical performance of Sn58Bi based alloys and the solder joints 2018 ,		2
64	Phase field modeling of grain boundary migration and preferential grain growth driven by electric current stressing. <i>Journal of Applied Physics</i> , 2018 , 124, 175109	2.5	1
63	Effect of some N-heterocyclic inhibitors in the soldering flux on the corrosion behavior of eutectic SnB8Bi alloy and its solder paste 2018 ,		1
62	Preparation of a low temperature sintering silver nanoparticle ink and fabrication of conductive patterns on PET substrate 2018 ,		1
61	Fabrication of oxidation-resistant submicron copper particles and the conductive ink as well as its sintering behavior on the flexible substrate 2018 ,		2
60	Rapidly solidified and optimally constraint-aged Ni51Ti49 shape memory alloy aiming at making a purpose-designed bio-actuator. <i>Materials and Design</i> , 2017 , 118, 99-106	8.1	14
59	Three-dimensional characterization and distribution of fabrication defects in bilayered lithium disilicate glass-ceramic molar crowns. <i>Dental Materials</i> , 2017 , 33, e178-e185	5.7	6
58	Morphological evolution and growth kinetics of Kirkendall voids in binary alloy system during deformation process P hase field crystal simulation study. <i>Transactions of Nonferrous Metals Society of China</i> , 2017 , 27, 599-607	3.3	1
57	The Melting Characteristics and Interfacial Reactions of Sn-ball/Sn-3.0Ag-0.5Cu-paste/Cu Joints During Reflow Soldering. <i>Journal of Electronic Materials</i> , 2017 , 46, 1504-1515	1.9	4
56	Influence of strongly textured microstructure on the all-round shape memory effect of rapidly solidified Ni51Ti49 alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2017 , 705, 273-281	5.3	10
55	Microstructure Simulation and Thermo-Mechanical Behavior Analysis of Copper Filled Through Silicon Vias Using Coupled Phase Field and Finite Element Methods 2017 ,		2

54	Processing and electrical properties of sodium citrate capped silver nanoparticle based inks for flexible electronics 2017 ,		1
53	Microstructures and shear properties of mixed assembly BGA structure SnAgCu/SnBi(Ag)/Cu joints in board-level packaging 2017 ,		1
52	Quantitative investigation of the all round shape memory effect in a Ni51Ti49 alloy by TEM orientation imaging 2016 , 1070-1071		
51	Optimization of Automated Crystal Orientation Mapping in a TEM for Ni4Ti3 Precipitation in All-Round SMA. <i>Shape Memory and Superelasticity</i> , 2016 , 2, 286-297	2.8	5
50	Phase Field Simulation of Segregation of the Bi-Riched Phase in Cu/Sn-Bi/Cu Solder Interconnects under Electric Current Stressing 2016 ,		1
49	Creep behavior of micro-scale Cu/SnB.0AgD.5Cu/Cu joints under electro-thermo-mechanical coupled loads. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 13022-13033	2.1	5
48	Improvement of Microstructure and Mechanical Properties of a Low Alloy Cast Steel Processed by Direct Quenching Partitioning Technique. <i>Steel Research International</i> , 2015 , 86, 429-435	1.6	2
47	Geometry effect on mechanical performance and fracture behavior of micro-scale ball grid array structure Cu/SnB.0AgD.5Cu/Cu solder joints. <i>Microelectronics Reliability</i> , 2015 , 55, 1214-1225	1.2	16
46	Creep behavior of Cu/Sn-3.0Ag-0.5Cu/Cu solder joints under tensile stress coupled with DC current stressing 2015 ,		1
45	Phase field simulation of coherent precipitation of Ni4Ti3particles during stress-assisted aging of a porous NiTi alloy. <i>Modelling and Simulation in Materials Science and Engineering</i> , 2015 , 23, 055008	2	2
44	Size and geometry effects on the electromigration behavior of flip-chip Sn3.5Ag solder joints 2015 ,		1
43	Microstructural Characterization and Transformation Behavior of Porous Ni50.8Ti49.2. <i>Materials Today: Proceedings</i> , 2015 , 2, S833-S836	1.4	2
42	Effect of Pore Size and Porosity on the Biomechanical Properties and Cytocompatibility of Porous NiTi Alloys. <i>PLoS ONE</i> , 2015 , 10, e0128138	3.7	15
41	Size and constraint effects on mechanical and fracture behavior of micro-scale Ni/Sn3.0Ag0.5Cu/Ni solder joints. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2014 , 617, 14-23	5.3	29
40	Influence of veneer and cyclic loading on failure behavior of lithium disilicate glass-ceramic molar crowns. <i>Dental Materials</i> , 2014 , 30, 164-71	5.7	51
39	Effect of core ceramic grinding on fracture behaviour of bilayered lithium disilicate glass-ceramic under two loading schemes. <i>Journal of Dentistry</i> , 2014 , 42, 1436-45	4.8	10
38	Electromigration induced microstructure evolution and damage in asymmetric Cu/Sn-58Bi/Cu solder interconnect under current stressing. <i>Transactions of Nonferrous Metals Society of China</i> , 2014 , 24, 1619-1628	3.3	6
37	Interaction effect between electromigration and microstructure evolution in Cu/Sn-58Bi/Cu solder interconnect 2014 ,		1

(2011-2014)

36	Three-dimensional phase field simulation of the morphology and growth kinetics of Ni4Ti3precipitates in a NiTi alloy. <i>Modelling and Simulation in Materials Science and Engineering</i> , 2014 , 22, 055018	2	7	
35	Low cycle fatigue performance of ball grid array structure Cu/SnB.0AgD.5Cu/Cu solder joints. <i>Microelectronics Reliability</i> , 2014 , 54, 2911-2921	1.2	15	
34	Interaction effect between electromigration and microstructure evolution in BGA structure Cu/Sn-58Bi/Cu solder interconnects 2014 ,		1	
33	Theoretical study on the dislocation structure of parenthartensite interface in a magnetic shape memory alloy. <i>Journal of Materials Science</i> , 2014 , 49, 4648-4655	4.3	1	
32	2013,		1	
31	Effect of activators and surfactants in halogen-free fluxes on wettability of Sn-0.7Cu-0.05Ni solder on Cu substrate 2013 ,		2	
30	Phase transformation and damping behavior of lightweight porous TiNiCu alloys fabricated by powder metallurgy process. <i>Transactions of Nonferrous Metals Society of China</i> , 2013 , 23, 2029-2036	3.3	13	
29	Size and constraint effects on interfacial fracture behavior of microscale solder interconnects. <i>Microelectronics Reliability</i> , 2013 , 53, 154-163	1.2	13	
28	Morphological characterization and distribution of autocatalytic-grown Ni4Ti3 precipitates in a NiIIi single crystal. <i>Journal of Alloys and Compounds</i> , 2013 , 577, S215-S218	5.7	8	
27	Nano-sized SiC particle reinforced NiTi alloy matrix shape memory composite. <i>Materials Letters</i> , 2013 , 100, 74-77	3.3	27	
26	Influence of pre-existing void in the solder joint on electromigration behavior of Cu/Sn58Bi/Cu joints 2013 ,		1	
25	Influence of veneer application on fracture behavior of lithium-disilicate-based ceramic crowns. <i>Dental Materials</i> , 2012 , 28, 653-60	5.7	37	
24	Influence of thickness of interfacial IMC layer and solder mask layer on mechanical reliability of micro-scale BGA structure interconnects 2012 ,		1	
23	Modeling of Ni4Ti3 precipitation during stress-free and stress-assisted aging of bi-crystalline NiTi shape memory alloys. <i>Transactions of Nonferrous Metals Society of China</i> , 2012 , 22, 2578-2585	3.3	15	
22	Undercooling Behavior and Intermetallic Compound Coalescence in Microscale Sn-3.0Ag-0.5Cu Solder Balls and Sn-3.0Ag-0.5Cu/Cu Joints. <i>Journal of Electronic Materials</i> , 2012 , 41, 3169-3178	1.9	12	
21	Premelting behavior and interfacial reaction of the Sn/Cu and Sn/Ag soldering systems during the reflow process. <i>Journal of Materials Science: Materials in Electronics</i> , 2012 , 23, 1543-1551	2.1	3	
20	2012,		2	
19	Synthesis and characterization of solgel hydroxyapatite coatings deposited on porous NiTi alloys. Journal of Alloys and Compounds, 2011 , 509, 4643-4648	5.7	52	

18	Early Interfacial Reaction and Formation of Intermetallic Compounds in the Sn-3.5Ag/Cu Soldering System. <i>Journal of Electronic Materials</i> , 2011 , 40, 189-194	1.9	6
17	Solder Volume Effects on the Microstructure Evolution and Shear Fracture Behavior of Ball Grid Array Structure Sn-3.0Ag-0.5Cu Solder Interconnects. <i>Journal of Electronic Materials</i> , 2011 , 40, 2425-24.	3 5 .9	27
16	A comparative study on the corrosion behavior of porous and dense NiTi shape memory alloys in NaCl solution. <i>Electrochimica Acta</i> , 2011 , 56, 6389-6396	6.7	44
15	Lightweight NiTi shape memory alloy based composites with high damping capacity and high strength. <i>Journal of Alloys and Compounds</i> , 2010 , 490, L15-L19	5.7	42
14	Size and Volume Effects on the Strength of Microscale Lead-Free Solder Joints. <i>Journal of Electronic Materials</i> , 2009 , 38, 2179-2183	1.9	40
13	High porosity and high-strength porous NiTi shape memory alloys with controllable pore characteristics. <i>Journal of Alloys and Compounds</i> , 2009 , 470, L1-L5	5.7	42
12	Space-holder engineered porous NiTi shape memory alloys with improved pore characteristics and mechanical properties. <i>Journal of Alloys and Compounds</i> , 2009 , 474, L1-L5	5.7	56
11	Thermal creep and fracture behaviors of the lead-free SnAgtuBi solder interconnections under different stress levels. <i>Journal of Materials Science: Materials in Electronics</i> , 2008 , 19, 393-398	2.1	18
10	Processing treatment of a lead-free SnAgLuBi solder by rapid laser-beam reflowing and the creep property of its soldered connection. <i>Journal of Materials Processing Technology</i> , 2007 , 192-193, 539-542	5.3	18
9	Gradient porosity and large pore size NiTi shape memory alloys. Scripta Materialia, 2007, 57, 1020-1023	5.6	76
8	Creep and fatigue behaviors of the lead-free SnAgtuBi and Sn60Pb40 solder interconnections at elevated temperatures. <i>Journal of Materials Science: Materials in Electronics</i> , 2007 , 18, 665-670	2.1	22
7	A comparative study of the porous TiNi shape-memory alloys fabricated by three different processes. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2006 , 37, 755-761	2.3	44
6	The effect of porosity on phase transformation behavior of porous TiB0.8at.% Ni shape memory alloys prepared by capsule-free hot isostatic pressing. <i>Materials Science & amp; Engineering A: Structural Materials: Properties, Microstructure and Processing,</i> 2006 , 438-440, 585-588	5.3	32
5	Environmental effects on deformation mechanism and dislocation microstructure in fatigued copper single crystal. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2005 , 396, 403-408	5.3	4
4	Control of porosity and superelasticity of porous NiTi shape memory alloys prepared by hot isostatic pressing. <i>Smart Materials and Structures</i> , 2005 , 14, S201-S206	3.4	26
3	Influence of minute amount of elements Bi, Ag and In on surface tension and soldering process performance of tinlead based solders. <i>Journal of Materials Science: Materials in Electronics</i> , 2004 , 15, 511-517	2.1	9
2	In situ investigation of small fatigue crack growth in poly-crystal and single-crystal aluminium alloys. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2002 , 25, 141-150	3	15
1	Investigation of short fatigue cracks in nickel-based single crystal superalloy SC16 by in-situ SEM fatigue testing. <i>Scripta Materialia</i> , 2001 , 44, 2443-2448	5.6	14