

Pr Sparn

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4877813/par-sparen-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104
papers

3,137
citations

26
h-index

54
g-index

112
ext. papers

3,926
ext. citations

6.6
avg, IF

5.23
L-index

#	Paper	IF	Citations
104	NSAID use and unnatural deaths after cancer diagnosis: a nationwide cohort study in Sweden.. <i>BMC Cancer</i> , 2022 , 22, 75	4.8	
103	Human Papillomavirus Infection Determines Prognosis in Cervical Cancer.. <i>Journal of Clinical Oncology</i> , 2022 , JCO2101930	2.2	1
102	Pregnancy Outcomes in Women With a Prior Cervical Intraepithelial Neoplasia Grade 3 Diagnosis : A Nationwide Population-Based Cohort Study With Sibling Comparison Design.. <i>Annals of Internal Medicine</i> , 2022 , 175, 210-218	8	0
101	Patterns of sexual behaviour associated with repeated chlamydia testing and infection in men and women: a latent class analysis.. <i>BMC Public Health</i> , 2022 , 22, 652	4.1	
100	Feasibility of sending a direct send HPV self-sampling kit to long-term non-attenders in an organized cervical screening program. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021 , 268, 68-73	2.4	1
99	Changes in the Trend of Sexually Acquired Chlamydia Infections in Sweden and the Role of Testing: A Time Series Analysis. <i>Sexually Transmitted Diseases</i> , 2021 , 48, 329-334	2.4	1
98	Employment by HIV status, mode of HIV transmission and migrant status: a nation-wide population-based study. <i>Aids</i> , 2021 , 35, 115-123	3.5	2
97	Author response: Alpha-1 adrenergic receptor antagonists to prevent hyperinflammation and death from lower respiratory tract infection 2021 ,		2
96	Alpha-1 adrenergic receptor antagonists to prevent hyperinflammation and death from lower respiratory tract infection. <i>ELife</i> , 2021 , 10,	8.9	7
95	Nonvaccine human papillomavirus genotype common in women with HIV failing cervical precancer treatment. <i>Aids</i> , 2021 , 35, 2367-2374	3.5	0
94	Nationwide Rereview of Normal Cervical Cytologies before High-Grade Cervical Lesions or before Invasive Cervical Cancer. <i>Acta Cytologica</i> , 2021 , 65, 377-384	3	1
93	Impact of HPV vaccination on cervical screening performance: a population-based cohort study. <i>British Journal of Cancer</i> , 2020 , 123, 155-160	8.7	19
92	Increase of cervical cancer incidence in Sweden in relation to screening history: population cohort study. <i>Acta Oncologica</i> , 2020 , 59, 988-993	3.2	5
91	Smoking-adjusted risk of kidney cancer by occupation: a population-based cohort study of Nordic men. <i>Acta Oncologica</i> , 2020 , 59, 582-587	3.2	0
90	HPV Types in Cervical Precancer by HIV Status and Birth Region: A Population-Based Register Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 2662-2668	4	4
89	Cost-effectiveness of cervical cancer screening with primary HPV testing for unvaccinated women in Sweden. <i>PLoS ONE</i> , 2020 , 15, e0239611	3.7	2
88	Sequencing detects human papillomavirus in some apparently HPV-negative invasive cervical cancers. <i>Journal of General Virology</i> , 2020 , 101, 265-270	4.9	9

87	RE: "Comment on: "Occupational exposures and male breast cancer: A nested case-control study in the Nordic countries"". <i>Breast</i> , 2020 , 50, 151-152	3.6	
86	Risk of vaginal cancer among hysterectomised women with cervical intraepithelial neoplasia: a population-based national cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2020 , 127, 448-454	3.7	1
85	Deep sequencing detects human papillomavirus (HPV) in cervical cancers negative for HPV by PCR. <i>British Journal of Cancer</i> , 2020 , 123, 1790-1795	8.7	14
84	Risk of Injuries around Diagnosis of Cervical Cancer and Its Precursor Lesions: A Nationwide Cohort Study in Sweden. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 2230-2234	4	0
83	HPV Vaccination and the Risk of Invasive Cervical Cancer. <i>New England Journal of Medicine</i> , 2020 , 383, 1340-1348	59.2	268
82	Cervical cancer case-control audit: Results from routine evaluation of a nationwide cervical screening program. <i>International Journal of Cancer</i> , 2020 , 146, 1230-1240	7.5	19
81	Smoking-adjusted risk of renal pelvis cancer by occupation: a population-based cohort study of Nordic men. <i>Acta Oncologica</i> , 2020 , 59, 112-115	3.2	1
80	Cancer incidence among Swedish firefighters: an extended follow-up of the NOCCA study. <i>International Archives of Occupational and Environmental Health</i> , 2020 , 93, 197-204	3.2	4
79	Occupational exposures and male breast cancer: A nested case-control study in the Nordic countries. <i>Breast</i> , 2019 , 48, 65-72	3.6	9
78	Heavy metals, welding fumes, and other occupational exposures, and the risk of kidney cancer: A population-based nested case-control study in three Nordic countries. <i>Environmental Research</i> , 2019 , 173, 117-123	7.9	14
77	Cervical screening and risk of adenosquamous and rare histological types of invasive cervical carcinoma: population based nested case-control study. <i>BMJ, The</i> , 2019 , 365, l1207	5.9	15
76	Temporal Dynamics and Risk Factors for Bloodstream Infection With Extended-spectrum β -Lactamase-producing Bacteria in Previously-colonized Individuals: National Population-based Cohort Study. <i>Clinical Infectious Diseases</i> , 2019 , 68, 641-649	11.6	16
75	Short-term and long-term case-fatality rates for myocardial infarction and ischaemic stroke by socioeconomic position and sex: a population-based cohort study in Sweden, 1990-1994 and 2005-2009. <i>BMJ Open</i> , 2019 , 9, e026192	3	1
74	Psychologic Distress Is Associated with Cancer-Specific Mortality among Patients with Cervical Cancer. <i>Cancer Research</i> , 2019 , 79, 3965-3972	10.1	22
73	Human papillomavirus genotype and prognosis of invasive cervical cancer: A nationwide cohort study.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 5525-5525	2.2	1
72	Factors associated with Legionnaires Disease recurrence in hotel and holiday rental accommodation sites. <i>Eurosurveillance</i> , 2019 , 24,	19.8	4
71	Psychiatric disorders and cardiovascular diseases during the diagnostic workup of potential breast cancer: a population-based cohort study in Skåne, Sweden. <i>Breast Cancer Research</i> , 2019 , 21, 139	8.3	3
70	Occupation and risk of cancer of the renal pelvis in Nordic countries. <i>BJU International</i> , 2019 , 123, 233-238	3.6	5

69	Mode of HPV vaccination delivery and equity in vaccine uptake: A nationwide cohort study. <i>Preventive Medicine</i> , 2019 , 120, 26-33	4.3	13
68	Occupational variation in bladder cancer in Nordic males adjusted with approximated smoking prevalence. <i>Acta Oncologica</i> , 2019 , 58, 29-37	3.2	3
67	An overview of cervical cancer epidemiology and prevention in Scandinavia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018 , 97, 795-807	3.8	23
66	Substantially reduced incidence of genital warts in women and men six years after HPV vaccine availability in Sweden. <i>Vaccine</i> , 2018 , 36, 1917-1920	4.1	14
65	Nationwide comprehensive human papillomavirus (HPV) genotyping of invasive cervical cancer. <i>British Journal of Cancer</i> , 2018 , 118, 1377-1381	8.7	29
64	Socio-economic and demographic determinants affecting participation in the Swedish cervical screening program: A population-based case-control study. <i>PLoS ONE</i> , 2018 , 13, e0190171	3.7	30
63	Occupational exposure to asbestos and risk of cholangiocarcinoma: a population-based case-control study in four Nordic countries. <i>Occupational and Environmental Medicine</i> , 2018 , 75, 191-198	2.1	19
62	Cervical cancer screening in Sweden 2014-2016. <i>PLoS ONE</i> , 2018 , 13, e0209003	3.7	10
61	Opportunistic HPV vaccination at age 16-23 and cervical screening attendance in Sweden: a national register-based cohort study. <i>BMJ Open</i> , 2018 , 8, e024477	3	13
60	Effectiveness of varying number of doses and timing between doses of quadrivalent HPV vaccine against severe cervical lesions. <i>Vaccine</i> , 2018 , 36, 6373-6378	4.1	16
59	High-risk human papillomavirus status and prognosis in invasive cervical cancer: A nationwide cohort study. <i>PLoS Medicine</i> , 2018 , 15, e1002666	11.6	36
58	Occupational variation in the risk of female breast cancer in the Nordic countries. <i>Cancer Causes and Control</i> , 2018 , 29, 1027-1038	2.8	10
57	Suppressive antiretroviral therapy associates with effective treatment of high-grade cervical intraepithelial neoplasia. <i>Aids</i> , 2018 , 32, 1475-1484	3.5	7
56	Mesothelioma in Sweden: Dose-Response Analysis for Exposure to 29 Potential Occupational Carcinogenic Agents. <i>Safety and Health at Work</i> , 2018 , 9, 290-295	4	3
55	Age, period and cohort effects on suicide mortality in Russia, 1956-2005. <i>BMC Public Health</i> , 2017 , 17, 235	4.1	10
54	Occupational exposures and the risk of amyotrophic lateral sclerosis. <i>Occupational and Environmental Medicine</i> , 2017 , 74, 87-92	2.1	24
53	Reply to Ryser et al. <i>International Journal of Cancer</i> , 2017 , 141, 416-418	7.5	
52	E-Science technologies in a workflow for personalized medicine using cancer screening as a case study. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2017 , 24, 950-957	8.6	3

51	Occupational exposure to solvents and bladder cancer: A population-based case control study in Nordic countries. <i>International Journal of Cancer</i> , 2017 , 140, 1736-1746	7.5	15
50	Occupational variation in incidence of bladder cancer: a comparison of population-representative cohorts from Nordic countries and Canada. <i>BMJ Open</i> , 2017 , 7, e016538	3	6
49	Effectiveness of cervical screening after age 60 years according to screening history: Nationwide cohort study in Sweden. <i>PLoS Medicine</i> , 2017 , 14, e1002414	11.6	26
48	Risk of early-onset prostate cancer associated with occupation in the Nordic countries. <i>European Journal of Cancer</i> , 2017 , 87, 92-100	7.5	14
47	Follow-up of women with cervical cytological abnormalities showing atypical squamous cells of undetermined significance or low-grade squamous intraepithelial lesion: a nationwide cohort study. <i>American Journal of Obstetrics and Gynecology</i> , 2017 , 216, 48.e1-48.e15	6.4	12
46	Occupational exposure to wood dust and risk of nasal and nasopharyngeal cancer: A case-control study among men in four nordic countries-With an emphasis on nasal adenocarcinoma. <i>International Journal of Cancer</i> , 2017 , 141, 2430-2436	7.5	20
45	The economic burden of human papillomavirus-related precancers and cancers in Sweden. <i>PLoS ONE</i> , 2017 , 12, e0179520	3.7	10
44	Occupational Risk for Oral Cancer in Nordic Countries. <i>Anticancer Research</i> , 2017 , 37, 3221-3228	2.3	5
43	Perceived physical strain at work and incidence of colorectal cancer: A nested case-control study. <i>Cancer Epidemiology</i> , 2016 , 43, 100-4	2.8	6
42	Risk of invasive cervical cancer after atypical glandular cells in cervical screening: nationwide cohort study. <i>BMJ, The</i> , 2016 , 352, i276	5.9	30
41	Sexually transmitted infections after bereavement - a population-based cohort study. <i>BMC Infectious Diseases</i> , 2016 , 16, 419	4	5
40	Psychiatric disorder and work life: A longitudinal study of intra-generational social mobility. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 156-66	8.5	11
39	Bereavement Is Associated with an Increased Risk of HPV Infection and Cervical Cancer: An Epidemiological Study in Sweden. <i>Cancer Research</i> , 2016 , 76, 643-51	10.1	19
38	Do RA or TNF inhibitors increase the risk of cervical neoplasia or of recurrence of previous neoplasia? A nationwide study from Sweden. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1272-8	2.4	35
37	No Evidence for Disease History as a Risk Factor for Narcolepsy after A(H1N1)pdm09 Vaccination. <i>PLoS ONE</i> , 2016 , 11, e0154296	3.7	2
36	Occupation and mesothelioma in Sweden: updated incidence in men and women in the 27 years after the asbestos ban. <i>Epidemiology and Health</i> , 2016 , 38, e2016039	5.6	27
35	Highest Vaccine Uptake after School-Based Delivery - A County-Level Evaluation of the Implementation Strategies for HPV Catch-Up Vaccination in Sweden. <i>PLoS ONE</i> , 2016 , 11, e0149857	3.7	16
34	Impact of immunosuppression and region of birth on risk of cervical intraepithelial neoplasia among migrants living with HIV in Sweden. <i>International Journal of Cancer</i> , 2016 , 139, 1471-9	7.5	9

33	Sexual and testing behaviour associated with Chlamydia trachomatis infection: a cohort study in an STI clinic in Sweden. <i>BMJ Open</i> , 2016 , 6, e011312	3	16
32	Registry-based assessment of the status of cervical screening in Sweden. <i>Journal of Medical Screening</i> , 2016 , 23, 217-226	1.4	17
31	Quadrivalent HPV vaccine effectiveness against high-grade cervical lesions by age at vaccination: A population-based study. <i>International Journal of Cancer</i> , 2016 , 138, 2867-74	7.5	80
30	Interactions Between High- and Low-Risk HPV Types Reduce the Risk of Squamous Cervical Cancer. <i>Journal of the National Cancer Institute</i> , 2015 , 107,	9.7	17
29	Cancer incidence among waiters: 45 years of follow-up in five Nordic countries. <i>Scandinavian Journal of Public Health</i> , 2015 , 43, 204-11	3	7
28	Incidence of herpes zoster and associated events including stroke—a population-based cohort study. <i>BMC Infectious Diseases</i> , 2015 , 15, 488	4	40
27	Occupation and risk of oesophageal adenocarcinoma and squamous-cell carcinoma: The Nordic Occupational Cancer Study. <i>International Journal of Cancer</i> , 2015 , 137, 590-7	7.5	4
26	When Life Got in the Way: How Danish and Norwegian Immigrant Women in Sweden Reason about Cervical Screening and Why They Postpone Attendance. <i>PLoS ONE</i> , 2015 , 10, e0107624	3.7	22
25	The Participation of HPV-Vaccinated Women in a National Cervical Screening Program: Population-Based Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0134185	3.7	29
24	Occupational exposure to extremely low-frequency magnetic fields and electrical shocks and acute myeloid leukemia in four Nordic countries. <i>Cancer Causes and Control</i> , 2015 , 26, 1079-85	2.8	4
23	Guillain-Barré syndrome and adjuvanted pandemic influenza A (H1N1) 2009 vaccines: a multinational self-controlled case series in Europe. <i>PLoS ONE</i> , 2014 , 9, e82222	3.7	45
22	Common Familial Effects on Ischemic Stroke and Myocardial Infarction: A Prospective Population-Based Cohort Study. <i>Frontiers in Cardiovascular Medicine</i> , 2014 , 1, 3	5.4	
21	Association of varying number of doses of quadrivalent human papillomavirus vaccine with incidence of condyloma. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 597-603	27.4	66
20	Effect of ageing on cervical or vaginal cancer in Swedish women previously treated for cervical intraepithelial neoplasia grade 3: population based cohort study of long term incidence and mortality. <i>BMJ, The</i> , 2014 , 348, f7361	5.9	52
19	Temporal trends in incidence of myocardial infarction and ischemic stroke by socioeconomic position in Sweden 1987-2010. <i>PLoS ONE</i> , 2014 , 9, e105279	3.7	22
18	Occupational exposure to solvents and acute myeloid leukemia: a population-based, case-control study in four Nordic countries. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014 , 40, 511-7	4.3	8
17	Atypical glandular cells and atypical cells of unknown origin in screening and subsequent risk of cervical cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 1516-1516	2.2	
16	Cervical screening participation and risk among Swedish-born and immigrant women in Sweden. <i>International Journal of Cancer</i> , 2012 , 130, 937-47	7.5	65

15	Suicide and cardiovascular death after a cancer diagnosis. <i>New England Journal of Medicine</i> , 2012 , 366, 1310-8	59.2	279
14	Screening and cervical cancer cure: population based cohort study. <i>BMJ, The</i> , 2012 , 344, e900	5.9	126
13	Assessing perceived risk and STI prevention behavior: a national population-based study with special reference to HPV. <i>PLoS ONE</i> , 2011 , 6, e20624	3.7	36
12	Risk of invasive cervical cancer in relation to clinical investigation and treatment after abnormal cytology: a population-based case-control study. <i>International Journal of Cancer</i> , 2011 , 129, 1450-8	7.5	7
11	Occupation and cancer - follow-up of 15 million people in five Nordic countries. <i>Acta Oncologica</i> , 2009 , 48, 646-790	3.2	433
10	Risk of invasive cervical cancer in relation to management of abnormal Pap smear results. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 201, 188.e1-7	6.4	7
9	Screening-preventable cervical cancer risks: evidence from a nationwide audit in Sweden. <i>Journal of the National Cancer Institute</i> , 2008 , 100, 622-9	9.7	253
8	Interpregnancy weight gain and the male-to-female sex ratio of the second pregnancy: a population-based cohort study. <i>Fertility and Sterility</i> , 2008 , 89, 1240-1244	4.8	8
7	Risk of anogenital cancer after diagnosis of cervical intraepithelial neoplasia: a prospective population-based study. <i>Lancet Oncology, The</i> , 2007 , 8, 311-6	21.7	134
6	Long term mortality after severe starvation during the siege of Leningrad: prospective cohort study. <i>BMJ, The</i> , 2004 , 328, 11	5.9	103
5	A large population-based randomized controlled trial to increase attendance at screening for cervical cancer. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2004 , 13, 346-54	4	35
4	Attitudes to screening for cervical cancer: a population-based study in Sweden. <i>Cancer Causes and Control</i> , 2001 , 12, 519-28	2.8	37
3	Genetic link to cervical tumours. <i>Nature</i> , 1999 , 400, 29-30	50.4	127
2	Smoking and oral contraceptives as risk factors for cervical carcinoma in situ. <i>International Journal of Cancer</i> , 1999 , 81, 357-65	7.5	74
1	Smoking and oral contraceptives as risk factors for cervical carcinoma In situ 1999 , 81, 357		2