

Paul A Rosenberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4877916/publications.pdf>

Version: 2024-02-01

144
papers

17,432
citations

15504

65
h-index

13379

130
g-index

146
all docs

146
docs citations

146
times ranked

15394
citing authors

#	ARTICLE	IF	CITATIONS
1	Excitatory Amino Acids as a Final Common Pathway for Neurologic Disorders. <i>New England Journal of Medicine</i> , 1994, 330, 613-622.	27.0	2,500
2	Activation of innate immunity in the CNS triggers neurodegeneration through a Toll-like receptor 4-dependent pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 8514-8519.	7.1	912
3	Ferostatins Inhibit Oxidative Lipid Damage and Cell Death in Diverse Disease Models. <i>Journal of the American Chemical Society</i> , 2014, 136, 4551-4556.	13.7	738
4	The Toll-Like Receptor TLR4 Is Necessary for Lipopolysaccharide-Induced Oligodendrocyte Injury in the CNS. <i>Journal of Neuroscience</i> , 2002, 22, 2478-2486.	3.6	587
5	Maturation-Dependent Vulnerability of Oligodendrocytes to Oxidative Stress-Induced Death Caused by Glutathione Depletion. <i>Journal of Neuroscience</i> , 1998, 18, 6241-6253.	3.6	544
6	Vulnerability of oligodendroglia to glutamate: pharmacology, mechanisms, and prevention. <i>Journal of Neuroscience</i> , 1993, 13, 1441-1453.	3.6	506
7	Effect of Citalopram on Agitation in Alzheimer Disease. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 682.	7.4	447
8	Nitrosative and Oxidative Injury to Premyelinating Oligodendrocytes in Periventricular Leukomalacia. <i>Journal of Neuropathology and Experimental Neurology</i> , 2003, 62, 441-450.	1.7	408
9	Afferent connections of the perirhinal cortex in the rat. <i>Journal of Comparative Neurology</i> , 1983, 220, 168-190.	1.6	397
10	Hundred-fold increase in neuronal vulnerability to glutamate toxicity in astrocyte-poor cultures of rat cerebral cortex. <i>Neuroscience Letters</i> , 1989, 103, 162-168.	2.1	379
11	NBQX Attenuates Excitotoxic Injury in Developing White Matter. <i>Journal of Neuroscience</i> , 2000, 20, 9235-9241.	3.6	368
12	Peroxynitrite generated by inducible nitric oxide synthase and NADPH oxidase mediates microglial toxicity to oligodendrocytes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 9936-9941.	7.1	331
13	The developing oligodendrocyte: key cellular target in brain injury in the premature infant. <i>International Journal of Developmental Neuroscience</i> , 2011, 29, 423-440.	1.6	321
14	Glutamate Receptor-Mediated Oligodendrocyte Toxicity in Periventricular Leukomalacia: A Protective Role for Topiramate. <i>Journal of Neuroscience</i> , 2004, 24, 4412-4420.	3.6	290
15	Conditional Deletion of the Glutamate Transporter GLT-1 Reveals That Astrocytic GLT-1 Protects against Fatal Epilepsy While Neuronal GLT-1 Contributes Significantly to Glutamate Uptake into Synaptosomes. <i>Journal of Neuroscience</i> , 2015, 35, 5187-5201.	3.6	249
16	Glutathione Peroxidase-Catalase Cooperativity Is Required for Resistance to Hydrogen Peroxide by Mature Rat Oligodendrocytes. <i>Journal of Neuroscience</i> , 2004, 24, 1531-1540.	3.6	245
17	The Glutamate Transporter GLT1a Is Expressed in Excitatory Axon Terminals of Mature Hippocampal Neurons. <i>Journal of Neuroscience</i> , 2004, 24, 1136-1148.	3.6	240
18	Glutamate uptake disguises neurotoxic potency of glutamate agonists in cerebral cortex in dissociated cell culture. <i>Journal of Neuroscience</i> , 1992, 12, 56-61.	3.6	239

#	ARTICLE	IF	CITATIONS
19	Cell and fiber type distribution of dystrophin. <i>Neuron</i> , 1988, 1, 411-420.	8.1	210
20	Catecholamine toxicity in cerebral cortex in dissociated cell culture. <i>Journal of Neuroscience</i> , 1988, 8, 2887-2894.	3.6	208
21	Novel Role of Vitamin K in Preventing Oxidative Injury to Developing Oligodendrocytes and Neurons. <i>Journal of Neuroscience</i> , 2003, 23, 5816-5826.	3.6	202
22	Expression of a Variant Form of the Glutamate Transporter GLT1 in Neuronal Cultures and in Neurons and Astrocytes in the Rat Brain. <i>Journal of Neuroscience</i> , 2002, 22, 2142-2152.	3.6	193
23	Calcium-permeable AMPA/kainate receptors mediate toxicity and preconditioning by oxygen-glucose deprivation in oligodendrocyte precursors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 6801-6806.	7.1	186
24	Peroxynitrite-Induced Neuronal Apoptosis Is Mediated by Intracellular Zinc Release and 12-Lipoxygenase Activation. <i>Journal of Neuroscience</i> , 2004, 24, 10616-10627.	3.6	169
25	Pathophysiology of glia in perinatal white matter injury. <i>Glia</i> , 2014, 62, 1790-1815.	4.9	169
26	Apathy associated with neurocognitive disorders: Recent progress and future directions. <i>Alzheimer's and Dementia</i> , 2017, 13, 84-100.	0.8	167
27	Role of metabotropic glutamate receptors in oligodendrocyte excitotoxicity and oxidative stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 7751-7756.	7.1	161
28	Hyperoxia Causes Maturation-Dependent Cell Death in the Developing White Matter. <i>Journal of Neuroscience</i> , 2008, 28, 1236-1245.	3.6	161
29	Water permeability of gramicidin A-treated lipid bilayer membranes.. <i>Journal of General Physiology</i> , 1978, 72, 341-350.	1.9	149
30	Interaction of ions and water in gramicidin A channels: streaming potentials across lipid bilayer membranes.. <i>Journal of General Physiology</i> , 1978, 72, 327-340.	1.9	148
31	Glutamate metabolism and recycling at the excitatory synapse in health and neurodegeneration. <i>Neuropharmacology</i> , 2021, 196, 108719.	4.1	145
32	Ceftriaxone Treatment after Traumatic Brain Injury Restores Expression of the Glutamate Transporter, GLT-1, Reduces Regional Gliosis, and Reduces Post-Traumatic Seizures in the Rat. <i>Journal of Neurotrauma</i> , 2013, 30, 1434-1441.	3.4	142
33	Mature myelin basic protein-expressing oligodendrocytes are insensitive to kainate toxicity. <i>Journal of Neuroscience Research</i> , 2003, 71, 237-245.	2.9	130
34	Tumor Necrosis Factor $\hat{\pm}$ Mediates Lipopolysaccharide-Induced Microglial Toxicity to Developing Oligodendrocytes When Astrocytes Are Present. <i>Journal of Neuroscience</i> , 2008, 28, 5321-5330.	3.6	119
35	Developmental Lag in Superoxide Dismutases Relative to Other Antioxidant Enzymes in Premyelinated Human Telencephalic White Matter. <i>Journal of Neuropathology and Experimental Neurology</i> , 2004, 63, 990-999.	1.7	118
36	Apoptotic surge of potassium currents is mediated by p38 phosphorylation of Kv2.1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 3568-3573.	7.1	115

#	ARTICLE	IF	CITATIONS
37	Cystine Deprivation Induces Oligodendroglial Death: Rescue by Free Radical Scavengers and by a Diffusible Glial Factor. <i>Journal of Neurochemistry</i> , 1996, 67, 566-573.	3.9	114
38	Nitric oxide-induced cell death in developing oligodendrocytes is associated with mitochondrial dysfunction and apoptosis-inducing factor translocation. <i>European Journal of Neuroscience</i> , 2004, 20, 1713-1726.	2.6	111
39	Mobile zinc increases rapidly in the retina after optic nerve injury and regulates ganglion cell survival and optic nerve regeneration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E209-E218.	7.1	111
40	Expression of cGMP-Specific Phosphodiesterase 9A mRNA in the Rat Brain. <i>Journal of Neuroscience</i> , 2001, 21, 9068-9076.	3.6	106
41	Accumulation of extracellular glutamate and neuronal death in astrocyte-poor cortical cultures exposed to glutamine. <i>Glia</i> , 1991, 4, 91-100.	4.9	97
42	Cellular and subcellular mRNA localization of glutamate transporter isoforms GLT1a and GLT1b in rat brain by in situ hybridization. <i>Journal of Comparative Neurology</i> , 2005, 492, 78-89.	1.6	96
43	GLT-1: The elusive presynaptic glutamate transporter. <i>Neurochemistry International</i> , 2016, 98, 19-28.	3.8	95
44	Time course of neuropsychiatric symptoms and cognitive diagnosis in National Alzheimer's Coordinating Centers volunteers. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019, 11, 333-339.	2.4	95
45	Axon Outgrowth Is Regulated by an Intracellular Purine-sensitive Mechanism in Retinal Ganglion Cells. <i>Journal of Biological Chemistry</i> , 1998, 273, 29626-29634.	3.4	90
46	NMDA Receptor Activation Inhibits Neuronal Volume Regulation after Swelling Induced by Veratridine-Stimulated Na ⁺ Influx in Rat Cortical Cultures. <i>Journal of Neuroscience</i> , 1996, 16, 7447-7457.	3.6	89
47	12-Lipoxygenase plays a key role in cell death caused by glutathione depletion and arachidonic acid in rat oligodendrocytes. <i>European Journal of Neuroscience</i> , 2004, 20, 2049-2058.	2.6	89
48	Depressive Symptoms Predict Incident Cognitive Impairment in Cognitive Healthy Older Women. <i>American Journal of Geriatric Psychiatry</i> , 2010, 18, 204-211.	1.2	87
49	Beta-adrenergic receptor-mediated regulation of extracellular adenosine in cerebral cortex in culture. <i>Journal of Neuroscience</i> , 1994, 14, 2953-2965.	3.6	86
50	Estradiol attenuates hyperoxia-induced cell death in the developing white matter. <i>Annals of Neurology</i> , 2007, 61, 562-573.	5.3	83
51	Vitamin K prevents oxidative cell death by inhibiting activation of 12-lipoxygenase in developing oligodendrocytes. <i>Journal of Neuroscience Research</i> , 2009, 87, 1997-2005.	2.9	83
52	Characterization of brain ecto-apyrase: evidence for only one ecto-apyrase (CD39) gene. <i>Molecular Brain Research</i> , 1997, 47, 295-302.	2.3	81
53	Interaction of the putative essential nutrient pyrroloquinoline quinone with the N-methyl-D-aspartate receptor redox modulatory site. <i>Journal of Neuroscience</i> , 1992, 12, 2362-2369.	3.6	78
54	17β-estradiol protects against hypoxic/ischemic white matter damage in the neonatal rat brain. <i>Journal of Neuroscience Research</i> , 2009, 87, 2078-2086.	2.9	78

#	ARTICLE	IF	CITATIONS
55	Intracellular Redox State Determines Whether Nitric Oxide Is Toxic or Protective to Rat Oligodendrocytes in Culture. <i>Journal of Neurochemistry</i> , 1999, 73, 476-484.	3.9	76
56	Nitric oxide production in the basal forebrain is required for recovery sleep. <i>Journal of Neurochemistry</i> , 2006, 99, 483-498.	3.9	76
57	A new Alamar Blue viability assay to rapidly quantify oligodendrocyte death. <i>Journal of Neuroscience Methods</i> , 1999, 91, 47-54.	2.5	75
58	NMDA and Glutamate Evoke Excitotoxicity at Distinct Cellular Locations in Rat Cortical Neurons<i>In Vitro</i>. <i>Journal of Neuroscience</i> , 2000, 20, 8831-8837.	3.6	75
59	Developmental up-regulation of MnSOD in rat oligodendrocytes confers protection against oxidative injury. <i>European Journal of Neuroscience</i> , 2004, 20, 29-40.	2.6	75
60	Intracellular Zinc Release, 12-Lipoxygenase Activation and MAPK Dependent Neuronal and Oligodendroglial Death. <i>Molecular Medicine</i> , 2007, 13, 350-355.	4.4	75
61	Extracellular cAMP accumulation and degradation in rat cerebral cortex in dissociated cell culture. <i>Journal of Neuroscience</i> , 1989, 9, 2654-2663.	3.6	74
62	Novel lipoxygenase inhibitors as neuroprotective reagents. <i>Journal of Neuroscience Research</i> , 2008, 86, 904-909.	2.9	73
63	High Affinity Glutamate Transport in Rat Cortical Neurons in Culture. <i>Molecular Pharmacology</i> , 1998, 53, 88-96.	2.3	72
64	Adenylyl cyclase activation underlies intracellular cyclic AMP accumulation, cyclic AMP transport, and extracellular adenosine accumulation evoked by β^2 -adrenergic receptor stimulation in mixed cultures of neurons and astrocytes derived from rat cerebral cortex. <i>Brain Research</i> , 1995, 692, 227-232.	2.2	71
65	Inducible and neuronal nitric oxide synthases (NOS) have complementary roles in recovery sleep induction. <i>European Journal of Neuroscience</i> , 2006, 24, 1443-1456.	2.6	68
66	Intracellular Zinc Release and ERK Phosphorylation Are Required Upstream of 12-Lipoxygenase Activation in Peroxynitrite Toxicity to Mature Rat Oligodendrocytes. <i>Journal of Biological Chemistry</i> , 2006, 281, 9460-9470.	3.4	67
67	The putative essential nutrient pyrroloquinoline quinone is neuroprotective in a rodent model of hypoxic/ischemic brain injury. <i>Neuroscience</i> , 1994, 62, 399-406.	2.3	66
68	The Glutamate Transport Inhibitor L-trans-pyrrolidine-2,4-dicarboxylate Indirectly Evokes NMDA Receptor Mediated Neurotoxicity in Rat Cortical Cultures. <i>European Journal of Neuroscience</i> , 1996, 8, 1840-1852.	2.6	65
69	Nitric Oxide-Stimulated Increase in Extracellular Adenosine Accumulation in Rat Forebrain Neurons in Culture Is Associated with ATP Hydrolysis and Inhibition of Adenosine Kinase Activity. <i>Journal of Neuroscience</i> , 2000, 20, 6294-6301.	3.6	64
70	The glutamate transporter EAAT2 is transiently expressed in developing human cerebral white matter. <i>Journal of Comparative Neurology</i> , 2007, 501, 879-890.	1.6	64
71	Regulation of Glutamate Transport in Developing Rat Oligodendrocytes. <i>Journal of Neuroscience</i> , 2009, 29, 7898-7908.	3.6	63
72	NMDA Receptorâ€Mediated Neurotoxicity: A Paradoxical Requirement for Extracellular Mg^{2+} in Na^+/Ca^{2+} -Free Solutions in Rat Cortical Neurons In Vitro. <i>Journal of Neurochemistry</i> , 1997, 68, 1836-1845.	3.9	62

#	ARTICLE	IF	CITATIONS
73	The challenge of understanding cerebral white matter injury in the premature infant. <i>Neuroscience</i> , 2014, 276, 216-238.	2.3	62
74	Zinc chelation and Klf9 knockdown cooperatively promote axon regeneration after optic nerve injury. <i>Experimental Neurology</i> , 2018, 300, 22-29.	4.1	62
75	Reprint of "The developing oligodendrocyte: key cellular target in brain injury in the premature infant". <i>International Journal of Developmental Neuroscience</i> , 2011, 29, 565-582.	1.6	61
76	Divergent roles of astrocytic versus neuronal EAAT2 deficiency on cognition and overlap with aging and Alzheimer's molecular signatures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 21800-21811.	7.1	56
77	Ventral tegmental area astrocytes orchestrate avoidance and approach behavior. <i>Nature Communications</i> , 2019, 10, 1455.	12.8	55
78	Novel Role for the NMDA Receptor Redox Modulatory Site in the Pathophysiology of Seizures. <i>Journal of Neuroscience</i> , 2000, 20, 2409-2417.	3.6	54
79	Multifactor Behavioral Treatment of Chronic Sleep-Onset Insomnia Using Stimulus Control and the Relaxation Response. <i>Behavior Modification</i> , 1993, 17, 498-509.	1.6	51
80	Oligodendrocyte excitotoxicity determined by local glutamate accumulation and mitochondrial function. <i>Journal of Neurochemistry</i> , 2006, 98, 213-222.	3.9	51
81	Interaction between the glutamate transporter GLT1b and the synaptic PDZ domain protein PICK1. <i>European Journal of Neuroscience</i> , 2008, 27, 66-82.	2.6	51
82	2,4,5-trihydroxyphenylalanine in solution forms a non-N-methyl-D-aspartate glutamatergic agonist and neurotoxin.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 4865-4869.	7.1	50
83	The essential nutrient pyrroloquinoline quinone may act as a neuroprotectant by suppressing peroxynitrite formation. <i>European Journal of Neuroscience</i> , 2002, 16, 1015-1024.	2.6	48
84	Changes in QTc Interval in the Citalopram for Agitation in Alzheimer's Disease (CitAD) Randomized Trial. <i>PLoS ONE</i> , 2014, 9, e98426.	2.5	48
85	Citalopram for agitation in Alzheimer's disease: Design and methods. <i>Alzheimer's and Dementia</i> , 2012, 8, 121-130.	0.8	45
86	Deletion of Neuronal GLT-1 in Mice Reveals Its Role in Synaptic Glutamate Homeostasis and Mitochondrial Function. <i>Journal of Neuroscience</i> , 2019, 39, 4847-4863.	3.6	42
87	Decreased expression of GLT-1 in the R6/2 model of Huntington's disease does not worsen disease progression. <i>European Journal of Neuroscience</i> , 2013, 38, 2477-2490.	2.6	41
88	Effects of norepinephrine on rat neocortical neurons in dissociated cell culture. <i>Brain Research</i> , 1985, 344, 369-372.	2.2	39
89	Dihydrokainate-sensitive neuronal glutamate transport is required for protection of rat cortical neurons in culture against synaptically released glutamate. <i>European Journal of Neuroscience</i> , 1998, 10, 2523-2531.	2.6	39
90	Differential expression of glutamate receptor subtypes in human brainstem sites involved in perinatal hypoxia-ischemia. <i>Journal of Comparative Neurology</i> , 2000, 427, 196-208.	1.6	39

#	ARTICLE	IF	CITATIONS
91	Neuronal injury evoked by depolarizing agents in rat cortical cultures. <i>Neuroscience</i> , 1992, 51, 931-939.	2.3	36
92	Chromis-1, a Ratiometric Fluorescent Probe Optimized for Two-Photon Microscopy Reveals Dynamic Changes in Labile Zn(II) in Differentiating Oligodendrocytes. <i>ACS Sensors</i> , 2018, 3, 458-467.	7.8	36
93	A small subset of cortical astrocytes in culture accumulates glycogen. <i>International Journal of Developmental Neuroscience</i> , 1987, 5, 227-235.	1.6	35
94	Localization of synapses in rat cortical cultures. <i>Neuroscience</i> , 1993, 53, 495-508.	2.3	35
95	A 3,4-dihydroxyphenylalanine oxidation product is a glutamatergic agonist in rat cortical neurons. <i>Neuroscience Letters</i> , 1990, 116, 168-171.	2.1	34
96	Glutamate transporter EAAT2 expression is upregulated in reactive astrocytes in human periventricular leukomalacia. <i>Journal of Comparative Neurology</i> , 2008, 508, 238-248.	1.6	34
97	Expression of EAAT2 in neurons and protoplasmic astrocytes during human cortical development. <i>Journal of Comparative Neurology</i> , 2012, 520, 3912-3932.	1.6	34
98	Further evidence that pyrroloquinoline quinone interacts with the receptor redox site in rat cortical neurons in vitro. <i>Neuroscience Letters</i> , 1994, 168, 189-192.	2.1	30
99	Î±-Amino-3-hydroxy-5-methyl-4-isoxazole Propionate Receptor Subunit Composition and cAMP-response Element-binding Protein Regulate Oligodendrocyte Excitotoxicity. <i>Journal of Biological Chemistry</i> , 2006, 281, 36004-36011.	3.4	30
100	Why and how to investigate the role of protein phosphorylation in ZIP and ZnT zinc transporter activity and regulation. <i>Cellular and Molecular Life Sciences</i> , 2020, 77, 3085-3102.	5.4	30
101	Escitalopram for agitation in Alzheimer's disease (Sâ€¢CitAD): Methods and design of an investigatorâ€¢initiated, randomized, controlled, multicenter clinical trial. <i>Alzheimer's and Dementia</i> , 2019, 15, 1427-1436.	0.8	28
102	Clinical heterogeneity associated with KCNA1 mutations include cataplexy and nonataxic presentations. <i>Neurogenetics</i> , 2016, 17, 11-16.	1.4	26
103	Glycogen accumulation in rat cerebral cortex in dissociated cell culture. <i>Journal of Neuroscience Methods</i> , 1985, 15, 101-112.	2.5	25
104	Functional significance of cyclic AMP secretion in cerebral cortex. <i>Brain Research Bulletin</i> , 1992, 29, 315-318.	3.0	25
105	Forskolin evokes extracellular adenosine accumulation in rat cortical cultures. <i>Neuroscience Letters</i> , 1996, 211, 49-52.	2.1	25
106	Chapter 5 Why is the role of nitric oxide in NMDA receptor function and dysfunction so controversial?. <i>Progress in Brain Research</i> , 1998, 118, 53-71.	1.4	25
107	Caspase-1 and poly (ADP-ribose) polymerase inhibitors may protect against peroxynitrite-induced neurotoxicity independent of their enzyme inhibitor activity. <i>European Journal of Neuroscience</i> , 2004, 20, 1727-1736.	2.6	25
108	Dysregulation of system xcâ€¢ expression induced by mutant huntingtin in a striatal neuronal cell line and in R6/2 mice. <i>Neurochemistry International</i> , 2014, 76, 59-69.	3.8	25

#	ARTICLE	IF	CITATIONS
109	RIP1 kinase mediates arachidonic acid-induced oxidative death of oligodendrocyte precursors. <i>International Journal of Physiology, Pathophysiology and Pharmacology</i> , 2010, 2, 137-47.	0.8	25
110	Extracellular Synthesis of cADP-Ribose from Nicotinamide-Adenine Dinucleotide by Rat Cortical Astrocytes in Culture. <i>Journal of Neuroscience</i> , 1996, 16, 5372-5381.	3.6	24
111	Iron-Mediated Oxidation of 3,4-Dihydroxyphenylalanine to an Excitotoxin. <i>Journal of Neurochemistry</i> , 1995, 64, 1742-1748.	3.9	24
112	Recurrent SLC1A2 variants cause epilepsy via a dominant negative mechanism. <i>Annals of Neurology</i> , 2019, 85, 921-926.	5.3	23
113	TOPA quinone, a kainate-like agonist and excitotoxin is generated by a catecholaminergic cell line. <i>Journal of Neuroscience</i> , 1995, 15, 3172-3177.	3.6	22
114	Change in agitation in Alzheimer's disease in the placebo arm of a nine-week controlled trial. <i>International Psychogeriatrics</i> , 2015, 27, 2059-2067.	1.0	22
115	Glutathione prevents 2,4,5-trihydroxyphenylalanine excitotoxicity by maintaining it in a reduced, non-active form. <i>Neuroscience Letters</i> , 1992, 144, 233-236.	2.1	21
116	Nonenzymatic Conversion of 3,4-Dihydroxyphenylalanine to 2,4,5-Trihydroxyphenylalanine and 2,4,5-Trihydroxyphenylalanine Quinone in Physiological Solutions. <i>Journal of Neurochemistry</i> , 1993, 61, 911-920.	3.9	21
117	Glutamate homeostasis and dopamine signaling: Implications for psychostimulant addiction behavior. <i>Neurochemistry International</i> , 2021, 144, 104896.	3.8	20
118	Vasoactive intestinal peptide regulates extracellular adenosine levels in rat cortical cultures. <i>Neuroscience Letters</i> , 1995, 200, 93-96.	2.1	19
119	Comparison of the Potency of Competitive NMDA Antagonists Against the Neurotoxicity of Glutamate and NMDA. <i>Journal of Neurochemistry</i> , 2002, 63, 879-885.	3.9	19
120	Zinc homeostasis and zinc signaling in white matter development and injury. <i>Neuroscience Letters</i> , 2019, 707, 134247.	2.1	19
121	NMDA receptor-mediated extracellular adenosine accumulation in rat forebrain neurons in culture is associated with inhibition of adenosine kinase. <i>European Journal of Neuroscience</i> , 2003, 17, 1213-1222.	2.6	17
122	Huntington's disease pattern of transcriptional dysregulation in the absence of mutant huntingtin is produced by knockout of neuronal GLT-1. <i>Neurochemistry International</i> , 2019, 123, 85-94.	3.8	17
123	Conditional Knockout of GLT-1 in Neurons Leads to Alterations in Aspartate Homeostasis and Synaptic Mitochondrial Metabolism in Striatum and Hippocampus. <i>Neurochemical Research</i> , 2020, 45, 1420-1437.	3.3	17
124	Behavioral phenotyping and dopamine dynamics in mice with conditional deletion of the glutamate transporter GLT-1 in neurons: resistance to the acute locomotor effects of amphetamine. <i>Psychopharmacology</i> , 2018, 235, 1371-1387.	3.1	15
125	Elevation of intracellular cAMP evokes activity-dependent release of adenosine in cultured rat forebrain neurons. <i>European Journal of Neuroscience</i> , 2004, 19, 2669-2681.	2.6	14
126	Nitric oxide-induced adenosine inhibition of hippocampal synaptic transmission depends on adenosine kinase inhibition and is cyclic GMP independent. <i>European Journal of Neuroscience</i> , 2006, 24, 2471-2480.	2.6	12

#	ARTICLE	IF	CITATIONS
127	Glutamate transporter expression and function in a striatal neuronal model of Huntington's disease. <i>Neurochemistry International</i> , 2013, 62, 973-981.	3.8	11
128	The Redox Biology of Excitotoxic Processes: The NMDA Receptor, TOPA Quinone, and the Oxidative Liberation of Intracellular Zinc. <i>Frontiers in Neuroscience</i> , 2020, 14, 778.	2.8	10
129	Non-Cell-Autonomous Regulation of Optic Nerve Regeneration by Amacrine Cells. <i>Frontiers in Cellular Neuroscience</i> , 2021, 15, 666798.	3.7	10
130	Biomarkers for Alzheimer's disease: ready for the next step. <i>Brain</i> , 2009, 132, 2002-2004.	7.6	7
131	NMDA receptor-mediated extracellular adenosine accumulation is blocked by phosphatase 1/2A inhibitors. <i>Brain Research</i> , 2007, 1155, 116-124.	2.2	5
132	Zaprinast stimulates extracellular adenosine accumulation in rat pontine slices. <i>Neuroscience Letters</i> , 2004, 371, 12-17.	2.1	4
133	Principal components analysis of agitation outcomes in Alzheimer's disease. <i>Journal of Psychiatric Research</i> , 2016, 79, 4-7.	3.1	4
134	Characterizing Highly Benefited Patients in Randomized Clinical Trials. <i>International Journal of Biostatistics</i> , 2017, 13, .	0.7	4
135	Box I and II motif from myelin basic protein gene promoter binds to nuclear proteins from rodent brain. <i>Journal of Molecular Neuroscience</i> , 1994, 5, 27-37.	2.3	3
136	Evidence for change in current-coupling of GLT1 at high glutamate concentrations in rat primary forebrain neurons and GLT1-expressing COS cells. <i>European Journal of Neuroscience</i> , 2009, 30, 186-195.	2.6	3
137	Potential therapeutic intervention following hypoxic-ischemic insult. , 1997, 3, 76-84.		2
138	GLT-1 Transport Stoichiometry Is Constant at Low and High Glutamate Concentrations when Chloride Is Substituted by Gluconate. <i>PLoS ONE</i> , 2015, 10, e0136111.	2.5	2
139	The Potential of Actigraphy to Assess Agitation in Dementia. <i>American Journal of Geriatric Psychiatry</i> , 2019, 27, 870-872.	1.2	2
140	Deletion of the Sodium-Dependent Glutamate Transporter GLT-1 in Maturing Oligodendrocytes Attenuates Myelination of Callosal Axons During a Postnatal Phase of Central Nervous System Development. <i>Frontiers in Cellular Neuroscience</i> , 0, 16, .	3.7	2
141	Dihydrokainate-sensitive neuronal glutamate transport is required for protection of rat cortical neurons in culture against synaptically released glutamate. <i>European Journal of Neuroscience</i> , 1998, 10, 2523-2531.	2.6	1
142	Glutamate receptors, transporters and periventricular leukomalacia. , 0, , 186-201.		0
143	New Clues to Preclinical Alzheimer's Disease. <i>American Journal of Psychiatry</i> , 2018, 175, 493-494.	7.2	0
144	Mechanisms Underlying the Selective Vulnerability of Developing Human White Matter. , 2014, , 109-141.		0